

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.



Cotinus Simplified standard protocol: SSP/PKB/2.rev-Corr

Examination office	Naktuinbouw	
Reference of the protocol	SSP/PKB/2.rev-Corr	
Date of preparation of the protocol	03/10/2011	
Date of entry into force of the protocol	25/02/2021	
Botanical taxon:	Cotinus Mill.	
	Cotinus coggygria Scop.	
Common Name (when known):	Smoke Bush	
	Smoke Tree	
Way of propagation of the plants to be examined	Self or cross pollinated seed propagated □	
	Vegetatively propagated ⊠	
	1 🗆	
Number of growing cycles:	2 🗵	
Number of growing cycles.	Other □ specify Click or tap here to enter text.	
	Yes □ if yes put as annex	
List of grouping characteristics	No ⊠	
Minimum number of plants in trial	Vegetative:8	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place	Observation on the flower should	
	take place: at full flowering	
	Observation on the leaf should take	
	place: at full flowering	
	Other observations should take	
	place: at full flowering	



Uniformity	
------------	--

- For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1 % and an acceptance probability of at least 95% should be applied. In the case of a sample size of 8 plants, 1 off-types is allowed.
- For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known.

Table of characteristics	Present ⊠ Not available □
Literature (when present, please annex to this document)	Present ⊠ Absent □



Table of characteristics: Cotinus

	c of characteristics. Cothias	
1.	Plant: height	
2	Potiolog longth	
	Petiole: length Petiole: colour	
4.	Petiole: colour of young shoot	
	Young leaf blade: colour of upper side RHS Colour Chart (indicate reference	
ا.	number)	
6	Young leaf blade: colour of lower side RHS Colour Chart (indicate reference number)	
<u> </u>	Today ical blade: colodi of lower side ivits colodi criare (malcate reference mamber)	
7.	Leaf blade: length	
8.	Leaf blade: width	
9.	Leaf blade: shape	
10.	Leaf blade: shape of top	
11.	Leaf blade: colour (upper side) RHS Colour Chart (indicate reference number)	
12.	Leaf blade: colour (lower side) RHS Colour Chart (indicate reference number	
13.	Leaf blade: intensity of waxy layer (upper side)	
14.	Leaf blade: undulation of margin	
15.	Leaf blade: blistering	
16	Inflorescence: length of flowering part	
	Inflorescence: width of flowering	
1/.	Innotescence. Width of nowering	
18.	Flower: diameter	
19.	Pedicel: colour	
20.	Corolla lobe: colour RHS Colour Chart (indicate reference number)	
21	Sterile shoots: length	
	Sterile shoots: width	
	Sterile shoots: colour	
	Sterile shoots: colour of hairs	
۷٦.	Sterile Shoots, Colour of Hall's	
	rature:	
Hortica: Color cyclopedia of Garden flora in all climates and Plants Indoor: by A.B. Graf		
Dict	ionary of Gardening: Royal Horticultural Society	