



CPVO

Community Plant Variety Office

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Aechmea
Simplified standard protocol: SSP/ACM/1.rev

Botanical taxon:	Aechmea fasciata (Lindl.) Baker	
Common Name (when known):	Aechmea	
Date of preparation of SSP:	16-01-2013	
Date of revision of SSP:	01-01-2020	
SSP revised by:	G. van de Wardt	
Sample to be examined:	VEGETATIVE	
Number of growing cycles:	1 year	
Closing date for applications:	1/12	
Submission date/period:	1/3 - 31/3	
Seed/Plant Quantity:	Vegetative: 24 young plants Seed-propagated: 48 young plants	
Seed /Plant Quality:	1 month before treatment, able to show all their characteristics in the first year of examination	
Special conditions sample:	None	
Test station address:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen	
Name:	Team Support Variety Testing Department	
E-mail:	teamsupport@rasraad.nl	
List of grouping characteristics:	NO, (if yes put as annex)	
Minimum number of plants in trial:	Vegetative: 20	Seed-propagated: 40
Minimum number of plants observe by measuring or counting:	Vegetative: 1	Seed-propagated: 20
Give description of when observations on the flower should take place:	At full flowering	
Give description of when/where observations on the leaf should take place:	At full flowering	
Give description of when/where the other observations should take place:	At full flowering	
Test will take place:	GREENHOUSE	
Uniformity: A population standard of 1% with an acceptance probability of at least 95 %.	Number of off-types allowed: one off-type allowed in a sample size of 24 plants.	
A population standard of 1% with an acceptance probability of at least 95 %.	Number of off-types allowed: two off-types allowed in a sample size of 48 plants.	
Table of characteristics:	PRESENT (see annex)	
(if present, please annex the table of characteristics and explanations)		
Literature:	PRESENT	
(when present, please annex to this document)		

Table of characteristics *Aechmea fasciata*

Plant: type
Plant: height
Plant: diameter
Plant: number of leaves
Leaf sheath: length
Leaf sheath: width
Leaf sheath: colour of basal half on upper side
Leaf sheath: colour of distal half on lower side
Leaf: length
Leaf: width
Leaf: main colour on upper side
Leaf: main colour on lower side
Leaf: profile in longitudinal section
Leaf: profile in cross section
Leaf: margin
Leaf: shape of tip
Inflorescence: type
Inflorescence: length
Inflorescence: length of flowering part
Inflorescence: width of flowering part
Inflorescence: number of flowers per bract
Peduncle: shape in cross section
Largest Bract: length
Largest Bract: width
Largest Bract: main colour of upper side
Largest Bract: shape of tip
Floral Bract: length
Floral Bract: width
Floral Bract: main colour of upper side
Floral Bract: main colour of top
Floral Bract: shape
Floral Bract: profile in cross section
Floral Bract: shape of top
Prophyll: length
Prophyll: width
Prophyll: main colour
Flower: merosity
Calyx: length
Calyx: width
Calyx: colour
Petal: length
Petal: width
Petal: colour

Petal: shape of tip
Stamen: length
Stamen: colour
Anthers: colour
Style: length
Style: colour
Stigma: colour
Ovary: colour
Literature: Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf