

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Ageratina
Simplified standard protocol: SSP/AGT/1.rev

Examination office	Naktuinbouw	
Reference of the protocol	SSP/AGT/1.rev	
Date of preparation of the protocol	10/09/2021	
Date of entry into force of the protocol	10/09/2021	
Botanical taxon:	Ageratina altissima	
Common Name (when known):	Snakeroot	
Way of propagation of the plants to be examined	Self or cross pollinated seed propagated <input type="checkbox"/> Vegetatively propagated <input checked="" type="checkbox"/>	
Number of growing cycles:	1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> Other <input type="checkbox"/> specify:	
List of grouping characteristics	Yes <input type="checkbox"/> if yes put as annex No <input checked="" type="checkbox"/>	
Minimum number of plants in trial	Vegetative:20	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place	Observation on the flower should take place: at full flowering Observation on the leaf should take place: at full flowering Other observations should take place: at full flowering	

<p>Uniformity:</p> <ul style="list-style-type: none"> - For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1 % and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-types are allowed. - For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known. 	
Table of characteristics	Present <input checked="" type="checkbox"/> Not available <input type="checkbox"/>
Literature (when present, please annex to this document)	Present <input checked="" type="checkbox"/> Absent <input type="checkbox"/>

Table of characteristics: Ageratina

1. Stem: length
2. Stem: anthocyanin coloration
3. Leaf blade: length
4. Leaf blade: width
5. Leaf blade: ratio length/width
6. Leaf blade: position of broadest part
7. Leaf blade: intensity of green colour of upper side
8. Leaf blade: intensity of green colour of lower side
9. Leaf blade: anthocyanin coloration
10. Leaf blade: pubescence of upper side
11. Leaf blade: dentation
12. Leaf blade: shape of apex
13. Corymb: length
14. Corymb: width
15. Pedicel: length
16. Pedicel: pubescence
17. Flower head: length
18. Flower head: diameter
19. Involucrum: colour
20. Pappus: colour
21. Tubular flower: length
22. Tubular flower: colour RHS Colour Chart (indicate reference number)
21. Style: length
22. Style: colour
Literature: Atrium tuinplanten encyclopedie: C. Brickell The Encyclopedia of Garden Flowers: K&G Bryant Encyclopedia of Garden Plants and Flowers: Lance Hattate Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf