

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Buglossoides
Simplified standard protocol: SSP/BGL/2.rev

Botanical taxon:	Buglossoides arvensis (L.) I.M. Johnst.	
Common Name (if known):	Field Cromwell	
Date of preparation of SSP:	16-05-2018	
Date of revision of SSP:	27-11-2020	
SSP revised by:	M.H.A. Hoffman	
Sample to be examined:	VEGETATIVE/SEED	
Number of growing cycles:	1 year	
Closing date for applications:	1/12 (for spring sowing types) and 1/6 (for autumn sowing types)	
Submission date/period:	1/3 - 31/3 (spring sowing types) and 1/9 - 30/9 (autumn sowing types)	
Seed/Plant Quantity:	5000 seeds	
Special conditions sample:	None	
Test station address:	Naktuinbouw, Sotaweg 22, 2371 GD Roelofarendsveen	
Name/Email/Tel./Contact person	Team Support Variety Testing Department teamsupport@rasraad.nl	
List of grouping characteristics	NO	
Minimum number of plants in trial:	Vegetative: n/a	Seed: 50
Minimum number of plants observed by measuring or counting:	Vegetative: n/a	Seed: 20
Give description of when observations on the flower should take place:	At full flowering	
Give description of when/where observations on the leaf should take place:	For basal leaves at beginning of flowering; for distal leaves at full flowering	
Give description of when/where the other observations should take place:	Start growth (extension) of stem. When stem starts developing	
Seed characteristics:	When seed is ripe	
Test will take place:	OUTDOOR	
Uniformity:	A population standard of 1% with an acceptance probability of at least 95%.	
Number of off-types allowed:	two off-type allowed in a sample size of 50.	
Table of characteristics	PRESENT (see annex)	
Literature	PRESENT	

Gewijzigde v

Table of characteristics: Buglossoides

Plant: height
Plant: diameter
Plant: density branching
Stem: start growth (extension)
Stem: attitude of main stem
Stem: anthocyanin coloration at basal half
Stem: anthocyanin coloration at distal half
Stem: colour
Stem: pubescence
Stem: shape in cross section
BASAL LEAVES (at ¼ height)
Leaf, basal: length
Leaf, basal: width
Leaf, basal: attitude
Leaf, basal: shape
Leaf, basal: colour
Leaf, basal: pubescence
Leaf, basal: shape of apex
DISTAL LEAVES (at ¾ height)
Leaf, distal: length
Leaf, distal: width
Leaf, distal: attitude
Leaf, distal: shape
Leaf, distal: colour
Leaf, distal: pubescence
Leaf, distal: shape of apex
Pedicel: length
Pedicel: colour
Flower: size
Flower: colour
Flowering time, start:
Seed: size
Seed: colour
Dieback of crop
Literature:
Hortica: A.B.Graf