

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Callicarpa
Simplified standard protocol: SSP/CLP/3.rev

Botanical taxon:	Callicarpa L.	
Common Name (if known):	Bodinier's beautyberry	
Date of preparation of SSP:	11-07-2019	
Date of revision of SSP:	17-02-2021	
SSP data revised by:	W.A. Wietsma	
Sample to be examined:	VEGETATIVE	
Number of growing cycles:	1 year	
Closing date for applications:	1/12	
Submission date/period:	1/3 - 31/3	
Seed/Plant Quantity:	10 young bushes	
	Able to show all their characteristics in the first year of examination	
Special conditions sample:	None	
Test station address:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen	
Name:	Team Support Variety Testing Department	
E-mail:	teamsupport@rasraad.nl	
List of grouping characteristics:	NO, (if yes put as annex)	
Minimum number of plants in trial:	Vegetative: 8	Seed: not appl.
Minimum number of plants observed by measuring or counting:	Vegetative: 1	Seed: not appl.
Give description of when observations on the flower should take place:	At full flowering	
Give description of when/where observations on the leaf should take place:	At full flowering	
Give description of when/where the other observations should take place:	At maturity of the berries	
Test will take place:	OUTDOOR	
Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 10		
Table of characteristics:	PRESENT (see annex)	
(if present, please annex the table of characteristics and explanations)		
Literature:	PRESENT	
(if present, please annex to this document)		

Table of characteristics: Callicarpa

Plant: attitude
Plant: height
Plant: width
Plant: older branches: colour
Plant: older branches: anthocyanin coloration
Plant: younger branches: colour
Plant: younger branches: anthocyanin coloration
Plant: lenticels:
Plant: lateral branches: angle with main branch
Buds: colour
Petiole: length
Petiole: colour
Petiole: anthocyanin coloration
Petiole: shape
Leaf blade: shape
Leaf blade: length
Leaf blade: width
Leaf blade: variegation
Leaf blade: position of variegation
Leaf blade: first colour of upper side (RHS)
Leaf blade: area of colour 1 relative to non-variegated area
Leaf blade: secondary colour of upper side (RHS)
Leaf blade: area of colour 2 relative to non-variegated area
Leaf blade: third colour of upper side (RHS)
Leaf blade: area of colour 3 relative to non-variegated area
Leaf blade: anthocyanin coloration
Leaf blade: shape in cross-section
Leaf blade: shape of margin
Leaf blade: shape of base
Leaf blade: shape of top
Leaf blade: top: recurvation
Leaf blade: glossiness: upper side
Leaf blade: glossiness: lower side
Leaf blade: pubescence
Inflorescence: position
Flower: width
Calyx: length
Callyx: colour
Corolla lobes: colour (RHS)

Filiment: colour
Anther: colour
Style: colour
Berries: number at each raceme
Berries: length
Berries: width
Berries: shape
Berries: colour (RHS)
Literature: Encyclopaedia of Garden Plants and Flowers: Lance Hattat Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf