

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Campsis
Simplified standard protocol: SSP/TPK/3

Examination office	Naktuinbouw	
Reference of the protocol	SSP/TPK/3	
Date of preparation of the protocol	28/09/2021	
Date of entry into force of the protocol	28/09/2021	
Botanical taxon:	Campsis L.	
Common Name (when known):	Trumpet Flower	
Way of propagation of the plants to be examined	Self or cross pollinated seed propagated <input type="checkbox"/> Vegetatively propagated <input checked="" type="checkbox"/>	
Number of growing cycles:	1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> Other <input type="checkbox"/> specify:	
List of grouping characteristics	Yes <input type="checkbox"/> if yes put as annex No <input checked="" type="checkbox"/>	
Minimum number of plants in trial	Vegetative:8	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place	Observation on the flower should take place: at full flowering Observation on the leaf should take place: at full flowering Other observations should take place: at full flowering	

<p>Uniformity:</p> <ul style="list-style-type: none"> - For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1 % and an acceptance probability of at least 95% should be applied. In the case of a sample size of 8 plants, 1 off-types are allowed. - For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known. 	
Table of characteristics	Present <input checked="" type="checkbox"/> Not available <input type="checkbox"/>
Literature (when present, please annex to this document)	Present <input checked="" type="checkbox"/> Absent <input type="checkbox"/>

Table of characteristics: Campsis

1. Plant: attitude	
2. Plant: height	
3. Young branches: colour	
4. Young branches: anthocyanin colouration	
5. Old branches: colour	
6. Old branches: anthocyanin colouration	
7. Leaf: shape	
8. Petiole: length	
9. Petiole: colour	
10. Petiole: shape	
11. Petiole: pubescence	
12. Leaflets: shape of blade	
13. Leaflets: length	
14. Leaflets: width	
15. Leaflets: colour of upper side	RHS Colour Chart (indicate reference number)
16. Leaflets: anthocyanin colouration	
17. Leaflets: glossiness of upper side	
18. Leaflets: pubescence of upper side	
19. Leaflets: colour of lower side	
20. Leaflets: pubescence of lower side	
21. Leaflets: pubescence of main vein	
22. Leaflets: shape in cross-section	
23. Leaflets: shape of margin	
24. Inflorescence: type	
25. Flower: height	
26. Flower: width	
27. Calyx: shape	
28. Calyx: length	
29. Calyx: colour	
30. Corolla: number of petals	
31. Corolla: limb: outer colour	RHS Colour Chart (indicate reference number)
32. Corolla: limb: inner colour	RHS Colour Chart (indicate reference number)
33. Corolla: throat: outer colour	RHS Colour Chart (indicate reference number)
34. Corolla: throat: inner colour	RHS Colour Chart (indicate reference number)
35. Corolla: tube: outer colour	RHS Colour Chart (indicate reference number)
36. Stamen: length	
37. Stamen: colour	
38. Style: length	
39. Style: colour	

Literature:

Dictionary of Gardening: The Royal Horticultural Society

Hortica: A.B.Graf

The Encyclopedia of Garden Flowers: K&G Bryant