

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Ficus
Simplified Standard Protocol: SSP/VGB/3.rev

Botanical taxon: Ficus microcarpa L.f.
 Ficus Americana Aubl, subsp. Guianensis (Ham.) C.C. Berg
 Ficus punctate Thunb.
 Ficus bengalensis L.
 Ficus elastica L.
 Ficus natalensis Hochst.
 Ficus auriculate Lour.
 Ficus bussei Warb. Ex Mildbr. & Burret
 Ficus lyrate Warb.
 Ficus auriculate Lour.
 Ficus petiolaris Kunth

Common Name (when known): Ficus

Date of preparation of SSP: 08-04-2015

Date of revision of SSP: 01-12-2020

SSP data revised by: J. van Schie

Sample to be examined: VEGETATIVE

Number of growing cycles: 1 year

Closing date for applications: 1/12

Submission date/period: 1/3 - 31/3

Seed/Plant Quantity: 24 young plants
 Able to show all their characteristics in the first year of examination

Special conditions sample: None

Test station address: Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen

Name: Team Support Variety Testing Department

E-mail: teamsupport@rasraad.nl

List of grouping characteristics: NO, (if yes put as annex)

Minimum number of plants in trial: Vegetative: 20 Seed: not appl.

Minimum number of plants observed by measuring or counting: Vegetative: 1 Seed: not appl.

Give description of when observations on the flower should take place:
 Not applicable

Give description of when/where observations on the leaf should take place:
 After 9 month's growth

Give description of when/where the other observations should take place:
 After 9 month's growth

Test will take place: GREENHOUSE

Uniformity: Population Standard used: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 24

Table of characteristics: PRESENT (see annex)
 (if present, please annex the table of characteristics and explanations)

Literature: PRESENT
 (if present, please annex to this document)

Table of characteristics Ficus

1. Plant: growth habit
2. Plant: length of internodes (at middle third of stem)
3. Young stem: colour
4. Stem: colour
5. Stem: torsion
6. Stem: pubescence
7. Stem: colour of pubescence
8. Petiole: length
9. Petiole: colour
10. Petiole: anthocyanin coloration
11. Petiole: pubescence
12. Young leaf blade: number of colours
13. Young leaf blade: main colour RHS Colour Chart (indicate reference number)
14. Leaf blade: length
15. Leaf blade: width
16. Leaf blade: shape
17. Leaf blade: shape of apex
18. Leaf blade: number of colours
19. Leaf blade: main colour of upper side RHS Colour Chart (indicate reference number)
20. Leaf blade: secondary colour of upper side RHS Colour Chart (indicate reference number)
21. Leaf blade: pattern of secondary colour of upper side
22. Leaf blade: main colour of lower side RHS Colour Chart (indicate reference number)
23. Leaf blade: pubescence lower side
24. Leaf blade: colour of main vein RHS Colour Chart (indicate reference number)
25. Leaf blade: glossiness
26. Leaf blade: shape in cross section
27. Leaf blade: curvature of main axis
28. Leaf blade: undulation of margin
29. Berry length
30. Berry: width
31. Berry: shape
32. Berry: colour RHS Colour Chart (indicate reference number)
Literature: Hortica: A.B.Graf Zander, dictionary of plant names: Erhardt/Götz/Bödeker/Seybold