

## DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

**Hakonechloa**  
**Simplified standard protocol: SSP/HKH/1.rev**

Botanical taxon: Hakonechloa macra (Munro) Makino  
 Common Name (when known): Golden Japanese Forest Grass  
 Date of preparation of SSP: 7-11-2017  
 Date of revision of SSP: 01-01-2020  
 SSP revised by: W.A. Wietsma

Sample to be examined: VEGETATIVE  
 Number of foreseen growing cycles: 1 year

Closing date for applications: 1/12  
 Submission date/period: 1/3 – 31/3  
 Seed/Plant Quantity: 24 young plants of commercial standard  
 Appropriate to be grown in the open  
 Special conditions sample: None

Test station address: Naktuinbouw, Sotaweg 22, 2371 AA,  
 Roelofarendsveen  
 Name: Team Support Variety Testing Department  
 E-mail: [teamsupport@rasraad.nl](mailto:teamsupport@rasraad.nl)

List of grouping characteristics: NO, (if yes put as annex)  
 Minimum number of plants in trial: Vegetative: 20                      Seed: not appl.  
 Minimum number of plants observed  
 by measuring or counting: Vegetative: 1                                  Seed: not appl.

Give description of when observations on the flower should take place:  
 At full flowering  
 Give description of when/where observations on the leaf should take place:  
 At full flowering  
 Give description of when/where the other observations should take place:  
 At full flowering

Test will take place: OUTDOOR

Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 24

Table of characteristics: PRESENT (see annex)  
 (if present, please annex the table of characteristics and explanations)

Literature: PRESENT  
 (when present, please annex to this document)

