

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Molinia
Simplified standard protocol: SSP/MOLA/MOLC/2.rev

Botanical taxon: Molinia caerulea (L.) Moench, Molinia arundinacea Schrank; Molinia arundinacea Schrank x Molinia caerulea (L.) Moench.

Common Name (when known): Molinia

Date of preparation of SSP: 6-07-2016

Date of revision of SS: 25-09-2020

SSP revised by: W.A. Wietsma

Sample to be examined: VEGETATIVE

Number of foreseen growing cycles: 1 year

Closing date for applications: 1/12

Submission date/period: 1/3 – 31/3

Seed/Plant Quantity: 24 young plants
 Appropriate to be grown in the open, able to show all their characteristics during the first year of examination

Special conditions sample: None

Test station address: Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen

Name: Team Support Variety Testing Department

E-mail: teamsupport@rasraad.nl

List of grouping characteristics: NO, (if yes put as annex)

Minimum number of plants in trial: Vegetative: 20 Seed: not appl.

Minimum number of plants observed by measuring or counting: Vegetative: 1 Seed: not appl.

Give description of when observations on the flower should take place:
 At full flowering

Give description of when/where observations on the leaf should take place:
 At full flowering

Give description of when/where the other observations should take place:
 At full flowering

Test will take place: OUTDOOR

Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 24

Table of characteristics: PRESENT (see annex)
 (if present, please annex the table of characteristics and explanations)

Literature: PRESENT
 (when present, please annex to this document)

