

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.



CPVO

Community Plant Variety Office

ILVO

National Protocol - DUS

Botanical taxon: *Primula vialii* Delavay ex Franch. (syn. *Primula littoniana* Forrrest)

Common Name (when known):

Date of preparation of the Simplified Standard Protocol: 25/05/2018

Simplified Standard Protocol data prepared by: Joke Pannecoucq

Way of propagation of the plants to be examined: SEED/VEGETATIVE

Number of growing cycles: 1 / 2 / other (specify)

List of grouping characteristics: YES/NO, if yes put as annex

Minimum number of plants in trial: vegetative: 15 seed:

Minimum number of plants observed by measuring or counting: vegetative: 10 seed:

Give description of when observations on the flower should take place:
Observations should be made at the time of full flowering.

Give description of when/where observations on the leaf should take place:
Observations on the leaf should be made on fully grown leaves from the middle part of a shoot.

Give description of when/where the other observations should take place:
The plant height should be observed from the soil level to the highest point of the plant including flowers.

Test will take place ~~IN THE GREENHOUSE~~ / IN THE OPEN / ~~OTHER: specify~~

Uniformity: Population Standard used:

For the assessment of uniformity, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 15 plants, 1 off-type is allowed.

Table of characteristics: PRESENT / NOT AVAILABLE
(if present, please enclose the table of characteristics and explanations)

Reference collection: PRESENT / NOT AVAILABLE
(if present, please enclose information about the reference collection)

The process for the constitution and the maintenance of a variety collection can be summarized as follows:

Step 1: Making an inventory of the varieties of common knowledge

Step 2: Establishing a collection ("variety collection") of varieties of common knowledge, which are relevant for the examination of distinctness of candidate varieties

Step 3: Selecting the varieties from the variety collection, which need to be included in the growing trial or other tests for the examination of distinctness of a particular candidate variety.

Literature: PRESENT/ ABSENT
(when present, please annex to this document)

(*) Further information about the preparation of Technical Protocols can be obtained from UPOV TGP/7: 'Development of test guidelines', available on the UPOV website.

Primula vialii Delavay ex Franch. (syn. Primula littoniana Forrest)
version - ILVO 2018

ILVO -
25/05/2018

Table of characteristics

Number	Characteristic	Description	Note
1	Plant: Growth habit	upright	1
		spreading	2
		prostrate	3
		other	4
2	Plant: Height	very short	1
		short	3
		medium	5
		tall	7
		very tall	9
3	Plant: Width	very narrow	1
		narrow	3
		medium	5
		broad	7
		very broad	9
4	Leaf blade: Length	very short	1
		short	3
		medium	5
		long	7
		very long	9
5	Leaf blade: Width	very narrow	1
		narrow	3
		medium	5
		broad	7
		very broad	9
6	Leaf blade: variegation	absent	1
		present	9
7	Leaf blade: Green colour of upper side (for Leaf: variegation: absent)	very light	1
		light	3
		medium	5
		dark	7
		very dark	9

8 Leaf: Undulation of margin	absent or very weak	1
	weak	3
	medium	5
	strong	7
	very strong	9
9 Peduncle: length	very short	1
	short	3
	medium	5
	tall	7
	very tall	9
10 Inflorescence: length (excluding peduncle)	very short	1
	short	3
	medium	5
	tall	7
	very tall	9
11 Flower: type	single	1
	semi-double	2
	double	3
12 Flower: diameter	very narrow	1
	narrow	3
	medium	5
	broad	7
	very broad	9
13 Flower: number of colours	one	1
	two	2
	more than two	3
14 Flower: main colour		
15 Flower: secondary colour		
16 Number of inflorescences per plant	few	3
	medium	5
	many	7
