

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

Viburnum
Simplified standard protocol: SSP/SBA/3.rev

Botanical taxon: Viburnum plicatum Thunb.
Viburnum cassinoides L.

Common Name (if known): Snowball Tree, Swamp haw

Date of preparation of SSP: 05-09-2019

Date of revision of SSP: 12-08-2020

SSP data revised by: W.A. Wietsma

Sample to be examined: VEGETATIVE

Number of growing cycles: 1 year

Closing date for applications: 1/12

Submission date/period: 1/3 - 31/3

Seed/Plant Quantity: 8 young bushes
Able to show all their characteristics in the first year of examination

Special conditions sample: None

Test station address: Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen

Name: Team Support Variety Testing Department

E-mail: teamsupport@rasraad.nl

List of grouping characteristics: NO, (if yes put as annex)

Minimum number of plants in trial: Vegetative: 7 Seed: not appl.

Minimum number of plants observed by measuring or counting: Vegetative: 1 Seed: not appl.

Give description of when observations on the flower should take place:
At full flowering

Give description of when/where observations on the leaf should take place:
At full flowering

Give description of when/where the other observations should take place:
At maturity of the berries

Test will take place: OUTDOOR

Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 8

Table of characteristics: PRESENT (see annex)
(if present, please annex the table of characteristics and explanations)

Literature: PRESENT
(if present, please annex to this document)

Table of characteristics: Viburnum

Plant: attitude
Plant: height
Plant: twigs: colour
Plant: bark: colour
Plant: lenticels
Plant: lateral branches: angle with main branch
Leaf: petiole: length
Leaf: petiole: colour
Leaf: lamina: shape
Leaf: lamina: length
Leaf: lamina: width
Leaf: lamina: upper side: colour (RHS)
Leaf: lamina: anthocyanin coloration
Leaf: lamina: shape in cross-section
Leaf: lamina: shape of margin
Leaf: lamina: shape of top
Leaf: lamina: top: recurvation
Leaf: lamina: colour of main vein
Leaf: lamina: colour of lower side
Inflorescence
Inflorescence: position
Inflorescence: attitude
Inflorescence: length
Inflorescence: width
Pedicel: colour
Pedicel: anthocyanin coloration
Bracts: width
Bracts: colour (RHS)
Bracts: anthocyanin coloration
Buds: colour
Buds: anthocyanin coloration
Flowers fertile: diameter
Flowers fertile: colour (RHS)
Flowers fertile: corolla lobes: shape
Flowers fertile: corolla lobes: shape in cross-section
Flowers sterile: diameter
Flowers sterile: colour (RHS)
Flowers sterile: corolla lobes: shape
Flowers sterile: corolla lobes: shape in cross-section
Stamens: filament: colour
Anthers: before opening: colour
Anthers: after opening: colour
Berries: length

Berries: width
Berries: position of largest width
Berries: colour RHS
Literature: Encyclopaedia of Garden Plants and Flowers: Lance Hattat Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf