



S2
2006

15/09/2006

Boletín Oficial de la Oficina Comunitaria de Variedades Vegetales
Úřední věstník Odrůdového úřadu Společenství
EF-Sortsmyndighedens Officielle Tidende
Amtsblatt des Gemeinschaftlichen Sortenamtes
Ühenduse Sordiameti ametlik väljaanne
Επίσημη Εφημερίδα του Κοινοτικού Γραφείου Φυτικών Ποικιλιών
Official Gazette of the Community Plant Variety Office
Bulletin officiel de l'Office communautaire des variétés végétales
Bollettino ufficiale dell'Ufficio comunitario delle varietà vegetali
Kopienas Augu šķirņu biroja Oficiālais Vēstnesis
Bendrijos augalų veislių tarnybos oficialusis žurnalas
A Közösségi Növényfajta hivatal Hivatalos Közlönye
Gazzetta Ufficjali ta' l-Ufficċju Komunitarju tal-Varjetajiet ta' Pjanti
Mededelingenblad van het Communautair Bureau voor plantenrassen
Urzędowa Gazeta Wspólnotowego Urzędu Ochrony Odmian Roślin
Gazeta Oficial do Instituto Comunitário das Variedades Vegetais
Úradný vestník Úradu Soločenstva pre odrody rastlín
Uradno glasilo Urada Skupnosti za rastlinske sorte
Yhteisön kasvilajikeviraston virallinen lehti
Officiell tidskrift för Gemenskapens växsortsmyndighet

Oficina Comunitaria de Variedades Vegetales
Odrůdový úřad Společenství
EF-Sortsmyndigheden
Gemeinschaftliches Sortenamnt
Ühenduse sordiamet
Κοινοτικό Γραφείο Φυτικών Ποικιλιών
Community Plant Variety Office
Office communautaire des variétés végétales
Ufficio comunitario delle varietà vegetali
Kopienas Augu šķirņu birojs
Bendrijos augalų veislių tarnyba
Közösségi Növényfajta hivatal
L-Uffiċċju Komunitarju tal-Varjetajiet ta' Pjanti
Communautair Bureau voor plantenrassen
Wspólnotowy Urząd Odmian Roślin
Instituto Comunitário das Variedades Vegetais
Úrad spoločenstva pre odrody rastlín
Urad Skupnosti za rastlinske sorte
Yhteisön kasvilajikevirasto
Gemenskapens växtsortsmyndighet

3 Bd Maréchal Foch
BP 10121
FR-49101 Angers Cedex 02
Tél.: +33(0) 241 25 64 00
Fax: +33(0) 241 25 64 10
Email: cpvo@cpvo.europa.eu
Website: www.cpvo.europa.eu

Luxembourg: Office for Official Publications of the European Communities
© CPVO Angers, 2006
Reproduction is authorised, except for commercial purposes, provided the source is acknowledged.

Printed in Belgium

PRINTED ON WHITE CHLORINE-FREE PAPER

**NÚMERO ESPECIAL DEL BOLETÍN OFICIAL DE LA OCVV EN EL QUE SE INFORMA
SOBRE LOS PLAZOS PARA LA PRESENTACIÓN DE SOLICITUDES Y
LOS REQUISITOS PARA LA PRESENTACIÓN DE MATERIAL VEGETAL –
VERSIÓN CONSOLIDADA**

**ZVLÁŠTNÍ VYDÁNÍ ÚŘEDNÍHO VĚSTNÍKU CPVO
OBSAHUJÍCÍ INFORMACE O DATECH UZÁVĚREK PRO ŽÁDOSTI A POŽADAVKY
NA ZASÍLÁNÍ ROSTLINNÉHO MATERIÁLU –
KONSOLIDOVANÁ VERZE**

**SÆRUDGAVE AF EF-SORTSMYNDIGHEDENS OFFICIELLE TIDENDE INDEHOLDENDE
TIDFRISTER FOR ANSØGNINGER OG BETINGELSER FOR INDGIVELSE AF
PLANTEMATERIALE — KONSOLIDERET UDGAVE**

**SONDERAUSGABE DES AMTSBLATTES DES GEMEINSCHAFTLICHEN
SORTENAMTES ÜBER ANTRAGSFRISTEN FÜR ANTRÄGE UND ÜBER
DIE VORLAGE VON PRÜFMATERIAL –
KONSOLIDIERTE AUSGABE**

**ÜHENDUSE SORDIAMETI AMETLIKU TEATAJA ERIVÄLJAANNE
TAOTLUSTE ESITAMISE TÄHTAEGADE JA TAIMSE MATERJALI ESITAMISE
NÕUETE KOHTA – KOKKUVÕTE**

**ΕΙΔΙΚΟ ΤΕΥΧΟΣ ΤΗΣ ΕΠΙΣΗΜΗΣ ΕΦΗΜΕΡΙΔΑΣ ΤΟΥ ΚΓΦΠ
ΕΝΗΜΕΡΩΣΗ ΣΧΕΤΙΚΑ ΜΕ ΤΙΣ ΠΡΟΘΕΣΜΙΕΣ ΤΩΝ ΑΙΤΗΣΕΩΝ ΚΑΙ ΤΙΣ
ΑΠΑΙΤΗΣΕΙΣ ΓΙΑ ΤΗΝ ΥΠΟΒΟΛΗ ΦΥΤΙΚΟΥ ΥΛΙΚΟΥ — ΕΝΟΠΟΙΗΜΕΝΗ ΕΚΔΟΣΗ**

**SPECIAL ISSUE OF THE OFFICIAL GAZETTE OF THE CPVO INFORMING
ABOUT CLOSING DATES FOR APPLICATIONS AND REQUIREMENTS FOR
THE SUBMISSION OF PLANT MATERIAL —
CONSOLIDATED VERSION**

**ÉDITION SPÉCIALE DU BULLETIN OFFICIEL DE L'OCVV SIGNALANT
LES DATES DE CLÔTURES POUR LES DEMANDES ET LES CONDITIONS REQUISES
POUR LA SOUMISSION DU MATÉRIEL VÉGÉTAL —
VERSION CONSOLIDÉE**

**EDIZIONE SPECIALE DEL BOLLETTINO UFFICIALE DELL'UCVV CONTENENTE
INFORMAZIONI SULLE DATE DI CHIUSURA PER LE DOMANDE ED I REQUISITI PER
GLI ESAMI DEL MATERIALE VEGETALE —
VERSIONE CONSOLIDATA**

**KOPIENAS AUGU ŠĶIRŅU BIROJA OFICIĀLĀ VĒSTNEŠA ĪPAŠAIS IZDEVUMS,
KAS INFORMĒ PAR PIETEIKUMU IESNIEGŠANAS BEIGU DATUMIEM UN AUGU
MATERIĀLA IESNIEGŠANAS PRASĪBĀM – KONSOLIDĒTA VERSIJA**

**BENDRIJOS AUGALŲ VEISLIŲ TARNYBOS OFICIALIOJO ŽURNALO SPECIALUS
LEIDIMAS, INFORMUOJANTIS APIE GALUTINĘ PARAIŠKŲ PATEIKIMO DATĄ IR
APIE REIKALAVIMUS AUGALINĖS MEDŽIAGOS PATEIKIMUI –
KONSOLIDUOTA VERSIJA**

**A CPVO HIVATALOS KÖZLÖNYÉNEK KÜLÖNKIADÁSA
TÁJÉKOZTATÓ KÉRELMEK BEADÁSÁNAK HATÁRIDEJÉRŐL ÉS A NÖVÉNYI
MINTÁK BENYÚJTÁSÁHOZ KAPCSOLÓDÓ KÖVETELMÉNYEKRŐL –
VÉGLEGES VERZIÓ**

**HARĠA SPEĊJALI TAL-GAZZETTA UFFIĊJALI TA' L-UKVV
LI TINFORMA DWAR DATI TA' GĦELUQ GĦAL APPLIKAZZJONIJIET U HTIĠIET
GĦAS-SOTTOMISSJONI TA' MATERJAL TAL-PJANTI –
VERŻJONI KONSOLIDATA**

**SPECIALE UITGAVE VAN HET MEDEDELINGENBLAD VAN HET COMMUNAUTAIR
BUREAU VOOR PLANTENRASSEN MET INFORMATIE BETREFFENDE
SLUITINGSDATA VOOR AANVRAGEN EN VEREISTEN VOOR DE INLEVERING
VAN PLANTMATERIAAL — GECONSOLIDEERDE VERSIE**

**WYDANIE SPECJALNE URZĘDOWEJ GAZETY CPVO
INFORMACJA O OSTATECZNYM TERMINIE SKŁADANIA WNIOSKÓW ORAZ
O WYMOGACH DOTYCZĄCYCH PRZESYŁANIA MATERIAŁU ROŚLINNEGO –
WERSJA SKONSOLIDOWANA**

**EDIÇÃO ESPECIAL DA GAZETA OFICIAL DO INSTITUTO COMUNITÁRIO
DAS VARIEDADES VEGETAIS — INFORMAÇÕES REFERENTES ÀS DATAS-LIMITE
DE APRESENTAÇÃO DE PEDIDOS E AOS REQUISITOS DE APRESENTAÇÃO
DE MATERIAL VEGETAL — VERSÃO CONSOLIDADA**

**ZVLÁŠTNE VYDANIE ÚRADNÉHO VESTNÍKA CPVO,
KTORÝ INFORMUJE O DÁTUMOCH UZÁVIERKY PRE PRIHLÁŠKY
A O POŽIADAVKÁCH NA PREDLOŽENIE MNOŽITEĽSKÉHO MATERIÁLU
– KONSOLIDOVANÁ VERZIA**

**POSEBNA IZDAJA URADNEGA GLASILA URADA SKUPNOSTI ZA RASTLINSKE SORTE
OBVEŠČA O ZADNJEM ROKU ZA PRIJAVE IN O ZAHTEVAH ZA PREDLOŽITEV
RASTLINSKEGA MATERIALA – KONSOLIDIRANA RAZLIČICA**

**KASVILAJIKEVIRASTON VIRALLISEN LEHDEN ERIKOISNUMERO SISÄLTÄEN
TIETOA HAKEMUSTEN JÄTTÖPÄIVISTÄ JA KASVIMATERIAALIN TOIMITTAMISTA
KOSKEVISTA VAATIMUKSISTA –
KONSOLIDOITU VERSIO**

**SPECIALUTGÅVA AV DEN OFFICIELLA TIDSKRIFTEN FÖR GEMENSKAPENS
VÄXTSORTSMYNDIGHET INNEHÅLLANDE INFORMATION OM TIDSFRISTER FÖR
ANSÖKNINGAR OCH VILLKOR FÖR INGIVANDE AV VÄXTMATERIAL –
KONSOLIDERAD VERSION**

**NÚMERO ESPECIAL DEL BOLETÍN OFICIAL DE LA OCVV EN EL QUE SE INFORMA SOBRE
LOS PLAZOS PARA LA PRESENTACIÓN DE SOLICITUDES Y LOS REQUISITOS PARA
LA PRESENTACIÓN DE MATERIAL VEGETAL – VERSIÓN CONSOLIDADA**

El objeto de esta lista es informar a los solicitantes en una versión consolidada sobre los plazos para la presentación de solicitudes y los requisitos para la presentación de material vegetal, con vistas a su examen técnico. Se publica con periodicidad anual. Las modificaciones que entren en vigor durante el año previo a la publicación del siguiente Boletín S2 se publicarán con regularidad en el Boletín de la OCVV.

NOTA IMPORTANTE

El solicitante no debe enviar el material vegetal hasta haber recibido instrucciones por escrito de la Oficina. El incumplimiento de estas instrucciones puede invalidar todo el procedimiento.

Dicha lista contiene los siguientes datos:

Nombre de la especie:	Se indicará la especie pertinente.
Subtipo:	Se especificará el subtipo de la especie.
Grupo de tasas de examen:	Se indicará el grupo de tasas al que pertenece la especie. La tasa de examen que pagará el solicitante por cada ciclo de cultivo puede encontrarse en el anexo 1.
	Número de ciclos previstos: Indica el número de ciclos de cultivo desarrollados por lo general para la evaluación de pruebas de distinción, homogeneidad y estabilidad.
País:	País en el que puede llevarse a cabo un examen técnico en nombre de la OCVV.
Oficina de examen:	Nombre de la oficina nacional de examen.
Fecha límite de presentación:	Fecha límite para la recepción de una solicitud válida de forma que la Oficina pueda contemplar el examen técnico de esta variedad para el ciclo de cultivo próximo (sin garantía). Si la Oficina recibe una solicitud válida un día después de la fecha límite, la variedad en cuestión no estará presente en el siguiente ciclo de cultivo.
Inicio de la sumisión:	Fecha a partir de la cual el solicitante podrá enviar el material vegetal a la Oficina de Examen.
Fin de la sumisión:	Fecha límite para la recepción del material vegetal en la oficina de examen.
Cantidad de semillas/plantas:	Cantidad de semillas/plantas solicitadas para presentación.
Calidad de semillas/plantas:	Detalles relativos al material exigido.

Si una fecha límite coincide con sábado, domingo o una fiesta nacional, el solicitante deberá considerar el día laborable anterior a dicha fecha como la fecha límite para el cierre y la presentación.

Todos los requisitos fitosanitarios se comunicarán al solicitante junto con la solicitud de presentación de material vegetal a la oficina de examen pertinente.

Sírvanse tomar nota de que cuando se trate de variedades ornamentales y frutales, el material vegetal suministrado deberá tener una apariencia saludable, vigorosa y no podrá estar afectado por ninguna plaga o enfermedad importantes, en particular virus.

ZVLÁŠTNÍ VYDÁNÍ ÚŘEDNÍHO VĚSTNÍKU CPVO
OBSAHUJÍCÍ INFORMACE O DATECH UZÁVĚREK PRO ŽÁDOSTI A POŽADAVKY NA
ZASÍLÁNÍ ROSTLINNÉHO MATERIÁLU – KONSOLIDOVANÁ VERZE

Cílem tohoto seznamu je informovat žadatele prostřednictvím konsolidované verze o datech uzávěrek žádostí a o požadavcích na zaslání rostlinného materiálu za účelem jeho podrobení technickým zkouškám. Je vydáván jednou ročně. Změny, které vstupují v platnost během roku přecházejícího vydání dalšího S2 věstníku, jsou uveřejněny v řádném vydání věstníku CPVO.

DŮLEŽITÉ UPOZORNĚNÍ:

Žadatel zašle materiál až poté, co od Úřadu obdrží výzvu písemně. Nedodržení výše uvedené instrukce může narušit průběh celé procedury.

Seznam obsahuje následující informace:

Název druhu:	Označující příslušné druhy
Podtyp:	Specifikující podtyp druhu
Skupina poplatků za provedení zkoušek:	Označující skupinu poplatků za provedení zkoušek, do které druh patří. Poplatky za provedení zkoušek, které má žadatel zaplatit za růstový cyklus, jsou uvedeny v příloze 1.
Předpokládaný počet růstových cyklů:	Označuje počet růstových cyklů, které jsou běžně prováděny u zkoušek DUS.
Země:	Země, kde může být provedena technická zkouška pro CPVO.
Zkušební úřad:	Název vnitrostátního zkušební úřadu
Datum uzávěrky:	Nejpozdější datum, ke kterému má Úřad obdržet platnou žádost za účelem naplá- nování technických zkoušek pro tuto odrůdu pro nadcházející růstové období (bez záruky). Pokud Úřad obdrží platnou žádost den po datu uzávěrky, dojde ke zmeškání nadcházejícího růstového období pro danou odrůdu.
Počátek zasílání:	Datum, od kterého může žadatel zasílat materiál zkušebnímu úřadu.
Konec zasílání:	Nejpozdější datum, ke kterému musí být materiál obdržet zkušebním úřadem.
Množství semen/rostlin:	Počet semen/rostlin, které mají být zaslány.
Kvalita semen/rostlin:	Detaily týkající se požadovaného materiálu

Pokud případně datum uzávěrky na sobotu, na neděli nebo na den bankovní dovolené, měl by být pro žadatele směrodatný poslední pracovní den před požadovaným datem uzávěrky.

Jakékoliv fyto-sanitární požadavky budou žadateli sděleny současně se žádostí o zaslání materiálu příslušnému zkušebnímu úřadu.

Věnujte prosím pozornost tomu, že z důvodu ochrany dekorativních rostlin a ovoce by měl být dodaný materiál viditelně zdravý, neměl by být ve špatném stavu nebo trpět napadením škůdci nebo nemocemi, obzvláště viry.

**SÆRUDGAVE AF EF-SORTSMYNDIGHEDENS OFFICIELLE TIDENDE INDEHOLDENDE
TIDSFRISTER FOR ANSØGNINGER OG BETINGELSER FOR INDGIVELSE AF
PLANTEMATERIALE — KONSOLIDERET UDGAVE**

Formålet med denne konsoliderede udgave af fortegnelsen er at underrette ansøgere om de tidsfrister og betingelser for indgivelse, der finder anvendelse med henblik på teknisk afprøvning af plantemateriale. Fortegnelsen offentliggøres en gang om året. Ændringer, som træder i kraft i løbet af året inden offentliggørelsen af næste særudgave, offentliggøres i *EF-Sortsmyndighedens Officielle Tidende*.

VIGTIGT:

Ansøgeren skal kun indgive materialet efter skriftlig anmodning fra Sortsmyndigheden. Tilsidesættelse af ovenstående anvisninger kan bringe hele proceduren i fare.

Fortegnelsen indeholder følgende oplysninger:

Artens navn:	Anførelse af den pågældende art
Undertype:	Angivelse af artens undertype
Afprøvningsgebyrgruppe:	Angivelse af gebyrgruppen for den tekniske afprøvning, hvortil arten hører. Afprøvningsgebyret, som skal betales af ansøgeren for hver vækstperiode, er anført i bilag 1.
Forventet antal vækstperioder:	Angiver antallet af vækstperioder, som normalt gennemføres for at vurdere selvstændighed, ensartethed og stabilitet
Land:	Landet, hvor en teknisk afprøvning kan finde sted på SORTSMYNDIGHEDENS VEGNE
Prøvningsmyndighed:	Navnet på den nationale prøvningsmyndighed
Ansøgningsfrist:	Den seneste dato, på hvilken Sortsmyndigheden skal have modtaget en gyldig ansøgning med henblik på at kunne gennemføre en teknisk afprøvning i den kommende dyrkningsperiode (uden garanti). Hvis Sortsmyndigheden modtager en gyldig ansøgning én dag efter ansøgningsfristen, medtages den pågældende sort ikke i kommende dyrkningsperiode.
Påbegyndelse af indgivelsesperiode:	Dato, fra hvilken ansøgeren kan indgive materiale til prøvningsmyndigheden
Afslutning af indgivelsesperiode:	Dato, inden hvilken materiale skal være prøvningsmyndigheden i hænde
Frø/plantemængde:	Den mængde frø/planter, der kræves indgivet
Frø/plantekvalitet:	Detaljer vedrørende det krævede materiale

Hvis en ansøgningsfrist falder på en lørdag, søn- eller helligdag, bør ansøgeren anse den foregående hverdag som gældende ansøgningsfrist.

Ethvert fytosanitært krav vil blive meddelt ansøgeren sammen med anmodningen om indgivelse af materiale til nærmeste prøvningsmyndighed.

Bemærk venligst, at det plantemateriale, der indsendes for prydplanter og frugttræer, skal være sundt og frisk uden spor af skadedyr og sygdomme, herunder særlig virussygdomme.

**SONDERAUSGABE DES AMTSBLATTES DES GEMEINSCHAFTLICHEN SORTENAMTES ÜBER
ANTRAGSFRISTEN FÜR ANTRÄGE UND ÜBER DIE VORLAGE VON PRÜFMATERIAL –
KONSOLIDIERTE AUSGABE**

Diese Sonderausgabe hat zum Ziel, Antragsteller in einer konsolidierten Ausgabe über Antragsfristen für Anträge und über die Vorlage von Prüfmateriale hinsichtlich der technischen Prüfung zu informieren. Sie wird einmal jährlich veröffentlicht. Änderungen, die während des Jahres vor der nächsten Veröffentlichung des S2 Amtsblattes in Kraft treten, werden im zwei-monatlich erscheinenden Amtsblatt des Gemeinschaftlichen Sortenamtes veröffentlicht.

WICHTIGER HINWEIS:

Die Vorlage des Prüfmateriale durch den Antragsteller soll nur nach schriftlicher Aufforderung durch das Amt erfolgen. Die Missachtung dieser Vorgabe gefährdet das Antragsverfahren.

Die Liste enthält die folgenden Informationen:

Artname:	Gibt den Namen der entsprechenden Art an.
Sub-typ:	Spezifiziert den Sub-typ der Art.
Kostengruppe:	Angabe der Gebührengruppe für die technische Prüfung, in die die Art gehört. Die vom Antragsteller pro Wachstumsperiode zu zahlende Prüfungsgebühr ist in Anhang 1 angegeben.
Anzahl der vorgesehenen Prüfperioden:	Gibt die Anzahl der Prüfperioden an, die normalerweise zur Beurteilung von Unterscheidbarkeit, Homogenität und Beständigkeit notwendig sind.
Land:	Das Land, in dem die technische Prüfung für das Amt durchgeführt werden kann.
Prüfamt:	Der Name des nationalen Prüfamtes.
Antragstermin:	Das Datum, an dem das Gemeinschaftliche Sortenamt spätestens einen gültigen (vollständigen) Antrag erhalten haben muss, um die Sorte für den Prüfungsanbau in der folgenden Prüfperiode vorsehen zu können (ohne Garantie). Erhält das Amt einen gültigen Antrag einen Tag nach dem Antragstermin, kann die entsprechende Sorte in der folgenden Prüfperiode nicht geprüft werden.
Vorlage Beginn:	Das Datum, ab dem der Antragsteller dem Prüfamt das Prüfmateriale vorlegen kann.
Vorlage Ende:	Das Datum, an dem das Prüfmateriale spätestens beim Prüfamt angekommen sein muss.
Prüfmateriale Menge:	Die vorzulegende Menge des Prüfmateriale.
Prüfmateriale Qualität:	Detaillierte Angaben bezüglich der Qualität des vorzulegenden Materials.

Wenn ein Termin auf einen Samstag, Sonntag oder Feiertag fällt, so gilt der vorhergehende Werktag als der einzuhaltende Termin.

Jegliche phytosanitären Anforderungen an das Prüfmateriale werden dem Antragsteller vom Amt in der schriftlichen Aufforderung zur Vorlage des Prüfmateriale an das betreffende Prüfamt mitgeteilt.

Vorgelegtes Pflanzenmateriale von Zierpflanzen und Obstpflanzen muss augenscheinlich gesund sein, keinen Mangel an Wuchskraft aufweisen und frei von wichtigen Krankheiten oder Schädlingen sein, insbesondere frei von Virusinfektionen.

**ÜHENDUSE SORDIAMETI AMETLIKU TEATAJA ERIVÄLJAANNE
TAOTLUSTE ESITAMISE TÄHTAEGADE JA TAIMSE MATERJALI ESITAMISE
NÕUETE KOHTA – KOKKUVÕTE**

Käesoleva loetelu eesmärgiks on anda taotlejatele kokkuvõtlikku informatsiooni taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta seoses nende registreerimiskatsetega. Kokkuvõtet avaldatakse kord aastas. Muudatused, mis jõustuvad aasta jooksul enne järgmise eriväljaande ilmumist, avaldatakse Ühenduse Sordiameti regulaarselt ilmuvas teatajas.

TÄHELEPANU!

Taotlejad esitavad materjali alles peale vastava kirjaliku nõudmise saamist sordiametilt. Selle juhise mittejärgimine võib kahjustada kogu menetluse käiku.

Loetelu sisaldab järgmist informatsiooni:

Liigi nimi:	Näidatakse vastavad liigid.
Alamliik:	Tuuakse ära liikide alamliigid.
Registreerimiskatse lõivu rühm:	Näidatakse lõivu rühm, mille alla liik kuulub. Lõiv, mille taotleja maksab kasvatamistsükli kohta, on toodud lisas 1.
Ettenähtud kasvatamistsüklike arv:	Näidatakse DUS-analüüsi jaoks tavaliselt toimuvate kasvatamistsüklike arv.
Riik:	Riik, kus toimuvad Ühenduse Sordiameti registreerimiskatsed.
Kontrolliasutus:	Riikliku registreerimiskatseid läbiviiva asutuse nimi.
Tähtaeg:	Viimane kuupäev, mil kehtiv taotlus peab laekuma ametisse, et amet saaks <i>kavandada</i> antud sordi registreerimiskatsed tulevaseks kasvatamistsükliks (ei garanteerita). Kui taotlus laekub ametisse päev peale ettenähtud tähtaega, siis jäetakse vastava sordi järgmine kasvuperiood vahele.
Esitamise algus:	Kuupäev, millest alates taotleja võib esitada materjali kontrolliasutusele.
Esitamise lõpp:	Viimane kuupäev, mil materjal peab laekuma kontrolliasutusse.
Seemnete/taimede kvantiteet:	Esitatavate seemnete/taimede nõutav kogus.
Seemnete/taimede kvaliteet:	Üksikasjad nõutava materjali kohta.

Kui tähtaeg langeb laupäevale, pühapäevale või pangapühale, tuleb tähtajaks lugeda pühale eelnevat tööpäeva.

Kõik fütosanitaarnõuded edastatakse taotlejale koos materjali esitamise nõudega vastavale kontrolliasutusele.

Juhime tähelepanu, et dekoratiivsortide ja puuviljade puhul peab esitatav taimne materjal olema selgelt terve, elujõuline ning olulistest kahjuritest ja haigustest, eriti viirustest, puutumatu.

**ΕΙΔΙΚΟ ΤΕΥΧΟΣ ΤΗΣ ΕΠΙΣΗΜΗΣ ΕΦΗΜΕΡΙΔΑΣ ΤΟΥ ΚΓΦΠ
ΕΝΗΜΕΡΩΣΗ ΣΧΕΤΙΚΑ ΜΕ ΤΙΣ ΠΡΟΘΕΣΜΙΕΣ ΤΩΝ ΑΙΤΗΣΕΩΝ ΚΑΙ ΤΙΣ ΑΠΑΙΤΗΣΕΙΣ
ΓΙΑ ΤΗΝ ΥΠΟΒΟΛΗ ΦΥΤΙΚΟΥ ΥΛΙΚΟΥ — ΕΝΟΠΟΙΗΜΕΝΗ ΕΚΔΟΣΗ**

Σκοπός του παρόντος καταλόγου είναι η ενημέρωση των αιτούντων σε ενοποιημένη έκδοση σχετικά με τις προθεσμίες των αιτήσεων και τις απαιτήσεις υποβολής φυτικού υλικού για την τεχνική εξέταση. Ο κατάλογος δημοσιεύεται μια φορά ετησίως. Τροποποιήσεις που τίθενται σε ισχύ καθ' όλη τη διάρκεια του έτους πριν από τη δημοσίευση της επόμενης εφημερίδας S2 δημοσιεύονται στην τακτική εφημερίδα του ΚΓΦΠ.

ΣΗΜΑΝΤΙΚΗ ΣΗΜΕΙΩΣΗ:

Ο αιτών θα υποβάλει το υλικό μόνο αφού λάβει σχετικό γραπτό αίτημα από το Γραφείο. Σε περίπτωση μη συμμόρφωσης με την ανωτέρω οδηγία, ενδέχεται να ακυρωθεί ολόκληρη η διαδικασία.

Ο κατάλογος περιέχει τις ακόλουθες πληροφορίες:

Όνομασία είδους:	Δηλώνει το σχετικό είδος
Υποκατηγορία:	Προσδιορίζει την υποκατηγορία του είδους
Ομάδα τελών εξέτασης:	Να αναφερθεί η ομάδα τελών τεχνικής εξέτασης στην οποία ανήκει το είδος. Τα τέλη εξέτασης που πρέπει να καταβάλλει ο αιτών ανά περίοδο καλλιέργειας αναφέρονται στο παράρτημα 1
Αριθμός προβλεπόμενων:	Να αναφερθεί ο αριθμός των περιόδων καλλιέργειας που περιόδων καλλιέργειας: πραγματοποιούνται συνήθως με στόχο την αξιολόγηση της διάκρισης, ομοιογένειας και σταθερότητας
Χώρα:	Η χώρα όπου μπορεί να διεξαχθεί τεχνική εξέταση για λογαριασμό του ΚΓΦΠ
Γραφείο εξέτασης:	Το όνομα του εθνικού γραφείου εξέτασης
Προθεσμία:	Η τελευταία ημερομηνία έως την οποία το Γραφείο πρέπει να έχει λάβει έγκυρη αίτηση ώστε να εξετάσει το ενδεχόμενο τεχνικής εξέτασης της εν λόγω ποικιλίας για την επόμενη περίοδο καλλιέργειας (χωρίς εγγύηση) Εάν το Γραφείο παραλάβει μια έγκυρη αίτηση μία ημέρα μετά τη λήξη της προθεσμίας, η συγκεκριμένη ποικιλία θα χάσει την επόμενη περίοδο καλλιέργειας
Έναρξη υποβολής:	Ημερομηνία από την οποία ο αιτών μπορεί να υποβάλει το υλικό στο γραφείο εξέτασης
Λήξη υποβολής:	Τελευταία ημερομηνία κατά την οποία το υλικό πρέπει να φτάσει στο γραφείο εξέτασης
Ποσότητα σπόρου/φυτού:	Η ποσότητα σπόρων/φυτών που ζητείται να υποβληθεί
Ποιότητα σπόρου/φυτού:	Λεπτομερή στοιχεία σχετικά με το απαιτούμενο υλικό

Εάν μία προθεσμία αντιστοιχεί σε Σάββατο, Κυριακή ή αργία, ο αιτών πρέπει να θεωρήσει την προηγούμενη εργάσιμη ημέρα ως ισχύουσα καταληκτική προθεσμία.

Τυχόν φυτοϋγειονομικές απαιτήσεις θα γνωστοποιηθούν στον αιτούντα μαζί με το αίτημα υποβολής υλικού στο σχετικό γραφείο εξέτασης.

Όσον αφορά τα καλλωπιστικά φυτά και φρούτα, επισημαίνεται ότι το φυτικό υλικό που υποβάλλεται πρέπει να είναι εμφανώς υγιές, εύρωστο και να μην έχει προσβληθεί από σημαντικούς επιβλαβείς οργανισμούς ή ασθένειες, ιδίως ιούς.

**SPECIAL ISSUE OF THE OFFICIAL GAZETTE OF THE CPVO INFORMING
ABOUT CLOSING DATES FOR APPLICATIONS AND REQUIREMENTS FOR THE SUBMISSION
OF PLANT MATERIAL – CONSOLIDATED VERSION**

The purpose of this list is to provide applicants with a consolidated version of the closing dates for applications and the submission requirements for plant material in view of their technical examination. It is published once per year. Modifications entering into force throughout the year before the publication of the next S2 Gazette are published in the regular Gazette of the CPVO.

IMPORTANT NOTE:

The applicant is expected to submit the material only after having received a request in writing from the Office. Failure to comply with the above instruction may jeopardise the whole procedure.

The list contains the following information:

Species name:	Indicating the relevant species
Sub-type:	Specifying the sub-type of the species
Examination fee group:	Indicating the fee group to which the species belongs. The examination fee to be paid by the applicant per growing cycle can be found in Annex 1.
Number of foreseen growing cycles:	Indicates number of growing cycles normally carried out for the assessment of DUS
Country:	The country where a technical examination can be carried out on behalf of the CPVO
Examination office:	The name of the national examination office
Closing date for applications:	The last date by which the Office needs to have received a valid application in order to envisage the technical examination for this variety for the coming growing period (without guarantee). If the Office receives a valid application one day after the closing date, the variety in question will miss the coming growing period.
Submission start:	Date from which the applicant can submit the material to the examination office
Submission end:	Latest date at which the material must arrive at the examination office
Seed/plant quantity:	The amount of seeds/plants requested to be submitted
Seed/plant quality:	Details concerning the material required

If a closing date falls on a Saturday, a Sunday or a bank holiday, the applicant should consider the working day before as the applicable closing and submission date.

Any phytosanitary requirements will be communicated to the applicant with the request for the submission of material to the relevant examination office.

Please note that with respect to ornamentals and fruit, the plant material supplied should be visibly healthy, not lacking in vigour or affected by any significant pest or disease, especially viral.

**ÉDITION SPÉCIALE DU BULLETIN OFFICIEL DE L'OCVV SIGNALANT LES DATES
DE CLÔTURES POUR LES DEMANDES ET LES CONDITIONS REQUISES POUR
LA SOUMISSION DU MATÉRIEL VÉGÉTAL – VERSION CONSOLIDÉE**

Cette liste consolidée renseigne les demandeurs sur les dates de clôture des demandes et des conditions requises pour la soumission du matériel végétal en vue de leur examen technique. Elle est publiée une fois par an. Les modifications entrant en vigueur pendant l'année, avant la publication de l'édition spéciale S2 suivante, sont publiées dans le Bulletin officiel bimestriel de l'OCVV.

IMPORTANT:

Le demandeur ne doit soumettre le matériel qu'après avoir reçu une demande écrite de l'Office. Ne pas se conformer à cette instruction pourrait mettre en danger toute la procédure.

La liste contient les informations suivantes:

Nom de l'espèce:	Indiquer les espèces appropriées.
Sous-type:	Spécifier le sous-type des espèces.
Groupe de la taxe d'examen:	Indiquer le groupe de la taxe d'examen dans lequel l'espèce est comprise. La taxe d'examen à acquitter par le demandeur par cycle d'examen figure à l'annexe 1.
Nombre de cycles prévus:	Indiquer le nombre de cycles de végétation normalement nécessaires pour la conduite de l'évaluation de la distinction, de l'homogénéité et de la stabilité.
Pays:	Pays où un examen technique peut être conduit sur demande de l'OCVV.
Office d'examen:	Nom de l'office d'examen national.
Date de clôture:	Dernière date à laquelle l'Office doit recevoir une demande valide afin d' <i>envisager</i> un examen technique de la variété pour la saison de culture à venir (sans garantie). Si l'Office reçoit une demande valide un jour après la date de clôture, la variété en question manquera l'examen technique pour la saison de culture à venir.
Début de soumission:	Date à laquelle le demandeur peut soumettre le matériel à l'office d'examen.
Fin de soumission:	Dernière date à laquelle le matériel doit arriver à l'office d'examen.
Quantité de graines/plants:	Nombre de graines/plants requis.
Qualité de graines/plants:	Détails concernant le matériel requis.

Si la date de clôture tombe un samedi, un dimanche ou un jour férié, le demandeur devra prendre en considération le jour de travail ouvrable précédant la date de clôture.

Toute condition phytosanitaire sera communiquée au demandeur avec la demande de soumission de matériel à l'office d'examen concerné.

Pour les variétés ornementales et fruitières, le matériel fourni doit être visiblement sain, vigoureux et exempt d'organismes nuisibles ou maladies et particulièrement de virus.

**EDIZIONE SPECIALE DEL BOLLETTINO UFFICIALE DELL'UCVV CONTENENTE
INFORMAZIONI SULLE DATE DI CHIUSURA PER LE DOMANDE ED I REQUISITI
PER GLI ESAMI DEL MATERIALE VEGETALE — VERSIONE CONSOLIDATA**

Obiettivo di questo elenco, la cui pubblicazione è prevista una volta l'anno, è l'informazione completa ai richiedenti, con una versione consolidata, circa le date di chiusura per le domande ed i requisiti per l'effettuazione degli esami del materiale vegetale, in vista dell'esecuzione degli stessi. Le modifiche aventi data di entrata in vigore durante l'anno che precede la pubblicazione del Bollettino S2 sono invece pubblicate nel Bollettino ufficiale ordinario dell'UCVV.

NOTA IMPORTANTE:

Il richiedente è tenuto all'invio del materiale esclusivamente dopo aver ricevuto l'apposita richiesta scritta dall'Ufficio. Il mancato rispetto di tali istruzioni può inficiare l'intera procedura.

L'elenco contiene le seguenti informazioni:

Nome specie:	Indica le specie pertinenti.
Sottotipo:	Specifica il sottotipo delle specie.
Categoria di tassa d'esame:	Indica la categoria di tassa per l'esame tecnico alla quale la specie appartiene. La tassa d'esame che il richiedente deve versare per ciclo vegetativo è fissata all'allegato 1.
Numero di cicli vegetativi previsti:	Indica il numero di cicli vegetativi solitamente realizzati per la valutazione di distinzione, omogeneità e stabilità.
Paese:	Il Paese nel quale debba essere eseguito un esame tecnico per conto dell'UCVV.
Ufficio di esame:	Il nome dell'Ufficio nazionale di esame.
Data di chiusura:	L'ultima data utile entro la quale l'Ufficio deve aver ricevuto una domanda valida al fine di <i>organizzare</i> l'esame tecnico per questa varietà per il successivo periodo di crescita (senza garanzia). NB: Nel caso in cui l'Ufficio riceva una domanda valida anche solo un giorno dopo la data di chiusura, la varietà in questione dovrà rinunciare al periodo successivo di coltura.
Inizio presentazione:	Data a partire dalla quale il richiedente deve presentare il materiale all'Ufficio di esame competente.
Fine presentazione:	Ultima data utile entro la quale il materiale deve pervenire all'Ufficio di esame competente.
Quantità semi/piante:	La quantità richiesta di semi o piante da presentare.
Qualità semi/piante:	Dettagli concernenti il materiale richiesto.

Se la data di chiusura cade di sabato, di domenica oppure altra giornata festiva, il richiedente deve considerare la data del **giorno lavorativo precedente** come data di chiusura corretta.

Ogni e qualsiasi particolare concernente requisiti fitosanitari sarà comunicato al richiedente insieme alla richiesta di presentazione del materiale all'Ufficio di esame competente.

Si prega voler notare che — con riguardo alle varietà ornamentali e frutticole — il materiale vegetale fornito deve godere visibilmente di un buon stato di salute, non mancare di vigore e non essere affetto da alcuna malattia importante contagiosa, con riferimento speciale ai virus.

**KOPIENAS AUGU ŠĶIRŅU BIROJA OFICIĀLĀ VĒSTNEŠA ĪPAŠAIS IZDEVUMS,
KAS INFORMĒ PAR PIETEIKUMU IESNIEGŠANAS BEIGU DATUMIEM UN AUGU MATERIĀLA
IESNIEGŠANAS PRASĪBĀM – KONSOLIDĒTA VERSIJA**

Šis saraksts ir sastādīts, lai pieteikuma iesniedzējus konsolidētā veidā informētu par pieteikumu iesniegšanas beigu datumiem un augu materiāla iesniegšanas prasībām, ņemot vērā to tehnisko pārbaudi. Izmaiņas, kas stājas spēkā šī gada laikā līdz publicēšanai nākamajā S2 vēstnesī, tiek publicētas Kopienas Augu šķirņu biroja kārtējā vēstneša numurā.

SVARĪGA PIEZĪME:

Pieteikuma iesniedzējam ir jāiesniedz materiāls tikai tad, kad ir saņemts rakstisks lūgums no Biroja. Gadījumā, ja augstāk minētās prasības netiek izpildītas, kopējo procedūru gaita var būt apdraudēta.

Sarakstā ietilpst šāda informācija:

Sugas nosaukums:	Norādiet attiecīgās sugas.
Sugas paveids:	Norādiet sugas paveidu.
Pārbaudes tarifu grupa:	Norāda tarifu grupu, pie kuras pieder suga. Pārbaudes maksa, kuru pieteikuma iesniedzējam jāmaksā par katru augšanas ciklu, ir noteikta 1. pielikumā.
Paredzēto augšanas ciklu skaits:	Norāda augšanas ciklu skaitu, kurus parasti veic, lai novērtētu DUS.
Valsts:	Valsts, kurā var veikt Kopienas Augu šķirņu biroja noteikto tehnisko pārbaudi.
Pārbaudes iestāde:	Valsts pārbaudes iestādes nosaukums.
Beigu datums:	Pēdējais datums, līdz kuram iestādei jābūt saņēmušai derīgu pieteikumu, lai varētu <i>paredzēt</i> tehnisko pārbaudi šai pasūgai līdz augšanas perioda sākumam (bez garantijas). Ja iestāde saņem derīgu pieteikumu vienu dienu pēc beigu datuma, attiecīgā pasuga netiks iekļauta nākamajā augšanas periodā.
Iesniegšanas sākums:	Datums, sākot ar kuru pieteikuma iesniedzējs var iesniegt materiālus pārbaudes iestādē
Iesniegšanas beigas:	Pēdējais datums, kurā materiāliem ir jābūt saņemtiem pārbaudes iestādē.
Sēklu/augu daudzums:	Iesniegšanai nepieciešamais sēklu/augu daudzums.
Sēklu/augu kvalitāte:	Sīkāka informācija par nepieciešamo materiālu.

Ja beigu datums iekrīt sestdienā, svētdienā vai brīvdienā, pieteikuma iesniedzējam iepriekšējā darba diena jāuzskata par attiecīgo beigu datumu.

Pieteikuma iesniedzējam tiks paziņots par jebkādam fitosanitārām prasībām ar lūgumu iesniegt materiālu attiecīgajai pārbaudes iestādei.

Lūdzu, ņemiet vērā, ka piegādātajam dekoratīvo augu un augļu stādāmajam materiālam jābūt vizuāli veselīgam, spēcīgam, kā arī nekādu nopietnu kaitēkļu vai slimību, īpaši vīrusu, neskartam.

**BENDRIJOS AUGALŲ VEISLIŲ TARNYBOS OFICIALIOJO ŽURNALO SPECIALUS LEIDIMAS,
INFORMUOJANTIS APIE GALUTINĘ PARAIŠKŲ PATEIKIMO DATĄ IR APIE REIKALAVIMUS
AUGALINĖS MEDŽIAGOS PATEIKIMUI – KONSOLIDUOTA VERSIJA**

Šio sąrašo paskirtis – informuoti pareiškėjus konsoliduota versija apie galutinę paraiškų pateikimo datą ir apie reikalavimus augalinės medžiagos pateikimui atsižvelgiant į jų techninę ekspertizę. Jis leidžiamas vieną kartą per metus. Pakeitimai galioja visus metus, kol reguliariai išeinančiame BAVT Oficialiajame žurnale bus išspausdintas kitas S2 žurnalas.

SVARBI PASTABA:

Pareiškėjas turi pateikti medžiagą tik tada, kai gauna Tarnybos prašymą raštu. Pastarosios instrukcijos nesilaikymas gali pakenkti visam procesui.

Sąrašė pateikiama tokia informacija:

Rūšies pavadinimas:	Nurodant atitinkamas rūšis.
Porūšis:	Patikslinant rūšių porūšį.
Ekspertizės mokesčio grupė:	Nurodant mokesčių grupę, kuriai rūšys priklauso. Ekspertizės mokesčių, kurį pareiškėjas turi sumokėti už auginimo ciklą, rasite 1 priede.
Numatomas auginimo ciklų skaičius:	Nurodo auginimo ciklų skaičių, reikalingų išskirtinumui, vienodumui ir stabilumui (angl.DUS) įvertinti.
Šalis:	Šalis, kurioje BAVT vardu galima atlikti techninę ekspertizę.
Ekspertizės tarnyba:	Nacionalinės ekspertizės tarnybos pavadinimas.
Galutinė data:	Tai yra galutinė data, kai Tarnyba privalo gauti galiojančią paraišką, kad galėtų numatyti šios veislės techninę ekspertizę ateinančiu auginimo periodu (bet be garantijų). Jei Tarnyba gauna galiojančią paraišką vieną dieną vėliau nei galutinė data, atitinkama veislė praleidžia būsimą auginimo periodą.
Medžiagos pateikimo pradžia:	Data, nuo kurios pareiškėjas gali pateikti medžiagą ekspertizės tarnybai.
Medžiagos pateikimo pabaiga:	Vėliausia medžiagos pristatymo į ekspertizės tarnybą data.
Sėklų/augalų kiekis:	Augalų/sėklų, kuriuos reikalaujama pateikti, kiekis.
Sėklų/augalų kokybė:	Reikalavimų medžiagai detalės.

Jei galutinė data sutampa su šeštadieniu, sekmadieniu arba su oficialia nedarbo diena, pareiškėjas turi manyti, kad galutinė paraiškos pateikimo diena buvo paskutinė darbo diena.

Apie visus fitosanitarinius reikalavimus pareiškėjui pranešama kartu su prašymu pateikti medžiagą į atitinkamą ekspertizės tarnybą.

Prašome atkreipti dėmesį, jog vaisių ir dekoratyvinių veislių augalo medžiaga turi aiškiai atrodyti sveika, nesuglebusi ir negali būti sugadinta kenkėjų ar ligų, o ypač virusų.

A CPVO HIVATALOS KÖZLÖNYÉNEK KÜLÖNKIADÁSA
TÁJÉKOZTATÓ KÉRELMEK BEADÁSÁNAK HATÁRIDEJÉRŐL ÉS A NÖVÉNYI MINTÁK
BENYÚJTÁSÁHOZ KAPCSOLÓDÓ KÖVETELMÉNYEKRŐL – VÉGLEGES VERZIÓ

Jelen felsorolás célja a kérelmet benyújtók tájékoztatása a kérelmek beadásának határidejéről és a szakmai szempontú vizsgálatra beküldött növényi minták benyújtásának követelményeiről. Egy évben egyszer jelenik meg. A következő S2 Gazette (közlöny) kiadását megelőzően év közben érvénybe lépő módosításokról a CPVO normál kiadású Közlönye ad tájékoztatást.

FONTOS MEGJEGYZÉS:

A kérelmet benyújtónak csak akkor kell elküldenie a mintát, miután a Hivataltól írásos kérelmét átvette. Az említett utasítás be nem tartása az egész eljárást veszélyezteti.

A felsorolás a következő információkat tartalmazza:

Fajtamegnevezés:	Az illető fajták feltüntetése
Alcsoport:	A fajták alcsoportjának meghatározása
Vizsgálati illetéki besorolás:	Azt az illetékcsoportot jelöli, amelyhez az adott egyedek tartoznak. Vizsgálati illeték a kérelmező által növekedési ciklusonként fizetve, az 1. mellékletben
A tervezett növekedési ciklusok száma:	Jelzi az általában végzett növekedési ciklusok számát a DUS-eredmény értékeléséhez.
Ország:	Az az ország, ahol a szakmai vizsgálatot elvégezhetik a CPVO javára
Ellenőrző hivatal:	A Nemzeti Ellenőrző Hivatal neve
Benyújtási határidő:	Az az utolsó dátum, amikor a Hivatalba kell érkezni az érvényes kérelemnek ahhoz, hogy elrendeljék az adott fajtaváltozat szakmai vizsgálatát a következő növekedési periódus idejére (garancia nélkül) Ha a Hivatal a benyújtási határidőt követő napon érvényes kérelmet vesz át, a kérdéses fajtaváltozat lemarad a következő növekedési időszakról.
Benyújtás kezdete:	Az a dátum, amikor a kérelmező beadhatja pályázati anyagát az ellenőrző hivatalba
Benyújtás vége:	A pályázati anyag ellenőrző hivatalba érkezésének végső dátuma
Mag-/Növény mennyiség:	A beküldendő magok/növények mennyisége
Mag-/Növény minőség:	Egyéb részletek a mintát illetően

Amennyiben a benyújtás határideje szombatra, vasárnapra vagy banki nyitva tartás szünnapjára esne, a kérelmet benyújtónak a határidőt megelőző utolsó munkanapot kell figyelembe vennie.

A kérelmet benyújtó tájékoztatást kap a növény-egészségügyi követelményekről, amikor megkapja a minta illetékes ellenőrző hivatalhoz való benyújtásáról szóló kérelmet.

Felhívjuk a figyelmet arra, a dísznövények és gyümölcsök tekintetében, hogy a beadott növénymintának láthatóan egészségesnek kell lennie, nem lehet károsult, illetve semmilyen fontosabb kártevőtől vagy betegségtől (különösen vírus) nem szenvedhet.

**HARĠA SPEĊJALI TAL-GAZZETTA UFFIĊJALI TA' L-UKVV
LI TINFORMA DWAR DATI TA' GĦELUQ GĦAL APPLIKAZZJONIJIET U HTIĠIET
GĦAS-SOTTOMISSJONI TA' MATERJAL TAL-PJANTI – VERŻJONI KONSOLIDATA**

L-iskop ta' din il-lista huwa li tinforma lill-applikanti f' verżjoni konsolidata dwar id-dati ta' għeluq għal applikazzjonijiet u l-htiġiet ta' sottomissjoni għal materjal tal-pjanti in vista tal-kontroll tekniku tagħhom. Hija ppubblikata darba fis-sena. Modifiki li jidhlu fis-sefħ tul is-sena qabel il-pubblikazzjoni tal-Gazzetta S2 li jmiss huma ppubblikati fil-Gazzetta regolari ta' l-UKVV.

NOTA IMPORTANTI:

L-applikant huwa mistenni jissottometti l-materjal biss wara li jkun irċieva talba bil-miktub mill-Uffiċċju. Nuqqas li jikkonforma ma' l-istruzzjoni ta' hawn fuq jista' jipperikola l-proċedura kollha.

Il-lista tikkontjeni l-informazzjoni li ġejja:

L-Isem ta' l-ispeċi:	Li jindika l-ispeċi rilevanti.
Is-Sub-tip:	Li jispeċifika s-sub-tip ta' l-ispeċi.
Il-Grupp tal-piż ta' Kontroll:	Li jindika l-grupp tal-piż li tappartjeni għalih l-ispeċi. Il-piż tal-kontroll li għandu jithallas mill-applikant għal kull ċiklu mkabbar jista' jinsab fl-anness 1.
In-Numru ta' ċikli mbassra ta' tkabbir:	Jindika n-numru ta' ċikli mkabbra normalment imwettqa għall-istima ta' DUS.
Il-Pajjiż:	Il-Pajjiż fejn jista' jitwettaq kontroll tekniku għan-nom ta' l-UKVV.
L-Uffiċċju ta' Kontroll:	Isem l-Uffiċċju Nazzjonali ta' Kontroll.
Id-Data ta' l-għeluq:	L-aħħar data li sa meta tintlaħaq l-Uffiċċju jehtieg li jkun irċieva applikazzjoni valida sabiex jipprevedi l-kontroll tekniku għal din il-varjetà għall-perjodu li jmiss ta' tkabbir (mingħajr garanzija). Fil-każ li l-Uffiċċju jirċievi applikazzjoni valida ġurnata waħda wara d-data ta' l-għeluq, il-varjetà in kwistjoni titlef il-perjodu ta' tkabbir li jmiss.
Il-Bidu tas-sottomissjoni:	Id-Data li minnha l-applikant jista' jissottometti l-materjal lill-Uffiċċju ta' Kontroll.
It-Tmiem tas-sottomissjoni:	Id-data l-iktar tard li fiha l-materjal għandu jasal fl-Uffiċċju tal-Kontroll.
Il-Kwantità taż-zerriegħa/tal-pjanta:	L-ammont ta' zerriegħa/pjanti miltuba biex jiġu sottomessi.
Il-Kwalità taż-zerriegħa/tal-pjanta:	Dettalji li jikkonċernaw il-materjal mehtieg.

Fil-każ li d-data ta' l-għeluq tinzerta s-Sibt, il-**Ħadd** jew *Bank Holiday*, l-applikant għandu jikkunsidra l-jum utli ta' qabel bhala d-data ta' l-għeluq applikabbli.

Kwalunkwe htiġiet fitosanitarji jiġu kkomunikati lill-applikant mat-talba għas-sottomissjoni ta' materjal lill-uffiċċju rilevanti ta' kontroll.

Għandkom tkunu tafu li fir-rigward ta' ornamenti u frott, il-materjal tal-pjanti fornit għandu jidher b'saħħtu, ma jonqosx fl-enerġija ta' tkabbir u lanqas ma jkun effettwat minn kwalunkwe organizzu noċiv jew mard importanti, speċjalment virus.

**SPECIALE UITGAVE VAN HET MEDEDELINGENBLAD VAN HET COMMUNAUTAIR BUREAU
VOOR PLANTENRASSEN MET INFORMATIE BETREFFENDE SLUITINGSDATA VOOR
AANVRAGEN EN VEREISTEN VOOR DE INLEVERING VAN PLANTMATERIAAL –
GECONSOLIDEERDE VERSIE**

Het doel van deze lijst is om aanvragers door middel van een geconsolideerde versie te informeren met betrekking tot de sluitingsdata voor aanvragen en de vereisten voor de inlevering van plantmateriaal met het oog op het technisch onderzoek dat de planten zullen ondergaan. Deze lijst wordt één maal per jaar gepubliceerd. Wijzigingen die tijdens het jaar voorafgaand aan de publicatie van het volgende S2 Mededelingenblad van kracht worden, zullen in de gewone uitgaven van het Mededelingenblad van het Communautair Bureau voor plantenrassen worden gepubliceerd.

BELANGRIJKE NOTA:

De aanvrager dient het plantmateriaal *uitsluitend* in te leveren nadat hij daartoe een geschreven uitnodiging heeft ontvangen van het bureau. Het niet-voldoen aan deze vereiste kan de hele procedure in gevaar brengen.

De lijst bevat de volgende informatie:

Gewasnaam:	duidt het desbetreffende gewas aan
Subtype:	duidt het subtype van het gewas aan
Categorie van onderzoeksrechten:	opgave van de categorie van voor het technisch onderzoek verschuldigde rechten waaronder de soort valt. Zie bijlage 1 voor het door de aanvrager te betalen onderzoeksrecht per groeicyclus.
Aantal voorziene groeicycli:	opgave van het gebruikelijke aantal groeicycli dat ter beoordeling van de onderscheidbaarheid, homogeniteit en bestendigheid wordt gerealiseerd.
Land:	het land waar een technisch onderzoek kan worden uitgevoerd op aanvraag van het CBP
Onderzoeksstation:	de naam van een Nationaal onderzoeksstation
Sluitingsdatum:	de laatste dag waarop het bureau een geldige aanvraag dient te hebben ontvangen om het technisch onderzoek van dit gewas tijdens het komende groeiseizoen te kunnen voorzien (zonder enige garantie). Wanneer het bureau een geldige aanvraag ontvangt één dag na de sluitingsdatum, zal het betreffende ras niet tijdens het daaropvolgende groeiseizoen kunnen onderzocht worden.
Aanvang van inlevering:	datum vanaf wanneer de aanvrager het materiaal kan inleveren bij het onderzoeksstation
Inleveringslimiet:	laatste datum waarop het materiaal dient aan te komen bij het onderzoeksstation
Zaad/Plant hoeveelheid:	het aantal zaden/planten dat werd gevraagd om in te leveren
Zaad/Plant kwaliteit:	details betreffende het in te leveren materiaal

Wanneer een sluitingsdatum op een zaterdag, zondag of een officiële feestdag valt dient de aanvrager de voorafgaande werkdag als sluitingsdatum te beschouwen.

Fytosanitaire voorwaarden zullen samen met het verzoek tot inlevering van plantmateriaal bij het relevante onderzoeksstation aan de aanvrager worden meegedeeld.

Gelieve te noteren dat voor sierplanten en fruit het aangeleverde materiaal zichtbaar in gezonde staat dient te verkeren, geen gebrek aan kracht of aantasting door een belangrijke plaag of ziekte, meer bepaald een virus, mag vertonen.

**WYDANIE SPECJALNE URZĘDOWEJ GAZETY CPVO
INFORMACJA O OSTATECZNYM TERMINIE SKŁADANIA WNIOSKÓW ORAZ
O WYMOGACH DOTYCZĄCYCH PRZESYŁANIA MATERIAŁU ROŚLINNEGO –
WERSJA SKONSOLIDOWANA**

Niniejsza lista, w wersji skonsolidowanej, ma na celu poinformowanie wnioskodawców o ostatecznych terminach składania wniosków oraz o wymogach towarzyszących przesyłaniu materiału roślinnego w związku z jego badaniem technicznym. Lista publikowana jest raz na rok. Obowiązujące zmiany, wprowadzane do niej w ciągu roku przed publikacją kolejnej Gazety S2, publikowane są w regularnym wydaniu Gazety CPVO.

WAŻNA UWAGA:

Wnioskodawca powinien przesłać materiał roślinny jedynie na pisemne żądanie Urzędu. Niezastosowanie się do powyższych zaleceń może negatywnie wpłynąć na przebieg postępowania.

Lista zawiera następujące informacje:

Nazwa gatunku:	wskazująca odpowiedni gatunek
Podtyp:	określający podtyp gatunku
Grupa opłat za badanie:	wskazująca, do której grupy opłat należy gatunek. Opłata za badanie do wniesienia przez wnioskodawcę zgodnie z cyklem wzrostu zamieszczonym w aneksie 1
Liczba przewidzianych cykli uprawy:	wskazuje liczbę cykli uprawy zwyczajowo przeprowadzanych w celu oceny DUS
Kraj:	kraj, w którym można przeprowadzić badanie techniczne w imieniu CPVO
Urząd badawczy:	nazwa krajowego urzędu badawczego
Termin zamknięcia:	Ostateczny termin przyjmowania ważnych wniosków przez Urząd w celu zaplanowania badania technicznego dla tej odmiany na nadchodzący okres uprawy (bez gwarancji) Jeżeli Urząd otrzyma ważny wniosek w dzień po upływie terminu zamknięcia, wnioskowana odmiana straci szansę na najbliższy okres uprawy.
Data rozpoczęcia składania materiału:	data, wraz z którą wnioskodawca może przesłać materiał do urzędu badawczego
Data zamknięcia składania materiału:	ostateczny termin przesłania materiału do urzędu badawczego
Ilość nasion / liczba roślin:	ilość / liczba roślin, którą należy przesłać
Jakość nasion / roślin:	szczegółowe informacje na temat wymaganego materiału

Jeżeli termin zamknięcia wypada w sobotę, niedzielę lub w dzień wolny od pracy, wnioskodawca powinien przyjąć za ostateczny termin składania wniosku dzień roboczy wypadający dzień wcześniej.

Wszelkie wymogi fitosanitarne zostaną przekazane wnioskodawcy wraz z wnioskiem o przedstawienie materiału odpowiedniemu urzędowi badawczemu.

Należy zwrócić uwagę, że w przypadku roślin ozdobnych i owoców przekazany materiał powinien charakteryzować się wyraźnie zdrowym wyglądem, żywotnością i nie być dotknięty żadnymi istotnymi chorobami ani szkodnikami, a w szczególności nie powinien być zaatakowany przez wirusy.

**EDIÇÃO ESPECIAL DA GAZETA OFICIAL DO INSTITUTO COMUNITÁRIO DAS
VARIEDADES VEGETAIS — INFORMAÇÕES REFERENTES ÀS DATAS-LIMITE DE
APRESENTAÇÃO DE PEDIDOS E AOS REQUISITOS DE APRESENTAÇÃO
DE MATERIAL VEGETAL — VERSÃO CONSOLIDADA**

A lista a seguir reproduzida é uma versão consolidada e destina-se a informar os requerentes das datas-limite e dos requisitos de apresentação de material vegetal com vista ao seu exame técnico. A lista é publicada uma vez por ano. As alterações que entrem em vigor ao longo do ano antes da publicação da próxima edição especial são publicadas na edição normal da Gazeta do ICVV.

NOTA IMPORTANTE:

O requerente só deve apresentar o material após o envio, por parte do Instituto, de um pedido por escrito nesse sentido. O não cumprimento desta instrução pode comprometer todo o processo.

A lista contém os seguintes elementos de informação:

Denominação da espécie:	Indica a espécie pertinente
Subespécie:	Especifica a subespécie da espécie
Grupo de taxa de exame:	Indica o grupo de taxa para o exame técnico ao qual pertence a espécie. A taxa de exame que o requerente deverá pagar por ciclo encontra-se fixada no anexo 1
Número de ciclos vegetativos previstos:	Indica o número de ciclos vegetativos normalmente elaborados para a avaliação da distinção, da homogeneidade e da estabilidade
País:	País em que pode ser realizado um exame técnico em nome do ICVV
Organismo de exame:	Denominação do organismo de exame nacional
Data-limite:	Data até à qual o Instituto deve receber um pedido válido para poder <i>ponderar</i> do exame técnico da variedade para o período vegetativo seguinte (sem garantias). Se um pedido válido der entrada no Instituto após a data-limite, a variedade a que o pedido diz respeito não poderá ser examinada no período vegetativo seguinte
Início do prazo de apresentação:	Data a partir da qual o requerente pode apresentar o material ao organismo de exame
Fim do prazo de apresentação:	Data até à qual o material deve chegar ao organismo de exame
Quantidade de sementes/plantas:	Quantidade de sementes/plantas que devem ser apresentadas
Qualidade das sementes/plantas:	Particulares relativos ao material necessário

Caso a data-limite coincida com um sábado, domingo ou feriado, será considerado para efeitos de data-limite o dia útil imediatamente anterior.

Quaisquer requisitos fitossanitários serão comunicados ao requerente, juntamente com o pedido de apresentação do material ao organismo de exame pertinente.

Chama-se a atenção para o facto de, no que respeita às espécies ornamentais e frutos, o material vegetal apresentado dever estar em perfeitas condições sanitárias, apresentar-se viçoso e não estar afectado por quaisquer praga ou doença, nomeadamente vírus.

**ZVLÁŠTNE VYDANIE ÚRADNÉHO VESTNÍKA CPVO,
KTORÝ INFORMUJE O DÁTUMOCH UZÁVIERKY PRE PRIHLÁŠKY A O POŽIADAVKÁCH NA
PREDLOŽENIE MNOŽITEĽSKÉHO MATERIÁLU – KONSOLIDOVANÁ VERZIA**

Účelom tohto zoznamu je formou konsolidovanej verzie informovať prihlasovateľov o dátumoch uzávierky pre prihlášky a o požiadavkách na predloženie množiteľského materiálu v súvislosti s odborným preskúmaním. Uverejňuje sa jedenkrát ročne. Úpravy nadobúdajúce účinnosť počas roka pred uverejnením nasledujúceho vestníka S2 sa uverejňujú v pravidelnom vydaní vestníka CPVO.

DÔLEŽITÉ UPOZORNENIE:

Prihlasovateľ predloží materiál len vtedy, keď ho o to písomnou formou požiada úrad. Nesplnenie tohto pokynu môže ohroziť celkový priebeh konania.

Zoznam obsahuje nasledovné informácie:

Názov druhu:	Označuje príslušný druh.
Poddruh:	Špecifikuje poddruh druhu.
Poplatková skupina za preskúmanie:	Uvedenie poplatkovej skupiny, do ktorej druhu patria. Poplatok za preskúmanie, ktorý musí uhradiť prihlasovateľ za každý cyklus rastu, je uvedený v prílohe 1.
Predpokladaný počet cyklov rastu:	Uvádza počet cyklov rastu, ktoré sa bežne vykonávajú na vyhodnotenie skúšok DUS.
Krajina:	Krajina, v ktorej sa môže v mene CPVO vykonať odborné preskúmanie
Skúšobný úrad:	Názov národného skúšobného úradu
Dátum uzávierky:	Najneskorší dátum, keď úrad musí obdržať platnú prihlášku, aby mohol <i>naplánovať</i> odborné preskúmanie danej odrody na najbližšie rastové obdobie (bez záruky). Ak úrad dostane platnú prihlášku jeden deň po uzávierke, daná odroda nebude zaradená do najbližšieho rastového obdobia.
Začiatok predkladania materiálu:	Dátum, od keď prihlasovateľ môže začať predkladať materiál skúšobnému úradu.
Koniec predkladania materiálu:	Najneskorší dátum, kedy materiál musí byť dodaný do skúšobného úradu.
Množstvo semena/rastliny:	Požadované množstvo semena/rastlín.
Kvalita semena/rastliny:	Podrobnosti týkajúce sa požadovaného materiálu.

Ak dátum uzávierky vychádza na sobotu alebo na štátny sviatok, prihlasovateľ by mal považovať predchádzajúci pracovný deň za platný deň uzávierky.

Všetky fytoosanitárne požiadavky sa oznámia prihlasovateľovi so žiadosťou o predloženie materiálu príslušnému skúšobnému úradu.

V súvislosti s okrasnými rastlinami a ovocím upozorňujeme, že dodaný množiteľský materiál by mal byť evidentne zdravý, čerstvý a nenapadnutý žiadnou chorobou alebo morom, najmä nie vírusom.

**POSEBNA IZDAJA URADNEGA GLASILA URADA SKUPNOSTI ZA RASTLINSKE SORTE
OBVEŠČA O ZADNJEM ROKU ZA PRIJAVE IN O ZAHTEVAH ZA PREDLOŽITEV
RASTLINSKEGA MATERIALA – KONSOLIDIRANA RAZLIČICA**

Namen tega seznama je v konsolidirani različici seznaniti prijavitelje z zadnjim rokom za oddajo prijav in zahtevami v zvezi s predložitvijo rastlinskega materiala za preskušanje. Objavljen je enkrat letno. Spremembe, ki stopijo v veljavo med letom pred izidom naslednje posebne izdaje Glasila, se objavijo v rednih izdajah Glasila Urada Skupnosti za rastlinske sorte.

POMEMBNO:

Od prijavitelja se pričakuje, da predloži material šele, ko od Urada prejme pisno zahtevo. Neizpolnjevanje zgoraj navedenih navodil lahko ogrozi celoten postopek.

Seznam vsebuje naslednje informacije:

Ime vrste:	Navedi zadevne vrste.
Podvrsta:	Natančna opredelitev podvrste.
Razred za plačilo pristojbin:	Navedi razred za plačilo pristojbin, v katerega spadajo vrste. Pristojbina, ki jo plača prijavitelj glede na rastni cikel, se nahaja v prilogi 1.
Število predvidenih rastnih ciklusov:	Navedi število rastnih ciklusov, navadno potrebnih za oceno različnosti, enotnosti in obstojnosti (DUS – Distinctness, Uniformity and Stability).
Država:	Navedi državo, v kateri se lahko izvede preskušanje v imenu Urada Skupnosti za rastlinske sorte.
Urad za preskušanje sort:	Naziv nacionalnega urada za preskušanje sort.
Zadnji rok za oddajo prijav:	Datum, do katerega mora Urad prejeti veljavno prijavo, da lahko načrtuje preskušanje za to sorto za naslednje rastno obdobje (nezajamčeno). Če Urad prejme veljavno prijavo en dan po izteku roka, pomeni, da zadevna sorta zamudi naslednje rastno obdobje.
Predložitev se začne:	Datum, od katerega dalje lahko prijavitelji predložijo material Uradu za preskušanje sort.
Predložitev se konča:	Zadnji datum, do katerega mora material prispeti v Urad za preskušanje sort.
Količina semen/rastlin:	Zahtevana količina semen/rastlin, ki jo je treba predložiti.
Kakovost semen/rastlin:	Podrobnosti v zvezi z zahtevanim materialom.

Če zadnji rok za prijavo sovpade s soboto, nedeljo ali praznikom je treba prejšnji delovni dan upoštevati kot veljaven zadnji rok.

V primeru fitosanitarnih zahtev se o tem obvesti prijavitelja in se od njega zahteva, da predloži potreben material zadevnemu uradu za preskušanje sort.

Kar se tiče sadnih in okrasnih vrst, mora biti predložen material na videz zdrav, sposoben rasti in ne sme biti prizadet od škodljivcev ali bolezni, še posebno ne virusnih bolezni.

**KASVILAJIKEVIRASTON VIRALLISEN LEHDEN ERIKOISNUMERO SISÄLTÄEN
TIETOA HAKEMUSTEN JÄTTÖPÄIVISTÄ JA KASVIMATERIAALIN TOIMITTAMISTA
KOSKEVISTA VAATIMUKSISTA – KONSOLIDOITU VERSIO**

Tämän luettelon tarkoituksena on antaa hakijoille konsolidoidun version muodossa tietoa hakemusten jättöpäivistä ja kasvimateriaalin toimittamista koskevista vaatimuksista teknisen tutkimuksen yhteydessä. Se julkaistaan kerran vuodessa. Vuoden aikana ennen seuraavan S2:n julkaisemista voimaan tulevat muutokset julkaistaan kasvilajikeviraston säännöllisin välein ilmestyvässä lehdessä.

TÄRKEÄ HUOMAUTUS:

Hakijan odotetaan toimittavan materiaalia vasta sen jälkeen, kun hän on saanut virastolta asiaa koskevan kirjallisen pyynnön. Edellä esitetyn ohjeen noudattamatta jättäminen saattaa vaarantaa koko menettelyn.

Luettelo sisältää seuraavat tiedot:

Lajin nimi:	Ilmoitetaan asianomainen laji.
Alatyyppe:	Eritellään lajin alatyyppe.
Tutkimusmaksuryhmä:	Ilmoitetaan teknisen tutkimuksen osalta se maksuryhmä, johon lajike kuuluu. Hakijan kasvukautta kohti maksama tutkimusmaksu löytyy liitteestä 1.
Kasvukausien ennakoitu lukumäärä:	Ilmoitetaan niiden kasvukausien lukumäärä, joiden osalta tavanomaisesti suoritetaan erottuvuutta, yhtenäisyyttä ja pysyvyyttä koskeva arviointi.
Maa:	Maa, jossa tekninen tutkimus voidaan suorittaa kasvilajikeviraston puolesta.
Tutkimusvirasto:	Kansallisen tutkimusviraston nimi.
Määräaika:	Viimeinen päivämäärä, johon mennessä viraston täytyy saada virallinen hakemus voidakseen <i>suunnitella</i> ko. lajiketta koskevan teknisen tutkimuksen tulevan kasvukauden osalta (velvoituksesta).
	Jos virasto saa virallisen hakemuksen yhtä päivää myöhemmin määräpäivän jälkeen, kyseinen lajike menettää seuraavan kasvukauden.
Toimittaminen alkaa:	Päivämäärä, josta alkaen hakija voi toimittaa materiaalia tutkimusvirastolle.
Toimittaminen päättyy:	Viimeinen päivämäärä, jona materiaalin täytyy saapua tutkimusvirastoon.
Siementen/kasvien määrä:	Toimitettavaksi pyydettyjen siementen/kasvien määrä.
Siementen/kasvien laatu:	Pyydettyä materiaalia koskevat tiedot.

Jos määräpäivä on lauantai, sunnuntai tai muu lakisääteinen vapaapäivä, voimassa olevaksi määräpäiväksi katsotaan niitä edeltävä työpäivä.

Kasvien terveydentilaa koskevat vaatimukset esitetään hakijalle materiaalin toimittamista asianomaiselle tutkimusvirastolle koskevan pyynnön yhteydessä.

Huom! Koriste- ja hedelmäkasvien osalta toimitettavan materiaalin on oltava ulkoisesti tervettä, elinvoimaista sekä vailla nimenomaan virusten aiheuttamia merkittäviä tauteja tai sairauksia.

**SPECIALUTGÅVA AV DEN OFFICIELLA TIDSKRIFTEN FÖR GEMENSKAPENS
VÄXTSORTSMYNDIGHET INNEHÅLLANDE INFORMATION OM TIDFRISTER FÖR
ANSÖKNINGAR OCH VILLKOR FÖR INGIVANDE AV VÄXTMATERIAL –
KONSOLIDERAD VERSION**

Syftet med denna lista är att i en konsoliderad version informera de som ansöker om tidsfrister för ingivande av ansökningar och krav på växtmaterial för den tekniska undersökningen. Listan publiceras en gång per år. Ändringar som träder i kraft under året innan nästa specialutgåva publiceras, kommer att publiceras i den *Officiella tidskriften för Gemenskapens växtsortsmyndighet*.

VIKTIGT MEDDELANDE:

Den sökande förväntas överföra materialet endast efter att ha fått en skriftlig förfrågan från myndigheten. Om ansökanden inte följer ovanstående föreskrift kan hela förfarandet äventyras.

Listan innehåller följande information:

Artnamn:	Angivande av relevanta sorter.
Undergrupp:	Precisering av undergruppen av sorterna.
Avgiftsgrupp för prövningen:	Angivande av den avgiftsgrupp till vilken arten tillhör. Prövningsavgiften att betala av ansökanden för varje växtcykel finns i bilaga 1.
Antal planerade växtcyklar:	Angivande av antalet växtcyklar som normalt används för utvärderingen av artens särskiljbarhet, enhetlighet och stabilitet.
Land:	Landet där en teknisk prövning kan utföras på Växtsortsmyndighetens vägnar
Prövningsstation:	Namnet på den nationella prövningsstationen.
Slutdatum:	Sista datumet då myndigheten måste ha infått en giltig ansökan för att kunna överväga en teknisk prövning för denna varietet för kommande växtperiod (utan garanti).
Överförandets början:	Datum från vilket den sökande kan överföra material till prövningsstationen.
Överförandets slut:	Sista datum då materialet kan inkomma till prövningsstationen.
Säd-/plantkvantitet:	Mängd säd/plantor som efterfrågas för överföringen.
Säd-/plantkvalitet:	Detaljer om det förfrågade materialet.

Om ett slutdatum infaller på en lördag, söndag eller helgdag, skall den sökande anse den föregående arbetsdagen som slutdatum.

Fytosanitära villkor kommer att meddelas till ansökanden med förfrågan om överföring av material till relevant prövningsstation.

Vänligen notera, att såvitt avser prydnadsväxter och frukter så skall det ingivna växtmaterialet vara friskt, inte brista i kraft och inte vara påverkat av smitta eller sjukdom, och i synnerhet inte virus.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Abelia R. Br.	vegetative	15	2	FR	GEVES	1/9	1/10	15/3	8 plants, grown in container, 2 years old	all plants should be individually labelled.
Abelia x grandiflora (Rovelli ex André) Rehd.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown; Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics the first year.
Abutilon Mill.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Acacia baileyana F.Muell.	greenhouse test	13	2	FR	GEVES	1/3	1/5	30/5	6 plants, 18 months old	
Acacia floribunda (Vent.) Willd.	greenhouse test	13	2	FR	GEVES	1/3	1/5	30/5	6 plants, 18 months old	
Acacia leprosa Sieber ex DC.	greenhouse test	13	2	FR	GEVES	1/3	1/5	30/5	6 plants, 18 months old	
Acer L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 trees	2 years old
Acer campestre L.	vegetative	15	1	HU	OMMI	31/12		31/3	8 plants	2-3 years old
Acer palmatum	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 trees	2 years old
Acer shirasawanum L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 trees	2 years old
Aconitum L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
Actinidia Lindl.		26	4	IT	ISTITUTO SPERIMENTALE PER LA FRUTTICOLTURA	1/3	1/3	31/3	8 virus-tested one-year-old plants	grafted on "DJ1" or "Bruno"
Adenium Roem. et Schult	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Adenium obesum (Forssk.) Roem. et Schult.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Aechmea Ruiz et Pav.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants of commercial standard	age: approximately 1 months before flower induction treatment

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Aeschynanthus Jack	vegetative	14	1	DE	BUNDESSORTENAMT	1/12	15/3	21/3	30 young plants	in pots with 2 to 3 plants per pot
Agapanthus L.Herit	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Agastache foeniculum (Pursh) Kuntze	seed	19	1	UK	NIAB	1/12	19/2	23/2	0.25 g seed	
Agastache mexicana (H.B.K.) Lint. et Epling	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Agastache rugosa (Fisch. & C.A. Mey) Kuntze	seed	19	1	UK	NIAB	1/12	19/2	23/2	0.25 g seed	
Agave univittata Haw.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Ageratina altissima (L.) R. M. King et H. Rob.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 plants of commercial standard	
Ageratum L.	vegetative	16	1	DE	BUNDESSORTENAMT	1/12	15/3	21/3	25 rooted cuttings	not pinched
Aglaonema Schott.	vegetative	9	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Agrostis capillaris L.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	400 g	Germination rate 75% after 14 days
Agrostis stolonifera L.	agriculture	4	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	400 g	Minimum germination capacity 75% after 14 days
Agrostis stolonifera L.	ornamental vegetative	18	2	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 plants of commercial standard	
Agrostis tenuis L.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	400 gr seeds	Germination rate 75/14
Ajania pacifica Bremer et Humphries	AYR crop 1	10	1	UK	NIAB	14/7	26/11	30/11	25 unrooted cuttings, plus 25 unrooted cuttings of any nominated reference variety, if requested.	Cuttings must be of a commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Ajania pacifica Bremer et Humphries	AYR crop 2	10	1	UK	NIAB	30/10	12/3	16/3	25 unrooted cuttings, plus 25 unrooted cuttings of any nominated reference variety, if requested.	Cuttings must be of a commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development.
Ajania pacifica Bremer et Humphries	AYR crop 3	10	1	UK	NIAB	17/2	2/7	6/7	25 unrooted cuttings, plus 25 unrooted cuttings of any nominated reference variety, if requested.	Cuttings must be of a commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development.
Ajania pacifica Bremer et Humphries	natural season	10	1	UK	NIAB	1/12	9/4	13/4	25 unrooted cuttings, plus 25 unrooted cuttings of any nominated reference variety, if requested.	Cuttings must be of a commercial standard, visually healthy & unaffected by any important pest or disease, and not treated in any way that will affect subsequent development.
Ajuga reptans L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	25 young plants of commercial standard	
Albizia julibrissin Durazz.	vegetative	11	2	FR	GEVES	1/9		15/11	8 plants, in container, well developed stalks, 1 to 1.5 meters high	each plant should be labelled individually
Allamanda L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Allamanda cathartica L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Allium cepa (Aggregatum Group)	seed semi-long & long day	22	2	NL	RAAD VOOR PLANTENRASSEN	15/1		15/2	20,000 seeds	germination rate 70% after 6 days
Allium cepa (Aggregatum Group)	seed short & semi-short day	22	2	NL	RAAD VOOR PLANTENRASSEN	15/12		31/12	20,000 seeds	germination rate 70% after 6 days
Allium cepa	vegetat short & semi-short day	22	2	NL	RAAD VOOR PLANTENRASSEN	15/12		31/12	300 bulblets	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Allium cepa (Aggregatum Group)	vegetativ. semi-long & long day	22	2	NL	RAAD VOOR PLANTENRASSEN	15/1		15/2	300 bulblets	
Allium cepa (Aggregatum Group)	vegetatively propagated	22	2	FR	GEVES	31/1	1/2	15/2	150 bulblets	
Allium cepa (Cepa group)	Over-wintered	20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/6		15/7	16,000 seeds	
Allium cepa (Cepa group)	Spring	20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/12		15/1	16,000 seeds	
Allium cepa (Cepa group)	long day type	20	2	CZ	UKZUZ	31/12		31/1	30,000 seeds	germination rate 75%
Allium cepa (Cepa group)	long days	20	2	FR	GEVES	1/1	1/1	1/2	100 g	
Allium cepa (Cepa group)	semi-long & long day	20	2	NL	RAAD VOOR PLANTENRASSEN	15/1		15/2	20,000 seeds	germination rate 75% after 6 days
Allium cepa (Cepa group)	short days	20	2	FR	GEVES	1/7	1/7	31/7	100 g	
Allium cepa (Cepa group)	short, semishort day & overwinter	20	2	NL	RAAD VOOR PLANTENRASSEN	15/12		31/12	20 000 seeds	germination rate 75% after 6 days
Allium cepa (Cepa group)	spring	20	2	PL	COBORU	31/1	1/2	1/3	300 g	
Allium cepa (Cepa group)	spring	20	2	HU	OMMI	15/1		15/2	20,000 seeds	85% min. germination
Allium cepa (Cepa group)	winter	20	2	PL	COBORU	30/6	1/7	31/7	300 g	
Allium cepa (Cepa group)		20	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	31/5		30/6	100 g	
Allium fistulosum L.		20	2	FR	GEVES	31/12	1/1	31/1	100 g	
Allium fistulosum L.		20	2	NL	RAAD VOOR PLANTENRASSEN	1/2		1/3	13,000 seeds	
Allium porrum L.	seed	20	2	FR	GEVES	1/1		1/2	13,000 seeds	
Allium porrum L.	seed	20	2	NL	RAAD VOOR PLANTENRASSEN	1/2		1/3	13,000 seeds	germination rate 65% after 6 days

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Allium porrum L.	seed	20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/11	1/12	1/12	13,000 seeds	
Allium porrum L.	seed	20	2	SK	UKSUP	10/1	31/1	31/1	13,000 seeds	
Allium porrum L.	seed	20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	1/1	1/2	1/2	13,000 seeds	
Allium porrum L.	seed	20	2	DE	BUNDESSORTENAMT	15/1	15/2	15/2	25,000 seeds	
Allium porrum L.	vegetative	22	2	FR	GEVES	1/2	1/5	15/5	200 plants rooted and acclimatised	
Allium porrum L.	vegetative	22	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES				75 plants	
Allium porrum L.	vegetative	22	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)				75 plants	
Allium porrum L.	vegetative	22	2	NL	RAAD VOOR PLANTENRASSEN	1/8	15/8	1/9	75 plants	4-6 mm diameter, about 15-20 cm long, either in modules or single plants ready for transplanting
Allium sativum L.	plantation autumn	22	2	FR	GEVES	1/8	1/8	31/8	120 bulbs per growing period	bulbs must be free of nematodes, white rot, mites and Onion Yellow Dwarf Virus
Allium sativum L.	plantation spring	22	2	FR	GEVES	1/9		15/12	120 bulbs per growing period	bulbs must be free from nematodes, white rot, mites and Onion Yellow Dwarf Virus
Allium sativum L.	very early	22	2	FR	GEVES	1/9	1/9	1/9	120 bulbs per growing period	bulbs must be free from nematodes, white rot, mites and Onion Yellow Dwarf virus
Allium sativum L.		22	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	30/1	15/10	15/10	50 virus free bulbs	
Allium schoenoprasum L.		20	2	CZ	UKZUZ	31/12	31/1	31/1	20,000 seeds	germination rate 75%
Allium schoenoprasum L.		20	2	DE	BUNDESSORTENAMT	1/12	1/2	1/2	11,000 seeds	Minimum germination capacity of 80%

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Alloplectus capitatus</i> Hook.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Alocasia wentii</i> Engl. & K.Krause	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Aloe vera</i> (L.) Burm.f.	vegetative	17	1	DE	BUNDESSORTENAMT	1/2		1/6	25 plants, one to two years old	
<i>Alstroemeria</i> L.	seed	14	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	10 gr seed and 25 young plants of commercial standard	
<i>Alstroemeria</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	10 young plants of commercial standard.	
<i>Amaranthus</i> L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	5 gram seeds	germination capacity 50 %
<i>Amaryllis</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/11	11/12	15/12	20 bulbs	of flowering size, induced for flowering
<i>Ananas comosus</i> (L.) Merr.		11	4	FR	GEVES	28/2		30/4	60 vigorous shoots of 300g to 400g	The shoots must not bear any roots or soil and must not be treated with fungicides and insecticides. The plant material must be free from Tomato Spotted Wilt Virus (TSWV) and Pineapple Mealybug Wilt associated- Virus-1 (PMWaV-1). The plant material must be clearly labelled. In the case where the viral indexation of the plant material could not be done by the applicant, it can be carried out at the CIRAD Montpellier, avenue Agropolis , F-34398 Montpellier cedex 1 (to the attention of Mr. Bakry).
<i>Anethum graveolens</i> L. 80%		21	2	DE	BUNDESSORTENAMT	1/2		15/3	10 g of seeds	Minimum germination capacity
<i>Angelica keiskei</i> koidzumi		20	1	FR	GEVES	30/6	1/7	31/7	10 g untreated seed	
<i>Angelonia</i> Humb. et Bonpl.	vegetative	16	1	DE	BUNDESSORTENAMT	15/2	15/4	21/4	25 rooted cuttings	not pinched
<i>Anisodonta elegans</i> (Cav.) D.M.Bates	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Anisodonthea capensis (L.) D.M. Bates	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	container grown
Anthemis L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	
Anthurium Schott.	Pot plant	9	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	6 young plants of commercial standard.	
Anthurium Schott.	cutflower	13	1	NL	RAAD VOOR PLANTENRASSEN	1/7	1/2	15/2	6 young plants of commercial standard	1 year old, grown up in Oasis deliver in 22 cm pots
Anthurium scherzerianum Schott	Pot plant	9	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	6 young plants of commercial standard.	
Anthurium-Andreamum-Hybrids	Pot plant	9	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	6 young plants of commercial standard.	
Anthurium-Andreamum-Hybrids	cutflower	13	1	NL	RAAD VOOR PLANTENRASSEN	1/7	1/2	15/2	6 young plants of commercial standard	1 year old, grown up in Oasis deliver in 22 cm pots
Antirrhinum L.	vegetative	14	1	DE	BUNDESSORTENAMT	1/2	1/4	6/4	25 young plants	of commercial standard
Apium graveolens L. var. dulce (Mill.) Pers		20	2	FR	GEVES	31/1	1/2	28/2	20 g	
Apium graveolens L. var. dulce (Mill.) Pers		20	2	NL	RAAD VOOR PLANTENRASSEN	1/2		1/3	15 000 seeds	germination rate 70% after 10 days
Apium graveolens L. var. rapaceum (Mill.) Gaud		20	2	DE	BUNDESSORTENAMT	15/1		1/2	10 g	
Arctotis L.	vegetative	18	1	UK	NIAB	15/12	23/4	27/4	10 young plants	container grown
Ardisia crenata Sims	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	25 young plants of commercial standard	
Ardisia pusilla A. DC.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	25 young plants of commercial standard.	
Argyranthemum frutescens (L.) Schultz Bip.	vegetative	15	1	DE	BUNDESSORTENAMT	15/12	1/3	6/3	20 rooted cuttings	not pinched
Artemisia vulgaris L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Asarina Mill.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Asclepias</i> L.	seed	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	1/2	5 gam seeds	germination capacity 50%
<i>Asclepias</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Asclepias curassavica</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Asclepias tuberosa</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Asimina triloba</i> (L.) Dunal		24	4	DE	BUNDESSORTENAMT	28/2	1/3	15/3	6 well developed plants	Accompanied by a recognised certificate illustrating that it has been virus tested
<i>Asparagus</i> L.	ornamental vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Asparagus madagascariensis</i> Bak.	ornamental vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Asparagus officinalis</i> L.	seed	20	4	FR	GEVES	28/2	1/3	31/3	3000 seed	
<i>Asparagus officinalis</i> L.	seed	20	4	DE	BUNDESSORTENAMT	1/2	1/4	1/4	2000 seeds	
<i>Asparagus officinalis</i> L.	seed	20	4	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	31/12	1/3	31/1	3000 seed	
<i>Asparagus officinalis</i> L.	seed	20	4	NL	RAAD VOOR PLANTENRASSEN	15/12	1/3	31/12	1200 seeds	germination rate 70% after 10 days
<i>Asparagus officinalis</i> L.	vegetative	22	4	FR	GEVES	28/2	1/3	1/4	30 well developed young plants	
<i>Asparagus officinalis</i> L.	vegetative	22	4	DE	BUNDESSORTENAMT	1/2	15/3	1/4	80 well developed young plants	
<i>Asparagus officinalis</i> L.	vegetative	22	4	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	31/12	1/3	31/1	80 rhizomes	
<i>Asparagus officinalis</i> L.	vegetative	22	4	NL	RAAD VOOR PLANTENRASSEN	15/6	1/3	15/6	80 well developed young plants	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Asplenium ebenoides R. R. Scott	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
Asplenium nidus L.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Aster L.	vegetative	10	1	IL	ISRAEL PLANT BREEDERS RIGHTS TESTING UNIT	1/5	1/7	6/7	50 unrooted cuttings.	For the export of plant material to Israel, an import permit in this country is necessary. Mr Bar-Tel , examiner at the Israel Plant Breeders Rights Testing Unit, will take care of the administrative details for the import of your plants. Please contact him for additional details at the following address: iplbr-tu@int.gov.il
Astilbe Arendsii-Hybrids	vegetative	12	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
Astilbe Buch.-Ham.ex G. Don	vegetative	12	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
Astilbe chinensis (Maxim.) Franch. et Sav.	vegetative	12	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
Astilbe simplicifolia Makino	vegetative	12	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
Astrantia L.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Astrantia Major L.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Astrantia major ssp. Involucrata Koch.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Athyrium niponicum (Mett.) Hance	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Aubrieta Adans.	vegetative	15	1	DE	BUNDESSORTENAMT	1/7	15/8	15/9	20 well rooted, strong/well growing pot plants	
Avena sativa L.	spring	1	2	AT	BUNDESAMT FÜR ERNAHRUNGSSICHER- HEIT	25/1		29/1	3.0 kg	120 panicles

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Avena sativa L.	spring	1	2	FR	GEVES	15/1		25/1	5.0 kg	
Avena sativa L.	spring	1	2	CZ	UKZUZ	31/12		20/1	3.0 kg	200 panicles
Avena sativa L.	spring	1	2	PL	COBORU	31/12	1/2	1/3	6.0 kg	240 panicles
Avena sativa L.	spring	1	2	DE	BUNDESSORTENAMT	30/11		15/12	5.0 kg	on request: 120 panicles
Avena sativa L.	spring	1	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	30/11		15/1	3.0 kg	300 panicles
Avena sativa L.	spring	1	2	SK	UKSUP	15/1		31/1	3.0 kg	300 panicles
Avena sativa L.	spring	1	2	SE	STATENS UTSÄDESKONTROLL	1/2		15/2	3 kg	150 panicles
Avena sativa L.	spring	1	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	15/8		15/9	5.0 kg	150 panicles
Avena sativa L.	winter	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	29/8		3/9	3.0 kg	120 panicles
Avena sativa L.	winter	1	2	DE	BUNDESSORTENAMT	15/8		1/9	5.0 kg	on request: 170 panicles
Avena sativa L.	winter	1	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	31/8		14/9	3.0 kg	300 panicles
Avena sativa L.	winter	1	2	FR	GEVES	10/9		20/9	5.0 kg	
Avena sativa L.	winter	1	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	1/8		1/9	5.0 kg	150 panicles
Baccharis halimifolia L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 bushes of commercial standard	
Barleria obtusa Nees	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Begonia -Semperflorens-Hybrids	seed	16	1	DE	BUNDESSORTENAMT	1/11		15/12	1500 seeds	in 6 portions (6 x 250 seeds)
Begonia -Semperflorens-Hybrids	vegetative	16	1	DE	BUNDESSORTENAMT	1/11	1/4	6/4	25 rooted cuttings	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Begonia L.	vegetative	14	1	DE	BUNDESSORTENAMT	15/4	17/7	21/7	20 young plants, well rooted.	
Begonia L. rex Putz	vegetative	14	1	DE	BUNDESSORTENAMT	15/4	17/7	21/7	20 young plants, well rooted	
Begonia Tuberhybrida-Grp.	cuttings	14	1	BE	INSTITUUT VOOR LANDBOUW- EN VISSERIJONDERZOEK ILVO EENHEID PLANT-TEELT EN OMGEVING	15/1	10/3	15/4	100 well rooted cuttings (young plants)	
Begonia Tuberhybrida-Grp.	tubers	14	1	BE	INSTITUUT VOOR LANDBOUW- EN VISSERIJONDERZOEK ILVO EENHEID PLANT-TEELT EN OMGEVING	15/1	15/3	15/4	100 tubers, diameter 4 cm	
Begonia-Elatior-Hybrids	vegetative	14	1	DE	BUNDESSORTENAMT	15/12	15/4	21/4	30 young plants	from not induced top cuttings
Begonia-Rex-Hybrids	vegetative	14	1	DE	BUNDESSORTENAMT	15/4	17/7	21/7	20 young plants, well rooted	
Berberis L.	vegetative	11	2	FR	GEVES	1/9	1/10	15/3	8 plants, in container, 2 years old	each plant should be labelled individually.
Berberis L.	vegetative	11	2	PL	COBORU	15/1	1/4	7/4	10 plants	2 years old, vegetatively propagated, on their own roots
Berberis thunbergii DC.	vegetative	11	2	PL	COBORU	15/1	1/4	7/4	10 plants	2 years old, vegetatively propagated, on their own roots
Berberis thunbergii DC.	vegetative	11	2	FR	GEVES	15/10	15/10	15/11	6 plants with roots, minimal 1 year old.	
Bergenia Moench	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Beta vulgaris L. ssp. vulgaris var. altissima Döll	component	5	2	SE	STATENS UTSÄDESKONTROLL	1/2		15/3	1.0 kg	for a TSW of 10 g and minimum germination capacity of 80%
Beta vulgaris L. ssp. vulgaris var. crassa (Alef.) Wittm	vegetative	5	2	FR	GEVES	15/1		31/1	1.0 kg	
Beta vulgaris L. var. conditiva Alef.	vegetative	20	2	PL	COBORU	31/1	1/2	1/3	1.600 g	
Beta vulgaris L. var. conditiva Alef.	vegetative	20	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	9.000 seeds	germination rate 70% after 4 days
Betula pendula Roth	vegetative	15	2	HU	OMMI	31/12		31/3	8 plants	2-3 years old, container grown.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Betula pendula</i> Roth	vegetative	15	2	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Bidens</i> L.	vegetative	16	1	DE	BUNDESSORTENAMT	15/11	13/2	17/2	25 well-rooted cuttings	not pinched
<i>Blechnum</i> L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Bouvardia</i> Salisb.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	15/3	1/6	15/6	25 young plants of commercial standard	
<i>Brachyglottis</i> J.R. et G. Forst.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Brachyscome</i> Cass.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	
<i>Brachyscome melanocarpa</i> F.Muell. et Sond.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	
<i>Brachyscome multifida</i> DC.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	
<i>Bracteantha bracteata</i> Anderb. and Haegi	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 rooted cuttings	
<i>Brassica carinata</i> A. Braun		20	2	DE	BUNDESSORTENAMT	15/2		15/3	70 g	
<i>Brassica juncea</i> L.		20	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	5,000 seeds	
<i>Brassica napus</i> L. emend. Metzg.	forage	3	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/1		15/2	1.0 kg	
<i>Brassica napus</i> L. emend. Metzg.	spring	3	2	FR	GEVES	1/2		15/2	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
<i>Brassica napus</i> L. emend. Metzg.	spring	3	2	DE	BUNDESSORTENAMT	15/12		1/2	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
<i>Brassica napus</i> L. emend. Metzg.	spring	3	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/12		15/1	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Brassica napus L. . emend. Metzg.	spring	3	2	SE	STATENS UTSÄDESKONTROLL	1/2		15/2	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	spring	3	2	PL	COBORU	15/1	1/2	1/3	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	spring	3	2	SK	UKSUP	15/1		25/1	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	winter	3	2	CZ	UKZUZ	31/7		5/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	winter	3	2	DE	BUNDESSORTENAMT	1/8		10/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	winter	3	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	10/8		10/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	winter	3	2	PL	COBORU	10/8	1/8	15/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	winter	3	2	SK	UKSUP	30/7		10/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
Brassica napus L. emend. Metzg.	winter	3	2	SE	STATENS UTSÄDESKONTROLL	1/8		15/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Brassica napus</i> L. emend. Metzg.	winter	3	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	1/8		10/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
<i>Brassica napus</i> L. emend. Metzg.	winter	3	2	FR	GEVES	1/8		10/8	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	field	20	2	HU	OMMI	15/1		15/2	5 000 seeds	90% min germination
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	seed	20	2	FR	GEVES	1/4	1/4	1/5	10 000 seeds	
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	seed	20	2	DE	BUNDESSORTENAMT	1/1		1/2	5 000 seeds	
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	seed	20	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	1/3		1/4	10 000 seeds	
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	seed, autumn type	20	2	NL	RAAD VOOR PLANTENRASSEN	1/4		1/5	5 000 seeds	germination rate 75% after 5 days
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	seed, spring & summer types	20	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	5 000 seeds	germination rate 75% after 5 days
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	seed, winter & overwinter. types	20	2	NL	RAAD VOOR PLANTENRASSEN	15/5		15/6	5 000 seeds	germination rate 75% after 5 days
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	vegetative, autumn types	22	2	NL	RAAD VOOR PLANTENRASSEN	1/4		15/6	125 plants	
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	vegetative, spring & summer types	22	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	125 plants	
<i>Brassica oleracea</i> L. convar. botrytis (L.) Alef. var. botrytis	vegetative, winter & overwinter	22	2	NL	RAAD VOOR PLANTENRASSEN	15/5		1/8	125 plants	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.	early and medium early	20	2	PL	COBORU	31/12	15/1	15/2	100 g	
Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.	medium late and late	20	2	PL	COBORU	31/12	1/3	31/3	100 g	
Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.		20	2	FR	GEVES	1/3	1/3	1/4	15,000 seeds	
Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.		20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/5		30/6	20,000 seeds	
Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.		20	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	5,000 seeds	germination rate 75% after 5 days
Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.		20	2	DE	BUNDESSORTENAMT	1/2		1/3	5,000 seeds	
Brassica oleracea L. convar. botrytis (L.) Alef. var. cymosa Duch.		20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/2		15/3	6,000 seeds	
Brassica oleracea L. convar. oleracea var. gemmifera DC	early and medium early	20	2	PL	COBORU	31/12	15/1	15/2	100 g	
Brassica oleracea L. convar. oleracea var. gemmifera DC	medium late and late	20	2	PL	COBORU	31/12	1/3	31/3	100 g	
Brassica oleracea L. convar. oleracea var. gemmifera DC		20	2	FR	GEVES	1/3	1/3	1/4	15,000 seeds	
Brassica oleracea L. convar. oleracea var. gemmifera DC		20	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	5,000 seeds	germination rate 75% after 5 days
Brassica oleracea L. convar. oleracea var. gemmifera DC		20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/1		15/2	6,000 seeds	
Brassica oleracea L. convar. oleracea var. gemmifera DC		20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	28/2		31/3	15,000 seeds	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Brassica oleracea</i> L. var. <i>sabellica</i> L.		20	2	NL	RAAD VOOR PLANTENRASSEN	1/5		1/6	5 000 seeds	germination rate 75% after 5 days
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>alba DC</i>		20	2	NL	RAAD VOOR PLANTENRASSEN	15/1		15/2	5 000 seeds	germination rate 75% after 5 days
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>alba DC</i>	early varieties	20	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	5 000 seeds	germination rate 75% after 5 days
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>alba DC</i>		20	2	CZ	UKZUZ	31/12		10/1	10 000 seeds	germination rate 85%
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>alba DC</i>		20	2	FR	GEVES	1/3	1/3	1/4	10 000 seeds	
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>alba DC</i>		20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	1/2		1/3	10 000 seeds	
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>alba DC</i>		20	2	DE	BUNDESSORTENAMT	1/1		1/2	5 000 seeds	
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>rubra</i> (L.) Thell.		20	2	NL	RAAD VOOR PLANTENRASSEN	15/1		15/2	5 000 seeds	germination rate 75% after 5 days
<i>Brassica oleracea</i> L. var. <i>capitata</i> L. f. <i>rubra</i> (L.) Thell.		20	2	SK	UKSUP	10/1		31/1	5 000 seeds	
<i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.		20	2	CZ	UKZUZ	31/12		10/1	10 000 seeds	germination rate 85%
<i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.		20	2	DE	BUNDESSORTENAMT	15/12		15/1	5000 seeds	germination rate 85%
<i>Brassica oleracea</i> L. var. <i>sabauda</i> L.		20	2	CZ	UKZUZ	31/12		10/1	10 000 seeds	germination rate 85%
<i>Brassica oleracea</i> L. var. <i>sabauda</i> L.		20	2	NL	RAAD VOOR PLANTENRASSEN	1/5		1/6	5000 seeds.	germination capacity 75% after 5 days.
<i>Brassica oleracea</i> L. var. <i>sabauda</i> L.		20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	28/2		31/3	30 g	
<i>Brassica pekinensis</i> L.		20	2	FR	GEVES	1/3	1/3	1/4	50 g seed	
<i>Brassica pekinensis</i> L.		20	2	NL	RAAD VOOR PLANTENRASSEN	15/5		15/6	5 000 seeds	germination rate 75% after 5 days

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Brighamia insignis</i> Gray	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Bromus valdivianus</i>		8	3	FR	GEVES	15/12		10/1	3.0 kg of seeds	
<i>Brugmansia</i> Pers.	vegetative	18	1	DE	BUNDESSORTENAMT	15/5	11/9	15/9	15 plants in a 20 cm pot, virusfree	
<i>Brunnera macrophylla</i> (Adams) Johnst.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Buddleja</i> L.		11	2	FR	GEVES	1/9	1/10	15/3	8 plants, in container, 2 years old	each plant should be labelled individually.
<i>Buddleja davidii</i> Franch.	vegetative	11	2	FR	GEVES	1/9	1/10	15/3	8 plants in container, 2 years old	each plant should be labelled individually.
<i>Buxus microphylla</i> Siebold et Zucc.	vegetative	18	1	DE	BUNDESSORTENAMT	1/2	15/3	15/4	10 plants	in pots, 20-25 cm high
<i>Buxus sempervirens</i> L.	vegetative	18	1	DE	BUNDESSORTENAMT	1/2	15/3	15/4	10 plants	in pots, 20-25 cm diameter
<i>Calathea</i> G. Mey.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Calathea roseopicta</i> (Linden) Regel	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Calathea warszewiczii</i> (Mathieu ex Planch.) Körn.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Calendula officinalis</i> L.		14	2	DE	BUNDESSORTENAMT	15/2		15/3	2000 seeds	Germination capacity 80%; seeds must not be affected by any pests or diseases and not treated chemically or physically.
<i>Calibrachoa</i>	vegetative	16	1	DE	BUNDESSORTENAMT	15/11	15/3	21/3	25 well-rooted cuttings, not pinched.	Contact person at the Bundessortenamts: Mr. J. Klocke.
<i>Callistemon</i>	vegetative	11	2	FR	GEVES	1/1		15/4	6 plants, 2 years old.	each plant should be labelled individually.
<i>Callistemon viminalis</i> (Sol. ex Geartn.) G. Don	vegetative	11	2	FR	GEVES	1/1		15/4	6 plants, 2 years old	each plant should be labelled individually.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Callistephus chinensis</i> (L.) Nees	seed	16	1	DE	BUNDESSORTENAMT	1/2	15/3	15/3	6 gr. of seeds in 6 portions	
<i>Calluna vulgaris</i> (L.) Hull	vegetative	11	1	DE	BUNDESSORTENAMT	1/9	1/10	7/10	30 plants	at least 1 year old
<i>Calochortus Pursh</i>	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	200 bulbs	of flowering size
<i>Camellia</i> L.	autumn and winter flowering	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Camellia</i> L.	spring flowering	15	1	UK	NIAB	15/7	18/9	22/9	8 plants	container grown
<i>Campanula</i> L.	greenhouse	13	1	UK	NIAB	1/12	13/3	24/3	10 young plants	container grown
<i>Campsis radicans</i> (L.)	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young plants of commercial standard	
<i>Campsis x tagliabuana</i> (Vis.) Rehder	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young plants of commercial standard	
<i>Canna indica</i> L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Canna x generalis</i> L.H. Bailey	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Cannabis sativa</i> L.	seed propagated	8	2	HU	OMMI	31/1		20/2	2.0 kg for hybrids and open pollinated varieties; 1.0 kg for line applications	In case of hybrids: in addition 1.0 kg of each component (lines and parental crosses)
<i>Cannabis sativa</i> L.	seed propagated	8	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	500 g	germination capacity 70%
<i>Cannabis sativa</i> L.	vegetative	8	2	NL	RAAD VOOR PLANTENRASSEN	15/1			50 rooted cuttings	Submission on request
<i>Capparis spinosa</i> L.	vegetative	17	1	DE	BUNDESSORTENAMT	15/2	15/4	21/4	20 rooted cuttings	not pinched
<i>Capsicum annum</i> L.	Lamuyo type	21	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	1 500 seeds	germination rate 65% after 7 days
<i>Capsicum annum</i> L.	field	20	2	SK	UKSUP	10/1		15/1	2,000 seeds	
<i>Capsicum annum</i> L.	field summer	20	2	FR	GEVES	1/5		1/6	2,000 seeds	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Capsicum annuum</i> L.	greenhouse	21	2	HU	OMMI	15/1		15/2	2,000 seeds	92% min. germination
<i>Capsicum annuum</i> L.	greenhouse autumn	21	2	FR	GEVES	1/5		1/6	2,000 seeds	
<i>Capsicum annuum</i> L.	greenhouse spring	21	2	FR	GEVES	1/1		15/1	2,000 seeds	
<i>Capsicum annuum</i> L.	ornamental FR	19	2	FR	GEVES	1/1	1/1	1/2	10 gram of seeds	
<i>Capsicum annuum</i> L.		21	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/5		30/6	3,000 seeds	
<i>Capsicum annuum</i> L.		21	2	NL	RAAD VOOR PLANTENRASSEN	1/12		31/12	1500 seeds	germination rate 65% after 7 days
<i>Carex comans</i> Berggr.	ornamental vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Carex siderosticha</i> Hance	ornamental	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Caryopteris x clandonensis</i> N.W. Simmonds ex Rehder	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Ceanothus</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Celosia</i> L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	5 gram seeds	germination capacity 50%
<i>Celosia</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	100 rooted cuttings	
<i>Celosia argentea</i> L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	5 gram seeds	germination capacity 50%
<i>Celosia argentea</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	100 rooted cuttings	
<i>Celosia argentea</i> var. <i>cristata</i> (L.) Kuntze	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	5 gram seeds	germination capacity 50%
<i>Celosia argentea</i> var. <i>cristata</i> (L.) Kuntze	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	100 rooted cuttings	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Centradenia</i> G. Don	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	appropriate to be grown in the open
<i>Centranthus ruber</i> (L.) DC	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	
<i>Centratherum</i>	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Cerastogma willmottianum</i> Stapf	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Chamaecyparis lawsoniana</i> (A.Murr.) Parl.	vegetative	18	2	PL	COBORU	15/1	1/4	7/4	8 plants	3-4 years old, grown in container
<i>Chasmanthe floribunda</i> var. <i>duckittii</i> G. Lewis ex L. Bol.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	30 bulbs of flowering size	
<i>Cheiranthus cheiri</i> L.	seed	15	1	DE	BUNDESSORTENAMT	15/3		15/5	6 g seeds in 6 portions	
<i>Cheiranthus cheiri</i> L.	vegetative	15	1	DE	BUNDESSORTENAMT	1/5	1/7	15/7	30 plants in pots, well rooted	
<i>Chenopodium</i> L.		8	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	300 g	germination rate 70% after 7 days
<i>Chlorophytum</i> Ker-Gawl.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Chlorophytum comosum</i> Ker-Gawl.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Chlorophytum orchidastrum</i> Lindl.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Choisya ternata</i> H.B.K.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Christia vespertilionis</i> (L.f.) Baekh.f.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Chrysanthemum</i>	AYR crop 1	10	1	UK	NIAB	14/7	22/11	26/11	25 unrooted cuttings	cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not be treated in any way that will affect subsequent development.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Chrysanthemum	AYR crop 2	10	1	UK	NIAB	30/10	13/3	17/3	25 unrooted cuttings	cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development
Chrysanthemum	AYR crop 3	10	1	UK	NIAB	17/2	28/6	2/7	25 unrooted cuttings	cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development
Chrysanthemum	Natural season	11	1	PL	COBORU	15/12	25/3	31/3	25 unrooted cuttings	
Chrysanthemum	cut flowers AYR	10	1	PL	COBORU	1/2	4/5	10/5	40 unrooted cuttings	
Chrysanthemum	natural season crop	11	1	UK	NIAB	1/12	9/4	13/4	25 unrooted cuttings	cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development
Chrysanthemum	pot plant AYR	10	1	PL	COBORU	1/2	4/5	10/5	25 unrooted cuttings	
Cicer arictinum L.		20	2	FR	GEVES	30/11	1/12	31/1	1.0 kg	
Cichorium endivia L.	autumn	20	2	FR	GEVES	1/5		1/6	5,000 seeds	
Cichorium endivia L.	spring	20	2	FR	GEVES	1/1		1/2	5,000 seeds	
Cichorium endivia L.		20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/3		1/4	25,000 seeds	
Cichorium endivia L.		20	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	5,000 seeds	germination rate 65% after 5 days
Cichorium intybus L., partim	industrial	21	2	BE	INSTITUUT VOOR LANDBOUW- EN VISSERIJONDERZOEK ILVO EENHEID PLANT-TEELT EN OMGEVING	31/1		1/3	0.3 kg	same category as certified seed

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Cichorium intybus</i> L., partim	industrial chicory	21	2	NL	RAAD VOOR PLANTENRASSEN	15/3		15/4	5 000 seeds	germination rate 65% after 5 days
<i>Cichorium intybus</i> L., partim	leaf chicory	21	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	5 000 seeds	germination rate 65% after 5 days
<i>Cichorium intybus</i> L., partim	seed willoof chicory	21	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	25,000 seeds	germination rate 65% after 5 days
<i>Cichorium intybus</i> L., partim	vegetative	21	2	FR	GEVES	31/12	1/1	31/1	50 g	
<i>Cissus adenopoda</i> Sprague	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Cistus x corbatiensis</i> Pourr.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Citrullus lanatus</i> (Thunb.) Matsum et. Nakai	field	20	2	HU	OMMI	15/1		15/2	1,000 seeds	94% min. germination
<i>Citrullus lanatus</i> (Thunb.) Matsum et. Nakai		20	2	FR	GEVES	1/2	15/1	1/3	100 g	
<i>Citrullus lanatus</i> (Thunb.) i Matsum et. Naka		21	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	1,000 seeds	germination rate 75% after 5 days
<i>Citrus</i> L.		24	4	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	15/4	15/4	15/6	4 budwoods able to produce at least 20 useful buds	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and psoriasis, and fulfilling the requirements of Directive 77/93/EEC and 95/44/EC and their subsequent modifications. The authority's official certificate and plant passport must always accompany the consignment.
<i>Clematis</i> L.	vegetative	15	1	PL	COBORU	15/1	1/4	7/4	10 plants	one year old, not cut back, which have not previously flowered.
<i>Clematis</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Clerodendrum L.</i>	potplant	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Clerodendrum bungei Steud.</i>	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Clusia rosea Jacq.</i>	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Cnidioscolus Pohl</i>	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Codiaeum variegatum (L.) Bl.</i>	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Convolvulus cneorum L.</i>	vegetative	18	1	DE	BUNDESSORTENAMT	1/8	1/11	6/11	25 well-rooted cuttings	
<i>Cordyline Comm. ex Juss</i>	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Cordyline fruticosa (L.) A. Chev.</i>	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Coreopsis grandiflora T. Hogg ex Sweet</i>	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Coreopsis rosea</i>	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Coreopsis verticillata L.</i>	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 container grown plants	Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics the first year.
<i>Coriandrum sativum L.</i>		20	2	HU	OMMI		1/3	31/3	70 g seeds	
<i>Cornus kousa Hance</i>	vegetative	18	2	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	10 young bushes/trees of commercial standard	
<i>Cornus mas L.</i>	vegetative	15	2	HU	OMMI	31/12		31/3	8 plants	of commercial size, grown in containers
<i>Cortaderia selloana (Schult. et Schult.f.) Asch. et Graebn.</i>	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	10 young plants of commercial standard	
<i>Corydalis flexuosa Franch.</i>	vegetative	17	1	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	15/12	1/4	15/4	15 young plants of commercial standard	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Corylus avellana</i> L.	fruit	24	4	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	31/12	1/1	31/1	8 one year-old plants on their own roots	Free from the following pests and diseases: <i>Epidiaspis leperii</i> ; <i>Phytoptus avellanae</i> ; <i>Pseudaulacaspis pentagona</i> ; <i>Quadraspidiotus perniciosus</i> ; <i>Agrobacterium tumefaciens</i> ; <i>Xanthomonas campestris</i> pv. <i>corylina</i> ; <i>Armillariella mellea</i> ; <i>Chondrostereum purpureum</i> ; <i>Neectria galligena</i> ; <i>Phyllactinia guttata</i> ; <i>Verticillium</i> spp.; Apple mosaic virus; Hazel maculatura <i>lingare</i> MLO
<i>Corylus avellana</i> L.	vegetative ornamental	15	4	HU	OMMI	31/12		31/3	8 plants	contained commercial
<i>Corynocarpus</i> J.R. et G. Forst.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Costus curvibracteatus</i> Maas	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Costus pulverulentus</i> C. Presl.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Cotinus</i> Mill.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard.	
<i>Cotinus coggygria</i> Scop.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard.	
<i>Cotoneaster dammeri</i> D.K. Schneid.	vegetative	15	2	PL	COBORU		3/4	14/4	8 plants	3-4 years old
<i>Crambe abyssinica</i> Hochst ex. R.E. Fr.		3	2	NL	RAAD VOOR PLANTENRASSEN	15/1		15/2	300 g	germination rate 75% after 7 days
<i>Crassula</i> L.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Crassula arborescens</i> (Mill.) Willd.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Crocosmia</i> Planch.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	15 plants	container grown

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Ctenanthe oppenheimiana (E. Morr.) K. Schum	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial size	
Cucumis melo L.	field	20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/10		30/11	4,500 seeds	
Cucumis melo L.	field	20	2	SK	UKSUP	10/1		31/1	1,000 seeds	
Cucumis melo L.	greenhouse	21	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/10		30/11	4,500 seeds	
Cucumis melo L.	greenhouse	21	2	NL	RAAD VOOR PLANTENRASSEN	15/3		15/4	1,500 seeds	germination rate 75% after 4 days
Cucumis melo L.	greenhouse	21	2	SK	UKSUP	10/1		31/1		
Cucumis melo L.		21	2	FR	GEVES	1/1		15/1	50 g	
Cucumis sativus L.	cucumber	21	2	FR	GEVES	1/12		31/12	1,500 seeds	
Cucumis sativus L.	field	20	2	HU	OMMI	15/12		15/1	2,000 seeds	94% min. germination
Cucumis sativus L.	gherkin	21	2	FR	GEVES	1/3		1/4	1,500 seeds	
Cucumis sativus L.	gherkin	20	2	SK	UKSUP	31/1		28/2	1,800 seeds	
Cucumis sativus L.	greenhouse	21	2	DE	BUNDESSORTENAMT	1/12		15/1	1,300 seeds	
Cucumis sativus L.	heated covers	21	2	PL	COBORU	31/10	30/11	31/12	300 seeds	
Cucumis sativus L.	open field	20	2	PL	COBORU	28/2		31/3	200 g	
Cucumis sativus L.	outdoor	20	2	DE	BUNDESSORTENAMT	1/3		1/4	3,000 seeds	
Cucumis sativus L.	seed	21	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/5		30/6	1,800 seeds	
Cucumis sativus L.	seed European type	21	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	1,500 seeds	germination rate 80% after 4 days
Cucumis sativus L.	seed parthenocarpic	21	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	1,500 seeds	germination rate 80% after 4 days

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Cucumis sativus</i> L.	unheated covers	21	2	PL	COBORU	30/12	31/1	28/2	300 seeds	
<i>Cucumis sativus</i> L.	vegetative	23	2	FR	GEVES	1/1		1/3	50 plants rooted and acclimatised	
<i>Cucurbita pepo</i> L.	autumn	21	2	FR	GEVES	1/2		1/6	150 g	
<i>Cucurbita pepo</i> L.	field	20	2	HU	OMMI	15/2		15/3	3 000 seeds	88% min. germination
<i>Cucurbita pepo</i> L.	halloween	21	2	FR	GEVES	1/2		1/4	150 g	
<i>Cucurbita pepo</i> L.	non trailing type	21	2	NL	RAAD VOOR PLANTENRASSEN	1/4		1/5	1 000 seeds	germination rate 75% after 4 days
<i>Cucurbita pepo</i> L.	spring	20	2	FR	GEVES	1/2		1/3	150 g	
<i>Cucurbita pepo</i> L.	trailing type	21	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	1 000 seeds	germination rate 75% after 4 days
<i>Cuphea hyssopifolia</i> Humb., Bonpl. et Kunth	vegetative	16	1	DE	BUNDESSORTENAMT	1/12	28/2	4/3	25 rooted cuttings, not pinched	
<i>Cupressocyparis leylandii</i> (Jacq. et Dallim.) Dallim	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Cupressus</i> L.	tree	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard.	
<i>Curcuma</i> L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	15/4	15/5	25 young plants of commercial standard	
<i>Cyclamen persicum</i> Mill.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		15/12	2500 seeds	Germination capacity 50%
<i>Cydonia oblonga</i> Mill.	fruit	24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	5 virus tested one year-old trees grafted on virus free 'Quince EM A' rootstock	
<i>Cydonia oblonga</i> Mill.	rootstock	24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	25 virus tested one year old plants, well rooted, from vegetative propagation	
<i>Cymbidium</i> Sw.	April crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/1	1/4	30/4	10 young plants of commercial standard	preferably budded but not yet flowering

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Cymbidium Sw.</i>	January crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Cymbidium Sw.</i>	July crop	17	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Cymbidium Sw.</i>	October crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Cynara scolymus L.</i>	seed	20	2	FR	GEVES	1/4		1/7	50 g	
<i>Cynara scolymus L.</i>	seeds	20	2	NL	RAAD VOOR PLANTENRASSEN	1/1		15/1	2000 seeds	germination rate 65% after 7 days
<i>Cynara scolymus L.</i>	vegetative	22	2	FR	GEVES	1/4		1/9	60 rooted plants	Healthy and virus-free
<i>Cyperus alternifolius L.</i>	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Cyperus papyrus L.</i>	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial size	
<i>Cypripedium L.</i>	April crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/1	1/4	30/4	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Cypripedium L.</i>	January crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Cypripedium L.</i>	July crop	17	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Cypripedium L.</i>	October crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Cyrtanthus L.</i>	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/9	5/1	31/1	30 bulbs	of flowering size
<i>Cytisus scoparius (L.) Link</i>	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	8 plants, container grown	Plants should be of sufficient size to flower and/or show their other representative characteristics during the first year.
<i>Daboecia cantabrica (Huds.) K. Koch</i>	vegetative	18	1	DE	BUNDESSORTENAMT	1/2	15/3	15/4	15 plants	container grown, 1 year old
<i>Dactylis glomerata L.</i>		4	2	HU	OMMI	31/1		10/2	1.0 kg	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Dauctylis glomerata</i> L.		4	2	FR	GEVES	15/12		10/1	1.0 kg	
<i>Dauctylis glomerata</i> L.		4	2	SK	UKSUP	15/1		31/1	1.5 kg	
<i>Dahlia</i> Cav.	greenhouse	10	1	UK	NIAB	1/12	7/5	11/5	20 well-rooted cuttings	
<i>Dahlia</i> Cav.	outdoor	16	1	UK	NIAB	1/12	7/5	11/5	20 well-rooted cuttings	
<i>Dalechampia</i> L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial size	
<i>Daphne</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 container grown plants	plants of sufficient size to flower and/or show their representative characteristics in the first year
<i>Daucus carota</i> L.	autumn	20	2	FR	GEVES	1/4		1/5	90,000 seeds	
<i>Daucus carota</i> L.	spring	20	2	FR	GEVES	1/1		1/2	90,000 seeds	
<i>Daucus carota</i> L.		20	2	PL	COBORU	31/1	1/2	1/3	400 g	
<i>Daucus carota</i> L.		20	2	ES	OFICINA ESPAÑOLA DE VARIADADES VEGETALES	31/5		30/6	90,000 seeds	
<i>Daucus carota</i> L.		20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/2		15/3	35,000 seeds	
<i>Daucus carota</i> L.		20	2	NL	RAAD VOOR PLANTENRASSEN	15/3		15/4	30,000 seeds	germination rate 65% after 7 days
<i>Daucus carota</i> L.		20	2	DE	BUNDESSORTENAMT	15/1		15/2	90,000 seeds	
<i>Delphinium</i> L.	seed	13	1	UK	NIAB	1/12	19/2	23/2	5 g seed	
<i>Delphinium</i> L.	vegetative bare roots	13	1	UK	NIAB	1/12	5/2	9/2	25 dormant plants	bare roots
<i>Delphinium</i> L.	vegetative young plants	13	1	UK	NIAB	1/12	26/3	30/3	15 plants	(either from micropropagation or cuttings) well established in 9 cm containers
<i>Dendrobium</i> Sw.	April crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/1	1/4	30/4	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Dendrobium</i> Sw.	January crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard	preferably budded but not yet flowering

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Dendrobium Sw.</i>	July crop	14	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Dendrobium Sw.</i>	October crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard	preferably budded but not yet flowering
<i>Dianella caerulea Sims</i>	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	15 container grown plants	Plants should be of sufficient size to flower and/or show their other representative characteristics during the first year.
<i>Dianella ensifolia (L.) DC.</i>	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	15 container grown plants	Plants should be of sufficient size to flower and/or show their other representative characteristics during the first year.
<i>Dianella revoluta R. Br.</i>	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	15 plants, container grown.	Plants should be of sufficient size to flower and/or show their other representative characteristics during the first year.
<i>Dianella tasmanica Hook.</i>		18	1	UK	NIAB	1/12	12/3	23/3	15 plants, container grown	Plants should be of sufficient size to flower and/or show their other representative characteristics during the first year.
<i>Dianthus L.</i>	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/11	7/2	15/2	60 rooted cuttings	for 85% without virus (camation mottle virus and or camation etched ring virus)
<i>Diascia Link et Otto</i>	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development; plants should be of sufficient size to flower and/or show their representative characteristics in the first year
<i>Dicentra Borkh. ex Bernh.</i>	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Diefenbachia Schott.</i>	vegetative	9	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	15/11	1/3	15/3	20 plants, 12-15 weeks old.	
<i>Digitalis L.</i>	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Diplotaxis tenuifolia</i> (L.) DC.		21	2	NL	RAAD VOOR PLANTENRASSEN	15/1		15/2	5000 seeds	germination rate 80% after 4 days
<i>Dischidia ruscifolia</i> Warb ex K.Schum. & Lauterb.	vegetative	17	1	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	1/2	15/4	30/4	20 plants of commercial size, ca. 6 months old.	
<i>Dodecatheon</i> L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	15/9	1/11	30/11	25 young plants of commercial standard	
<i>Dorotheanthus bellidiformis</i> (Burm. f.) N. E. Br.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 well rooted cuttings	
<i>Dorycnium hirsutum</i> (L.) Ser.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants, container grown.	Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics the first year.
<i>Doryopteris pedata</i> (L.) Fee	seed/spores	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Draba aizoides</i> L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/7	0.5 gram seeds, germination capacity 50%	
<i>Dracaena Vánd.</i> ex L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Dracaena deremensis</i> Engl.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Dracaena fragrans</i> (L.) Ker-Gawl.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Dracaena marginata</i> Lam.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Dracaena reflexa</i> Lam.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Echinacea Moench</i>	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Elaeagnus</i> L.	vegetative	11	2	FR	GEVES	1/9	1/10	15/3	8 plants in container, 2 years old	each plant should be labelled individually.
<i>Elaeagnus x ebbingei</i> Boom	vegetative	11	2	FR	GEVES	1/9	1/10	15/3	8 plants with roots, one year old.	each plant should be labelled individually.
<i>Epipremnum pinnatum</i>	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 rooted cuttings	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Erica L.	vegetative	11	1	DE	BUNDESSORTENAMT	1/9	1/10	7/10	30 plants	at least 1 year old
Eriocaulon L.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Erica sativa Mill.		20	2	FR	GEVES	1/1		1/2	50 g	
Eryngium L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 plants of commercial standard	
Erysimum L.	seed	19	1	DE	BUNDESSORTENAMT	15/3		15/5	6 gram of seeds	in 6 portions of 1 gram.
Erysimum L.	vegetative	15	1	DE	BUNDESSORTENAMT	1/5	1/7	15/7	30 plants	in pots, well rooted and well developed
Erysimum linifolium (Pers.) J.Gay	vegetative	15	1	DE	BUNDESSORTENAMT	1/5	1/7	15/7	30 plants in pot, well rooted and well developed	
Euonymus fortunei (Turcz.) Hand.-Mazz.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 bushes of commercial standard or 25 young plants of commercial standard.	
Euonymus japonicus L.	vegetative/ greenhouse	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
Euonymus japonicus L.	vegetative/ outdoor	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard.	
Euphorbia L.	vegetative	15	1	UK	NIAB	31/7	17/9	21/9	10 plants	container grown
Euphorbia characias L.	vegetative	15	1	UK	NIAB	31/7	17/9	21/9	10 plants	container grown
Euphorbia lophogona Lam.	vegetative	14	1	DE	BUNDESSORTENAMT	1/2	15/3	21/3	20 young plants	well rooted, not flowering
Euphorbia milii Des Moul.	vegetative	14	1	DE	BUNDESSORTENAMT	15/11	15/3	21/3	20 young plants	well rooted, not flowering
Euphorbia pulcherrima Willd. ex Klotzsch.	vegetative	9A	1	PL	COBORU	1/1	1/3	7/3	16 rooted cuttings	
Euphorbia pulcherrima Willd. ex Klotzsch.	vegetative	9A	1	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	1/1	1/3	7/3	10 rooted cuttings	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Please advise Dept. of Ornamentals about arrival of the plant material, tel +45 63 90 43 43 or fax +45 63 90 43 92. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Euryops athenasiae</i> Less.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Eustoma grandiflora</i> (Ref) Shimmers	seed	14	1	DE	BUNDESSORTENAMT	1/11	10/4	15/4	75 young plants	
<i>Eustoma grandiflora</i> (Ref) Shimmers	vegetative	14	1	DE	BUNDESSORTENAMT	1/11	10/4	14/4	60 well rooted cuttings	
<i>Evolvulus glomeratus</i> Nees et Mart	vegetative	17	1	DE	BUNDESSORTENAMT	15/12	15/3	21/3	30 rooted cuttings	
<i>Fagopyrum esculentum</i> Moench		8	2	FR	GEVES	1/5		10/5	2.0 kg	
<i>Fagopyrum esculentum</i> Moench		8	2	PL	COBORU	31/12	1/2	1/3	5.0 kg	
<i>Fargesia muricellae</i> (Gamble) T.P. Yi	vegetative	18	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	15/1	1/4	15/4	12 plants, 2 years old, preferably grown in containers.	
<i>Fargesia muricellae</i> (Gamble) T.P. Yi	vegetative	18	2	DE	BUNDESSORTENAMT	1/3	1/4	15/4	6 container grown plants	at least 80-120 cm high, but not higher than 150 cm
<i>Felicia</i> Cass.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	Plants should be of sufficient size to flower and/or show their other representative characteristics during the first year.
<i>Felicia amelloides</i> (L.) Voss	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	of the generation for commercialisation
<i>Festuca arundinacea</i> Schreb.	fodder	4	2	FR	GEVES	15/12		10/1	1.0 kg	
<i>Festuca ovina</i> L.		4	2	HU	OMMI	31/1		10/2	1.0 kg	
<i>Festuca ovina</i> L.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1.5 kg	
<i>Festuca ovina</i> L.		4	2	SK	UKSUP	15/1		31/1	1.5 kg	
<i>Festuca pratensis</i> Huds.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1.5 kg	
<i>Festuca rubra</i> L.		4	2	SK	UKSUP	15/1		31/1	1.5 kg	
<i>Festuca rubra</i> L.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1.5 kg	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Festuca rubra</i> L.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	1.2 kg	Germination rate 80% after 10 days
<i>Ficus</i> L.	vegetative	9	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Fittonia verschaffeltii</i> (Lem.) Van Houtte		17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Foeniculum vulgare</i> P. Mill.		20	2	FR	GEVES	28/2	1/3	31/3	10 g	
<i>Foeniculum vulgare</i> P. Mill.		20	2	DE	BUNDESSORTENAMT	15/1		15/2	60 g or 12 000 seeds	germination capacity 80%
<i>Forsythia</i> Vahl	vegetative	11	2	FR	GEVES	1/9	1/10	15/3	8 plants in container, 2 years old	each plant should be labelled individually.
<i>Fragaria x ananassa</i> Duch.	day-neutral bearing	27	2	PT	INSTITUTO DE PROTECCAO DA PRODUCCAO AGRO-ALIMENTAR	31/1	1/2	28/2	40 virus-tested plants packed in such a way as to prevent dehydration, and free from viruses, root rot or nematodes.	Plants should not have been obtained directly by in vitro culture. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO strawberry protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Fragaria x ananassa</i> Duch.	non-partial or fully remontant	27	2	PT	INSTITUTO DE PROTECCAO DA PRODUCCAO AGRO-ALIMENTAR	31/10	1/11	30/11	40 virus-tested plants packed in such a way as to prevent dehydration, and free from viruses, root rot or nematodes.	The plants must not have been obtained directly by in vitro propagation. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO strawberry protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Fragaria x ananassa</i> Duch.	non-remontant	27	2	PL	COBORU	30/6	1/9	15/9	40 plants	well-rooted, virus-tested, potted fresh plants
<i>Fragaria x ananassa</i> Duch.	seed propagated	27	2	DE	BUNDESSORTENAMT	15/11		15/12	1.5 g seed	minimum germination capacity 60%

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Fragaria x ananassa Duch.	vegetatively propagated	27	2	DE	BUNDESSORTENAMT	15/7	16/7	31/8	30 vigorous, well rooted, virus-tested potted fresh plants, and free from viruses, root rots and nematodes.	The applicant should add a recognised certificate indicating that the plant material is not affected by important pests or diseases. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO strawberry protocol in our website for a complete list of pests and pathogens which the plant material must be free
Fragaria x ananassa Duch.		27	2	FR	GEVES	1/7	15/8	31/8	40 fresh plants, free of viruses nematodes and root rot.	Plants must not have been produced by in vitro propagation. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO strawberry protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Fragaria x ananassa Duch.		27	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/7	1/9	15/10	30 well-rooted, vigorous, virus-tested potted fresh plants.	Plants should not have been obtained directly by in vitro culture. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO strawberry protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Freesia Eckl. ex. Klatt	vegetative	10	1	NL	RAAD VOOR PLANTENRASSEN	15/5	15/6	15/7	30 corms	over sieve size 5, without having undergone any treatment
Fritillaria L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/8	1/9	30/9	30 bulbs of flowering size	
Fuchsia L.	vegetative	15	1	DE	BUNDESSORTENAMT	15/11	30/1	3/2	20 rooted cuttings	not pinched

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Gaillardia Foug.	seed	18	1	HU	OMMI	1/12		31/1	2000 seeds	germination capacity 70%
Gaillardia Foug.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Gaillardia aristata Pursh	seed	18	1	HU	OMMI	1/12		31/1	2000 seeds	germination capacity 70%
Gaillardia pulchella Foug.	seed	18	1	HU	OMMI	1/12		31/1	2000 seeds	germination capacity 70%
Gaillardia x grandiflora Van Houtte	seed	18	1	HU	OMMI	1/12		31/1	2000 seeds	germination capacity 70%
Galega officinalis L.		15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Gardenia jasminoides Ellis	vegetative	17	1	DE	BUNDESSORTENAMT	1/12	1/4	6/4	20 rooted cuttings	
Gaura lindheimeri Engelm et A.Gray	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Gazania Gaertn.	vegetative	16	1	DE	BUNDESSORTENAMT	15/11		15/2	25 rooted cuttings, not pinched	
Gazania rigens (L.) Gaertn.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	10 plants, container grown	
Gazania rigens (L.) Gaertn.	vegetative	16	1	DE	BUNDESSORTENAMT	15/11	13/2	17/2	25 rooted cuttings, not pinched	
Gentiana L.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Geranium L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Gerbera L.	vegetative	13	1	PL	COBORU	1/2	9/5	14/5	12 young plants	commercial standard
Gerbera L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	31/3	14/5	17/5	12 young plants of commercial standard	not grown on rockwool
Geum L. rivale		15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Ginkgo biloba L.	vegetative	15	2	PL	COBORU	15/1	1/4	7/4	8 plants	3-4 years old, grafted, not cut back
Gladiolus L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	30 corms of flowering size	
Globba winitii C.H.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Glycine max (L.) Merrill		3	2	HU	OMMI	31/1		15/2	5.0 kg	
Glycine max (L.) Merrill		3	2	FR	GEVES	1/3		31/3	3.0 kg	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Glycine max (L.) Merrill		3	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	5.0 kg	
Gomphrena globosa L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 rooted cuttings	
Gossypium L.		6	2	GR	MINISTRY OF RURAL DEVELOPMENT AND FOOD	1/1	1/3	15/3	3.0 kg	delinted seed
Gossypium L.		6	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	5.0 kg	delinted seed
Graptophyllum Nees	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Guzmania Ruiz et Pav.	seed	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants of commercial standard	age: approximately 1 month before flower induction treatment
Guzmania Ruiz et Pav.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants of commercial standard	age: approximately 1 month before flower induction treatment
Gypsophila L.	vegetative	10	1	IL	ISRAEL PLANT BREEDERS RIGHTS TESTING UNIT	1/8	1/10	6/10	30 rooted cuttings	For the export of plant material to Israel, an import permit in this country is necessary. Mr Bar-Tel, examiner at the Israel Plant Breeders Rights Testing Unit, will take care of the administrative details for the import of your plants. Please contact him for additional details at the following address : ipbr-tu@mt.gov.il
Hebe Comm ex. Juss.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
Hedera L.	vegetative	15	1	HU	OMMI	31/12		31/3	10 plants	of commercial size, container grown.
Hedera L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
Helenium L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Helianthus annuus L.	hybrid	3	2	HU	OMMI	31/1		15/3	1.0 kg of the hybrid	and 500 g per each component (male sterile line, maintainer line, restorer line and parent lines with its components)

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Helianthus annuus</i> L.	hybrid	3	2	FR	GEVES	1/2		1/3	1.0 kg of the hybrid	and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)
<i>Helianthus annuus</i> L.	line	3	2	HU	OMMI	31/1		15/3	500 g	
<i>Helianthus annuus</i> L.	line	3	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/12		1/1	500 g	
<i>Helianthus annuus</i> L.	line	3	2	FR	GEVES	1/2		1/3	5000 grains	
<i>Helianthus annuus</i> L.	male sterile line	3	2	HU	OMMI	31/1		15/3	500 g	
<i>Helianthus annuus</i> L.	male sterile line	3	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/12		1/1	500 g of male sterile line	and 100 g of maintainer
<i>Helianthus annuus</i> L.	male sterile line	3	2	FR	GEVES	1/2		1/3	5000 grains of male sterile line	and 500 grains of maintainer line
<i>Helianthus annuus</i> L.	single hybrid	3	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/12		1/1	2.0 kg of the hybrid	and 500 grams of each component (A,C and R), 300 grams of B
<i>Helianthus annuus</i> L.	single hybrid as parent	3	2	FR	GEVES	1/2		1/3	5000 grains	and 5000 grains of the male sterile line, maintainer line, and male maintainer line (if material unknown)
<i>Heliopsis helianthoides</i> (L.) Sweet	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Heliotropium</i> L.	vegetative	15	1	UK	NIAB	1/12	23/4	27/4	10 young plants	container grown
<i>Helipterum</i> DC.	seed	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	10 gram seeds	Germination capacity 50%
<i>Helleborus</i> L.	seed	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	20 gram seeds	Germination capacity 50%
<i>Helleborus</i> L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard.	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Hemerocallis	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 plants of commercial standard	
Heuchera L.	seed	15	1	UK	NIAB	1/12	19/2	23/2	0.25 g seed	
Heuchera L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Heucherella Wehrh.	vegetative	16	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Hibiscus rosa-sinensis L.	vegetative	13	1	DE	BUNDESSORTENAMT	15/12	15/2	21/2	20 rooted cuttings	not pinched and without treatments of growth regulators
Hibiscus syriacus L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Hippeastrum Herb.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/11	11/12	15/12	20 bulbs	of flowerable size of which at least 18 should flower; bulbs should have been treated so that they will flower under greenhouse conditions in the Northern hemisphere in January.
Holarrhena pubescens Wall. ex G.Don	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
Homalomena Schott	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Hordeum vulgare L. sensu lato	hybrid cms, winter	1	2	FR	GEVES	10/9		20/9	hybrid: 5.0 kg	2.5 kg of male sterile line and 5.0 kg of maintainer and restorer line
Hordeum vulgare L. sensu lato	spring	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	29/1		29/1	3.0 kg	120 ears
Hordeum vulgare L. sensu lato	spring	1	2	DE	BUNDESSORTENAMT	5/1		20/1	5.0 kg	on request: 120 ears
Hordeum vulgare L. sensu lato	spring	1	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	30/11		8/1	3.0 kg	300 ears. In case of hybrid: in addition 3 kg and 300 ears for each component of the hybrid.
Hordeum vulgare L. sensu lato	spring	1	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	20/1		10/2	3.0 kg	150 ears

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Hordeum vulgare L. sensu lato	spring	1	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	3,0 kg	200 ears
Hordeum vulgare L. sensu lato	spring	1	2	BE	CENTRE DE RECHERCHE AGRONOMIQUES	31/12		1/2	3,0 kg	300 ears
Hordeum vulgare L. sensu lato	spring	1	2	CZ	UKZUZ	31/12		20/1	3,0 kg	300 ears
Hordeum vulgare L. sensu lato	spring	1	2	PL	COBORU	31/12	1/2	1/3	6,0 kg	240 ears. In case of hybrid: in addition 3 kg and 240 ears for each component of the hybrid.
Hordeum vulgare L. sensu lato	spring	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	15/8		15/9	5,0 kg	150 ears
Hordeum vulgare L. sensu lato	spring	1	2	FR	GEVES	15/1		25/1	5,0 kg	
Hordeum vulgare L. sensu lato	winter	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHER- HEIT	29/8		3/9	3,0 kg	120 ears
Hordeum vulgare L. sensu lato	winter	1	2	BE	CENTRE DE RECHERCHE AGRONOMIQUES	25/8		5/9	3,0 kg	300 ears
Hordeum vulgare L. sensu lato	winter	1	2	CZ	UKZUZ	25/8		25/8	3,0 kg	400 ears
Hordeum vulgare L. sensu lato	winter	1	2	DE	BUNDESSORTENAMT	15/8		1/9	5,0 kg	on request: 170 ears
Hordeum vulgare L. sensu lato	winter	1	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	24/8		8/9	3,0 kg	300 ears. In case of hybrid: in addition 3 kg and 300 ears for each component of the hybrid.
Hordeum vulgare L. sensu lato	winter	1	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	25/8		25/8	3,0 kg	150 ears
Hordeum vulgare L. sensu lato	winter	1	2	NL	RAAD VOOR PLANTENRASSEN	15/9		15/9	3,0 kg	200 ears

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Hordeum vulgare</i> L. sensu lato	winter	1	2	PL	COBORU	20/8	20/8	31/8	6.0 kg	300 ears. In case of hybrid: in addition 3 kg and 300 ears for each component of the hybrid.
<i>Hordeum vulgare</i> L. sensu lato	winter	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/8		1/9	5.0 kg	150 ears
<i>Hordeum vulgare</i> L. sensu lato	winter	1	2	FR	GEVES	10/9		20/9	5.0 kg	
<i>Hordeum vulgare</i> L. sensu lato	winter	1	2	HU	OMMI	10/9		20/9	5.0 kg	
<i>Hosta</i> Tratt.	vegetative	15	2	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	15/4	25 plants of commercial standard	1-2 years old (not older)
<i>Humulus lupulus</i> L.		26	3	DE	BUNDESSORTENAMT	15/1	1/3	15/3	20 dormant roots	healthy without mildew
<i>Hyacinthus orientalis</i> L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	30 bulbs of flowering size	
<i>Hydrangea</i> L.	vegetative	11	2	FR	GEVES	30/10		30/11	10 rooted plants, pinched at least once, not treated with chemicals that influence the colour (blueing)	
<i>Hydrocotyle</i> L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Hypericum</i> L.	vegetative	12	2	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	12 young bushes of commercial standard	
<i>Iberis sempervirens</i> L.	vegetative	18	1	UK	NIAB	1/12	23/4	27/4	10 plants	container grown
<i>Ilex</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Impatiens</i> L.	vegetative	16	1	DE	BUNDESSORTENAMT	15/11	15/3	21/3	20 young plants	as in commerce, not pinched
<i>Impatiens walleriana</i> Hook.	vegetative	14	1	DE	BUNDESSORTENAMT	15/11	15/3	21/3	20 young plants	as in commerce, not pinched
<i>Impatiens-New-Guinea-s Hybrid</i>	vegetative	14	1	DE	BUNDESSORTENAMT	15/11	15/3	21/3	20 young plants	as in commerce, not pinched
<i>Ipomoea batatas</i> (L.) Lam.	vegetative	17	1	UK	NIAB	1/12	23/4	27/4	20 young plants	container grown

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Iris</i> L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	30 corms of flowering size	
<i>Itea virginica</i> L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes	
<i>Ixora</i> L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Jasminum officinale</i> L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Jasminum polyanthum</i> Franch.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Juglans regia</i> L.		24	5	FR	GEVES	31/12	1/12	31/1	3 scions grafted on to <i>Juglans regia</i> + 3 scions grafted on to <i>Juglans nigra</i>	Each scion must be clearly labelled
<i>Juniperus</i> L.	vegetative	15	1	HU	OMMI	31/12		31/3	10 plants	
<i>Kalanchoë blossfeldiana</i> v. Poelln	vegetative	13A	1	DE	BUNDESSORTENAMT	15/2	15/4	21/4	30 unrooted cuttings	
<i>Kniphofia uvaria</i> (L.) Oken	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	vegetatively propagated container grown plants, visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year.
<i>Koeleria</i> Pers.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	600 g	germination rate 70% after 14 days
<i>Lactuca sativa</i> L.	greenhouse	21	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	1/11		1/12	14,000 seeds	
<i>Lactuca sativa</i> L.	greenhouse	21	2	DE	BUNDESSORTENAMT	1/11		1/12	25,000 seeds	
<i>Lactuca sativa</i> L.	greenhouse	21	2	NL	RAAD VOOR PLANTENRASSEN	15/12		31/12	14,000 seeds	germination rate 75% after 4 days
<i>Lactuca sativa</i> L.	greenhouse	21	2	FR	GEVES	1/9		1/10	14,000 seeds	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Lactuca sativa</i> L.	outdoor	20	2	FR	GEVES	1/1		1/2	14,000 seeds	germination rate 75% after 4 days
<i>Lactuca sativa</i> L.	outdoor	20	2	DE	BUNDESSORTENAMT	15/1		15/2	25,000 seeds	each plant should be labelled individually.
<i>Lactuca sativa</i> L.	outdoor	20	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	1/11		1/12	14,000 seeds	each plant should be labelled individually.
<i>Lactuca sativa</i> L.	outdoor	20	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	14,000 seeds	not pinched
<i>Lagerstroemia</i>		11	2	FR	GEVES	1/1		15/4	6 plants, well rooted, in container, 2 years old	Germination capacity 80%
<i>Lagerstroemia indica</i> L.		11	2	FR	GEVES	1/1		15/4	6 plants, well rooted, in container, 2 years old.	that will flower during the first year of examination.
<i>Lantana</i> L.	vegetative	16	1	DE	BUNDESSORTENAMT	15/12	1/3	6/3	25 rooted cuttings	
<i>Lavandula angustifolia</i> Mill.	seed	11	2	FR	GEVES	1/11		1/1	2000 seeds	
<i>Lavandula angustifolia</i> Mill.	vegetative	11	2	FR	GEVES	1/11		1/3	15 plants well rooted, 6-12 months old	
<i>Lavandula stoechas</i> L.	seed	11	2	FR	GEVES	1/11		1/1	2000 seeds, germination capacity 80%	
<i>Lavandula stoechas</i> L.	vegetative	11	2	FR	GEVES	1/1		15/2	15 plants with roots, 6-12 months old	that will flower during the first year of examination
<i>Lavatera</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 Plants	container grown
<i>Leea D. Royen ex L.</i>	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Lepidium ruderales</i> L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	3 gram seeds, germination capacity 50%.	
<i>Leucadendron</i> R. Br.	vegetative	17	2	IL	ISRAEL PLANT BREEDERS RIGHTS TESTING UNIT	1/12	1/4	15/4	10 young plants	well rooted, suitable for planting.
<i>Leucanthemum</i> Mill.	vegetative	16	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Libertia</i> Spreng.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Ligularia Cass.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 plants of commercial standard	appropriate to be grown in the open
Ligustrum japonicum Thunb.	vegetative	18	1	DE	BUNDESSORTENAMT	1/2	1/4	15/4	15 plants	container grown, 1 year old
Lilium L.	all vegetat. propagated types	14	1	NL	RAAD VOOR PLANTENRASSEN	1/11	5/1	15/1	30 bulbs, without having undergone any treatment. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size.	Virus: for 90% without L.S.V, for 95% without TMV (Type Longiflorum included).
Limonium L.	vegetative/ greenhouse	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	15/3	25 plants of commercial standard	after cold treatment
Limonium L.	vegetative/ outdoor	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/5	15/5	25 plants of commercial standard	appropriate to be grown in the open
Linum usitatissimum L.	fibre	6	2	BE	INSTITUUT VOOR LANDBOUW- EN VISSERIJONDERZOEK ILVO EENHEID PLANT-TEELT EN OMGEVING	15/1		1/3	1.0 kg	same category as certified seed
Linum usitatissimum L.	oil	3	2	BE	INSTITUUT VOOR LANDBOUW- EN VISSERIJONDERZOEK ILVO EENHEID PLANT-TEELT EN OMGEVING	15/1		1/3	1.5 kg	same category as certified seed
Linum usitatissimum L.	spring	3	2	FR	GEVES	1/1		15/1	1.0 kg	
Linum usitatissimum L.	spring	3	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/12		15/1	2.0 kg	
Linum usitatissimum L.	winter	3	2	FR	GEVES	10/8		15/8	1.0 kg	
Linum usitatissimum L.	winter	3	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/8		1/9	2.0 kg	
Linum usitatissimum L.		3	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	1.5 kg	germination rate 80% after 5 days
Lobelia L.	Garden plants	16	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Lobelia L.	seed	16	1	DE	BUNDESSORTENAMT	1/12		15/1	0,75 g seed in 6 portions	
Lobelia L.	vegetative	16	1	DE	BUNDESSORTENAMT	1/12	1/3	6/3	25 rooted cuttings	not pinched
Lolium multiflorum Lam.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	1,5 kg	germination rate 80% after 5 days
Lolium multiflorum Lam.		4	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	5/1		5/2	1,5 kg diploids; 2,0 kg tetraploids	
Lolium multiflorum Lam.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1,5 kg	
Lolium perenne L.		4	2	HU	OMMI	31/1		10/2	1,0 kg	
Lolium perenne L.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	1,5 kg	germination rate 80% after 5 days
Lolium perenne L.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1,5 kg	
Lolium perenne L.		4	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	5/1		5/2	1,5 kg diploids; 2,0 kg tetraploids	
Lolium x boucheanum Kunth		4	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	5/1		5/2	1,5 kg diploids, 2,0 kg tetraploids	
Lolium x boucheanum Kunth		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1,5 kg	
Lomandra Labill.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	15 container grown plants.	
Lonicera L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
Lonicera caerulea L. var. kamschatcica Sevast.		25	4	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 virus free well developed plants with root bals	
Lupinus albus L.		8	2	PL	COBORU	30/12	1/2	5/3	6,0 kg	
Lupinus albus L.		8	2	DE	BUNDESSORTENAMT	15/12		1/2	6,0 kg	
Lupinus angustifolius L.		8	2	PL	COBORU	31/12	1/2	5/3	6,0 kg	
Lupinus angustifolius L.		8	2	DE	BUNDESSORTENAMT	15/12		1/2	4,0 kg	
Lupinus luteus L.		8	2	PL	COBORU	31/12	1/2	5/3	6,0 kg	
Lupinus luteus L.		8	2	DE	BUNDESSORTENAMT	15/12		1/2	4,0 kg	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed greenhouse autumn	21	2	FR	GEVES	1/6		15/6	2,500 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	field	20	2	HU	OMMI	15/12		15/1	2,000 seeds	95% min. germination
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	field cultivation	20	2	SK	UKSUP	10/1		31/1	2,500 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	heated covers	21	2	PL	COBORU	31/10	15/11	15/12	4 g	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	open field	20	2	PL	COBORU	31/1	1/2	1/3	20 g	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed-greenhouse	21	2	SK	UKSUP	10/1		31/1	1,250 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed field with support	20	2	FR	GEVES	1/2		1/3	2,500 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed field without support	20	2	FR	GEVES	1/2		1/3	2,500 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed greenhouse	21	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/11		1/12	2,500 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed greenhouse determinate	21	2	NL	RAAD VOOR PLANTENRASSEN	15/3		15/4	2,500 seeds	germination rate 70% after 5 days
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed greenhouse indeterminate	21	2	NL	RAAD VOOR PLANTENRASSEN	1/12		31/12	2,500 seeds	germination rate 70% after 5 days
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed greenhouse spring	21	2	FR	GEVES	15/12		31/12	2,500 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	seed outdoor	20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/11		1/12	2,500 seeds	
Lycopersicon lycopersicum (L.) Karst. ex. Farw.	unheated covers	21	2	PL	COBORU	30/12	31/1	28/2	4 g	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Lycopersicon lycopersicum</i> (L.) Karst. ex. Farw.	vegetative greenhouse	23	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES				25 plants	
<i>Lycopersicon lycopersicum</i> (L.) Karst. ex. Farw.	vegetative greenhouse	23	2	NL	RAAD VOOR PLANTENRASSEN	1/12			25 plants	
<i>Lycopersicon lycopersicum</i> (L.) Karst. ex. Farw.	vegetative greenhouse	23	2	FR	GEVES				25 plants	
<i>Lycopersicon lycopersicum</i> (L.) Karst. ex. Farw. x <i>Lycopersicon hirsutum</i> L.	rootstock	23	2	FR	GEVES				25 plants	
<i>Lycopersicon lycopersicum</i> (L.) Karst. ex. Farw. x <i>Lycopersicon hirsutum</i> L.	rootstock	23	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES				25 plants	
<i>Lysimachia</i> L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	appropriate to be grown in the open
<i>Mahonia</i> Nutt.	vegetative	18	1	HU	OMMI	31/12		31/3	8 young plants	commercial size, container grown.
<i>Mahonia</i> Nutt.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	8 young plants	commercial size, container grown
<i>Malus</i> Mill.	Ornamental	15	4	UK	NIAB	1/12	12/3	23/3	8 container grown trees.	Trees must be vegetatively propagated, visually healthy and not treated in any way that will affect subsequent development. Trees should be of sufficient size to flower and/or show their other representative characteristics in the first year.
<i>Malus</i> Mill.	rootstock	24A	4	LV	STATE PLANT PROTECTION SERVICE	28/2	15/3	15/4	30 one-year-old rooted plants or cuttings	
<i>Malus</i> Mill.	rootstock	24A	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	25 virus-tested one-year-old rooted shoots emanating from vegetative propagation or 25 young plants emanating from seed propagation + 300 seed	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Malus Mill.	rootstock	24A	4	FR	GEVES	30/1	1/1	28/2	30 one-year-old rooted plants or cuttings	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO apple protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Malus domestica Borkh.	fruit	24A	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	5, or in case of mutant varieties 10 virus-tested one year-old trees grafted on virus-free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf.	
Malus domestica Borkh.	fruit	24A	4	CZ	UKZUZ	15/9		15/11	7 virus tested one year-old trees grafted on virus-free 'M9' rootstock	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease. The quality of plants should be no less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPV apple protocol for a complete list of pests and pathogens which the plant material must be free from
Malus domestica Borkh.	fruit	24A	4	LV	STATE PLANT PROTECTION SERVICE	28/2	15/3	15/4	10 virus-tested one year-old trees grafted on virus-free B9 rootstock	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease. The quality of plants should be no less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO apple protocol for a complete list of pests and pathogens which the plant material must be free from

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Malus domestica</i> Borkh.	fruit	24A	4	FR	GEVES	31/1	1/1	28/2	8 virus-tested one year old trees grafted on to virus-free M9 rootstock. In the case of mutation varieties, an additional 4 virus-free one year-old trees of the parent variety grafted on to M9 to be provided.	Each plant must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO apple protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Mandevilla</i> Lindl.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	vegetatively propagated plug plants, visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year.
<i>Mecardonia</i> Ruiz et Pav.	vegetative	18	1	UK	NIAB	1/12	23/4	27/4	15 plants	
<i>Medicago sativa</i> L.		8	2	HU	OMMI	31/1		10/2	1.0 kg	
<i>Medicago sativa</i> L.		8	2	FR	GEVES	15/12		10/1	1.0 kg	
<i>Melittis</i> L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	
<i>Microsorium</i> Link	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Miscanthus</i> Andersson	seed	19	1	DE	BUNDESSORTENAMT	15/11		15/1	1 gram seed divided into 5 portions	use no packages preventing germination
<i>Miscanthus</i> Andersson	vegetative	15	1	DE	BUNDESSORTENAMT	15/6	1/9	15/9	10 one-year-old potted plants	container grown
<i>Monarda</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Monopsis</i> L.		16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Morus alba L.	ornamental	18	2	HU	OMMI	15/8	1/10	15/10	8 container grown plants of commercial size	of flowering size
Muscari macrocarpum Sweet	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	30 bulbs	
Myosotis L.	seed	15	1	UK	NIAB	31/7	3/9	7/9	0.5 gram of seeds	Good germination
Myosotis L.	vegetative	15	1	UK	NIAB	31/7	17/9	21/9	10 young container-grown plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size to flower and/or show their other representative characteristics in the first year.
Narcissus L.	vegetative	16	1	UK	NIAB	31/5	20/8	24/8	35 bulbs	flowering in their first year
Nemesia Vent.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
Neoregelia L.B.Sm.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants of commercial standard	age: approximately 1 months before flower induction treatment
Nepenthes L.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Nephtrolepis Schott	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	1 plant per pot. If this is not possible, deliver 25 pots with plants. Each pot will be considered as 1 plant.
Nerium oleander L.	vegetative	11	2	FR	GEVES	1/1		15/4	6 plants well rooted, 2 years old.	each plant should be labelled individually.
Nicotiana tabacum L.	agricultural	8	2	HU	OMMI	31/1		28/2	0.002 kg	min. 80% germination, min 98% purity
Nicotiana tabacum L.	agricultural	8	2	FR	GEVES	1/3		15/3		

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Nierembergia Ruiz et Pav.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	
Nolana L.	vegetative	16	1	UK	NIAB	1/12	23/4	27/4	15 plug plants	
Ocimum basilicum L.	seed	20	2	DE	BUNDESSORTENAMT	15/1		15/2	20000 seeds	
Ocimum basilicum L.	vegetative	20	2	DE	BUNDESSORTENAMT	15/5	1/6	15/6	40 plants	well rooted young plants
Oenothera L.	seed	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12			6 gram seeds	
Oenothera L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	
Olea europaea L.		24	4	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/1	1/3	31/3	5 one year-old plants + 50 fruit or endocarps	
Origanum L.	vegetative/ ornamental	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
Ornithogalum L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	30 bulbs of flowering size	free of Poty-D (Ornithogalum mozaik virus), TRV (Tabaksnecrosevirus) en TRV (Tabaksrateivirus).
Oryza sativa L.	hybrid (chemical, medit. type)	7	2	FR	GEVES	15/2		1/3	5.0 kg	
Oryza sativa L.	hybrid cms (mediterranean type)	7	2	FR	GEVES	15/2		1/3	Hybrid: 5.0 kg Male sterile line: 2.5 kg Maintainer and Restorer: 5.0 kg	
Oryza sativa L.	line (mediterranean type)	7	2	FR	GEVES	15/2		1/3	5.0 kg	
Oryza sativa L.		7	2	IT	ENTE NAZIONALE SEMENTI ELETTE	1/2		15/2	3.0 kg	
Oryza sativa L.		7	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	3.0 kg	
Osteospermum ecklonis (DC.) Norl.	vegetative	13	1	DE	BUNDESSORTENAMT	1/11	15/1	21/1	25 rooted cuttings	not pinched

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Oracanthus azureus</i> (Linden) Ronse	vegetative	17	1	DE	BUNDESSORTENAMT	15/3	15/5	19/5	20 rooted cuttings	
<i>Oxalis</i> L.	vegetative	14	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Paeonia</i> L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	15/8	15/9	15/10	10 young plants of commercial standard	
<i>Panicum</i> L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	100 young plants + 1000 seeds	
<i>Papaver</i> L.	ornamental, vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 young plants of commercial standard.	
<i>Papaver orientale</i> L.	seed	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	1 gram of seed.	
<i>Papaver orientale</i> L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 young plants of commercial standard.	
<i>Passiflora caerulea</i> L.	vegetative	18	1	DE	BUNDESSORTENAMT	1/12	1/3	6/3	20 young plants	as in commerce, not pinched
<i>Passiflora violacea</i> Vell.	vegetative	17	1	DE	BUNDESSORTENAMT	1/12	1/3	6/3	20 young plants	as in commerce, not pinched
<i>Pastinaca sativa</i> L.		20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	31/1		28/2	50 g	
<i>Pelargonium crispum</i> (L.) L'Her. ex Aiton	vegetative	13	1	DE	BUNDESSORTENAMT	1/9	1/11	6/11	20 young plants	as in commerce, not pinched
<i>Pelargonium grandiflorum</i> Willd.	vegetative	13	1	DE	BUNDESSORTENAMT	1/9	1/11	6/11	20 young plants	as in commerce, not pinched
<i>Pelargonium peltatum</i> (L.) L'Her. ex Aiton	vegetative	13A	1	DE	BUNDESSORTENAMT	1/7	1/10	6/10	15 young plants	as in commerce, not pinched
<i>Pelargonium zonale</i> (L.) L'Her. ex Aiton	vegetative	13A	1	DE	BUNDESSORTENAMT	1/7	1/10	6/10	15 young plants	as in commerce, not pinched
<i>Penstemon Schmidtii</i>	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Pentas</i> Benth.	seed	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	1 gram seeds	germination capacity 50%
<i>Pentas</i> Benth.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Peperomia Ruiz et Pav.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Peperomia caperata Yunck.	seed	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	100 seedlings in a tray and 500 seeds.	
Peperomia caperata Yunck.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
Pereskia saccharosa Griseb.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Pericallis x hybrida B. Nord.	vegetative	13	1	DE	BUNDESSORTENAMT	1/9	1/11	6/11	25 rooted cuttings	
Petasites		15	2	DE	BUNDESSORTENAMT	1/1	1/2	15/2	80 rhizomes	
Petroselinum crispum (Mill.) Nyman ex A.W. Hill	leaf	20	2	DE	BUNDESSORTENAMT	15/12		1/2	12000 seeds	germination capacity 80%
Petroselinum crispum (Mill.) Nyman ex A.W. Hill	root	20	2	DE	BUNDESSORTENAMT	15/12		1/2	30000 seeds	minimum germination capacity 80 %
Petroselinum crispum (Mill.) Nyman ex A.W. Hill		20	2	PL	COBORU	31/1	1/2	1/3	400 g	
Petroselinum crispum (Mill.) Nyman ex A.W. Hill		20	2	FR	GEVES	1/3		1/4	150 g	
Petroselinum crispum (Mill.) Nyman ex A.W. Hill		20	2	SK	UKSUP	10/1		31/1	60 g	
Petunia Juss.	seed	16	1	DE	BUNDESSORTENAMT	15/11		21/2	600 seeds	in 6 portions
Petunia Juss.	vegetative	16	1	DE	BUNDESSORTENAMT	15/11	15/3	21/3	25 well-rooted cuttings, not pinched	Contact person at the Bundessortenamt: Mr. J. Klocke.
Petunia x Calibrachoa		16	1	DE	BUNDESSORTENAMT	15/11	15/3	21/3	25 well-rooted cuttings, not pinched	Contact person at the Bundessortenamt: Mr. J. Klocke.
Phalaenopsis Bl.	April crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/1	1/4	30/4	10 young plants of commercial standard	preferably budded but not yet flowering
Phalaenopsis Bl.	January crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard	preferably budded but not yet flowering

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Phalaenopsis Bl.	July crop	14	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard	preferably budded but not yet flowering
Phalaenopsis Bl.	October crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard	preferably budded but not yet flowering
Phalaris arundinacea L.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1.5 kg	
Phaseolus coccineus L.		20	2	NL	RAAD VOOR PLANTENRASSEN	15/3		15/4	5.000 seeds	germination rate 80% after 5 days
Phaseolus vulgaris L.	autumn	20	2	FR	GEVES	1/4		1/5	20.000 seeds	
Phaseolus vulgaris L.	climbing	20	2	NL	RAAD VOOR PLANTENRASSEN	15/3		15/4	5.000 seeds	germination rate 80% after 5 days
Phaseolus vulgaris L.	dwarf	20	2	NL	RAAD VOOR PLANTENRASSEN	1/4		1/5	5.000 seeds	germination rate 80% after 5 days
Phaseolus vulgaris L.	field vegetable	20	2	HU	OMMI	15/2		15/3	10.000 seeds	88% min. germination
Phaseolus vulgaris L.	spring	20	2	FR	GEVES	1/2		1/3	20.000 seeds	
Phaseolus vulgaris L.		20	2	PL	COBORU	31/1	1/3	31/3	3 kg varieties of 1000 seed weight < 400 g; 5 kg varieties of 1000 seed weight > 400 g	
Phaseolus vulgaris L.		20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/2		1/3	20.000 seeds	
Phaseolus vulgaris L.		20	2	DE	BUNDESSORTENAMT	1/2		1/3	9.000 seeds	
Phaseolus vulgaris L.		20	2	SK	UKSUP	10/1		31/1	9.000 seeds	
Phlodiendron (Schott) corr.Schott.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Phleum pratense L.		4	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	5/1		5/2	750 g	
Phleum pratense L.		4	2	SK	UKSUP	15/1		31/1	1.0 kg	
Phlox L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 plants of commercial standard.	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Phlox drummondii</i> Hook.	seed	16	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	10 gr of seeds	germination capacity 50%
<i>Phlox paniculata</i> L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 young plants of commercial standard	
<i>Phormium tenax</i> J.R.Forst.et G. Forst.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Photinia</i> Lindl.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Phygelius</i> E. Mey. ex Benth.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Physalis alkekengi</i> L.	vegetative	18	1	DE	BUNDESSORTENAMT	15/2	1/4	15/4	20 plants	of flowering size
<i>Physocarpus</i> (Cambess.) Raf	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Pieris japonica</i> (Thumb.) D. Don ex G. Don	vegetative	18	1	DE	BUNDESSORTENAMT	15/1	1/3	15/3	10 potted plants	at least one year old
<i>Pinus</i> L.	vegetative	15	2	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes/trees of commercial size	
<i>Pisum sativum</i> L. sensu lato	agricultural pea	8	2	CZ	UKZUZ	31/12		20/1	2.0 kg	
<i>Pisum sativum</i> L. sensu lato	agricultural pea	8	2	EE	PLANT PRODUCTION INSPEKTORATE	1/2		1/3	3.0 kg	
<i>Pisum sativum</i> L. sensu lato	agricultural pea	8	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	30/11		15/1	3 kg	
<i>Pisum sativum</i> L. sensu lato	agricultural pea	8	2	DE	BUNDESSORTENAMT	15/12		1/2	4.0 kg	
<i>Pisum sativum</i> L. sensu lato	agricultural pea	8	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	5000 seeds	Germination rate 80/5
<i>Pisum sativum</i> L. sensu lato	agriculture	8	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	20/1		10/2	3 kg	
<i>Pisum sativum</i> L. sensu lato	field vegetable	8	2	HU	OMMI	15/1		15/2	2.5 kg	
<i>Pisum sativum</i> L. sensu lato	spring-agricultural pea	8	2	FR	GEVES	20/12		10/1	20 000 Seeds	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Pisum sativum</i> L. sensu lato	vegetable	8	2	SK	UKSUP	15/12		31/1	2.0 kg	
<i>Pisum sativum</i> L. sensu lato	vegetable pea	8	2	FR	GEVES	1/11		15/11	20,000 seeds	
<i>Pisum sativum</i> L. sensu lato	vegetable pea	8	2	DE	BUNDESSORTENAMT	15/1		15/2	10,000 seeds	
<i>Pisum sativum</i> L. sensu lato	vegetable pea	8	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/1		15/2	12 000 Seeds	
<i>Pisum sativum</i> L. sensu lato	vegetable pea	8	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	5 000 seeds	germination rate 80% after 5 days
<i>Pisum sativum</i> L. sensu lato	winter-agricultural pea	8	2	FR	GEVES	20/8		10/9	20 000 Seeds	
<i>Pisum sativum</i> L. sensu lato		8	2	PL	COBORU	31/12	1/2	1/3	8 kg	
<i>Pisum sativum</i> L. sensu lato		8	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	15/8		1/9	6,0 kg	
<i>Pitcairnia hitchcockiana</i> L. B. Sm.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants of commercial standard	age: approximately 3 months before the start of flowering; should not have flowered yet.
<i>Pitrosporum tenuifolium</i> Soland. ex Gaertn.	vegetative	15	1	UK	NIAB	1/12	23/4	27/4	8 plants	container grown
<i>Platycodon grandiflorus</i> (Jacq.) A. DC.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	
<i>Plectranthus</i> L'Hérit.	vegetative, indoor plant	14	1	DE	BUNDESSORTENAMT	1/5	1/8	6/8	25 rooted cuttings	not pinched
<i>Plectranthus</i> L'Hérit.	vegetative, outdoor plant	14	1	DE	BUNDESSORTENAMT	15/12	1/4	6/4	25 rooted cuttings	not pinched
<i>Pleibolobus variegatus</i> (Sieb. Ex. Miq.) Mak.	vegetatief	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	Preferably in pots with 1 plant per pot
<i>Plumbago indica</i> L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Poa annua</i> L.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1.5 kg	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Poa arachnifera</i> Torr. X <i>Poa pratensis</i> L.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/12		15/12	600 g	
<i>Poa pratensis</i> L.		4	2	CZ	UKZUZ	31/12		20/1	1.0 kg	
<i>Poa pratensis</i> L.		4	2	NL	RAAD VOOR PLANTENRASSEN	15/12		15/12	600 g	germination rate 75% after 14 days
<i>Poa pratensis</i> L.		4	2	DE	BUNDESSORTENAMT	15/1		15/2	1.5 kg	
<i>Podophyllum</i> L.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard.	
<i>Pogonatherum panicum</i> (P. Beauv.) Hach.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	1 plant per pot. If this is not possible, deliver 25 pots with plants. Each pot will be considered as 1 plant.
<i>Polemonium</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Populus</i> L.	vegetative	11	2	DE	BUNDESSORTENAMT	15/2	1/3	15/3	25 cuttings or 15 plants	cuttings about 20 cm long, 10-15 mm in diameter or well rooted one year old plants
<i>Portulaca grandiflora</i> Hook.	seed	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	0.2 gram seed	Germination capacity 50%
<i>Portulaca grandiflora</i> Hook.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/5	31/5	25 young plants of commercial standard	
<i>Potentilla fruticosa</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Primula</i> L.	seed	14	1	DE	BUNDESSORTENAMT	15/5		15/6	6 g seed in 6 portions	
<i>Primula</i> L.	vegetative	14	1	DE	BUNDESSORTENAMT	15/5	1/9	7/9	25 young plants	
<i>Prunus amygdalus</i> Batsch x <i>Prunus persica</i> Batsch		24	4	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	31/12	1/12	31/1	25 well rooted, one-year-old trees	
<i>Prunus armeniaca</i> L.	fruit	24	4	HU	OMMI	31/12	1/3	31/3	9 virus-tested trees, one year old scions grafted on to an apricot seedling rootstock (please specify)	each scion must be clearly labelled
<i>Prunus armeniaca</i> L.	fruit	24	4	FR	GEVES	31/12	1/12	31/1	9 virus-tested, one year old scions grafted on to apricot seedling rootstock 'Manicot', or if not possible, on peach seedling rootstock 'GF305' or 'Rubira' (please specify)	Each plant must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Prunus armeniaca</i> L.	rootstock-plants	24	4	HU	OMMI	31/12	1/3	31/3	50 one-year-old rooted plants	Each plant must be clearly labelled
<i>Prunus armeniaca</i> L.	rootstock-plants	24	4	FR	GEVES	31/12	1/1	31/1	50 one-year-old rooted plants	Each plant must be clearly labelled
<i>Prunus armeniaca</i> L.	rootstock-seed	24	4	FR	GEVES	30/9	1/10	31/10	300 seed	
<i>Prunus avium</i> (L.) L.	fruit	24	5	HU	OMMI	31/12	1/3	31/3	8 virus-tested, one-year old scions grafted on Brokforest (Maxma 14) rootstock	Each scion must be clearly labelled
<i>Prunus cerasifera</i> Ehrh.		24	4	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/12	1/12	31/1	25 one-year-old rooted trees	
<i>Prunus cerasus</i> L.		24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	6 virus-tested, one-year-old trees grafted on <i>Prunus mahaleb</i> var. 'Alpruma'	The plant material must be accompanied by a recognised certificate indicating that it is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO cherry protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Prunus domestica</i> L.		24	4	FR	GEVES	31/12		31/1	6 virus-free scions grafted on 'Fereley' or 'GF8-1', or instead on 'Myrobalan' clone	Each plant must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO European plum protocol in our website for a complete list of pests and pathogens which the plant material must be free from.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Prunus domestica</i> L.		24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	6 well rooted, virus tested, one year-old plants grafted on virus-free 'Myrobalan B', or if not possible, on a similar selection of <i>Prunus cerasifera</i> (please specify).	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO European plum protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Prunus insifitita</i> L.		24	4	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/12	1/12	31/1	25 well rooted one-year-old trees	
<i>Prunus laurocerasus</i> L.	vegetative	15	2	HU	OMMI	31/12		31/3	8 plants	of commercial size, container
<i>Prunus laurocerasus</i> L.	vegetative	15	2	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard.	
<i>Prunus persica</i> (L.) Batsch	fruit	24	4	HU	OMMI	31/12	1/3	31/3	9 virus-tested trees, one year-old scions grafted on peach-almond GF677	Each scion must be clearly labelled
<i>Prunus persica</i> (L.) Batsch	low chilling varieties	24	4	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	30/11	10/1	10/2	9 virus-tested one-year old plants, grafted on to rootstock 'GF 677'.	The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Prunus persica (L.) Batsch		24	4	IT	ISTITUTO SPERIMENTALE PER LA FRUTTICOLTURA	28/2	1/3	31/3	8 virus-tested one year-old plants, grafted on rootstock 'GF 677'.	The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Prunus persica (L.) Batsch		24	4	FR	GEVES	30/11	1/12	31/1	9 virus-tested, one year-old scions grafted on to peach-almond rootstock 'GF677', or 9 plants with 2 buds of the candidate variety grafted on peach-almond rootstock 'GF677'	Each plant must be clearly labelled. In case the applicant submits plant material in the form of grafted buds, the Office would like to point out that there is a greater risk of inferior plant development. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Prunus persica (L.) Batsch		24	4	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	30/11	1/12	31/1	8 virus-tested one-year old plants, grafted on to rootstock 'GF 677'.	The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Prunus pumila L.		24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	10 plants	The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Prunus salicina Lindl.	winter hardy varieties	24	4	LV	STATE PLANT PROTECTION SERVICE	28/2	15/3	15/4	8 virus-tested one year-old scions grafted on rootstock 'Myrobalan'	The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Prunus salicina</i> Lindl.		24	4	IT	ISTITUTO SPERIMENTALE PER LA FRUTTICOLTURA	1/3	1/3	31/3	8 virus-tested one-year-old scions grafted on 'Myrobalan 29C'	The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO Japanese plum protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Prunus salicina</i> Lindl. x <i>Prunus armeniaca</i> L.	predominantly plum	24	4	IT	ISTITUTO SPERIMENTALE PER LA FRUTTICOLTURA	28/2	1/3	31/3	8 scions	
<i>Prunus tomentosa</i> Thunb. ex. Murr. x <i>Prunus cerasifera</i> Ehrh		24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	10 plants	
<i>Pteris</i> L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Pulmonaria</i> L.	vegetative	15	1	UK	NIAB	31/7	17/9	21/9	10 plants	container grown
<i>Pyrus communis</i> L.	fruit	24	4	LV	STATE PLANT PROTECTION SERVICE	28/2	15/3	15/4	10 virus-tested one year-old trees grafted on 'BA29' or Pyrodwarf rootstock	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease. The quality of plants should be no less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO pear protocol for a complete list of pests and pathogens which the plant material must be free from

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Pyrus communis</i> L.	fruit	24	4	FR	GEVES	31/1	1/1	28/2	8 virus-tested one year-old trees grafted on to Cognassier (BA29) rootstock.	Each plant must be clearly labelled. The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO pear protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Pyrus communis</i> L.	fruit	24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	5, or in case of mutant varieties, 10 virus-tested one year-old trees on 'Quince EM A' rootstock with 'Beurre Hardy' interstock.	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPVO pear protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Pyrus communis</i> L.	rootstock	24	4	FR	GEVES	31/1	1/1	28/2	30 one-year-old rooted plants	
<i>Pyrus communis</i> L.	rootstock	24	4	DE	BUNDESSORTENAMT	1/3	1/3	31/3	25 virus-tested one-year-old rooted shoots emanating from vegetative propagation or 25 young plants emanating from seed propagation + 300 seeds	
<i>Pyrus pyrifolia</i> (Burm f.) Nakai var. <i>culta</i> (Mak.) Nakai.		24	4	FR	GEVES	31/1	1/2	28/2	8 trees	grafted on <i>Pyrus communis</i>
<i>Ranunculus</i> L.	vegetative	19	1	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	1/11	16/1	27/1	20 plantlets or rhizomes of commercial size	flowering during the first year of examination

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Raphanus sativus L. var. radicola Pers.	autumn	20	2	FR	GEVES	1/9		1/10	10,000 seeds	
Raphanus sativus L. var. radicola Pers.	greenhouse	20	2	HU	OMMI	15/12		15/1	10,000 seeds	90% min. germination
Raphanus sativus L. var. radicola Pers.	greenhouse	20	2	DE	BUNDESSORTENAMT	1/11		1/12	10000 seeds	
Raphanus sativus L. var. radicola Pers.	outdoor	20	2	DE	BUNDESSORTENAMT	1/2		1/3	10000 seeds	
Raphanus sativus L. var. radicola Pers.	spring	20	2	FR	GEVES	1/1		1/2	10,000 seeds	
Raphanus sativus L. var. radicola Pers.	summer	20	2	FR	GEVES	1/5		1/6	10,000 seeds	
Raphanus sativus L. var. radicola Pers.		20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/5		30/6	10,000 seeds	
Raphanus sativus L. var. radicola Pers.		20	2	NL	RAAD VOOR PLANTENRASSEN	15/5		15/6	5,000 seeds	germination rate 70% after 4 days
Raphanus sativus L. var. radicola Pers.		20	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	15/3		15/4	6,000 seeds	
Rhaphanidopsis Br. et R.	vegetative	14	1	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	1/1	1/3	15/3	20 plants, 1 year old, delivered after cold treatment	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Please advise Dept. of Ornamentals about arrival of the plant material, tel +45 63 90 43 43 or fax +45 63 90 43 92. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus.
Rhododendron L.	vegetative	15	1	LV	STATE PLANT PROTECTION SERVICE	1/9	1/10	1/11	8 plants	with at least 3 flowerbuds.
Rhododendron L.	vegetative	15	1	DE	BUNDESSORTENAMT	1/9		1/10	8 plants	with at least 3 flower buds
Rhododendron-Simsii-Hybrids	vegetative	11	1	DE	BUNDESSORTENAMT	15/10	1/10	1/11	30 potted plants	pinched twice

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Rhus hirta (L.) Sudw.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
Rhus typhina L.	vegetative	18	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
Ribes nigrum L.		25	3	LV	STATE PLANT PROTECTION SERVICE	28/2	10/3	10/4	6 bushes, each bush having 3 branches	
Ribes nigrum L.		25	3	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 bushes, each bush having 3 branches	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/34/EEC and 92/34/EEC and implementing measures – please refer to the CPVO black current protocol TP 40/1 in our website for a complete list of pests and pathogens which the plant material must be free from.
Ribes nigrum L.		25	3	PL	COBORU	31/8	15/10	31/10	12 well-rooted, virus tested plants with minimum 3 shoots per plant	
Ribes rubrum L.		25	3	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 bushes, each bush having 3 branches.	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/34/EEC and 92/34/EEC and implementing measures – please refer to the CPVO red and white current protocol TP 52/1 in our website for a complete list of pests and pathogens which the plant material must be free from.
Ribes sanguineum Push.		25	3	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 bushes, each bush having 3 branches	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Ribes sylvestre (Lam.) Mert. & W. Koch		25	3	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 bushes, each bush having 3 branches	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/34/EEC and 92/34/EEC and implementing measures – please refer to the CPVO red and white current protocol TP 52/1 in our website for a complete list of pests and pathogens which the plant material must be free from.
Ribes uva-crispa L.		25	3	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 bushes, each bush having 3 branches	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/34/EEC and 92/34/EEC and implementing measures – please refer to the CPVO gooseberry protocol TP 51/1 in our website for a complete list of pests and pathogens which the plant material must be free from.
Ribes x nidigrolaria R. et A. Bauer		25	3	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 bushes, each bush having 3 branches	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/34/EEC and 92/34/EEC and implementing measures
Rodgersia pinnata Franch.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/6	15/8	15/9	25 young plants of commercial standard	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pests or disease. The quality of plants should not be less than the standards laid down in Council Directive 77/34/EEC and 92/34/EEC and implementing measures

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Rosa L.	Pot plant	9	1	DE	BUNDESSORTENAMT	15/2		31/3	6 plants	with at least three shoots, on own roots.
Rosa L.	garden	11	1	LV	STATE PLANT PROTECTION SERVICE	15/3		15/5	6 one year old plants with at least 3 shoots or grafted plants on hardy rootstock or own roots.	delivery in spring
Rosa L.	garden Germany	11	1	DE	BUNDESSORTENAMT	15/2		31/3	6 plants	one year old plants, with at least three shoots, grafted plants on a hardy rootstock or on own roots. Delivery between week 45-13
Rosa L.	garden uk	11	1	UK	NIAB	15/2	1/11	31/3	6 plants suitable for winter planting.	Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year. Applicants are encouraged to submit plant material as early as possible to ensure good establishment.
Rosa L.	greenhouse, mutant	13	1	NL	RAAD VOOR PLANTENRASSEN	15/11	1/2	15/2	seedling variety: 10 rooted cuttings, in 5 cm cocos peat plug. mutant variety: 20 rooted cuttings, in 5 cm cocos peat plug.	To be delivered preferably on Wednesday 14 February 2007.
Rosa L.	greenhouse, seedling	13	1	NL	RAAD VOOR PLANTENRASSEN	15/11	1/2	15/2	seedling variety: 10 rooted cuttings, in 5 cm cocos peat plug. mutant variety: 20 rooted cuttings, in 5 cm cocos peat plug.	To be delivered preferably on Wednesday 14 February 2007
Rosa L.	rootstock Germany	11	1	DE	BUNDESSORTENAMT	15/2		31/3	6 plants	one year old plants, with at least three shoots, on own roots. Delivery between week 45-13

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Rubus idaeus</i> L.		25	3	DE	BUNDESSORTENAMT	1/3	1/3	31/3	10 well rooted virus-free plants, with a satisfactory number of adventitious buds	Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or diseases. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures – please refer to the CPYO raspberry protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Rubus</i> subgenus <i>Eubatus</i> Sect. <i>Morifert & Ursini</i>		25	3	DE	BUNDESSORTENAMT	15/2	1/3	15/3	6 plants, each bush having 3 branches	well rooted with a satisfactory number of adventitious buds on the roots
<i>Rudbeckia</i> L.	seed	19	1	HU	OMMI	1/12		31/1	2000 seeds	minimum germination capacity 70%
<i>Rudbeckia</i> L.	seed	19	1	UK	NIAB	1/12	20/2	24/2	1g seeds	
<i>Rudbeckia</i> L.	vegetative	16	1	HU	OMMI	1/12		31/3	50 plants	rooted cuttings
<i>Rudbeckia</i> L.	vegetative	16	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Ruellia macrantha</i> Mart.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Saintpaulia ionantha</i> H. Wendl.	seed	13A	1	DE	BUNDESSORTENAMT	1/7	17/1	21/1	45 young plants from seeds ready to be potted in final pot (8 to 9 cm)	
<i>Saintpaulia ionantha</i> H. Wendl.	vegetative	13A	1	DE	BUNDESSORTENAMT	1/7	15/8	21/8	20 budded plants	from leaf cuttings
<i>Salix</i> L.	vegetative	11	2	DE	BUNDESSORTENAMT	15/2	1/3	15/3	25 cuttings or 15 plants	cuttings about 20 cm long, 10-15 mm in diameter or well rooted one year old plants
<i>Salvia</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Salvia officinalis</i> L.		23	2	DE	BUNDESSORTENAMT	15/2	1/3	15/3	20 young rooted plants	
<i>Sambucus nigra</i> L.	tree	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Sanvitalia Lam.	vegetative	16	1	DE	BUNDESSORTENAMT	1/2	1/4	6/4	25 rooted cuttings	not pinched
Satureja hortensis L.		20	2	DE	BUNDESSORTENAMT	1/2		1/3	10000 seeds	
Scabiosa L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	vegetatively propagated container grown plants, visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year.
Scaevola L.	vegetative	16	1	DE	BUNDESSORTENAMT	15/11	30/1	3/2	25 rooted cuttings	not pinched
Schefflera J.R. et G. Forst	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 plants of commercial standard	
Schlumbergera Lem.	vegetative	14	1	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	1/6	10/8	20/8	20 plants	appr. 7 months old, grown under long day conditions
Scutellaria L.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Secale cereale L.	spring	1	2	PL	COBORU	31/12	1/2	1/3	8.0 kg	In case of hybrid: In addition 3.0 kg of each component
Secale cereale L.	spring	1	2	DE	BUNDESSORTENAMT	5/1		15/1	5.0 kg	
Secale cereale L.	winter	1	2	PL	COBORU	31/8	31/8	10/9	8.0 kg	In case of hybrid: In addition 3.0 kg of each component
Secale cereale L.	winter	1	2	DE	BUNDESSORTENAMT	25/8		10/9	5.0 kg	In case of hybrid: In addition 3.0 kg of each component
Secale montanum x Secale cereale	Perennial, summer	7	2	DE	BUNDESSORTENAMT	5/1		15/1	5.0 kg	
Secale montanum x Secale cereale	Perennial, winter	7	2	DE	BUNDESSORTENAMT	25/8		10/9	5.0 kg	
Sedum L.	vegetative/ garden	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard.	appropriate to be grown in the open
Sedum L.	vegetative/ greenhouse	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Serruria</i> Burm. ex Salisb.	vegetative	17	1	UK	NIAB	1/12	12/3	23/3	15 container grown plants.	
<i>Setaria</i> P. Beauv.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Setaria italica</i> (L.) P. Beauv.	seed-ornamental	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	2.5 gram seed	germination capacity 50%
<i>Silene</i> L.	vegetative, garden	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	
<i>Silene</i> L.	vegetative, greenhouse	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/2	15/2	60 rooted cuttings	
<i>Sinapis alba</i> L.	spring	3	2	FR	GEVES	1/2		15/2	1.0 kg	
<i>Sinapis alba</i> L.	spring	3	2	DE	BUNDESSORTENAMT	15/12		1/2	1.5 kg	
<i>Sinningia</i> Nees	vegetative	14	1	DE	BUNDESSORTENAMT	1/12	1/3	6/3	20 young plants	from in vitro culture, 2 times planted
<i>Skimmia</i> Thunb.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	6 young bushes of commercial standard	
<i>Solanum melongena</i> L.		21	2	FR	GEVES	1/2		1/3	10 g	
<i>Solanum melongena</i> L.		21	2	SK	UKSUP	10/1		15/1	30 g	
<i>Solanum melongena</i> L.		21	2	NL	RAAD VOOR PLANTENRASSEN	15/12		31/12	1,500seeds	germination rate 65% after 7 days
<i>Solanum rantonetii</i> Carr. ex Lesscy	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Solanum tuberosum</i> L.	for lightsprout testing	2	2	PL	COBORU		30/10	30/11	20 tubers	
<i>Solanum tuberosum</i> L.	medium, late, very late	2	2	PL	COBORU	31/12	25/2	25/3	150 tubers	
<i>Solanum tuberosum</i> L.	very early, early	2	2	PL	COBORU	31/10	1/11	30/11	150 tubers each year	
<i>Solanum tuberosum</i> L.		2	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	20/12		20/2	150 tubers each year	tubers weight 50-100 g

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Solanum tuberosum L.		2	2	SK	UKSUP	15/12		15/2	150 tubers each year	size 32-50 mm
Solanum tuberosum L.		2	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	220 tubers each year	
Solanum tuberosum L.		2	2	NL	RAAD VOOR PLANTENRASSEN	1/12	1/1	15/1	150 tubers (35-55 mm) each year	Add NAK-Certificate or Plant Passport to the plant material. Quarantine tests by the Dutch Phytosanitary Service: The CGN shall pick 20 tubers at random from each submitted identity sample to be tested by the Phytosanitary Service on relevant quarantine diseases. Test results shall be communicated only to the Board for PBR. Under all circumstances the applicant stays responsible to comply with the quarantine rules. Tubers will be destroyed after the quarantine test.
Solanum tuberosum L.		2	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	12/11		30/11	100 tubers each year	size 30-50 mm
Solanum tuberosum L.		2	2	DE	BUNDESSORTENAMT	15/11		10/12	120 tubers each year	tubers with size of planting material, tuber weight < 99g
Solanum tuberosum L.		2	2	IE	DEPARTMENT OF AGRICULTURE AND FOOD	1/11		30/11	150 tubers each year	size between 35 and 50 mm
Solanum tuberosum L.		2	2	CZ	UKZUZ	31/12		31/1	150 tubers each year	
Solenostemon scutellarioides (L.) Codd	vegetative	17	1	UK	NIAB	1/12	23/4	27/4	10 plants	container grown
Solidago L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	15/6	15/8	15/9	25 young plants of commercial standard	appropriate to be grown in the open
Sorbaria sorbifolia (L.) A. Braun	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard	
Sorbus L. container grown.	vegetative	15	1	HU	OMMI	31/12		31/3	8 plants	2-3 years old, of commercial size,

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Sorghum bicolor</i> (L.) Moench	hybrid	1	2	HU	OMMI	31/1		28/2	1.0 kg plus 50 panicles	and 500 g per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components)
<i>Sorghum bicolor</i> (L.) Moench	hybrid	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	3.0 kg seeds for hybrids and open pollinating varieties	and, in case of hybrids: 1.0 kg per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components and simple hybrid used as parent)
<i>Sorghum bicolor</i> (L.) Moench	hybrid, grain	1	2	FR	GEVES	25/2		15/3	Hybrid: 1.0 kg seeds Lines A/B, if unknown: 200 g untreated seeds of line A and 500 g untreated seeds of line B Line R, if unknown: 500 g untreated seeds Line A/B and R, if known: 100 g each	
<i>Sorghum bicolor</i> (L.) Moench	line	1	2	HU	OMMI	31/1		28/2	500 g and 50 panicles	
<i>Sorghum bicolor</i> (L.) Moench	line	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	1.0 kg	
<i>Sorghum bicolor</i> (L.) Moench	line, grain	1	2	FR	GEVES	25/2		15/3	Lines A/B/R: 200 g untreated seeds of line A and 500 g untreated seeds of line B and line R	
<i>Spathiphyllum</i> Schott.	vegetative	9	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Spathoglottis</i> Bl.	April crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/1	10/4	30/4	10 young plants of commercial standard (preferably budded but not yet flowering).	
<i>Spathoglottis</i> Bl.	January crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard (preferably budded but not yet flowering).	
<i>Spathoglottis</i> Bl.	July crop	14	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard (preferably budded but not yet flowering).	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Spathoglottis Bl.	October crop	14	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard (preferably budded but not yet flowering).	
Spinacia oleracea L.		20	2	FR	GEVES	1/1	1/2	1/2	20,000 seed	
Spinacia oleracea L.		20	2	NL	RAAD VOOR PLANTENRASSEN	15/2	15/3	15/3	14,000 seeds	germination rate 75% after 7 days
Spinacia oleracea L.		20	2	DE	BUNDESSORTENAMT	15/1	1/2	1/2	16,000 seeds	
Spinacia oleracea L.		20	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	31/5	30/6	30/6	25,000 seed	
Spiraea L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
Stephanandra Sieb et Zucc.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial size	
Streptocarpus Lindl.	vegetative	14	1	DE	BUNDESSORTENAMT	1/12	1/3	6/3	20 young plants	as in commerce
Stromanthe sanguinea (Hook) Sond.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
Styidium graminifolium Sw. ex Willd.	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
Sutera Roth	vegetative	15	1	DE	BUNDESSORTENAMT	1/12	1/2	6/2	25 rooted cuttings	not pinched
Symphoricarpos Duham.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard	
Syngonanthus Ruhland	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants	
Syngonium Schott.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Syringa vulgaris L.	vegetative	18	1	DE	BUNDESSORTENAMT	15/12	1/3	15/4	10 plants	with at least 3 shoots and flower buds, grafted or on their own roots.
Tacca chantrieri André	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Tacca chantrieri</i> André x <i>Tacca integrifolia</i> Ker-Gawl.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard.	
<i>Tagetes</i> L.	seed	19	1	FR	GEVES	1/3		1/4	5 gram seed	germination capacity 50%
<i>Tanacetum parthenium</i> (L.) Schultz Bip.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	5 gram seeds	
<i>Thunbergia</i> Retz.	vegetative	14	1	DE	BUNDESSORTENAMT	1/2	1/4	6/4	25 rooted cuttings	not pinched
<i>Thymus</i> L.	vegetative/ ornamental	18	1	FR	GEVES	1/10		1/2	20 plants with roots	
<i>Tiarella</i> L.	vegetative	16	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
<i>Tibouchina urvilleana</i> (DC) Cogn.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Tillandsia</i> L.	vegetative	19	1	NL	RAAD VOOR PLANTENRASSEN	15/12	1/3	31/3	50 young plants of commercial standard	age: approximately 1 month before flower induction treatment
<i>Tillandsia cyanea</i> Linden ex K. Koch	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants of commercial standard	age: approximately 1 months before flower induction treatment
<i>Torenia</i> L.	vegetative	16	1	DE	BUNDESSORTENAMT	15/12	27/2	3/3	25 well-rooted cuttings	not pinched
<i>Trachelium</i> L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		15/12	1 gam seeds	germination capacity 50%
<i>Tradescantia</i> L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
<i>Tricyrtis formosana</i> Baker	vegetative	18	1	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	15/12	1/4	15/4	15 young plants of commercial standard.	
<i>Trifolium incarnatum</i> L.		8	2	DE	BUNDESSORTENAMT	10/7		1/8	2,0 kg	
<i>Trifolium pratense</i> L.		8	2	SK	UKSUP	15/1		31/1	1,5 kg	
<i>Trifolium pratense</i> L.		8	2	DE	BUNDESSORTENAMT	15/1		15/2	2,0 kg	
<i>Trifolium repens</i> L.		8	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	5/1		5/2	750 g	
<i>Trifolium repens</i> L.		8	2	CZ	UKZUZ	31/12		20/1	1,0 kg	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Triticalea Douglas ex Lindl.</i>	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	30 corms	of flowering size
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	hybrid (chemical, winter)	1	2	FR	GEVES	10/9		20/9	5,0 kg	
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	29/1		29/1	3,0 kg	120 ears
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	BE	CENTRE DE RECHERCHE AGRONOMIQUES	31/12		1/2	3,0 kg	300 ears
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	15/8		15/9	5,0 kg	150 ears
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	20/1		10/2	3,0 kg	150 ears. In case of hybrids: additional 3 kg seeds and 150 ears of unknown components of the hybrid
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	DE	BUNDESSORTENAMT	5/1		15/1	5,0 kg	on request: 120 unbeaten ears. In case of hybrid: hybrid and each component: 5 kg and on request 120 ears
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	22/9		15/1	3,0 kg	300 ears. In case of hybrids: 3,0 kg and 300 ears of each parent line
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	3,0 kg	200 ears. In case of hybrids: of each parent component 2 kg and 200 ears
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	PL	COBORU	31/12	1/2	1/3	6,0 kg	240 ears. In case of hybrid: In addition for each component 3,0 kg and 240 ears
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	FR	GEVES	15/1		25/1	5,0 kg	
<i>Triticum aestivum L.</i> emend. Fiori et Paol.	spring	1	2	CZ	UKZUZ	31/12		20/1	3,0 kg	300 ears

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	9/9		14/9	3.0 kg	120 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	1/8		1/9	5.0 kg	150 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	DE	BUNDESSORTENAMT	1/9		15/9	5.0 kg	on request: 170 unbeaten ears. In case of hybrid: hybrid and each component: 4 kg and on request 170 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	31/8		14/9	3.0 kg	300 ears. In case of hybrids: 3.0 kg and 300 ears of each parent line
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	6/9		6/9	3.0 kg	150 ears. In case of hybrids: additional 3 kg seeds and 150 ears of unknown components of the hybrid
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	NL	RAAD VOOR PLANTENRASSEN	25/9		25/9	3.0 kg	200 ears. In case of hybrids: of each parent component 2.0 kg and 200 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	PL	COBORU	31/8	31/8	10/9	6.0 kg	300 ears. In case of hybrid: In addition for each component 3.0 kg and 300 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	CZ	UKZUZ	25/8		1/9	3.0 kg	300 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	HU	OMMI	10/9		20/9	5.0 kg	220 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	FR	GEVES	10/9		20/9	5.0 kg	300 ears
Triticum aestivum L. emend. Fiori et Paol.	winter	1	2	BE	CENTRE DE RECHERCHE AGRONOMIQUES	15/9		25/9	3.0 kg	300 ears
Triticum durum Desf.	spring	1	2	FR	GEVES	15/1		25/1	5.0 kg	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Triticum durum Desf.	spring	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	29/1		29/1	3.0 kg	180 ears
Triticum durum Desf.	spring	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	15/8		15/9	5.0 kg	150 ears
Triticum durum Desf.	winter	1	2	FR	GEVES	10/9		20/9	5.0 kg	
Triticum durum Desf.	winter	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/8		1/9	5.0 kg	150 ears
Triticum durum Desf.	winter	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	30/8		30/8	3.0 kg	180 ears
Triticum spelta L.	spring	1	2	DE	BUNDESSORTENAMT	5/1		15/1	5.0 kg	on request: 120 ears
Triticum spelta L.	winter	1	2	BE	CENTRE DE RECHERCHE AGRONOMIQUES	15/9		25/9	3.0 kg	300 ears
Triticum spelta L.	winter	1	2	DE	BUNDESSORTENAMT	1/9		15/9	5.0 kg	on request: 170 ears
Tulipa L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/9	1/10	31/10	30 bulbs of flowering size.	
Turnera diffusa Willd. ex Schult.	seed	19	1	UK	NIAB	1/12	20/2	24/2	600 seeds	good germination
Ulmus L.	Garden/free	15	1	DE	BUNDESSORTENAMT	1/4	15/4	15/5	10 plants	grafted or on own roots, 150-175 cm high.
Ulmus L.	vegetative/pot plant	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Ulmus minor Mill.	Tree	15	2	DE	BUNDESSORTENAMT	1/4	15/4	15/5	10 plants	grafted or on own roots, 150-175 cm high.
Vaccinium corymbosum L.		25	4	DE	BUNDESSORTENAMT	15/2	1/3	31/3	4 well rooted plants	potted or with root balls
Vaccinium simulatum Small		25	3	DE	BUNDESSORTENAMT	15/2	1/3	31/3	4 well rooted plants	potted or with root balls
Valeriana locusta L.		20	2	FR	GEVES	1/9	1/9	1/10	20,000 seeds	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Verbascum L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	10 plants	container grown
Verbena L.	seed	19	1	NL	RAAD VOOR PLANTENRASSEN	1/12		1/2	10 gram seeds	germination capacity 50%
Verbena L.	vegetative	16	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/5	15/5	25 young plants of commercial standard, virus free.	
Veronica L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
Viburnum L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	5 young bushes of commercial standard	
Vicia faba L.	agri	8	2	NL	RAAD VOOR PLANTENRASSEN	15/1		1/2	3.0 kg	
Vicia faba L.	agricultural	8	2	DE	BUNDESSORTENAMT	15/12		1/2	3 kg	
Vicia faba L.	spring	8	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	30/11		15/1	3 kg or 6000 seeds	Minimum germination capacity
Vicia faba L.	spring-agricultural	8	2	SK	UKSUP	15/12		25/1	3.0 kg	
Vicia faba L.	spring-agriculture	8	2	FR	GEVES	15/12		10/1	20000 grains	
Vicia faba L.	vegetable	8	2	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	1/8		1/9	6.0 kg	
Vicia faba L.	vegetable	8	2	NL	RAAD VOOR PLANTENRASSEN	1/3		1/4	3 000 seeds	germination rate 80% after 4 days
Vicia faba L.	vegetable	8	2	DE	BUNDESSORTENAMT	15/1		1/2	6.000 seeds	
Vicia faba L.	vegetable, broad bean	8	2	FR	GEVES	15/8		15/9	4.0 kg	
Vicia faba L.	winter	8	2	UK	PLANT VARIETY RIGHTS OFFICE (PVRO)	31/8		17/9	3 kg or 6000 seeds	Minimum germination capacity
Vicia faba L.	winter-agriculture	8	2	FR	GEVES	20/8		10/9	20000 grains	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
<i>Vicia narbonensis</i> L.		8	2	IT	ENTE NAZIONALE SEMENTI ELETTE	15/8		1/9	2,0 kg	
<i>Vicia sativa</i> L.	spring	8	2	FR	GEVES	15/12		10/1	2,0 kg	
<i>Vicia sativa</i> L.	winter	8	2	FR	GEVES	20/8		10/9	2,0 kg	of generation for commercialisation
<i>Vicia sativa</i> L.		8	2	DE	BUNDESSORTENAMT	15/12		1/2	2,0 kg	
<i>Vinca</i> L.	vegetative	15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
<i>Vitis</i> L.	fruit	26	4	IT	ISTITUTO SPERIMENTALE PER LA VITICOLTURA	31/1	1/2	31/3	30 plants without foliage on their own roots; 50-70 cm long shoots with minimum 3,5 mm diameter; there must be at least three roots each measuring 10-20 cm	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures – please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
<i>Vitis</i> L.	fruit	26	4	DE	BUNDESSORTENAMT	15/2	1/3	15/4	20 rooted grafts	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures – please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Vitis L.	fruit	26	4	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	31/1	1/1	31/1	24 grafted plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures – please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Vitis L.	fruit	26	4	FR	GEVES	31/1	1/2	31/3	15 one-year-old rooted plants	Each plant must be clearly labelled. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures – please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Vitis L.	rootstock	26	4	ES	OFICINA ESPAÑOLA DE VARIEDADES VEGETALES	31/1	1/1	31/3	10 plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures – please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Vitis L.	rootstock	26	4	DE	BUNDESSORTENAMT	15/2	1/3	15/4	15 rooted cuttings	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures – please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Vitis L.		26	4	HU	OMMI	31/1	1/3	15/4	30 grafted plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures – please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
Vriesea Lindl.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	50 young plants of commercial standard	age: approximately 1 months before flower induction treatment
Weigela Thunb.	vegetative	11	2	FR	GEVES	1/9	1/10	15/3	8 plants	two years old, container grown
Weinmannia L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/5	15/5	25 young plants of commercial standard	
Wisteria frutescens (L.) Poir.	vegetative	18	1	DE	BUNDESSORTENAMT	1/2	1/4	15/4	10 plants	container grown, 1 year old
X Colmanara hort.	April crop	13	1	NL	RAAD VOOR PLANTENRASSEN	31/1	1/4	30/4	10 young plants of commercial standard	preferably budded but not yet flowering
X Colmanara hort.	January crop	13	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard	preferably budded but not yet flowering
X Colmanara hort.	July crop	13	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard	preferably budded but not yet flowering

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
X Colmanara hort.	October crop	13	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard	preferably budded but not yet flowering
X Dortaenopsis Hort.	April crop	17	1	NL	RAAD VOOR PLANTENRASSEN	1/2	1/4	30/4	10 young plants of commercial standard,	preferably budded but not yet flowering.
X Dortaenopsis Hort.	January crop	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/1	31/1	10 young plants of commercial standard,	preferably budded but not yet flowering.
X Dortaenopsis Hort.	July crop	17	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard,	preferably budded but not yet flowering.
X Dortaenopsis Hort.	October crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard,	preferably budded but not yet flowering.
X Festulolium		4	2	CZ	UKZUZ	31/12		20/1	1.0 kg	
X Halimocistus sahucii		15	1	UK	NIAB	1/12	12/3	23/3	8 plants	container grown
X Iwanagara Hort.	April crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/1	1/4	30/4	10 young plants of commercial standard	preferably budded but not yet flowering
X Iwanagara Hort.	January crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard	preferably budded but not yet flowering
X Iwanagara Hort.	July crop	17	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard	preferably budded but not yet flowering
X Iwanagara Hort.	October crop	17	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard	preferably budded but not yet flowering
X Odontonia hort.	April crop	13	1	NL	RAAD VOOR PLANTENRASSEN	31/1	1/4	30/4	10 young plants of commercial standard	preferably budded but not yet flowering
X Odontonia hort.	January crop	13	1	NL	RAAD VOOR PLANTENRASSEN	31/10	1/1	31/1	10 young plants of commercial standard	preferably budded but not yet flowering
X Odontonia hort.	July crop	13	1	NL	RAAD VOOR PLANTENRASSEN	30/4	1/7	31/7	10 young plants of commercial standard	preferably budded but not yet flowering
X Odontonia hort.	October crop	13	1	NL	RAAD VOOR PLANTENRASSEN	31/7	1/10	31/10	10 young plants of commercial standard	preferably budded but not yet flowering
X Solidaster H. R. Wehrh.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/4	30/4	25 young plants of commercial standard	appropriate to be grown in the open
X Triticosecale Witt.	spring	1	2	PL	COBORU	31/12	1/2	1/3	6.0 kg	240 ears

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
X Triticosecale Witt.	spring	1	2	DE	BUNDESSORTENAMT	5/1		15/1	5.0 kg	on request: 120 ears
X Triticosecale Witt.	spring	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	29/1		29/1	3.0 kg	120 ears
X Triticosecale Witt.	spring-hybrid	1	2	DE	BUNDESSORTENAMT	5/1		15/1	4.0 kg of hybrid and each component	on request: 120 ears
X Triticosecale Witt.	spring-line	1	2	FR	GEVES	15/1		25/1	5.0 kg	
X Triticosecale Witt.	winter	1	2	SE	STATENS UTSÄDESKONTROLL	15/8		1/9	3.0 kg	180 ears
X Triticosecale Witt.	winter	1	2	DE	BUNDESSORTENAMT	25/8		10/9	5.0 kg	on request: 170 ears
X Triticosecale Witt.	winter	1	2	PL	COBORU	31/8	31/8	10/9	6.0 kg	300 ears
X Triticosecale Witt.	winter	1	2	AT	BUNDESAMT FÜR ERNÄHRUNGSSICHERHEIT	30/8		30/8	3.0 kg	120 ears
X Triticosecale Witt.	winter-hybrid	1	2	DE	BUNDESSORTENAMT	25/8		10/9	4.0 kg of hybrid and each component:	on request 170 ears
X Triticosecale Witt.	winter-hybrid (chemical)	1	2	FR	GEVES	10/9		20/9	5.0 kg	
X Triticosecale Witt.	winter-line	1	2	FR	GEVES	10/9		20/9	5.0 kg	
Xanthosoma robustum Schott	vegetative	18	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 plants of commercial standard	
Yucca L.	vegetative	15	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	10 young plants of commercial standard	
Zamioculcas zamiifolia (Lodd.) Engl.	vegetative	17	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	25 young plants of commercial standard	
Zantedeschia Spreng.	seed	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	500 seeds + 100 one year old tubers (C2 material).	size 15-18
Zantedeschia Spreng.	vegetative	13	1	NL	RAAD VOOR PLANTENRASSEN	1/12	1/3	31/3	30 rhizomes/bulbs	
Zanthoxylum piperitum DC.	vegetative	17	1	DE	BUNDESSORTENAMT	15/2	1/6	6/6	25 rooted cuttings	

Species name	Sub-type	Examination fee group (for fees see Annex 1)	Number of foreseen growing cycles	Country	Examination office	Closing date for applications	Submission start	Submission end	Seed/plant quantity	Seed/plant quality
Zea mays L.	hybrid	1	2	HU	OMMI	10/2		15/3	1.0 kg	500 g of each component
Zea mays L.	hybrid	1	2	FR	GEVES	15/3		1/4	Hybrid: 1.0 kg	1500 grains of each line If applicable: 1500 grains of the single hybrid parent
Zea mays L.	hybrid	1	2	DE	BUNDESSORTENAMT	1/2		1/3	2.0 kg	for each component 3000 germinable grains
Zea mays L.	hybrid	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	5000 grains	
Zea mays L.	line	1	2	HU	OMMI	10/2		15/3	500 g	
Zea mays L.	line	1	2	DE	BUNDESSORTENAMT	1/2		1/3	3000 germinable grains	
Zea mays L.	line	1	2	ES	OFICINA ESPAÑOLA DE VARIETADES VEGETALES	1/1		1/2	5000 grains	
Zea mays L.	line	1	2	FR	GEVES	15/3		1/4	1500 grains	
Zea mays L.	single hybrid as parent	1	2	FR	GEVES	15/3		1/4	1500 grains	
Zelkova serrata (Thumb. ex Murray) Makino	vegetative	18	2	DK	DANISH INSTITUTE OF AGRICULTURAL SCIENCES	15/12	1/4	15/4	8 plants propagated by cuttings	3-4 year old
Zinnia L.	seed	18	1	UK	NIAB	1/12	20/2	24/2	600 seeds	good germination

ANNEX 1: Examination fee groups

Group	Group name	Examination fee per growing cycle
1	Agricultural regular crops	1020
2	Agricultural vegetative crops	1190
3	Agricultural oilcrops	1020
4	Agricultural grasses	1020
5	Agricultural beet crops	1020
6	Agricultural fibre crops	1020
7	Agricultural special crops	1020
8	Other agricultural crops	1020
9	Ornamentals, living reference collection, greenhouse, long cultivation	1190
9A	Ornamentals as in group 9 with special phytosanitary conditions	1200
10	Ornamentals, living reference collection, greenhouse, short cultivation	1105
11	Ornamentals, living reference collection, outdoor, long cultivation	1105
12	Ornamentals, living reference collection, outdoor, short cultivation	1105
13	Ornamentals, no living reference collection, greenhouse, long cultivation	1200
13A	Ornamentals as in group 13 with further propagation	1200
14	Ornamentals, no living reference collection, greenhouse, short cultivation	1105
15	Ornamentals, no living reference collection, outdoor, long cultivation	1105
16	Ornamentals, no living reference collection, outdoor, short cultivation	1105
17	Ornamentals, new species, greenhouse	1190
18	Ornamentals, new species, outdoor	1190
19	Ornamentals, seed propagated (no fitting in other category)	1200
20	Vegetables, seed propagated varieties, outdoor test	1050
21	Vegetables, seed propagated varieties, greenhouse test	1200
22	Vegetables, vegetatively propagated varieties, outdoor test	1050
23	Vegetables, vegetatively propagated varieties, greenhouse test	1200
24	Fruits, trees	1050
24A	Fruit trees as in group 24 with large permanent living reference collection	1050
25	Fruits, shrubs	1050
26	Fruits, vine habit	1050
27	Fruits, runners	1050

PRECIOS DE SUSCRIPCIÓN PRODEJNÍ CENY A CENY PŘEDPLATNÉHO ABONNEMENTSPRISER ABONNEMENTPREISE MÜÜGI- JA TELLIMISHINNAD
 ΤΙΜΕΣ ΣΥΝΔΡΟΜΩΝ SALES AND SUBSCRIPTION PRICES PRIX D'ABONNEMENT PREZZI DI ABBONAMENTO PĀRDOŠANAS UN ABONĒŠANAS CENAS
 PARDAVIMO IR PRENUMERATOS KAINOS ÉRTÉKESÍTÉS ÉS ELŐFIZETÉSI DÍJAK BEJGH U PREZZIJET TA' L-ABBONAMENT ABONNEMENTSPRIJZEN
 CENY SPRZEDAŻY I PRENUMERATY PREÇOS DAS ASSINATURAS PREDAJNÉ CENY A PREDPLATNÉ PRODAJNE IN NAROČNIŠKE CENE
 MYYNTI- JA TILAUSHINNAT PRENUMERATIONSPRISER

Suscripción anual 2006 (incluidos los gastos de franqueo para el envío por correo ordinario)	80 EUR	Precio por número	15 EUR
Roční předplatné 2006 (včetně běžného poštovního)	80 EUR	Jednotlivý výtisk	15 EUR
Årsabonnement 2006 (inklusive normal porto)	80 EUR	Enkeltnumre	15 EUR
Jahresabonnement 2006 (inkl. Portokosten für Normalversand)	80 EUR	Einzelnummern	15 EUR
Aastane tellimus 2006 (sh postikulud)	80 EUR	Üksiknumbrid	15 EUR
Ετήσια συνδρομή 2006 (συμπεριλαμβανομένων των ταχυδρομικών τελών σε περίπτωση κανονικής αποστολής)	80 EUR	Τιμή τεύχους	15 EUR
Annual subscription 2006 (including normal postage)	EUR 80	Single copy	EUR 15
Abonnement annuel 2006 (frais de port pour expédition normale inclus)	80 EUR	Vente au numéro	15 EUR
Abbonamento annuale 2006 (spese di spedizione annuale comprese)	80 EUR	Vendita a numero	15 EUR
Gada abonements 2006 (ieskaitot pasta izdevumus)	80 EUR	Viens eksemplārs	15 EUR
2006 metų prenumerata (įskaitant pašto išlaidas)	80 EUR	Vienas leidinys	15 EUR
Éves előfizetés 2006 (postaköltséggel)	80 EUR	Egyes példányok	15 EUR
Abbonament annwali (jinkludi pustagġ normali)	80 EUR	Kopji bil-waġdjet	15 EUR
Jaarabonnement 2006 (inclusief portokosten voor normale verzendingen)	80 EUR	Losse nummers	15 EUR
Prenumerata roczna 2006 (włącznie z normalną opłatą za przesyłkę)	80 EUR	Pojedynczy egzemplarz	15 EUR
Assinatura anual 2006 (incluindo as despesas de porte de envio normal)	80 EUR	Venda de exemplares avulsos	15 EUR
Ročné predplatné 2006 (vrátane poštovního)	80 EUR	Jedno číslo	15 EUR
Letna naročnina 2006 (skupaj z običajno poštnino)	80 EUR	Posamezen izvod	15 EUR
Vuosittilaus 2006 (sisältää normaali postikulut)	80 EUR	Irtonumerot	15 EUR
Årsprenumeration 2006 (inklusive normalporto)	80 EUR	Lösnummer	15 EUR

SALES AND SUBSCRIPTIONS

Publications for sale produced by the Office for Official Publications of the European Communities are available from our sales agents throughout the world.

You can find the list of sales agents on the Publications Office website (<http://publications.europa.eu>) or you can apply for it by fax (352) 29 29-42758.

Contact the sales agent of your choice and place your order.

