



# CPVO

Community Plant Variety Office

Официален бюлетин на Службата на Общността за сортовете растения  
Boletín Oficial de la Oficina Comunitaria de Variedades Vegetales  
Úřední věstník Odrůdového úřadu Společenství  
EF-Sortsmyndighedens Officielle Tidende  
Amtsblatt des Gemeinschaftlichen Sortenamtes  
Ühenduse Sordiameti ametlik väljaanne  
Επίσημη Εφημερίδα του Κοινοτικού Γραφείου Φυτικών Ποικιλιών  
Official Gazette of the Community Plant Variety Office  
Bulletin officiel de l'Office communautaire des variétés végétales  
Bollettino ufficiale dell'Ufficio comunitario delle varietà vegetali  
Kopienas Augu šķirņu biroja Oficiālais Vēstnesis  
Bendrijos augalų veislių tarnybos oficialusis žurnalas  
A Közösségi Növényfajta Hivatal Hivatalos Közlönye  
Gazzetta Ufficjali ta' l-Ufficċju Komunitarju tal-Varjetajiet ta' Pjanti  
Mededelingenblad van het Communautair Bureau voor Plantenrassen  
Urzędowa Gazeta Wspólnotowego Urzędu Odmian Roślin  
Boletim Oficial do Instituto Comunitário das Variedades Vegetais  
Buletinul oficial al Oficiului Comunitar pentru Soiuri de Plante  
Úradný vestník Úradu Spoločenstva pre odrody rastlín  
Uradno glasilo Urada Skupnosti za rastlinske sorte  
Yhteisön kasvilajikeviraston virallinen lehti  
Officiell tidskrift för Gemenskapens växtsortsmyndighet

S2•1•2012

15|02|2012

- BG** Служба на Общността за сортовете растения • Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал(Страница 2)
- ES** Oficina Comunitaria de Variedades Vegetales • Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales(Página 3)
- CS** Odrůdový úřad Společenství • Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu(Strana 4)
- DA** EF-Sortsmyndigheden • Særudgave af Ef-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale(Side 5)
- DE** Gemeinschaftliches Sortenamnt • Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über antragsfristen und über bestimmungen für die vorlage von pflanzenmaterial(Seite 6)
- ET** Ühenduse Sordiamet • Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta(Lehekülg 7)
- EL** Κοινοτικό Γραφείο Φυτικών Ποικιλιών • Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτήσεων και τις απαιτήσεις για την υποβολή φυτικού υλικού(Σελίδα 8)
- EN** Community Plant Variety Office • Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material(Page 9)
- FR** Office communautaire des variétés végétales • Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal(Page 10)
- IT** Ufficio comunitario delle varietà vegetali • Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale(Pagina 11)
- LV** Kopienas Augu šķirņu birojs • Kopienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām(Lappuse 12)
- LT** Bendrijos augalų veislių tarnyba • Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus(Puslapis 13)
- HU** Közöségi Növényfajta Hivatal • A CPVO Hivatalos Közlönyének speciális kiadványa-tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről(Oldal 14)
- MT** L-Uffiċċju Komunitarju tal-Varjetajiet ta' Pjanti • Hargha Speċjali tal-Gazzetta ufficjali tas-CPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-rekwiziti għallpreżentazzjoni ta' materjali tal-pjanti(Paġna 15)
- NL** Communautair Bureau voor plantenrassen • Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informatieve betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plantmateriaal(Bladzijde 16)
- PL** Wspólnotowy Urząd Odmian Roślin • Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przesyłania materiału roślinnego(Strona 17)
- PT** Instituto Comunitário das Variedades Vegetais • Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal(Página 18)
- RO** Oficiul Comunitar pentru Soiuri de Plante • Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal(Pagina 19)

- SK** Úrad Spoločenstva pre odrody rastlín • Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu(Strana 20)
- SL** Urad Skupnosti za rastlinske sorte • Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala(Stran 21)
- FI** Yhteisön kasvilajikevirasto • Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määräajoista hakemuksen jättämiselle ja vaatimuksista kasvimateriaalin toimittamiselle(Sivu 22)
- SV** Gemenskapens växtsortsmyndighet • Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial(Sida 23)

3 Bd Maréchal Foch  
BP 10121  
FR-49101 Angers Cedex 02  
Tel: +33(0) 241 25 64 00  
Fax: +33(0) 241 25 64 10  
Email: [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu)  
Website: [www.cpvo.europa.eu](http://www.cpvo.europa.eu)

**BG** Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал (Страница 24)

*Специалното издание на Официалния бюлетин на Службата на Общността за сортовете растения (S2) има за цел да предостави на заявителите консолидирана версия на крайните срокове за заявки и изискванията за предоставяне на материал от сорта с оглед техническата му проверка.*

*От октомври 2010 г. S2 ще се публикува в електронен вид на уебсайта на Службата шест пъти в годината. Всяко специално издание ще съдържа консолидирана версия; измененията в предходното издание ще се отбелязват с осветен текст.*

*На уебсайта на Службата е предоставен инструмент за търсене, чрез който могат да се проследят измененията.*

*За да са възможни проверки в историята на записите, всяко специално издание на Официалния бюлетин на ЦПВО ще бъде запазено в .pdf формат и ще остане на разположение на уеб потребителите за справка.*

*В списъците в специалните издания на Официалния бюлетин на ЦПВО са включени най-значителните сортове растения от гледната точка на заявките. Ако имате въпроси относно други сортове растения, обърнете се към ЦПВО на: [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).*

- 1: Подвид
- 2: Такси за изпитване по групи
- 3: Брой на предвидените цикли на отглеждане
- 4: Страна
- 5: Изпитващ офис
- 6: Краен срок за заявки
- 7: Начало на подаването
- 8: Край на подаването
- 9: Количество семена/ посадъчен материал
- 10: Качество на семената/ посадъчния материал

#### Важни забележки:

- От заявителя се очаква да предостави растителен материал, едва след като получи писмено искане от ЦПВО. Неспазването на горното указание може да изложи на риск цялата процедура.
- Заявителите се приканват настоятелно да не оставят изпращането на заявките или растителния материал за последния момент.
- Заявките могат да се подават по всяко време. ЦПВО предвижда да започне техническата проверка през периода на отглеждане, който следва крайния срок, при условие че преди изтичане на крайния срок е получена валидна заявка.
- В случай че растителният материал бъде предоставен след определената дата за подаване, заявката може да бъде отхвърлена съгласно член 61 от Регламент (ЕО) № 2100/94 на Съвета от 27 юли 1994 година.
- Ако крайният срок изтича на ден, на който ЦПВО не работи и не може да получава документи, срокът се удължава до първия следващ работен ден, на който ЦПВО може да получава документи и на който се доставя обикновена поща, съгласно член 71 от Правилата за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.
- Ако крайният срок изтича на ден, в който службата не работи и не може да получава растителен материал, срокът се удължава до първия следващ работен ден, на който службата за проверка може да получава растителен материал, съгласно член 71 от Правилата за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.
- Всички фитосанитарни изисквания се съобщават на заявителя заедно с искането за предоставяне на растителен материал на съответната служба за проверка.
- Предоставеният растителен материал трябва да бъде видимо здрав, да изглежда свеж и да не е засегнат от никакви значителни вредители или болести.

**ES** Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales (Página 24)

*La serie S2 del Boletín presenta a los solicitantes una versión consolidada de los plazos de presentación de las solicitudes y de los requisitos de presentación de los materiales vegetales para su examen técnico.*

*A partir de octubre de 2010, se publicará en formato digital en el sitio web de la Oficina seis veces al año. Cada número del S2 se publicará en una versión consolidada; todas las modificaciones respecto de la versión del S2 publicada anteriormente aparecerán destacadas en el texto.*

*Con una herramienta de búsqueda se pueden encontrar tales modificaciones en el sitio web de la Oficina.*

*Para permitir la consulta de los archivos por los usuarios de Internet, cada boletín S2 se guardará como documento .pdf.*

*En la lista del Boletín S2 figuran las especies más importantes en términos de solicitudes. En caso de preguntas sobre otras especies, diríjase a la OCVV a través de [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).*

- 1: Subtipo
- 2: Grupo de tasas de examen
- 3: Número de ciclos de cultivo previstos
- 4: País
- 5: Oficina de examen
- 6: Fecha límite para la presentación de solicitudes
- 7: Fecha inicio de envío de material vegetal
- 8: Fecha final de envío de material vegetal
- 9: Cantidad de semillas/plantas
- 10: Calidad de semillas/plantas

**Notas importantes:**

— *El solicitante no deberá enviar el material vegetal hasta que haya recibido una petición por escrito de la Oficina. El incumplimiento de este requisito puede poner en peligro todo el procedimiento.*

— *Se aconseja a los solicitantes que no dejen para el último minuto el envío de solicitudes o material vegetal.*

— *Las solicitudes pueden presentarse en cualquier momento a la OCVV. La Oficina prevé iniciar el examen técnico en el periodo de cultivo siguiente a la fecha límite, siempre y cuando la solicitud haya sido recibida por la OCVV antes de la fecha límite.*

— *Si se presenta material vegetal pasada la fecha de presentación establecida, la solicitud podría denegarse con arreglo a lo dispuesto en el artículo 61 del Reglamento (CE) no 2100/94 del Consejo de 27 de julio de 1994.*

— *Con arreglo a lo dispuesto en el Artículo 71 de las Disposiciones de desarrollo, Reglamento de la Comisión Europea nº 874/2009 de 17/09/2009. Si un plazo finaliza en un día en que la OCVV no está abierta para recibir documentos, este plazo se ampliará hasta el primer día siguiente en que la OCVV esté abierta para la recepción de documentos y en que se distribuya el correo ordinario.*

— *Si el plazo expira un día en el que la oficina de examen no está abierta para la recepción de material vegetal, se ampliará el plazo hasta el día siguiente en que esté abierta la oficina de examen para la recepción de material vegetal, con arreglo a lo dispuesto en el artículo 71 del Reglamento de la Comisión Europea nº 874/2009 de 17/09/2009.*

— *Se le comunicará al solicitante cualquier requisito fitosanitario junto con las instrucciones para el envío de material vegetal a la oficina de examen pertinente.*

— *El material vegetal suministrado deberá tener apariencia sano, vigoroso y que no esté afectado por ninguna plaga o enfermedad importante.*

## **CS** Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu (Strana 24)

Cílem věstníku S2 je poskytovat žadatelům konsolidovanou verzi dat uzávěrek žádostí a informovat je o požadavcích na zaslání rostlinného materiálu za účelem jeho podrobení technickým zkouškám.

Počínaje říjnem 2010 bude tento věstník šestkrát ročně v digitální podobě zveřejňován na internetových stránkách úřadu. Každé vydání věstníku S2 bude zveřejněno v konsolidované verzi, přičemž všechny změny původní uveřejněné verze věstníku S2 budou zvýrazněny.

Na internetových stránkách úřadu je k dispozici vyhledávací nástroj k identifikaci těchto změn.

Všechna vydání věstníku S2 budou uložena ve formátu .pdf, aby bylo možné konzultovat předchozí vydání, a budou návštěvníkům internetových stránek i nadále k dispozici. Seznam uvedený ve věstníku S2 obsahuje z hlediska přihlášek nejdůležitější druhy.

Pokud máte dotazy týkající se jiných druhů, obraťte se laskavě na úřad CPVO prostřednictvím e-mailové adresy [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Podskupina
- 2: Skupina zkušebních poplatků
- 3: Počet předpokládaných pěstebních cyklů
- 4: Země
- 5: Zkušební úřad
- 6: Termín pro podání žádostí
- 7: Počátek podání
- 8: Ukončení podání
- 9: Množství osiva/sadby
- 10: Kvalita osiva/sadby

### Důležité upozornění:

— Žadatel zašle rostlinného materiálu až poté, co od CPVO obdrží písemnou výzvu. Nedodržení výše uvedeného pokynu může narušit průběh celého řízení.

— Žadatelům se důrazně doporučuje, aby nenechávali zaslání žádosti nebo rostlinného materiálu až na poslední chvíli.

— Žádosti mohou být podány kdykoliv. CPVO plánuje začít technické zkoušky v růstovém období, které bude následovat po datu uzávěrky, pokud byla platná žádost obdržena do data uzávěrky.

— Pokud bude rostlinný materiál obdržen po stanoveném datu uzávěrky, může být žádost zamítnuta v souladu s článkem 61 nařízení Rady (ES) č. 2100/94 ze dne 27. července 1994.

— Pokud lhůta uplyne dnem, kdy CPVO není otevřen pro přijímání dokumentů, prodlužuje se lhůta až do prvního následujícího dne, kdy je CPVO otevřen pro příjem dokumentů a kdy se doručuje obyčejná pošta, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Pokud lhůta uplyne dnem, kdy zkušební úřad není otevřen pro přijímání rostlinného materiálu, prodlužuje se až do prvního následujícího dne, kdy je zkušební úřad otevřen pro příjem rostlinných materiálů, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Jakékoliv fytoosanitární požadavky budou žadateli sděleny současně se žádostí o zaslání rostlinného materiálu příslušnému zkušebnímu úřadu.

— Dodaný rostlinný materiál by měl být viditelně zdravý, neměl by být ve špatném stavu nebo vykazovat zásadní napadení škůdci nebo nemocemi.

**DA** Særudgave af Ef-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale (Side 24)

Formålet med særudgaven af Sortsmyndighedens Officielle Tidende (S2) er, i en konsolideret version, at give ansøgerne oplysninger om de tidsfrister og betingelser for indgivelse, der finder anvendelse, når der foretages teknisk afprøvning af plantemateriale.

Fra oktober 2010 offentliggøres oplysningerne digitalt på Sortsmyndighedens websted seks gange årligt. Alle S2-udgaver offentliggøres i en konsolideret version, og eventuelle ændringer i forhold til den tidligere offentliggjorte S2-version vil blive fremhævet.

På Sortsmyndighedens websted findes der et søgeværktøj, som kan identificere disse ændringer.

For at gøre det muligt at søge i arkiverne, gemmes alle S2-publikationer som pdf-dokument og forbliver tilgængelige for webbrugerne.

Listen i S2-udgaven angiver de vigtigste sorter, når det gælder ansøgninger. I tilfælde af spørgsmål vedrørende andre sorter kan der rettes henvendelse til Sortsmyndigheden på adressen [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Undertype
- 2: Afprøvningsgebyrgruppe
- 3: Forventet antal vækstperioder
- 4: Land
- 5: Prøvningsmyndighed
- 6: Ansøgningsfrist
- 7: Påbegyndelse af indgivelsesperiode
- 8: Afslutning af indgivelsesperiode
- 9: Frø/plantemængde
- 10: Frø/plantekvalitet

**Vigtigt:**

— Ansøgeren skal kun indgive materialet efter skriftlig anmodning fra Sortsmyndigheden. Tilsidesættelse af ovenstående anvisninger kan bringe hele proceduren i fare.

— Det tilrådes kraftigt, at ansøgeren ikke venter til sidste øjeblik med at sende ansøgningen eller plantematerialet.

— Ansøgninger kan indgives på et hvilket som helst tidspunkt. Sortsmyndigheden har til hensigt at påbegynde den tekniske afprøvning i dyrkningsperioden efter ansøgningsfristens udløb, hvis der er modtaget en gyldig ansøgning inden fristens udløb.

— Hvis plantematerialet indsendes efter den fastsatte indsendelsesfrist, kan ansøgningen afvises i henhold til artikel 61 i Rådets forordning (EF) nr. 2100/94 af 27. juli 1994.

— Udløber en frist på en dag, hvor Sortsmyndigheden har lukket for modtagelse af dokumenter, forlænges fristen til den nærmest følgende dag, hvor Sortsmyndigheden har åbent for modtagelse af dokumenter, og hvor almindelige postforsendelser udbringes, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17 September 2009 om gennemførelsesbestemmelser.

— Udløber en frist på en dag, hvor prøvningsmyndigheden har lukket for modtagelse af plantematerialer, forlænges fristen til den nærmest følgende dag, hvor prøvningsmyndigheden har åbent for modtagelse af plantematerialer, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17 September 2009 om gennemførelsesbestemmelser.

— Ethvert fytosanitært krav vil blive meddelt ansøgeren sammen med anmodningen om indgivelse af plantemateriale til den pågældende prøvningsmyndighed.

— Plantematerialet skal være sundt og frisk uden spor af skadedyr og sygdomme.

## **DE** Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über antragsfristen und über bestimmungen für die vorlage von pflanzenmaterial (Seite 24)

Zweck des S2-Amtsblattes ist es, die Antragsteller in einer konsolidierten Fassung über Schlussdaten für die Anträge auf Sortenschutz sowie über die Anforderungen für die Einreichung von Pflanzenmaterial im Hinblick auf ihre technische Prüfung zu informieren.

Ab Oktober 2010 wird das S2-Amtsblatt sechsmal pro Jahr digital auf der Website des Amtes veröffentlicht. Jede S2-Ausgabe wird als konsolidierte Fassung erscheinen; Änderungen im Vergleich zur vorher veröffentlichten Fassung des S2 werden hervorgehoben dargestellt.

Eine Suchfunktion zum Auffinden dieser Änderungen ist auf der Website des Amtes verfügbar.

Um frühere Einträge prüfen zu können, wird jede S2-Veröffentlichung als .pdf-Dokument gespeichert und den Webnutzern zur Einsichtnahme zur Verfügung stehen.

In der Liste des S2-Amtsblattes sind die nach Antragszahlen wichtigsten Arten aufgeführt. Bei Fragen zu anderen Arten, senden Sie bitte eine E-Mail an [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Subtyp
- 2: Gebührngruppe
- 3: Wachstumsperioden
- 4: Land
- 5: Prüfamt
- 6: Antragsdatum
- 7: Vorlage Beginn
- 8: Vorlage Ende
- 9: Menge des Saatguts/der Pflanzen
- 10: Qualität des Saatguts/der Pflanzen

### Wichtige Hinweise:

- Die Vorlage des Pflanzenmaterials durch den Antragsteller soll nur nach schriftlicher Aufforderung durch das CPVO erfolgen. Die Nichterfüllung dieser Vorgabe kann das gesamte Antragsverfahren gefährden.
- Den Antragstellern wird empfohlen, die Anträge bzw. das Pflanzenmaterial rechtzeitig im Vorfeld zu senden.
- Anträge können jederzeit eingereicht werden. Das CPVO sieht vor, die technische Prüfung in der dem Antragsdatum folgenden Wachstumsperiode zu beginnen, falls ein gültiger Antrag bis zum Antragsdatum eingereicht wurde.
- Wird Pflanzenmaterial nach dem festgelegten Antragsdatum vorgelegt, kann der Antrag gemäß Artikel 61 der Verordnung (EG) Nr. 2100/94 des Rates vom 27. Juli 1994 abgelehnt werden.
- Läuft eine Frist an einem Tag ab, an dem das CPVO zur Entgegennahme von Schriftstücken nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das CPVO zur Entgegennahme von Schriftstücken geöffnet ist und an dem gewöhnliche Postsendungen zugestellt werden (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamte).
- Läuft eine Frist an einem Tag ab, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial geöffnet ist (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamte).
- Jegliche phytosanitären Anforderungen an das Pflanzenmaterial werden dem Antragsteller in der schriftlichen Aufforderung zur Vorlage des Pflanzenmaterials beim betreffenden Prüfamt mitgeteilt.
- Vorgelegtes Pflanzenmaterial muss augenscheinlich gesund sein, darf keinen Mangel an Wuchskraft aufweisen und muss frei von signifikanten Schädlingen oder Krankheiten sein.



**ET Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta (Lehekülj 24)**

Teataja eriväljaande (S2 Gazette) eesmärk on anda taotlejatele kokkuvõtlikku teavet taotluste esitamise tähtaegade ja taimse materjali registreerimiskatseteks esitamise nõuete kohta.

Alates oktoobrist 2010 ilmub eriväljaanne ameti veebilehel digitaalselt kuus korda aastas. Iga S2 väljaanne avaldatakse konsolideeritud versioonina, kõik eelmise versiooni muudatused märgistatakse.

Otsinguvahendiga saab muudatusi leida ameti veebilehel.

Iga S2 väljaanne salvestatakse pdf-vormingus dokumendina, et saaks vaadata varasemaid salvestisi, ja see jääb veebikasutajaile otsinguis kättesaadavaks.

S2 väljaannete loetelu näitab taotluste poolest kõige tähtsamaid liike. Küsimused teiste liikide kohta saatke palun Ühenduse Sordiametile aadressil: [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Alatüüp
- 2: Registreerimiskatse tasu rühm
- 3: Ettenähtud kasvutsükli arv
- 4: Riik
- 5: Katseasutus
- 6: Taotluse esitamise lõpptähtaeg
- 7: Saamise algus
- 8: Saamise lõpp
- 9: Seemnete/taimede kogus
- 10: Seemnete/taimede kvaliteet

**Tähelepanu:**

— Taotlejad saavad taimse materjali alles pärast Ühenduse Sordiametilt kirjaliku nõude saamist. Selle juhise eiramine võib kahjustada kogu menetlust.

— Soovitame tungivalt taotlejatele mitte jätta taotluste või taimse materjali saatmist viimasele hetkele.

— Taotlusi võib esitada igal ajal. Juhul kui kehtiv taotlus on laekunud tähtajaks, alustab Ühenduse Sordiamet registreerimiskatsetega tähtajale järgneval kasvuperioodil.

— Kui taimne materjal saadetakse pärast esitamise tähtaega, võidakse taotlus tagasi lükata, vastavalt nõukogu 27. Juuli 1994. aasta määruse (EÜ) nr 2100/94 artiklile 61.

— Kui tähtaeg lõpeb päeval, mil Ühenduse Sordiamet ei ole dokumentide vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil Ühenduse Sordiamet on dokumentide vastuvõtuks avatud ja mil kantakse laiali harilikku posti, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.

— Kui tähtaeg lõpeb päeval, mil kontrolliasutus ei ole taimse materjali vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil kontrolliasutus on taimse materjali vastuvõtuks avatud, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.

— Kõik fütosanitaarnõuded edastatakse taotlejale koos asjaomasele kontrolliasutusele taimse materjali esitamise nõudega.

— Esitav taimne materjal peab olema nähtavalt terve, elujõuline ning olulistest kahjuritest ja haigustest puutumatu.

**ΕΛ** Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτησεωυρηυ και υρηταιυ απαιτησεις για την υποβολη φυτικου υλικου (Σελίδα 24)

Σκοπός της εφημερίδας S2 είναι η παροχή στους αιτούντες ενσποιημένης έκδοσης με τις προθεσμίες των αιτήσεων και τις απαιτήσεις υποβολής υλικού φυτών για τη διεξαγωγή της τεχνικής εξέτασης.

Από τον Οκτώβριο 2010, η εφημερίδα, θα δημοσιεύεται ψηφιακά στον δικτυακό τόπο του Γραφείου έξι φορές ετησίως. Κάθε τεύχος της εφημερίδας S2 θα δημοσιεύεται σε ενσποιημένη έκδοση, ενώ όλες οι τροποποιήσεις σε σχέση με το προηγούμενο δημοσιευθέν κείμενο της S2 θα είναι υπογραμμισμένες.

Υπάρχει διαθέσιμο στον δικτυακό τόπο του Γραφείου εργαλείο αναζήτησης για τον εντοπισμό των τροποποιήσεων αυτών.

Προκειμένου να είναι εφικτός ο έλεγχος του ιστορικού των αρχείων, κάθε δημοσίευση της S2 θα αποθηκεύεται υπό μορφή εγγράφου .pdf και θα παραμένει διαθέσιμη ώστε να μπορούν να τη συμβουλευούνται οι χρήστες του Ιστού.

Ο κατάλογος που δημοσιεύεται στην εφημερίδα S2 περιέχει τα πιο σημαντικά είδη όον αφορά τις αιτήσεις. Για οποιαδήποτε ερώτησή σας σχετικά με άλλα είδη, επικοινωνήστε με το ΚΓΦΠ μέσω της ηλεκτρονικής διεύθυνσης [crvo@crvo.europa.eu](mailto:crvo@crvo.europa.eu).

- 1: Υποκατηγορία
- 2: Ομάδα τελών εξέτασης
- 3: Αριθμός προβλεπόμενων βλαστικών κύκλων
- 4: Χώρα
- 5: Γραφείο εξέτασης
- 6: Προθεσμία υποβολής αιτήσεων
- 7: Εναρξη υποβολής
- 8: Λήξη υποβολής
- 9: Ποσότητα σπόρουφυτού
- 10: Ποιότητα σπόρουφυτού

**Σημαντικές επισημανσεις:**

- Ο αιτών θα υποβάλει το φυτικό υλικό μόνο αφού λάβει σχετικό γραπτό αίτημα από το ΚΓΦΠ. Σε περίπτωση μη συμμόρφωσης με την ανωτέρω οδηγία ενδέχεται να ακυρωθεί ολόκληρη η διαδικασία.
- Συνιστάται ρητώς στους αιτούντες να αποφεύγουν την αποστολή των αιτήσεων και του φυτικού υλικού την τελευταία στιγμή
- Οι αιτήσεις μπορούν να υποβάλλονται οποτεδήποτε. Το ΚΓΦΠ θα ξεκινήσεια την τεχνική εξέταση κατά την περίοδο καλλιέργειας μετά την ημερομηνία λήξης της προθεσμίας, εφόσον παραλάβει έγκυρη αίτηση εντός της συγκεκριμένης προθεσμίας
- Εάν το φυτικό υλικό υποβληθεί μετά τη λήξη της προθεσμίας υποβολής, η αίτηση απορρίπτεται, σύμφωνα με το άρθρο 61 του κανονισμού (ΕΚ) αριθ. 2100/94 του Συμβουλίου, της 27ης Ιουλίου 1994.
- Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το ΚΓΦΠ δεν είναι ανοικτό για τη παραλαβή εγγράφων, η προθεσμία παρατείνεται μέχρι την επομένη ημέρα κατά την οποία το ΚΓΦΠ ανοίγει για τη παραλαβή εγγράφων και διεξάγεται η διανομή του κανονικού ταχυδρομείου, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.
- Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το γραφείο εξέτασης δεν είναι ανοικτό για τη λήψη φυτικού υλικού, η προθεσμία παρατείνεται μέχρι την επομένη ημέρα κατά την οποία το γραφείο εξέτασης ανοίγει για τη λήψη φυτικού υλικού, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.
- Τυχόν φυτοϋγειονομικές απαιτήσεις θα γνωστοποιηθούν στον αιτούντα μαζί με το αίτημα υποβολής φυτικού υλικού στο σχετικό γραφείο εξέτασης
- Το φυτικό υλικό που υποβάλλεται πρέπει να είναι εμφανώς υγιές, εύρωστο και να μην έχει προσβληθεί από σημαντικούς επιβλαβείς οργανισμούς ή ασθένειες

**EN** Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material (Page 24)

*The purpose of the S2 Gazette is to provide applicants with a consolidated version of the closing dates for applications and the submission requirements for plant material in view of their technical examination.*

*From October 2010, it will be digitally published on the web site of the Office six times per year. Each S2 issue will be published in a consolidated version; any modifications with respect to the previously published version of the S2 will appear highlighted.*

*A search tool is available to identify these modifications on the web site of the Office.*

*In order to allow for the checking of the history of records, each S2 publication will be saved as a .pdf document and will remain available for consultation to the web users.*

*The list in the S2 Gazette shows the most important species in terms of applications. In case of questions about other species, please approach the CPVO at [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).*

- 1: Sub-type
- 2: Examination fee group
- 3: Number of foreseen growing cycles
- 4: Country
- 5: Examination office
- 6: Closing dates for applications
- 7: Submission start
- 8: Submission end
- 9: Seed/plant quantity
- 10: Seed/plant quality

**Important notes:**

— *The applicant is expected to submit the plant material only after having received a request in writing from the CPVO. Failure to comply with the above instruction may jeopardise the whole procedure.*

— *Applicants are strongly advised not to leave the sending of applications or plant material to the last minute.*

— *Applications can be filed at any time. The CPVO envisages to start the technical examination in the growing period following the closing date if a valid application has been received by the closing date.*

— *If plant material is submitted after the set submission date, the application could be refused pursuant to Article 61 Council Regulation (EC) No 2100/94 of 27 July 1994.*

— *If a time limit expires on a day on which the CPVO is not open for receipt of documents, the time limit shall extend until the first day thereafter on which the CPVO is open for receipt of documents and on which ordinary mail is delivered, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *If a time limit expires on a day on which the examination office is not open for receipt of plant material, the time limit shall extend until the first day thereafter on which the examination office is open for receipt of plant material, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *Any phytosanitary requirements will be communicated to the applicant with the request for the submission of plant material to the relevant examination office.*

— *The plant material supplied should be visibly healthy, not lacking in vigour or affected by any significant pest or disease.*

**FR** Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal (Page 24)

La Gazette S2 fournit aux demandeurs une version consolidée des dates de clôture des demandes et des conditions requises pour la soumission du matériel végétal en vue de son examen technique.

À compter d'octobre 2010, elle sera publiée six fois par an au format numérique sur le site web de l'Office. Chaque numéro de S2 sera publié sous la forme d'une version consolidée; toute modification par rapport à la version précédemment publiée sera surlignée.

Un outil de recherche est disponible pour identifier ces modifications sur le site web de l'Office.

Afin de permettre la consultation des archives, chaque publication S2 sera sauvegardée dans un document au format .pdf auquel les internautes auront accès.

La liste de la Gazette S2 présente les espèces les plus importantes du point de vue du nombre de demandes. Pour toutes questions concernant les autres espèces, veuillez prendre contact avec l'OCVV à l'adresse: [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu)

- 1: Sous-type
- 2: Groupe de taxe d'examen
- 3: Nombre de cycles de culture prévus
- 4: Pays
- 5: Office d'examen
- 6: Date de clôture des demandes
- 7: Début de présentation
- 8: Fin de présentation
- 9: Quantité de graines/plants
- 10: Qualité de graines/plants

**Remarques importantes:**

— Le demandeur ne peut présenter le matériel végétal qu'après réception d'une demande écrite de l'OCVV. Le non-respect de l'instruction susmentionnée peut compromettre l'ensemble de la procédure.

— Il est fortement recommandé aux demandeurs de ne pas introduire des demandes ou de ne pas envoyer du matériel végétal à la dernière minute.

— Les demandes peuvent être déposées à tout moment. L'OCVV envisage de débiter l'examen technique lors de la saison de culture suivant la date de clôture, si une demande valide a été reçue avant la date de clôture.

— Si du matériel végétal est présenté après la date de fin de présentation, la demande pourrait être rejetée conformément à l'article 61 du règlement (CE) n° 2100/94 du Conseil du 27 juillet 1994 instituant un régime de protection communautaire des obtentions végétales.

— Si un délai expire un jour où l'OCVV n'est pas ouvert pour recevoir des documents, le délai est prorogé jusqu'au premier jour suivant où les documents peuvent être déposés et où le courrier normal est distribué, conformément à l'article 71 du règlement d'application, Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.

— Si un délai expire un jour où on ne peut présenter de matériel végétal auprès de l'office d'examen, le délai est prorogé jusqu'au premier jour suivant celui où l'office d'examen est ouvert pour le dépôt de matériel végétal, conformément à l'article 71 du Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.

— Toute condition phytosanitaire sera communiquée au demandeur avec la demande de présentation de matériel végétal à l'office d'examen concerné.

— Le matériel végétal fourni doit être visiblement sain, vigoureux et exempt d'organismes nuisibles ou de maladies.

**IT** Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale (Pagina 24)

La finalità della Gazzetta S2 è fornire ai richiedenti una versione consolidata delle date di chiusura per la presentazione delle domande e i requisiti per la presentazione di materiale vegetale, in vista del loro esame tecnico.

Dal mese di ottobre 2010, la Gazzetta S2 sarà pubblicata in formato digitale sul sito Internet dell'Ufficio sei volte all'anno. Ogni numero sarà pubblicato in una versione consolidata ed ogni modifica delle versioni della Gazzetta S2 precedentemente pubblicate apparirà evidenziata.

Per identificare queste modifiche, è inoltre disponibile uno strumento di ricerca sul sito Internet dell'Ufficio.

Per consentire il controllo dello storico della documentazione, ciascuna pubblicazione S2 sarà salvata in formato .pdf e rimarrà disponibile per poter essere consultata da parte degli utenti Web.

L'elenco nella Gazzetta S2 evidenzia le specie più importanti rubricate in base alle domande. Per eventuali quesiti inerenti ulteriori specie, si prega di contattare l'UCVV al seguente indirizzo di posta elettronica: [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Sottotipo
- 2: Categoria di tassa d'esame
- 3: Numero di cicli vegetativi previsti
- 4: Paese/Nazione
- 5: Ufficio di esame
- 6: Termine ultimo per la presentazione delle domande
- 7: Inizio presentazione
- 8: Fine presentazione
- 9: Quantità semi/piante
- 10: Qualità semi/piante

**Note importanti:**

— Il richiedente è tenuto a presentare il materiale vegetale solo dopo averne ricevuto richiesta scritta da parte dell'U.C.V.V. L'inosservanza di quanto sopra può compromettere l'intera procedura.

— Si raccomanda imperativamente ai richiedenti di non inviare le domande, o il materiale vegetale, all'ultimo momento.

— Le domande possono essere depositate in qualsiasi momento. L'UCVV prevede di iniziare gli esami tecnici nel periodo di crescita successivo al termine ultimo per la presentazione, qualora la domanda sia valida, e pervenuta entro il termine ultimo previsto.

— Se il materiale vegetale viene presentato successivamente al termine ultimo di presentazione, la domanda può essere respinta ai sensi dell'articolo 61 del regolamento (CE) n. 2100/94 del Consiglio del 27 luglio 1994.

— Ove il termine ultimo dovesse scadere un giorno festivo, esso sarà prorogato sino al primo giorno successivo in cui l'U.C.V.V. può ricevere i documenti e nel quale la distribuzione della corrispondenza avviene normalmente, ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.

— Ove il termine ultimo dovesse scadere un giorno in cui l'ufficio d'esame non è in grado di ricevere il materiale vegetale, il richiedente dovrà considerare come termine ultimo il primo giorno successivo in cui l'ufficio d'esame è aperto per la ricezione del materiale vegetale ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.

— Qualsiasi particolare concernente i requisiti fitosanitari sarà comunicato al richiedente insieme alla richiesta di presentazione del materiale vegetale all'ufficio d'esame competente.

— Il materiale vegetale fornito deve godere visibilmente di buon stato di salute, non mancare di vigore e non essere affetto da alcun parassita o malattia importante.

**LV** Kapienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām (Lappuse 24)

*S2 Gazette mērķis ir sniegt pieteikuma iesniedzējiem konsolidētā versijā pieteikumu iesniegšanas beigumu datumus un iesniegšanas prasības attiecībā uz augu materiāliem, ņemot vērā to tehnisko pārbaudi.*

*No 2010. gada oktobra tas tiks digitāli publicēts Biroja tīmekļa vietnē sešas reizes gadā. Katrs S2 tiks publicēts konsolidētajā versijā; jebkuras izmaiņas, salīdzinot ar iepriekš publicēto S2 versiju, tiks izceltas.*

*Lai identificētu šīs izmaiņas, Biroja tīmekļa vietnē ir pieejams meklēšanas rīks.*

*Lai varētu pārbaudīt ierakstu vēsturi, katra S2 publikācija tiks saglabāta pdf formāta dokumentā un būs pieejama tīmekļa lietotājiem.*

*Saraksts S2 Gazette parāda pieteikumu ziņā svarīgākās šķirnes. Ja Jums ir jautājumi par citām šķirnēm, lūdzu, sazinieties ar Kapienas Augu šķirņu biroju [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).*

- 1: Apakštīps
- 2: Pārbaudes izcenojumu grupa
- 3: Paredzēto audzēšanas ciklu skaits
- 4: Valsts
- 5: Pārbaudes iestāde
- 6: Iesniegumu iesniegšanas termiņš
- 7: Iesniegšanas sākums
- 8: Iesniegšanas beigas
- 9: Sēklu/augu daudzums
- 10: Sēklu/augu kvalitāte

**Svarīgas piezīmes:**

— *Iesniedzējs iesniedz augu materiālu tikai pēc CPVO rakstiska pieprasījuma saņemšanas. Minētā noteikuma neievērošana var apdraudēt visu procedūru.*

— *Pieteikumu iesniedzējiem neiesaka kavēties ar pieteikumu vai augu materiāla nosūtīšanu līdz pēdējam brīdim.*

— *Pieteikumus var iesniegt jebkurā laikā. KAŠB paredz sākt tehnisko pārbaudi nākamajā veģetācijas periodā pēc iesniegšanas termiņa, ja derīgs pieteikums ir saņemts pirms attiecīgā iesniegšanas termiņa beigām.*

— *Ja augu materiāls iesniegts pēc noteiktā iesniegšanas termiņa, pieteikumu var noraidīt saskaņā ar 1994. gada 27. jūlija Padomes Regulas (EK) Nr. 2100/94 61. pantu.*

— *Ja termiņš izbeidzas dienā, kad CPVO dokumentus nepieņem, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad CPVO pieņem dokumentus un kad saņem parasto pastu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 Īstenošanas noteikumu 71.pantu.*

— *Ja termiņš izbeidzas dienā, kad pārbaudes iestāde nepieņem augu materiālu, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad pārbaudes iestāde pieņem augu materiālu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 Īstenošanas noteikumu 71.pantu.*

— *Visas nepieciešamās fitosanitārās prasības pieteikuma iesniedzējam paziņo, izsūtot pieprasījumu augu materiāla iesniegšanai atbilstīgajai pārbaudes iestādei*

— *Iesniedzamajam materiālam jābūt vizuāli veselam, spēcīgam, bez būtiskiem kaitēkļu vai slimību izraisītiem bojājumiem.*

**LT** Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus (Puslapis 24)

S2 biuletenyje pareiškėjams pateikiama apibendrinta informacija apie galutines paraiškų pateikimo datas ir techninei ekspertizei skirtos augalinės medžiagos pateikimo reikalavimus.

Nuo 2010 m. spalio mėn. jo elektroninė versija bus skelbiama Tarnybos svetainėje šešis kartus per metus. Pasirodys kiekvieno S2 leidimo suvestinė redakcija. Visi anksčiau paskelbtų S2 versijų pakeitimai bus paryškinti.

Paieškos priemonė padės nustatyti šiuos pakeitimus Tarnybos svetainėje.

Kad būtų galima peržiūrėti įrašų žurnalą, visi S2 leidiniai bus įrašomi PDF formatu, ir su jais galės susipažinti interneto svetainės lankytojai.

S2 biuletenio sąraše nurodomos rūšys, dėl kurių pateikiama daugiausia paraiškų. Klausimus dėl kitų rūšių prašome pateikti Augalų veislių tarnybai el. paštu [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Porūšis
- 2: Ekspertizės mokesčio grupė
- 3: Numatomas auginimo ciklų skaičius
- 4: Šalis
- 5: Ekspertizės tarnyba
- 6: Galutinė paraiškos pateikimo data
- 7: Pateikimo pradžia
- 8: Pateikimo pabaiga
- 9: Sėklų (augalų) kiekis
- 10: Sėklų (augalų) kokybė

**Svarbi informacija:**

— Pareiškėjas augalinę medžiagą gali pateikti tik tuomet, kai BAVT to pareikalauja raštu. Nesilaikant šio reikalavimo, procedūra gali būti nutraukta.

— Rekomenduojama paraiškas ir augalinę medžiagą pateikti laiku (nelaukiant iki paskutinės dienos).

— Paraiškas galima užpildyti bet kuriuo metu. BAVT numato pradėti techninę ekspertizę auginimo laikotarpiu po galutinės paraiškų pateikimo dienos, jei ji galiojančią paraišką gavo iki galutinės paraiškų pateikimo datos.

— Jei augalinė medžiaga pateikiama po galutinės jos pateikimo datos, paraiška gali būti atmesta pagal 1994 m. liepos 27 d. Tarybos reglamento (EB) Nr. 2100/94 61 straipsnį.

— Jei nustatytas terminas yra tokia diena, kurią BAVT nepriima dokumentų, jis pratęsiamas iki kitos dienos, kurią BAVT priima dokumentus ir kurią teikiamos įprastinės pašto paslaugos, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.

— Jei nustatytas terminas yra tokia diena, kurią ekspertizės tarnyba nepriima augalinės medžiagos, jis pratęsiamas iki kitos dienos, kurią ekspertizės tarnyba priima augalinę medžiagą, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.

— Apie visus fitosanitarinius reikalavimus pareiškėjui bus pranešta, kai iš jo bus pareikalauta pateikti augalinę medžiagą atitinkamai ekspertizės tarnybai.

— Pateikiama augalinė medžiaga iš pažiūros turi atrodyti sveika, nesuglebusi ir negali būti sugadinta kenkėjų ar ligų.

## **HU** A CPVO Hivatalos Közlönyének speciális kiadványa-tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről (Oldal 24)

*Az S2 Gazette célja az, hogy a kérelmezők rendelkezésére bocsássa a kérelmek beadásának egységesített határideit, valamint a növény minta benyújtására vonatkozó előírásokat szakmai vizsgálatuk fényében.*

*2010 októberétől a kiadvány digitálisan kerül közzétételre a Hivatal weboldalán évente hat alkalommal. Minden S2 kiadvány egységesített változatban kerül közzétételre, az S2 kiadvány bármely, előzőleg közzétett verziójához képest megjelenő módosítás kiemelve fog megjelenni.*

*Egy kereső segítségével ezek módosítások azonosíthatók a Hivatal weboldalán.*

*Annak érdekében, hogy a nyilvántartások előzményeit ellenőrizni lehessen, minden S2 kiadványt el fognak menteni pdf dokumentumként, amely betekintés céljából a webes felhasználók rendelkezésére fog állni.*

*Az S2 Gazette kiadványban található lista a kérelmek szempontjából leglényegesebb fajtákat sorolja fel. Amennyiben egyéb fajtákkal kapcsolatban kérdése merülne fel, kérjük, keresse meg a CPVO-t a : cpvo@cpvo.europa.eu címen.*

- 1: Alfaj
- 2: Vizsgálati díj csoport
- 3: A tervezett termesztési ciklusok száma
- 4: Ország
- 5: Ellenőrző Hivatal
- 6: A bejelentések benyújtási határideje
- 7: Benyújtás kezdete
- 8: Benyújtás vége
- 9: Mag/Növény mennyiség
- 10: Mag/Növény minőség

### Fontos megjegyzés:

— A kérelmet benyújtónak csak akkor kell elküldenie a mintát, miután a CPVO-tól írásos kérelmét átvette. Az említett utasítás be nem tartása az egész eljárást veszélyezteti.

— A kérelmezőknek nem tanácsos a kérelmek vagy a növényi minták benyújtásnak elküldését az utolsó pillanatra hagyniuk.

— Kérelmet bármikor be lehet nyújtani. A CPVO a technikai vizsgálat megkezdését a benyújtási határidőt követő növekedési időszakra irányozza elő, ha az érvényes kérelem a benyújtási határidő lejártá előtt beérkezett.

— A benyújtási határidő lejártát követően benyújtott növényi minták esetében a kérelmet az 1994. július 27-i, 2100/94/EK tanácsi rendelet 61. cikke alapján vissza lehet utasítani.

— Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem fogad dokumentumokat, a határidőt - a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint - az első olyan napig hosszabbítják meg, amelyen a CPVO fogad dokumentumokat, és amelyen a szokványos postai küldemények érkeznek.

— Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem vesz át mintákat, a határidőt - a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint - az első olyan napig hosszabbítják meg, amelyen az ellenőrző hivatal átvesz növényi mintákat.

— A kérelmet benyújtó tájékoztatást kap a növény-egészségügyi követelményekről, amikor megkapja a növényi minta illetékes ellenőrző hivatalhoz való benyújtásáról szóló kérelmet.

— A benyújtott növénymintának láthatóan egészségesnek, életerősnek kell lennie, illetve nem szenvedhet jelentős kártevőfertőzéstől vagy betegségtől.



**MT** **Harga Speċjali tal-Gazzetta uffiċjali tas-CPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti għallprezentazzjoni ta' materjali tal-pjanti (Paġna 24)**

*L-għan tal-ġurnal S2 huwa li jipprovi lill-applikanti b'verzjoni konsolidata tad-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti ta' prezentazzjoni għal materjali tal-pjanti fid-dawl tal-eżami tekniku ta' għom.*

*Minn Ottubru 2010, il-ġurnal ser jibda jkun ippubblikat b'mod diġitali fuq is-sit elettroniku tal-Uffiċċju sitt darbiet fis-sena. Kull ħarġa tal-S2 ser tkun ippubblikata f'verzjoni kkonsolidata; kwalunkwe modifiki li jirrigwardaw il-verzjoni preċedenti tal-S2 ser ikunu sottomlinejati.*

*Għodda ta' tfitxija hija disponibbli b'x tidentifika dawn il-modifiki fuq is-sit elettroniku tal-Uffiċċju.*

*Sabier ikun eħfef it-tiftix fir-rekords tal-passat, kull ħarġa ta' S2 ser tkun issejvjata bħal dokument .pdf u tibqa' disponibbli għall-konsultazzjoni mill-utenti.*

*Il-lista fil-Ġurnal S2 turi l-ispeċijiet l-iktar importanti f'dak li għandu x'jaqsam ma' applikazzjonijiet. F'każ ta' mistoqsijiet dwar speċje oħra, iktbilna hawnhekk cpvo@cpvo.europa.eu.*

- 1: Subtip
- 2: Grupp ta' miżata ta' l-eżami
- 3: Għadd ta' ċikli ta' tkabbir previst
- 4: Pajjiż
- 5: Uffiċċju ta' l-eżami
- 6: Data ta' għeluq għall-applikazzjonijiet
- 7: Bidu tal-perjodu ta' prezentazzjoni
- 8: Tmien tal-perjodu ta' prezentazzjoni
- 9: Kwantità ta' żrieragħ/pjanti
- 10: Kwalità ta' żrieragħ/pjanti

**Noti importanti:**

— *L-applikant huwa mistenni jippreżenta l-materjal tal-pjanti biss wara li jkun irċieva talba bil-miktub mis-CPVO. Jekk ma jsirx dan ta' hawn fuq, il-proċedura sħiħa tista' tiġi perikolata.*

— *Applikanti huma mwissija sew li ma jdmux sa l-aħħar ma jibagħtu l-applikazzjonijiet jew il-materjal tal-pjanti.*

— *L-applikazzjonijiet jistgħu jiġu ddepożitati fi kwalunkwe mument. Is-CPVO jipprevedi li jibda l-eżamijiet tekniċi fil-perjodu tat-tkabbir wara d-data ta' skadenza, f'każ li tasal applikazzjoni valida sad-data ta' skadenza.*

— *Jekk il-materjal tal-pjanti jiġi pprezentat wara d-data ta' prezentazzjoni stabbilita, l-applikazzjoni tista' tiġi rifjutata skond l-Artikolu 61 tar-Regolament tal-Kunsill (KE) Nru 2100/94 tas-27 ta' Lulju 1994.*

— *Jekk jiskadi limitu ta' żmien f'ġurnata meta s-CPVO ma jkunx jopera għar-riċeviment ta' dokumenti, il-limitu ta' żmien għandu jiġi estiz sa l-ewwel ġurnata wara din, meta s-CPVO jkun miġtuħ għall-wasla ta' dokumenti u meta posta ġenerali tkun taslihom, skond l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Jekk jiskadi limitu ta' żmien f'ġurnata meta l-uffiċċju ta' l-eżami ma jkunx jopera għar-riċeviment ta' materjali tal-pjanti, il-limitu ta' żmien għandu jiġi estiz sa l-ewwel ġurnata wara din, meta l-uffiċċju ta' l-eżami jkun miġtuħ għall-wasla ta' materjali tal-pjanti skond l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Kwalunkwe rekwiżiti fitosanitarji jintbagħtu lill-applikant flimkien mat-talba tal-prezentazzjoni tal-materjal tal-pjanti lill-uffiċċju ta' l-eżami rilevanti.*

— *Il-materjal tal-pjanta formut għandu jkun vizibbilment b'saħħtu, ma jonqsux il-vitalità jew ibati minn parassita jew marda importanti.*

**NL** Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informatieve betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plantmateriaal (Bladzijde 24)

*Het S2-Mededelingenblad is bedoeld om aanvragers een geconsolideerde versie ter beschikking te stellen van informatie betreffende de afsluitdata voor aanvragen en de vereisten voor inlevering van plantmateriaal met het oog op het technisch onderzoek ervan.*

*Vanaf oktober 2010 zal de publicatie ervan elektronisch via de website van het Bureau zesmaal per jaar gebeuren. Elk S2-nummer zal worden gepubliceerd in een geconsolideerde versie: alle wijzigingen ten opzichte van het vorige gepubliceerde nummer zullen gemarkeerd zijn.*

*Op de website van het Bureau is een zoektool beschikbaar om deze wijzigingen gemakkelijk terug te vinden.*

*Elk S2-nummer zal worden opgeslagen als .pdf-document en ter raadpleging voor de webgebruikers beschikbaar blijven, zodat de document-geschiedenis kan worden nagegaan.*

*De lijst in het S2-Mededelingenblad toont de voornaamste soorten voor wat betreft aanvragen. In geval van vragen over andere soorten kunt u met het CPVO contact opnemen via [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).*

- 1: Subtype
- 2: Categorie van onderzoeksrechten
- 3: Aantal voorziene groeicycli
- 4: Land
- 5: Onderzoeksstation
- 6: Sluitingsdatum
- 7: Aanvang van inleveringsperiode
- 8: Sluiting van inleveringsperiode
- 9: Zaad-/planthoeveelheid
- 10: Zaad-/plantkwaliteit

**Belangrijke opmerkingen:**

— *De aanvrager dient het plantmateriaal uitsluitend in te leveren nadat hij daartoe een schriftelijk verzoek heeft ontvangen van het Communautair Bureau voor Plantenrassen. Het niet-voldoen aan deze vereiste kan de gehele procedure in gevaar brengen.*

— *Aanvragers wordt ten eerste aanbevolen niet tot het laatste moment te wachten met het insturen van aanvragen of het ter beschikking stellen van plantmateriaal.*

— *Aanvragen kunnen op ieder moment worden ingediend. Indien het Communautair Bureau voor Plantenrassen een geldige en volledige aanvraag ontvangt vóór de sluitingsdatum, zal het het technisch onderzoek in de meeste gevallen starten in het groeiseizoen dat volgt op de sluitingsdatum.*

— *Indien plantmateriaal na de uiterste inleverdatum wordt ingeleverd, kan de aanvraag worden afgewezen krachtens artikel 61 van Verordening (EG) nr. 2100/94 van de Raad van 27 juli 1994.*

— *Wanneer een termijn verstrijkt op een dag waarop het Communautair Bureau voor Plantenrassen niet open is voor ontvangst van documenten, wordt de termijn verlengd tot de eerstvolgende dag waarop het Communautair Bureau voor Plantenrassen wel open is voor ontvangst van documenten en waarop gewone post wordt bezorgd, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.*

— *Wanneer een termijn verstrijkt op een dag waarop het onderzoeksstation niet open is voor ontvangst van plantmateriaal, wordt de termijn verlengd tot de eerstvolgende waarop het onderzoeksstation wel open is voor ontvangst van plantmateriaal, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.*

— *Bijzondere fytosanitaire voorwaarden zullen samen met het verzoek tot inlevering van plantmateriaal bij het relevante onderzoeksstation aan de aanvrager worden megedeeld.*

— *Het aangeleverde plantmateriaal dient zichtbaar in gezonde staat te verkeren en mag geen gebrek aan groeikracht of aantasting vertonen van een belangrijke plaag of ziekte.*

**PL** Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przesyłania materiału roślinnego (Strona 24)

Celem publikacji Urzędowej Gazety S2 jest przekazanie wnioskodawcom skonsolidowanych informacji o ostatecznych terminach składania wniosków oraz o wymogach dotyczących składania materiału roślinnego w związku z jego badaniem technicznym.

Od października 2010 r. Urzędowa Gazeta S2 będzie publikowana na stronie internetowej Urzędu sześć razy w roku. Każde wydanie gazety będzie publikowane w wersji skonsolidowanej; wszelkie zmiany względem wcześniej opublikowanych wersji zostaną zaznaczone.

Na stronie internetowej Urzędu jest dostępne narzędzie wyszukiwania w celu zidentyfikowania tych zmian.

Aby umożliwić sprawdzenie wcześniejszych dokumentów, każda publikacja Urzędowej Gazety S2 zostanie zachowana jako dokument .pdf i będzie dostępna do konsultacji dla użytkowników internetowych.

Lista zamieszczona w Urzędowej Gazecie S2 pokazuje najważniejsze gatunki, których dotyczą wnioski. W przypadku pytań dotyczących innych gatunków prosimy o kontakt z CPVO pod adresem [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Podtyp
- 2: Grupa opłat za badanie
- 3: Liczba przewidzianych cykli wzrostu
- 4: Kraj
- 5: Urząd badawczy
- 6: Termin zamknięcia
- 7: Data rozpoczęcia dostarczania materiału
- 8: Data zamknięcia dostarczania materiału
- 9: Ilość materiału siewnego/ liczba roślin
- 10: Jakość materiału siewnego/ roślin

**Ważne uwagi:**

- Wnioskodawca winien wysłać materiał roślinny jedynie na pisemne żądanie WUOR. Niezastosowanie się do powyższych zaleceń może negatywnie wpłynąć na przebieg postępowania.
- Wnioskodawcy nie zaleca się wysyłanie wniosków lub materiału roślinnego w ostatnim momencie.
- Zgłoszenia może składać w każdym czasie. CPVO zamierza rozpocząć badanie techniczne w okresie wzrostu przypadającym po dacie zamknięcia, pod warunkiem, że ważny wniosek został złożony przed upływem ostatecznego terminu.
- Jeżeli materiał roślinny zostanie złożony po ustalonej dacie składania materiału, wniosek może zostać odrzucony na mocy art. 61 rozporządzenia Rady (WE) nr 2100/94 z dnia 27 lipca 1994 r.
- Jeżeli dany termin upływa w dniu, w którym WUOR nie przyjmuje dokumentów, termin ten zostaje przedłużony do pierwszego kolejnego dnia, w którym WUOR jest otwarty do celów przyjmowania dokumentów oraz w którym dostarczana jest zwyczajna poczta, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Jeżeli dany termin upływa w dniu, w którym urząd badawczy nie przyjmuje materiałów roślinnych, termin ten zostaje przedłużony do pierwszego dnia, w którym urząd badawczy jest otwarty do celów przyjmowania materiału roślinnego, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Wszelkie wymogi fitosanitarne zostaną przekazane wnioskodawcy wraz z wnioskiem o przedstawienie materiału roślinnego odpowiedniemu urzędowi badawczemu.
- Dostarczony materiał roślinny powinien charakteryzować się wyraźnie zdrowym wyglądem i żywotnością, nie powinien też być poważnie zaatakowany przez szkodniki ani dotknięty istotnymi chorobami.

**PT** Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal (Página 24)

*A Edição Especial do Boletim Oficial (S2) destina-se a fornecer aos requerentes uma versão consolidada com informações relativas às datas limite e aos requisitos de apresentação de material vegetal com vista ao seu exame técnico.*

*A partir de Outubro de 2010, o boletim será publicado no website do ICVV, em versão digital, seis vezes por ano. Todas as edições do Boletim S2 serão publicadas numa versão consolidada e serão destacadas todas as alterações efectuadas relativamente a versões anteriormente publicadas.*

*No website do ICVV está disponível uma ferramenta de pesquisa que permite identificar estas alterações.*

*Com vista a permitir a consulta do historial de registos, cada publicação do Boletim S2 será guardada em formato .pdf e disponibilizada para consulta aos utilizadores do website.*

*A lista constante do Boletim S2 inclui as espécies mais importantes no que se refere às solicitações para exame técnico. Para qualquer questão relacionada com outras espécies, contacte o ICVV através do seguinte endereço de correio electrónico: cpvo@cpvo.europa.eu.*

- 1: Subespécie
- 2: Grupo de taxa de exame
- 3: Número de ciclos vegetativos previstos
- 4: País
- 5: Organismo de exame
- 6: Data-limite para pedidos
- 7: Início do prazo de envio do material vegetal
- 8: Fim do prazo de envio do material vegetal
- 9: Quantidade de sementes/plantas
- 10: Qualidade das sementes/plantas

#### Notas importantes:

— *O requerente só deve apresentar o material vegetal depois de ter recebido um pedido por escrito do ICVV. O incumprimento desta instrução pode comprometer todo o processo.*

— *Os requerentes são vivamente aconselhados a não deixarem para a última hora o envio dos pedidos ou do material vegetal.*

— *Os pedidos podem ser apresentados em qualquer altura. O ICVV prevê iniciar o exame técnico no ciclo de cultivo seguinte a data limite para pedidos, sempre que o pedido seja válido e tenha sido recebido dentro do prazo.*

— *Se o material vegetal for apresentado após a data de apresentação fixada, o pedido poderá ser recusado, nos termos do artigo 61º do Regulamento (CE) nº 2100/94 do Conselho, de 27 de Julho de 1994.*

— *Se um prazo expirar num dia em que o ICVV não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o ICVV esteja aberto para recepção de documentos e em que o correio normal seja distribuído, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Se um prazo expirar num dia em que o organismo de exame não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o organismo de exame esteja aberto para recepção de documentos, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Quaisquer requisitos fitossanitários serão comunicados ao requerente, juntamente com o pedido de apresentação do material vegetal ao organismo de exame pertinente.*

— *O material vegetal apresentado deve estar em perfeitas condições sanitárias, apresentar-se viçoso e não estar afectado por qualquer praga ou doença, nomeadamente vírus.*

**RO** Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal (Pagina 24)

Scopul Buletinului S2 este de a oferi solicitanților o versiune consolidată a datelor de închidere a depunerii candidaturilor și a cerințelor pentru depunerea materialului vegetal în vederea examinării tehnice.

Începând cu luna octombrie 2010, acesta va fi publicat în format electronic pe situl internet al oficiului, de șase ori pe an. Fiecare număr al S2 va fi publicat în versiune consolidată; toate modificările față de versiunea publicată anterior a Buletinului S2 vor apărea evidențiate.

Este, de asemenea, disponibil un instrument de căutare pentru identificarea acestor modificări pe situl internet al oficiului.

Pentru a permite verificarea înregistrărilor anterioare, fiecare publicație S2 va fi salvată ca document în format .pdf și va putea fi consultată de utilizatorii sitului.

Lista din Buletinul S2 prezintă, în ceea ce privește cererile, speciile cele mai importante. Pentru întrebări legate de alte specii, vă puteți adresa la OCSP la [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Subtip
- 2: Taxa grupului de examinare
- 3: Numărul prevăzut al perioadelor de cultură
- 4: Țara
- 5: Oficiul de examinare
- 6: Termenul de depunere a cererilor
- 7: Începutul perioadei de depunere
- 8: Încheierea perioadei de depunere
- 9: Cantitatea de semințe/plante
- 10: Calitatea semințelor/plantelor

**Observații importante:**

- Solicitantul nu trebuie să depună materialul vegetal decât după primirea unei invitații în scris în acest sens de la OCSP. Nerespectarea acestei instrucțiuni poate compromite întreaga procedură.
- Se recomandă în mod expres solicitanților să nu amâne expedierea cererilor sau a materialului vegetal până în ultima clipă.
- Cererile pot fi depuse în orice moment. OCSP preconizează să înceapă examinarea tehnică în perioada de cultură care urmează după termenul de depunere, dacă a fost primită o cerere valabilă până la termenul de depunere.
- În cazul în care materialul vegetal este depus după termenul de depunere fixat, cererea poate fi refuzată în conformitate cu articolul 61 din Regulamentul (CE) nr. 2100/94 al Consiliului din 27 iulie 1994.
- În cazul în care termenul de depunere expiră într-o zi în care nu se primesc documente la OCSP, termenul se prelungește pînă în prima zi imediat următoare în care se primesc documente la OCSP și în care se distribuie corespondența obișnuită, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.
- În cazul în care un termen de depunere expiră într-o zi în care nu se primește material vegetal la oficiul de examinare, perioada de depunere se prelungește pînă în prima zi imediat următoare în care oficiul de examinare primește material vegetal, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.
- Toate cerințele fitosanitare se vor comunica solicitantului împreună cu invitația de depunere a materialului vegetal la oficiul de examinare în cauză.
- Materialul vegetal depus trebuie să fie în mod vizibil sănătos, viguros și neafectat de dăunători sau de boli semnificative.

## **SK** Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu (Strana 24)

Účelom vestníka S2 je poskytovať žiadateľom konsolidovanú verziu dátumov uzávierok prijímania žiadostí a požiadaviek na predloženie rastlinného materiálu v súvislosti s odborným preskúmaním.

Vestník bude od októbra 2010 šesťkrát ročne uverejňovaný v digitálnej podobe na webovej stránke Úradu Spoločenstva pre odrody rastlín. Každé vydanie vestníka S2 bude vydané v konsolidovanej verzii, pričom všetky zmeny oproti pôvodne uverejnenej verzii vestníka S2 budú vyznačené.

Na zistenie týchto zmien je na webovej stránke Úradu Spoločenstva pre odrody rastlín k dispozícii nástroj na vyhľadávanie.

Každé vydanie vestníka S2 bude uložené ako dokument vo formáte .pdf, aby sa zabezpečila možnosť prezerania predošlých vydaní, a bude naďalej k dispozícii na konzultáciu pre návštevníkov webovej stránky.

V zozname vo vestníku S2 sa uvádzajú najdôležitejšie druhy z hľadiska žiadostí. Pokiaľ máte otázky týkajúce sa iných druhov, obráťte sa na úrad CPVO prostredníctvom emailovej adresy [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Poddruh
- 2: Skupina poplatku za skúšanie
- 3: Predpokladaný počet rastových cyklov
- 4: Krajina
- 5: Skúšobný úrad
- 6: Dátum uzávierky prihlášok
- 7: Začiatok dodania materiálu
- 8: Koniec dodania materiálu
- 9: Množstvo osiva /počet rastlín
- 10: Kvalita osiva a sadby

### Dôležité upozornenia:

- Prihlasovateľ dodá množiteľský materiál len vtedy, keď ho o to písomnou formou požiada CPVO. Nesplnenie tohto pokynu môže ohroziť celkový priebeh konania.
- Prihlasovateľom odporúčame, aby si zasielanie prihlášok alebo rastlinného materiálu nenechávali na poslednú chvíľu.
- Prihlášky možno predložiť kedykoľvek. CPVO plánuje začať technické preskúmanie v rastovom období po uzávierke, ak bola do uzávierky prijatá platná prihláška.
- Ak sa rastlinný materiál predloží po stanovenom dátume na predkladanie, prihláška môže byť zamietnutá v súlade s článkom 61 nariadenia Rady (ES) č. 2100/94 z 27. júla 1994.
- Ak stanovená lehota uplynie v deň, kedy CPVO dokumenty neprijíma, stanovená lehota sa predĺži do najbližšieho d' alšieho dňa, kedy CPVO prijíma dokumenty a kedy sa prijíma bežná pošta, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.
- Ak stanovená lehota uplynie v deň, kedy skúšobný úrad neprijíma rastlinný materiál, stanovená lehota sa predĺži do najbližšieho d' alšieho dňa, kedy skúšobný úrad prijíma rastlinný materiál, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.
- Všetky fytoosanitárne požiadavky sa oznámia prihlasovateľovi so žiadosťou o predloženie rastlinného materiálu príslušnému skúšobnému úradu.
- Dodaný rastlinný materiál by mal byť viditeľne zdravý, čerstvý a nenapadnutý žiadnou chorobou alebo morom.

**SL** Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala (Stran 24)

Namen Glasila S2 je prijavitelje seznaniti s konsolidirano različico rokov za oddajo prijav in zahtevami v zvezi s predložitvijo rastlinskega materiala za preskušanje.

Od oktobra 2010 bo glasilo šestkrat letno objavljeno v digitalni obliki na spletni strani urada. Vsaka številka tega glasila bo objavljena v konsolidirani obliki, kar pomeni, da bodo vse spremembe podatkov iz predhodno objavljenih različic glasila S2 vidno označene.

Na spletni strani urada je na voljo orodje za iskanje omenjenih sprememb.

Da bi omogočili vpogled v zgodovino zapisov, bodo vsa glasila S2 shranjena v formatu .pdf in bodo še nadalje ostala na voljo uporabnikom spletne strani urada.

Seznam v Glasilu S2 vsebuje najpomembnejše vrste glede na podane prijave. Če imate kakršnakoli vprašanja o drugih vrstah, se obrnite na Urad Skupnosti za rastlinske sorte na naslov [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).

- 1: Podvrsta
- 2: Razred za plačilo pristojbin
- 3: Število predvidenih rastnih ciklusov
- 4: Država
- 5: Urad za preskušanje sort
- 6: Rok za oddajo prijav
- 7: Predložitev se začne
- 8: Predložitev se konča
- 9: Količina semena/rastlin
- 10: Kakovost semena/rastlin

**Pomembno:**

— Od prijavitelja se pričakuje, da predloži rastlinski material šele, ko od CPVO prejme pisno zahtevo. Neizpolnjevanje zgoraj navedenega navodila lahko ogrozi celoten postopek.

— Prijaviteljem svetujemo, da s pošiljanjem prijav ali rastlinskega materiala ne čakajo na zadnji trenutek.

— Prijave se lahko vložijo kadar koli. CPVO predvideva začetek preskušanja v obdobju rasti po roku za oddajo prijav, če je bila veljavna prijava prejeta do tega roka.

— Če je rastlinski material predložen po roku za predložitev, se lahko prijava zavrne v skladu s členom 61 Uredbe Sveta (ES) št. 2100/94 z dne 27. julija 1994.

— Če rok poteče na dan, ko CPVO ni odprt za sprejem dokumentov, se rok podaljša do prvega dne, ko je CPVO odprt za prejem dokumentov in na katerega se opravlja dostava navadne pošte, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009.

— Če rok poteče na dan, ko urad za preskušanje sort ni odprt za sprejem rastlinskega materiala, se rok podaljša do prvega dne, ko je urad za preskušanje sort odprt za prejem rastlinskega materiala, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009 o uvedbi izvedbenih pravil.

— V primeru fitosanitarnih zahtev se obvesti prijavitelja in se od njega zahteva, da zadevnemu uradu za preskušanje sort predloži rastlinski material.

— Predloženi rastlinski material mora izkazovati zdravje, vitalnost ter ne sme biti prizadet zaradi škodljivcev ali bolezni.

**FI** Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määrärajoista hakemuksen jättämiselle ja vaatimuksista kasvimateriaalin toimittamiselle (Sivu 24)

*Kasvilajikeviraston virallisen lehden S2:n tarkoituksena on tarjota hakijoille konsolidoidun version muodossa tietoa määrärajoista hakemusten jättämiselle ja vaatimuksista kasvimateriaalin toimittamiselle niiden teknisen tutkimuksen yhteydessä.*

*Lokakuusta 2010 alkaen lehti julkaistaan digitaalisena kasvilajikeviraston verkkosivustolla kuusi kertaa vuodessa. Jokainen S2 julkaistaan konsolidoituna versiona ja mahdolliset muutokset suhteessa S2:n edelliseen numeroon on merkitty näkyviin.*

*Muutosten havaitsemiseksi viraston sivustolla on myös käytettävissä hakuväline.*

*Vanhoiden tietojen tarkistamisen helpottamiseksi jokainen S2-julkaisu tallennetaan verkkosivustolle pdf-asiakirjana, johon sivuston käyttäjät voivat tutustua.*

*S2:ssa olevasta luettelosta ilmenee hakemusten kannalta tärkeimmät lajit. Muita lajeja koskevien kysymysten osalta pyydämme ottamaan yhteyttä kasvilajikevirastoon [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu).*

- 1: Alatyypit
- 2: Tutkimusmaksuryhmä
- 3: Kasvukausien ennakoitu lukumäärä
- 4: Maa
- 5: Tutkimuslaitos
- 6: Määräajat hakemuksille
- 7: Toimittaminen alkaa
- 8: Toimittaminen päättyy
- 9: Siementen/kasvien määrä
- 10: Siementen/kasvien laatu

**Tärkeä huomautus:**

— *Hakijan odotetaan toimittavan kasvimateriaalia vasta vastaanotettuaan kasvilajikevirastolta kirjallisen pyynnön asiasta. Kyseisen ohjeen noudattamatta jättäminen saattaa vaarantaa koko menettelyn.*

— *Hakijaa kehoitetaan lähettämään hakemus tai kasvimateriaali hyvissä ajoin ennen määräaika.*

— *Hakemuksen voi lähettää koska tahansa. CPVO:n tarkoituksena on aloittaa tekninen tutkimus määräpäivää seuraavana kasvukautena, jos virasto on saanut virallisen hakemuksen määräpäivään mennessä.*

— *Jos kasvimateriaali toimitetaan annetun määräpäivän jälkeen, hakemus voidaan hylätä 27 päivänä heinäkuuta 1994 annetun neuvoston asetuksen (EY) N:o 2100/94 61 artiklan mukaan.*

— *Jos määräaika päättyy päivänä, jona kasvilajikevirasto ei ole avoinna asiakirjojen vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona kasvilajikevirasto on auki asiakirjojen vastaanottamiseksi ja jona tavanomainen postinjakelu toimii, 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Jos määräaika päättyy päivänä, jona tutkimusvirasto ei ole avoinna kasvimateriaalin vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona tutkimusvirasto on auki kasvimateriaalin vastaanottamiseksi ja jona tavanomainen postinjakelu toimii 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Kasvien terveydentilaa koskevat vaatimukset esitetään hakijalle kasvimateriaalin toimittamista asianomaiselle tutkimusvirastolle koskevan pyynnön yhteydessä.*

— *Toimitetun kasvimateriaalin on oltava silmin nähtävää ja elinvoimaista eikä siinä saa olla minkäänlaisia merkkejä tuholaisista tai sairauksista.*



## **SV** Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial (Sida 24)

*Syftet med specialutgåvan (S2) av den officiella tidskriften är att i en konsoliderad version informera de sökande om tidsfrister för ansökningar och krav på inlämning av växtmaterial för den tekniska provningen.*

*Från och med oktober 2010 kommer specialutgåvan att offentliggöras digitalt sex gånger per år på myndighetens webbplats. Varje specialutgåva kommer att offentliggöras i en konsoliderad version. Varje ändring jämfört med tidigare publicerade versioner av specialutgåvan kommer att vara markerade.*

*Ett sökverktyg för att identifiera dessa ändringar finns på myndighetens webbplats.*

*För att tillåta kontroll av tidigare publicerade dokument så kommer alla specialutgåvor sparas som pdf-dokument och dessa kommer att finnas tillgängliga för konsultation för webbanvändare.*

*Listan i specialutgåvan visar de viktigaste arterna när det gäller ansökningar. Kontakta CPVO på [cpvo@cpvo.europa.eu](mailto:cpvo@cpvo.europa.eu) om det finns frågor om andra arter.*

- 1: Undergrupp
- 2: Avgiftsgrupp för provningen
- 3: Antal planerade växtcykler
- 4: Land
- 5: Provningsmyndighet
- 6: Slutdatum
- 7: Början för inlämnade
- 8: Slut för inlämnade
- 9: Säd-/plantkvantitet
- 10: Säd-/plantkvalitet

### Observera:

— *Den sökande förväntas lämna in växtmaterialet endast efter det att denne mottagit en skriftlig begäran från växtsortsmyndigheten. Underlåtenhet att rätta sig efter instruktionerna ovan kan äventyra hela förfarandet.*

— *De sökande uppmanas att inte vänta till sista stund med att lämna ansökningar eller växtmaterial.*

— *Ansökningar kan lämnas in när som helst. CPVO räknar med att påbörja den tekniska provningen under växtperioden efter sista ansökningsdatum om en giltig ansökan har inkommit senast detta datum.*

— *Om materialet lämnas in efter fastställd tidsfrist för inlämnande kan ansökan avslås enligt artikel 61 i rådets förordning (EG) nr 2100/94 av den 27 juli 1994.*

— *Om en tidsfrist löper ut på en dag då växtsortsmyndigheten inte är öppen för mottagande av handlingar ska tidsfristen förlängas till första dagen därefter då växtsortsmyndigheten är öppen för mottagande av handlingar och då vanlig post delas ut, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.*

— *Om en tidsfrist löper ut på en dag då provningsmyndigheten inte är öppen för mottagande av växtmaterial, ska tidsfristen förlängas till första dagen därefter då provningsmyndigheten är öppen för mottagande av växtmaterial, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.*

— *Eventuella fytosanitära villkor kommer att meddelas den sökande tillsammans med begäran att lämna in växtmaterial till berörd provningsmyndighet.*

— *Det inlämnade växtmaterialet ska vara synbarligen friskt och inte sakna livskraft eller vara drabbat av några skadedjur eller någon sjukdom.*

1	2	3	4	5	6	7	8	9	10
<b><i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder</b>									
vegetative, non variegated	15	2	UK	NIAB	01/12	08/03	19/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
vegetative, non variegated	15	2	FR	GEVES					
vegetative, variegated	15	2	UK	NIAB	01/12	08/03	19/03	15 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
vegetative, variegated	15	2	FR	GEVES	01/09	01/10	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
<b><i>Actinidia</i> Lindl.</b>									
	26	4	IT	C.R.A.- FRU	01/03	01/03	31/03	8 virus-tested one-year-old plants grafted on either 'Hayward', or 'D1' or 'Bruno' (please specify rootstock when delivering the plants), or on their own roots	Plants should be accompanied by recognised certificate dating less than two months before the delivery of the plant material, indicating that they are free of <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
<b><i>Actinidia chinensis</i> Planch.</b>									
	26	4	IT	C.R.A.- FRU	01/03	01/03	31/03	8 virus-tested one-year-old plants grafted on either 'Hayward', or 'D1' or 'Bruno' (please specify rootstock when delivering the plants), or on their own roots	Plants should be accompanied by recognised certificate dating less than two months before the delivery of the plant material, indicating that they are free of <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
<b><i>Adenium obesum</i> (Forssk.) Roem. et Schult.</b>									
vegetative	15	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	
<b><i>Agapanthus</i> L'Hér.</b>									
vegetative	15	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	
<b><i>Agastache</i> J. Clayton ex Gronov.</b>									
vegetative	15	1	UK	NIAB	01/12	08/03	19/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
vegetative	15	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Ageratum houstonianum</i> Mill.</b>									
vegetative	16	1	DE	Bundessortenamt	15/11	15/03	21/03	25 rooted cuttings	not pinched
<b><i>Aglaonema commutatum</i> Schott × <i>Aglaonema rotundum</i> N. E. Br.</b>									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

**Allium cepa (Aggregatum Group)**

seed	22	2	FR	GEVES	01/01	01/01	01/02	100 g seed	
seed, semi-long & long day	22	2	NL	NAKTUINBOUW	15/02		01/03	15,000 seeds	
seed, short & semi-short day	22	2	NL	NAKTUINBOUW	01/01		15/01	15,000 seeds	
vegetative	22	2	FR	GEVES	31/01	01/02	15/02	150 bulblets	
vegetative semi-long & long da	22	2	NL	NAKTUINBOUW	15/02		01/03	300 bulblets	
vegetative, short & semi-short	22	2	NL	NAKTUINBOUW	01/01		15/01	300 bulblets	
	22	2	UK	Food and Environment Research Agency (FERA)					
	20	2	UK	Food and Environment Research Agency (FERA)					

**Allium cepa (Cepa group)**

long day	20	2	FR	GEVES	01/01	01/01	01/02	100 g	
long day	20	2	CZ	UKZUZ	10/01		31/01	30,000 seeds	germination rate 75%
long day type	20	2	RO	ISTIS	01/02		15/02	100 g seed	
over wintered	20	2	UK	Food and Environment Research Agency (FERA)	15/06		15/07	16,000 seeds	
semi-long & long day	20	2	NL	NAKTUINBOUW	15/02		01/03	15,000 seeds	
short days	20	2	FR	GEVES	01/07	01/07	01/08	100 g	
short, semi-short, overwint	20	2	NL	NAKTUINBOUW	01/01		15/01	15,000 seeds	
spring	20	2	DE	Bundessortenamt	01/12		15/01	20,000 seeds	minimum germination capacity 85%
spring	20	2	HU	CENTRAL AGRICULTURAL OFFICE	15/01		15/02	20,000 seeds	85% min. germination
spring	20	2	PL	COBORU	31/01	01/02	01/03	300 g	
spring	20	2	UK	Food and Environment Research Agency (FERA)	31/12		31/01	16,000 seeds	
winter	20	2	PL	COBORU	30/06	01/07	31/07	300 g	
winter	20	2	DE	Bundessortenamt	01/07		15/07	20,000 seeds	minimum germination capacity 85%
	20	2	ES	Oficina Española de Variedades Vegetales	31/05		30/06	100 g	

**Allium fistulosum L.**

	20	2	NL	NAKTUINBOUW	15/02		01/03	13,000 seeds	
	20	2	CZ	UKZUZ	10/01		31/01	30,000 seeds	
	20	2	DE	Bundessortenamt	01/12		15/01	2,000 seeds	minimum germination capacity 80%
	20	2	FR	GEVES	01/01		01/02	100 g seed	

**Allium oschaninii O. Fedtsch.**

	20	2	FR	GEVES					
--	----	---	----	-------	--	--	--	--	--

**Allium porrum L.**

seed	20	2	ES	Oficina Española de Variedades Vegetales	01/11		01/12	13,000 seeds	
seed	20	2	DE	Bundessortenamt	15/01		15/02	25,000 seeds	minimum germination capacity 80%

1	2	3	4	5	6	7	8	9	10
<b>Allium porrum L.</b>									
seed	20	2	FR	GEVES	01/02		01/03	13,000 seeds (150 g)	
seed	20	2	NL	NAKTUINBOUW	15/02		01/03	13,000 seeds	
seed	20	2	SK	UKSUP	10/01		31/01	150 g	
seed	20	2	UK	Food and Environment Research Agency (FERA)	31/12		31/01	13,000 seeds	
vegetative	22	2	NL	NAKTUINBOUW	07/07	15/08	01/09	75 plants	4-6 mm diameter, about 15-20 cm long, either in modules or single plants ready for transplanting
vegetative	22	2	FR	GEVES	01/02	01/05	15/05	200 plants rooted and acclimated	
vegetative	22	2	UK	Food and Environment Research Agency (FERA)	31/12	01/01	31/01	75 plants	
vegetative	22	2	SK	UKSUP					
vegetative	22	2	DE	Bundessortenamt					
vegetative	22	2	ES	Oficina Española de Variedades Vegetales				75 plants	
<b>Allium sativum L.</b>									
autumn (very early & indetermi- nate)	22	2	FR	GEVES	01/09		01/10	120 bulbs per growing period	bulbs must be free of nematodes, white rot, mites and Onion Yellow Dwarf Virus
plantation, spring	22	2	FR	GEVES	01/09		15/12	120 bulbs per growing period	bulbs must be free from nematodes, white rot, mites and Onion Yellow Dwarf Virus
	22	2	NL	NAKTUINBOUW	15/08		01/09	120 cloves from virus free bulbs	
	22	2	ES	Oficina Española de Variedades Vegetales	30/01		15/10	50 virus free bulbs	
<b>Allium schoenoprasum L.</b>									
	20	2	CZ	UKZUZ	10/01		31/01	20,000 seeds	germination rate 75%
	20	2	FR	GEVES					
	20	2	NL	NAKTUINBOUW	15/02		01/03	5,000 seeds	
	20	2	DE	Bundessortenamt	01/12		01/02	7,200 seeds	minimum germination capacity of 80%
<b>Alstroemeria L.</b>									
seed	14	1	NL	NAKTUINBOUW	01/09	01/10	31/10	10 gr seed and 24 young plants being able to show all their characteristics in the first year of examination	
vegetative	14	1	NL	NAKTUINBOUW	01/09	01/10	31/10	10 young plants being able to show all their characteristics in the first year of examination.	
<b>Anethum graveolens L.</b>									
	21	2	DE	Bundessortenamt	01/02		01/03	8,400f seeds	minimum germination capacity 80%
<b>Angelonia Bonpl.</b>									
vegetative	14	1	DE	Bundessortenamt	01/12	01/04	06/04	25 rooted cuttings	not pinched
<b>Angelonia angustifolia Benth.</b>									
vegetative	14	1	DE	Bundessortenamt	01/12	01/04	08/04	25 rooted cuttings,	not pinched.
<b>Anigozanthos Labill.</b>									
vegetative	14	1	UK	NIAB	01/12	08/03	19/03	15 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season

1	2	3	4	5	6	7	8	9	10
<b><i>Anthurium</i> Schott</b>									
cutflower	13	2	NL	NAKTUINBOUW	01/07	01/02	15/02	6 young plants, able to flower and to show all their characteristics during the second year of examination. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	grown up in Oasis and to be delivered in 21 cm pots
pot plant	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants, able to flower and to show all their characteristics during the examination period. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	
<b><i>Anthurium andraeanum</i> Linden ex Andre</b>									
cutflower	13	2	NL	NAKTUINBOUW	01/07	01/02	15/02	6 young plants, able to flower and to show all their characteristics during the second year of examination. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	grown up in Oasis and to be delivered in 21 cm pots
pot plant	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants, able to flower and to show all their characteristics during the examination period. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	
<b><i>Antirrhinum majus</i> L.</b>									
vegetative	14	1	DE	Bundessortenamt	01/12	01/04	06/04	25 well rooted cuttings	not pinched
<b><i>Apium graveolens</i> L. var. <i>dulce</i> (Mill.) Pers</b>									
	20	2	ES	Oficina Española de Variedades Vegetales					
	20	2	UK	Food and Environment Research Agency (FERA)					
	20	2	FR	GEVES	01/02		01/03	20 g	
	20	2	NL	NAKTUINBOUW	15/02		01/03	15,000 seeds	
<b><i>Apium graveolens</i> L. var. <i>rapaceum</i> (Mill.) Gaud</b>									
	20	2	DE	Bundessortenamt	15/01		01/02	5000 seeds	minimum germination capacity 70%
	20	2	UK	Food and Environment Research Agency (FERA)					
	20	2	NL	NAKTUINBOUW	15/02		01/03	15,000 seeds	
<b><i>Argyranthemum</i> Webb ex Schultz Bip.</b>									
	15	1	DE	Bundessortenamt	01/11	01/03	05/03	25 well rooted cuttings	not pinched
<b><i>Argyranthemum frutescens</i> (L.) Sch. Bip.</b>									
vegetative	15	1	DE	Bundessortenamt	01/11	01/03	06/03	25 rooted cuttings	not pinched
<b><i>Asparagus officinalis</i> L.</b>									
seed	20	4	NL	NAKTUINBOUW	15/12		01/01	1,200 seeds	
seed	20	4	ES	Oficina Española de Variedades Vegetales	31/12		31/01	3000 seed	

1	2	3	4	5	6	7	8	9	10
<b><i>Asparagus officinalis</i> L.</b>									
seed	20	4	FR	GEVES	01/03		01/04	3000 seed (50 g)	
vegetative	22	4	ES	Oficina Española de Variedades Vegetales	31/12		31/01	80 rhizomes	
vegetative	22	4	FR	GEVES	01/03		01/04	30 well developed young plants	
vegetative	22	4	NL	NAKTUINBOUW	15/12		01/05	80 well developed young plants	
<b><i>Aster</i> L.</b>									
cutflower/ pot-plant	14	1	NL	NAKTUINBOUW	15/02	01/05	01/06	24 rooted cuttings; plants must be able to show all their characteristics in the first year of examination	
garden	14	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Astilbe</i> Buch.-Ham. ex D. Don</b>									
vegetative	12	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<b><i>Astrantia major</i> L.</b>									
vegetative	16	2	UK	NIAB	01/12	11/03	22/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two.
<b><i>Aubrieta</i> Adans.</b>									
vegetative	15	1	DE	Bundessortenamt	01/07	15/08	15/09	20 well rooted, strong/well growing pot plants	
<b><i>Avena sativa</i> L.</b>									
spring	1	2	SK	UKSUP	31/01		15/02	3,0 kg	300 panicles
spring	1	2	FI	Finnish Food Safety Authority Evira	01/03		01/04	3,0 kg	120 panicles
spring	1	2	CZ	UKZUZ	10/01		20/01	3,0 kg	200 panicles
spring	1	2	PL	COBORU	31/12	01/02	01/03	6,0 kg	240 panicles
spring	1	2	SE	Swedish Board of Agriculture	01/02		15/02	3,0 kg	150 panicles on request
spring	1	2	ES	Oficina Española de Variedades Vegetales	15/08		15/09	5,0 kg	150 panicles
spring	1	2	EE	Agricultural Research Center	01/02		01/04	3,0 kg	and 150 unbeaten panicles
spring	1	2	DE	Bundessortenamt	01/12		15/12	5,0 kg	on request: 120 panicles and minimum germination capacity 94%
spring	1	2	AT	Bundesamt für Ernährungssicherheit	25/01		29/01	3,0 kg	120 panicles
spring	1	2	DK	Ministry of Food, Agriculture and Fisheries	20/01		10/02	3,0 kg	
spring	1	2	UK	Food and Environment Research Agency (FERA)	30/11		15/01	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	
spring	1	2	FR	GEVES	15/01		25/01	5,0 kg	
winter	1	2	AT	Bundesamt für Ernährungssicherheit	29/08		03/09	3,0 kg	120 panicles
winter	1	2	FR	GEVES	10/09		20/09	5,0 kg	
winter	1	2	DE	Bundessortenamt	15/08		01/09	5,0 kg	on request: 170 panicles and minimum germination capacity 94%
winter	1	2	UK	Food and Environment Research Agency (FERA)	31/08		14/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	

1	2	3	4	5	6	7	8	9	10
<b><i>Avena sativa</i> L.</b>									
winter	1	2	ES	Oficina Española de Variedades Vegetales	01/08		01/09	5,0 kg	150 panicles
<b><i>Begonia boliviensis</i> A. DC.</b>									
vegetative	14	1	DE	Bundessortenamt	01/12	01/04	05/04	25 well rooted cuttings.	
<b><i>Begonia</i> × <i>hiemalis</i> Fotsch (<i>Begonia xelatio</i> hort.)</b>									
vegetative	14	1	DE	Bundessortenamt	01/12	14/04	17/04	25 young plants form not induced top cuttings	
<b><i>Begonia</i> × <i>tuberhybrida</i> Voss</b>									
vegetative	14	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	15/01	15/03	15/04	100 tubers, diameter 4 cm or 100 well rooted cuttings (young plants)	
<b><i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>altissima</i> Döll</b>									
component	5	2	SE	Swedish Board of Agriculture	01/02		15/02	1,0 kg	for a TSW of 10 g and minimum germination capacity of 80%
sugar beet hybrid	5	2	DK	Ministry of Food, Agriculture and Fisheries	20/01		10/02	0.3 units of nzked untreated seeds	
<b><i>Beta vulgaris</i> L. var. <i>conditiva</i> Alef.</b>									
	20	2	PL	COBORU	31/01	01/02	01/03	1,600 g	
	20	2	DE	Bundessortenamt	01/02		01/03	40,000 seeds minimum germination capacity 80%	
	20	2	UK	Food and Environment Research Agency (FERA)					
	20	2	FR	GEVES	01/01		01/02	100 g seed	
	20	2	NL	NAKTUINBOUW	01/04		15/04	9,000 seed clusters	
<b><i>Bidens ferulifolia</i> (Jacq.) DC.</b>									
vegetative	16	1	DE	Bundessortenamt	15/11	13/02	17/02	25 well-rooted cuttings, not pinched.	
<b><i>Bougainvillea</i> Comm. ex Juss.</b>									
vegetative	13	1	DK	University of Aarhus	01/12	20/02	01/03	15 plantlets propagated by nodal cuttings main shoot 4 - 7cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
<b><i>Brassica carinata</i> A. Braun</b>									
	20	2	DE	Bundessortenamt	15/01		15/02	6,000 seeds minimum 80% germination capacity	
<b><i>Brassica napus</i> L. emend. Metzg.</b>									
forage	3	2	UK	Food and Environment Research Agency (FERA)	15/01		15/02	1000 g	
spring	3	2	FR	GEVES	01/02		15/02	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (A, B, R)	
spring	3	2	SE	Swedish Board of Agriculture	01/02		15/02	500 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (A, B, R)	

1	2	3	4	5	6	7	8	9	10
<b><i>Brassica napus</i> L. emend. Metzg.</b>									
spring	3	2	PL	COBORU	15/01	01/02	01/03	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
spring	3	2	DK	Ministry of Agriculture and Fisheries	20/01		10/02	700 g seeds of hybrid varieties or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
spring	3	2	SK	UKSUP	15/01		31/01	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
spring	3	2	DE	Bundessortenamt	15/12		01/02	1000 g of seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94%	For hybrids: in addition 35000 germinable seeds of each component (A, B, R); minimum germination capacity 94%
winter	3	2	DE	Bundessortenamt	05/08		10/08	1000 g of seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94%	For hybrids: in addition 60000 seeds of each component (A, B, R); minimum germination capacity 94%
winter	3	2	FR	GEVES	01/08		10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	3	2	PL	COBORU	10/08	01/08	15/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	3	2	CZ	UKZUZ	31/07		05/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	3	2	SK	UKSUP	30/07		10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	3	2	SE	Swedish Board of Agriculture	01/08		15/08	500 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	3	2	UK	Food and Environment Research Agency (FERA)	10/08		10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	3	2	DK	Ministry of Agriculture and Fisheries	08/08		08/08	700 g seeds of hybrid varieties or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter & spring	3	2	ES	Oficina Española de Variedades Vegetales	01/08		10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
<b><i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i></b>									
seed	20	2	ES	Oficina Española de Variedades Vegetales	01/03		01/04	10,000 seeds	
seed, autumn & winter	20	2	NL	NAKTUINBOUW	15/04		01/05	5 000 seeds	
seed, overwintering	20	2	NL	NAKTUINBOUW	15/05		15/06	5 000 seeds	
seed, spring & summer	20	2	NL	NAKTUINBOUW	01/01		15/01	5,000 seeds	
seed: autumn/winter early type	20	2	FR	GEVES	01/04		01/05	10,000 seeds (50 g)	



1	2	3	4	5	6	7	8	9	10
<b><i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i></b>									
seed:	other	20	2	FR	GEVES		01/04	01/05	10,000 seeds (50 g)
types									
vegetative		22	2	FR	GEVES				
vegetative, autumn & winter		22	2	NL	NAKTUINBOUW		15/04	15/06 01/07	125 plants of commercial standard
vegetative, overwintering		22	2	NL	NAKTUINBOUW		15/05	01/08 15/08	125 plants of commercial standard
vegetative, spring & summer		22	2	NL	NAKTUINBOUW		01/01	15/04 01/05	125 plants of commercial standard
<b><i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duch.</b>									
early & medium early		20	2	PL	COBORU		31/12	15/01 15/02	100 g
medium late & late		20	2	PL	COBORU		31/12	01/03 31/03	100 g
		20	2	FR	GEVES		01/03	01/04	15,000 seeds (50 g)
		20	2	UK	Food and Environment Research Agency (FERA)		15/02	15/03	6,000 seeds
		20	2	NL	NAKTUINBOUW		01/04	15/04	5,000 seeds
		20	2	ES	Oficina Española de Variedades Vegetales		31/05	30/06	20,000 seeds
<b><i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC.</b>									
not point, early round, spring		20	2	NL	NAKTUINBOUW		01/02	15/02	5,000 seeds
pointed, early round, spring		20	2	NL	NAKTUINBOUW		01/01	15/01	5 000 seeds
		20	2	RO	ISTIS		01/02	15/02	10,000 seeds
		20	2	DE	Bundessortenamt		01/01	01/02	5,000 seeds
		20	2	BG	Ministry of Agriculture and Food		15/01	15/02	15,000 seeds
		20	2	FR	GEVES		01/03	01/04	10,000 seeds (50 g)
		20	2	UK	Food and Environment Research Agency (FERA)		01/02	28/02	10,000 seeds
		20	2	ES	Oficina Española de Variedades Vegetales				
		20	2	CZ	UKZUZ		31/12	10/01	10,000 seeds
									germination rate 85%
<b><i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>rubra</i> (L.) Thell.</b>									
		20	2	FR	GEVES		01/03	01/04	15,000 seeds
		20	2	CZ	UKZUZ		31/12	10/01	10,000 seeds
		20	2	BG	Ministry of Agriculture and Food		28/01	28/01 28/02	5,000 seeds
									minimum 75% germination rate after 5 days
		20	2	NL	NAKTUINBOUW		01/02	15/02	5,000 seeds
<b><i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>sabauda</i> L.</b>									
		20	2	UK	Food and Environment Research Agency (FERA)		29/02	31/03	10,000 seeds
		20	2	ES	Oficina Española de Variedades Vegetales				
		20	2	FR	GEVES		01/03	01/04	15,000 seeds
		20	2	CZ	UKZUZ		31/12	10/01	10,000 seeds
		20	2	NL	NAKTUINBOUW		01/05	15/05	5,000 seeds.
<b><i>Brassica oleracea</i> L. var. <i>gemmifera</i> Zenker</b>									
early & medium early		20	2	PL	COBORU		31/12	15/01 15/02	100 g seed

1	2	3	4	5	6	7	8	9	10
<b><i>Brassica oleracea</i> L. var. <i>gemmifera</i> Zenker</b>									
medium late & late	20	2	PL	COBORU	31/12	01/03	31/03	100 g	
	20	2	UK	Food and Environment Research Agency (FERA)	31/01		28/02	6,000 seeds	
	20	2	NL	NAKTUINBOUW	01/03		15/03	5,000 seeds	
	20	2	FR	GEVES	01/03		01/04	15,000 seeds (50 g)	
	20	2	ES	Oficina Española de Variedades Vegetales	29/02		31/03	15,000 seeds	
<b><i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.</b>									
	20	2	CZ	UKZUZ	31/12		10/01	10,000 seeds	germination rate 85%
	20	2	DE	Bundessortenamt	15/12		15/01	5000 seeds	germination rate 85%
	20	2	NL	NAKTUINBOUW	01/06		15/06	5,000 seeds	
<b><i>Brassica rapa</i> L. var. <i>pekinensis</i> (Lour.) Kitam.</b>									
	20	2	FR	GEVES	01/03	01/03	01/04	50 g seed	
	20	2	NL	NAKTUINBOUW	01/06		15/06	5,000 seeds	
<b><i>Buddleja</i> L.</b>									
	11	2	FR	GEVES	15/01	01/10	15/03	8 plants, in container, 2 years old	each plant should be labelled individually.
<b><i>Calathea</i> G. Mey.</b>									
vegetative	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	
<b><i>Calibrachoa</i> Llave &amp; Lex.</b>									
vegetative	16	1	DE	Bundessortenamt	15/11	15/03	21/03	25 well-rooted cuttings.	not pinched
<b><i>Calluna vulgaris</i> (L.) Hull</b>									
vegetative	11	1	DE	Bundessortenamt	01/02	01/03	15/03	25 well-rooted young plants out of the quick-pot propagation tray	root ball diameter 4-6 cm, at least 6 month old plants
<b><i>Campanula portenschlagiana</i> Schult.</b>									
	13	1	UK	NIAB	01/12	11/03	15/03	20 x 8 week old rooted cuttings	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development.
<b><i>Capsicum annuum</i> L.</b>									
autumn	21	2	ES	Oficina Española de Variedades Vegetales	01/06		01/07	3,000 seeds	
except lamuyo types	21	2	NL	NAKTUINBOUW	15/12		31/12	1500 seeds	
field, summer (triangle fruit)	20	2	FR	GEVES	01/02		01/03	2,000 seeds (15 g)	
greenhouse	21	2	HU	CENTRAL AGRICULTURAL OFFICE	15/01		15/02	2,000 seeds	92% min. germination
greenhouse, autumn	21	2	FR	GEVES	01/05		01/06	2,000 seeds (15 g)	
greenhouse, spring	21	2	FR	GEVES	01/01		15/01	2,000 seeds (15 g)	
lamuyo type	21	2	NL	NAKTUINBOUW	15/01		01/02	1 500 seeds	
open field	20	2	BG	Ministry of Agriculture and Food	28/01		28/02	2,500 seeds	minimum 65% germination
ornamental fr	18A	2	FR	GEVES	01/01		15/01	10 gram of seeds	
spring	21	2	ES	Oficina Española de Variedades Vegetales	01/11		01/12	3,000 seeds	
	23	2	NL	NAKTUINBOUW					
	20	2	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)					

1	2	3	4	5	6	7	8	9	10
<b><i>Celosia argentea</i> var. <i>cristata</i> (L.) Kuntze</b>									
seed	18A	1	NL	NAKTUINBOUW	01/12		01/02	5 gram seeds, germination capacity 50%.	
vegetative	14	1	NL	NAKTUINBOUW	01/12	21/04	25/04	75 well rooted cuttings, able to show all their characteristics during the first year of examination.	
<b><i>Chrysanthemum</i> L.</b>									
ayr crop 1	10	1	UK	NIAB	14/07	10/01	14/01	25 unrooted cuttings	Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not be treated in any way that will affect subsequent development.
ayr crop 2	10	1	UK	NIAB	30/10	14/03	18/03	25 unrooted cuttings	Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development.
ayr crop 3	10	1	UK	NIAB	17/02	04/07	08/07	25 unrooted cuttings	Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development.
cut flowers ayr	10	1	PL	COBORU	15/01	09/04	15/04	40 unrooted cuttings	
natural season	11	1	PL	COBORU	15/01	09/04	15/04	25 unrooted cuttings	
natural season	11	1	UK	NIAB	01/12	11/04	15/04	25 unrooted cuttings	Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development.
pot plant ayr	10	1	PL	COBORU	15/01	09/04	15/04	25 unrooted cuttings	
<b><i>Cicer arietinum</i> L.</b>									
	20	2	FR	GEVES	01/12		01/02	1,0 kg	
	20	2	BG	Ministry of Agriculture and Food	28/01		28/02	2,0 kg seed	minimum 85% germination
	20	2	ES	Oficina Española de Variedades Vegetales					
<b><i>Cichorium endivia</i> L.</b>									
autumn	20	2	FR	GEVES	01/05		01/06	5,000 seeds (20 g)	
spring	20	2	FR	GEVES	01/01		01/02	5,000 seeds (20 g)	
	20	2	NL	NAKTUINBOUW	01/01		15/01	5,000 seeds	
	20	2	ES	Oficina Española de Variedades Vegetales	01/03		01/04	25,000 seeds	
<b><i>Cichorium intybus</i> L. partim</b>									
industrial	21	2	HU	CENTRAL AGRICULTURAL OFFICE					
industrial	21	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	31/01		01/03	300 g seed	same category as certified seed
industrial	21	2	NL	NAKTUINBOUW	01/04		15/04	15,000 seeds	
leaf	21	2	NL	NAKTUINBOUW	15/05		01/06	5,000 seeds	
leaf	21	2	HU	CENTRAL AGRICULTURAL OFFICE					

1	2	3	4	5	6	7	8	9	10
<b><i>Cichorium intybus</i> L. partim</b>									
seed, witloof chicory	21	2	NL	NAKTUINBOUW	15/04		01/05	25,000 seeds	
seed, witloof chicory	21	2	HU	CENTRAL AGRICULTURAL OFFICE					
vegetative	23	2	NL	NAKTUINBOUW	15/01			100 plants	
witloof	21	2	FR	GEVES	01/01		01/02	50 g seed	
witloof	21	2	HU	CENTRAL AGRICULTURAL OFFICE					
	21	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant					
<b><i>Citrullus lanatus</i> (Thunb.) Matsum et. Nakai</b>									
field	20	2	HU	CENTRAL AGRICULTURAL OFFICE	15/01		15/02	1,000 seeds	94% min. germination
greenhouse	21	2	ES	Oficina Española de Variedades Vegetales	31/10		30/11	4,500 seeds	
outdoor	20	2	ES	Oficina Española de Variedades Vegetales	31/10		30/11	4,500 seeds	
	20	2	FR	GEVES	01/02		01/03	100 g	
	21	2	NL	NAKTUINBOUW	01/03		15/03	1,200 seeds	
	20	2	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)					
	21	2	FR	GEVES					
<b><i>Citrus</i> L.</b>									
	24	5	ES	Oficina Española de Variedades Vegetales	15/04	15/04	15/06	4 budwoods of 6-10 mm diameter and able to produce at least 20 useful buds	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis, and fulfilling the requirements of Directive 77/93/EEC and 95/44/EC and their subsequent modifications. The authority's official certificate and plant passport must always accompany the consignment.
<b><i>Citrus reticulata</i> Blanco</b>									
	24	5	ES	Oficina Española de Variedades Vegetales	15/04	15/04	16/06	4 budwoods of 6-10 mm diameter and able to produce at least 20 useful buds	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia), citrus leaf blotch virus, and psoriasis, and fulfilling the requirements of Directive 77/93/EEC and 95/44/EC and their subsequent modifications. The authority's official certificate and plant passport must always accompany the consignment.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Citrus sinensis* (L.) Osbeck**

24	5	ES	Oficina Española de Variedades Vegetales	15/04	15/04	15/06	4 budwoods of 6-10 mm diameter and able to produce at least 20 useful buds	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppso-riasis, and fulfilling the requirements of Directive 77/93/EEC and 95/44/EC and their subsequent modifications. The authority's official certificate and plant passport must always accompany the consignment.
----	---	----	--	-------	-------	-------	--	---

***Clematis* L.**

vegetative	15	1	UK NIAB	01/12	11/03	22/03	10 container grown plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
vegetative	15	1	PL COBORU	15/01	01/04	07/04	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	15	1	NL NAKTUINBOUW	01/12	01/04	30/04	5 young plants being able to show all their representative characteristics during the first year of examination	appropriate to be grown in the open

***Coreopsis* L.**

vegetative	16	1	UK NIAB	01/12	25/04	29/04	15 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
------------	----	---	---------	-------	-------	-------	-----------	--

***Coriandrum sativum* L.**

20	2	HU	CENTRAL AGRICULTURAL OFFICE	29/02	01/03	31/03	70 g seeds
----	---	----	-----------------------------	-------	-------	-------	------------

***Cortaderia selloana* (Schult. et Schult. f.) Asch. & Graebn.**

vegetative	15	1	NL NAKTUINBOUW	01/12	01/03	31/03	10 young plants, able to show all their characteristics during the first year of examination.
------------	----	---	----------------	-------	-------	-------	---

***Crocsmia* Planch.**

vegetative	15	1	NL NAKTUINBOUW	01/12	01/04	30/04	30 corms,	able to show all their characteristics during the first year of examination
vegetative	15	1	UK NIAB	01/12	08/03	19/03	15 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season

1	2	3	4	5	6	7	8	9	10
<b><i>Cucumis melo L.</i></b>									
field	20	2	ES	Oficina Española de Variedades Vegetales	31/10		30/11	4,500 seeds	
greenhouse	21	2	ES	Oficina Española de Variedades Vegetales	31/10		30/11	4,500 seeds	
open field	20	2	BG	Ministry of Agriculture and Food	28/01		28/02	2,000 seeds	germination rate 75% after 4 days
	21	2	NL	NAKTUINBOUW	01/03		15/03	1,500 seeds	
	20	2	SK	UKSUP	10/01		31/01	2,000 seeds /40 g	
	20	2	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)					
	21	2	FR	GEVES	01/01		15/01	50 g	
	21	2	SK	UKSUP	10/01		31/01	2,000 seeds /40 g	
<b><i>Cucumis sativus L.</i></b>									
cucumber	21	2	FR	GEVES	01/12		01/01	1,500 seeds(50 g)	
field	20	2	HU	CENTRAL AGRICULTURAL OFFICE	15/12		15/01	2,000 seeds	94% min. germination
gherkin	21	2	FR	GEVES	01/03		01/04	1,500 seeds (50 g)	
greenhouse	21	2	BG	Ministry of Agriculture and Food	01/01		01/02	1,500 seeds	minimum germination rate 80% after 4 days
heated covers	21	2	PL	COBORU	31/10	30/11	31/12	300 seeds	
open field	20	2	BG	Ministry of Agriculture and Food	15/02		15/03	1,500 seed	minimum 80% germination rate after 4 days
open field	20	2	PL	COBORU	29/02	01/03	31/03	200 g	
seed autumn	21	2	ES	Oficina Española de Variedades Vegetales	01/06		01/07	1,800 seeds	
seed spring	21	2	ES	Oficina Española de Variedades Vegetales	01/11		01/12	1,800 seeds	
seed, European type	21	2	NL	NAKTUINBOUW	15/12		01/01	1,500 seeds	
seed, all except European type	21	2	NL	NAKTUINBOUW	01/02		15/02	1 500 seeds	
vegetative	23	2	NL	NAKTUINBOUW	01/01			24 plants, date depending on type	plants of commercial standard type
vegetative	23	2	ES	Oficina Española de Variedades Vegetales				50 plants	
	23	2	FR	GEVES					
	20	2	DE	Bundessortenamt	01/03		01/04	3,000 seeds	minimum germination capacity 90%
	21	2	HU	CENTRAL AGRICULTURAL OFFICE					
<b><i>Cucurbita pepo L.</i></b>									
autumn, field	20	2	FR	GEVES	01/02		01/06	150 g seed	
field	20	2	HU	CENTRAL AGRICULTURAL OFFICE	15/02		15/03	3,000 seeds	88% min. germination
halloween, field	20	2	FR	GEVES	01/02		01/04	150 g seed	
non trailing type	21	2	NL	NAKTUINBOUW	15/04		01/05	1,000 seeds	
spring	20	2	FR	GEVES	01/02		01/03	150 g seed	
trailing type	21	2	NL	NAKTUINBOUW	15/03		01/04	1,000 seeds	
	20	2	ES	Oficina Española de Variedades Vegetales					
	21	2	ES	Oficina Española de Variedades Vegetales					
	21	2	FR	GEVES					

1	2	3	4	5	6	7	8	9	10
<b><i>Curcuma alismatifolia</i> Gagnep.</b>									
vegetative	13	1	NL	NAKTUINBOUW	01/12	15/04	15/05	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Cymbidium</i> Sw.</b>									
august crop	14	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	14	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<b><i>Cymara scolymus</i> L.</b>									
seed	20	2	NL	NAKTUINBOUW	01/02		15/02	1,400 seeds	
seed	20	2	ES	Oficina Española de Variedades Vegetales					
seed	20	2	FR	GEVES	01/04		01/07	50 g	
vegetative	22	2	FR	GEVES	01/04		01/09	60 rooted plants	Healthy and virus-free
vegetative	22	2	ES	Oficina Española de Variedades Vegetales					
<b><i>Dactylis glomerata</i> L.</b>									
	4	2	FR	GEVES	15/12		10/01	1,0 kg	
	4	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01		10/02	1,0 kg	germination rate 80%
	4	2	SK	UKSUP	15/01		31/01	1,5 kg	
<b><i>Dahlia</i> Cav.</b>									
greenhouse	14	1	UK	NIAB	01/12	09/05	13/05	20 well-rooted cuttings	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development.
outdoor	16	1	UK	NIAB	01/12	09/05	13/05	20 well-rooted cuttings	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development.
<b><i>Daucus carota</i> L.</b>									
autumn	20	2	FR	GEVES	01/04		01/05	90,000 seeds (150 g)	
spring	20	2	FR	GEVES	01/01		01/02	90,000 seeds (150 g)	
	20	2	PL	COBORU	31/01	01/02	01/03	400 g	
	20	2	ES	Oficina Española de Variedades Vegetales	31/05		30/06	90,000 seeds	
	20	2	NL	NAKTUINBOUW	15/03		15/04	30,000 seeds	
	20	2	UK	Food and Environment Research Agency (FERA)	29/02		31/03	35,000 seeds	
<b><i>Dendrobium</i> Sw.</b>									
august crop	14	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	14	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<b><i>Dianthus</i> L.</b>									
vegetative	14	1	NL	NAKTUINBOUW	01/11	07/02	15/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	for 85% without virus (carnation mottle virus and or carnation etched ring virus)

1	2	3	4	5	6	7	8	9	10
<b><i>Dianthus</i> × <i>allwoodii</i> hort.</b>									
vegetative	14	1	NL	NAKTUINBOUW	01/11	07/02	15/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	for 85% without virus (carnation mottle virus and or carnation etched ring virus)
<b><i>Dianthus caryophyllus</i> L.</b>									
vegetative	14	1	NL	NAKTUINBOUW	01/11	07/02	15/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	for 85% without virus (carnation mottle virus and or carnation etched ring virus)
<b><i>Diascia</i> Link et Otto</b>									
vegetative	16	1	UK	NIAB	01/12	25/04	28/04	20 plug plants	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development; plants should be of sufficient size to flower and/or show their representative characteristics in the first year
<b><i>Diospyros kaki</i> L.f.</b>									
	24	4	ES	Oficina Española de Variedades Vegetales	30/11	01/12	31/01	9 one-year old trees grafted on to one of the following rootstocks according to the type of candidate variety: * Non-astringent kaki varieties (PCNA): Diospyros kaki * Astringent kaki varieties (PCA, PVA, PVNA): Diospyros lotus	Plant material must be accompanied by a recognised certificate indicating it has been laboratory tested and found to be free of: Acremonium diospyri (sin. Cephalosporium diospyri) Pellicularia koleroga (Corticium stevensii) Mycosphaerella brassicicola
<b><i>Diplozax tenuifolia</i> (L.) DC.</b>									
	21	2	NL	NAKTUINBOUW	15/01		01/02	5,000 seeds	
	21	2	FR	GEVES	01/01		01/02	15,000 seeds	minimum germination rate 80% after 4 days
<b>× <i>Doritaenopsis</i> hort.</b>									
august crop	14	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering.
january crop	14	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering.
<b><i>Echinacea</i> Moench</b>									
vegetative	15	2	UK	NIAB	01/12	11/03	22/03	15 container grown plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two.
<b><i>Echinacea purpurea</i> (L.) Moench</b>									
seed-propagated	17A	2	UK	NIAB	01/12	24/01	28/01	250 seeds of high germination capacity	
vegetative	15	2	UK	NIAB	01/12	11/03	22/03	15 container grown plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two.
<b><i>Echinacea purpurea</i> (L.) Moench × <i>E. paradoxa</i> (Norton) Britton</b>									
vegetative	15	2	UK	NIAB	01/12	11/03	22/03	15 container grown plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two.



1	2	3	4	5	6	7	8	9	10
<b><i>Eruca sativa</i> Mill.</b>									
	20	2	NL	NAKTUINBOUW	15/01		01/02	5,000 seeds	
	20	2	FR	GEVES	01/01		01/02	15,000 seeds	Minimum germination rate 80% after 4 days.
<b><i>Euphorbia hypericifolia</i> L. (syn. <i>Chamaesyce hypericifolia</i> (L.) Millsp.)</b>									
	14	1	DE	Bundessortenamt	01/11	27/02	03/03	25 well-rooted cuttings,	not pinched.
<b><i>Euphorbia milii</i> Des Moul.</b>									
vegetative	14	1	DE	Bundessortenamt	15/11	15/03	21/03	25 young plants	well rooted, not flowering
<b><i>Euphorbia pulcherrima</i> Willd. ex Klotzsch</b>									
vegetative	9A	1	DK	University of Aarhus	01/01	05/03	09/03	10 well rooted cuttings	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 57 60 75 66. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. Department of Horticulture: Tel 0045 8999 1900 or fax 0045 89999
vegetative	9A	1	PL	COBORU	01/01	01/03	07/03	16 rooted cuttings	
<b><i>Festuca arundinacea</i> Schreb.</b>									
	4	2	FR	GEVES	15/12		10/01	1,0 kg	of the generation for commercialisation
	4	2	FI	Finnish Food Safety Authority Evira	01/03		01/04	1,5 kg	
	4	2	PL	COBORU	15/01		01/03	1,0 kg	
<b><i>Festuca pratensis</i> Huds.</b>									
	4	2	FI	Finnish Food Safety Authority Evira	01/03		01/04	1,5 kg	
	4	2	DE	Bundessortenamt	15/01		15/02	1,5 kg	minimum germination capacity 86%
	4	2	SK	UKSUP	15/02		28/02	1,0 kg	
<b><i>Festuca rubra</i> L.</b>									
	4	2	PL	COBORU	15/01		01/03	1,0 kg	
	4	2	EE	Agricultural Research Center	01/02		01/03	1,2 kg	
	4	2	SK	UKSUP	15/01		31/01	1,5 kg	
	4	2	NL	NAKTUINBOUW	15/01		01/02	1,2 kg	
	4	2	DE	Bundessortenamt	15/01		15/02	1,5 kg	minimum germination capacity 86%
<b><i>Fittonia albivenis</i> (Lindl. ex hort. Veitch) Brummitt (syn. <i>Fittonia verschaffeltii</i>)</b>									
vegetative	14	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
<b><i>Foeniculum vulgare</i> P. Mill.</b>									
Pharmaceutic	20	2	DE	Bundessortenamt	15/01		15/02	5,400 seeds	minimum germination capacity 80%

1	2	3	4	5	6	7	8	9	10
<i>Foeniculum vulgare</i> P. Mill.									
	20	2	FR	GEVES	01/03		01/04	35 g untreated seed	
	20	2	NL	NAKTUINBOUW	01/04		15/04	4,000 seeds	
<i>Fragaria × ananassa</i> Duch.									
day bearing	neutral	27	2	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	31/01	01/02	28/02	40 virus-tested plants packed in such a way as to prevent dehydration, and free from viruses, root rot or nematodes.
non, partial or fully remontan		27	2	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	31/10	01/11	30/11	40 virus-tested plants packed in such a way as to prevent dehydration, and free from viruses, root rot and nematodes.
seed		27	2	DE	Bundessortenamt	15/10		15/12	1.5 g seed Minimum germination capacity 60%
vegetative		27	2	DE	Bundessortenamt	15/06	01/07	31/07	30 vigorous, well rooted, virus-tested potted fresh plants, free from viruses, root rots and nematodes. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures. The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Strawberry crinkle rhabdovirus Strawberry mild yellow edge Strawberry mottle Strawberry veinbanding caulimovirus
vegetative		27	2	PL	COBORU	30/06	01/09	15/09	60 well-rooted, virus-tested, potted fresh plants The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Strawberry crinkle rhabdovirus Strawberry mild yellow edge Strawberry mottle Strawberry veinbanding caulimovirus
	27	2	ES	Oficina Española de Variedades Vegetales	31/07	01/09	15/10	30 well-rooted, vigorous, virus-tested potted fresh plants. The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Strawberry crinkle rhabdovirus Strawberry mild yellow edge Strawberry mottle Strawberry veinbanding caulimovirus	

1	2	3	4	5	6	7	8	9	10
<b><i>Fragaria</i> × <i>ananassa</i> Duch.</b>									
	27	2	LV	State Plant Protection Service					
<b><i>Freesia</i> Eckl. ex Klatt</b>									
vegetative	10	1	NL	NAKTUINBOUW	15/05	15/06	15/07	30 corms; plants must show all their characteristics in the first year of examination	over sieve size 5, without having undergone any treatment
<b><i>Fuchsia</i> L.</b>									
vegetative	15	1	DE	Bundessortenamt	01/11	15/02	16/02	25 well rooted cuttings	not pinched
<b><i>Gaillardia aristata</i> Pursh</b>									
seed	16	1	HU	CENTRAL AGRICULTURAL OFFICE	01/12		31/01	2000 seeds	germination capacity 70%
vegetative	16	1	UK	NIAB	01/12	08/03	19/03	10 plants	container grown
<b><i>Gaura</i> L.</b>									
vegetative	15	1	UK	NIAB	01/12	14/03	25/03	15 young plants	plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
<b><i>Gaura lindheimeri</i> Engelm. et A. Gray</b>									
vegetative	15	1	UK	NIAB	01/12	14/03	25/03	15 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
<b><i>Geranium</i> L.</b>									
vegetative	15	1	UK	NIAB	01/12	08/03	19/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
<b><i>Gerbera</i> L.</b>									
cut flower varieties	13	1	NL	NAKTUINBOUW	31/03	14/05	18/05	12 young plants being able to show all their characteristics in the first year of examination	not grown on rockwool
garden varieties	13	1	NL	NAKTUINBOUW	31/10	01/03	31/03	12 container-grown plants being able to show all their characteristics in the first year of examination	
pot varieties	13	1	NL	NAKTUINBOUW	31/10	01/03	31/03	12 container-grown plants being able to show all their characteristics in the first year of examination	
vegetative	13	1	PL	COBORU	01/02	09/05	14/05	12 young plants	commercial standard
<b><i>Gladiolus</i> L.</b>									
vegetative	16	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 corms of flowering size; plants must be able to show all their characteristics in the first year of examination	
<b><i>Glycine max</i> (L.) Merrill</b>									
	3	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	5,0 kg	
	3	2	RO	ISTIS	01/02		15/02	2,0 kg	
	3	2	FR	GEVES	01/03		31/03	3,0 kg	
	3	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01		15/02	5,0 kg	

1	2	3	4	5	6	7	8	9	10
<b><i>Gossypium hirsutum</i> L.</b>									
agricultural	6	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	5,0 kg	delinted seed
ornamental (seed-propagated)	17A	2	ES	Oficina Española de Variedades Vegetales	01/01		15/02	1 kg of seeds	
	6	2	BG	Ministry of Agriculture and Food					
	6	2	GR	MINISTRY OF AGRICULTURE	01/01	01/03	15/03	3,0 kg	delinted seed
<b><i>Guzmania Ruiz et Pav.</i></b>									
seed	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 young plants, able to show all their characteristics during the first year of examination.	age: approximately 1 months before flower induction treatment
vegetative	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	age: approximately 1 month before flower induction treatment
<b><i>Gypsophila</i> L.</b>									
vegetative	9	1	NL	NAKTUINBOUW	01/10	01/02	28/02	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	
<b><i>Hebe Comm. ex. Juss.</i></b>									
vegetative, non variegated	15	1	UK	NIAB	01/12	11/03	22/03	10 container grown plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season.
vegetative, variegated	15	1	UK	NIAB	01/12	11/03	22/03	15 container grown plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season.
<b><i>Helianthus annuus</i> L.</b>									
hybrid	3	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01		15/03	1,0 kg of the hybrid	and 500 g per each component (male sterile line, maintainer line, restorer line and parent lines with its components)
hybrid	3	2	BG	Ministry of Agriculture and Food	01/02		01/03	1,0 kg of the hybrid	and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)
hybrid	3	2	RO	ISTIS	01/02		01/03	1,0 kg of the hybrid	and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)
hybrid	3	2	FR	GEVES	01/02		01/03	1,0 kg of the hybrid	and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)
hybrid line	3	2	SK	UKSUP	29/02		10/03	800 g	
line	3	2	BG	Ministry of Agriculture and Food	01/02		01/03	5000 grains	
line	3	2	FR	GEVES	01/02		01/03	5000 grains	
line	3	2	ES	Oficina Española de Variedades Vegetales	01/12		01/01	500 g	
line	3	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01		15/03	500 g	
line	3	2	SK	UKSUP	29/02		10/03	500 g	
line	3	2	RO	ISTIS	01/02		01/03	5000 seeds	

1	2	3	4	5	6	7	8	9	10	
<b><i>Helianthus annuus</i> L.</b>										
male line	sterile	3	2	ES	Oficina Española de Variedades Vegetales	01/12	01/01	500 g of male sterile line	and 100 g of maintainer	
male line	sterile	3	2	SK	UKSUP	29/02	10/03	500 g		
male line	sterile	3	2	FR	GEVES	01/02	01/03	5000 grains of male sterile line	and 500 grains of maintainer line	
male line	sterile	3	2	BG	Ministry of Agriculture and Food	01/02	01/03	5000 grains of male sterile line	and 1000 grains of maintainer line	
male line	sterile	3	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01	15/03	500 g		
single hybrid		3	2	ES	Oficina Española de Variedades Vegetales	01/12	01/01	2,0 kg of the hybrid	and 500 grams of each component (A,C and R), 300 grams of B	
single as parent	hybrid	3	2	SK	UKSUP	29/02	10/03	500 g		
single as parent	hybrid	3	2	FR	GEVES	01/02	01/03	5000 grains	and 5000 grains of the male sterile line, maintainer line, and male maintainer line (if material unknown)	
single as parent	hybrid	3	2	BG	Ministry of Agriculture and Food	01/02	01/03	5000 grains	and 5000 grains of the male sterile line, maintainer line and male maintainer line (if material unknown)	
<b><i>Heliotropium arborescens</i> L.</b>										
vegetative		15	1	UK	NIAB	01/12	19/04	23/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
vegetative		15	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Helleborus</i> L.</b>										
seed		15	1	NL	NAKTUINBOUW	01/12	01/02	20 gram seeds of germination capacity 50% and 50 one-year old plants not flowering or having flowered	submission period for seeds: to 31/03/2008 submission period for plants: 1/04/2008 - 30/04/2008	
vegetative -cuttings, in vitro		15	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	
vegetative -division of plants		15	1	NL	NAKTUINBOUW	01/12	01/10	31/10	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Helleborus niger</i> L.</b>										
seed		17A	1	NL	NAKTUINBOUW	01/12	31/03	20 gram seeds of germination capacity 50% and 50 one-year old plants not flowering or having flowered and able to show all their characteristics in the first year of examination.	submission period for seeds: to 31/03/2009 submission period for plants: 1/04/2009 - 30/04/2009	
vegetative		15	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard	
<b><i>Helleborus</i> × <i>nigercors</i> J. T. Wall</b>										
vegetative		15	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard	
<b><i>Helleborus orientalis</i> Lam.</b>										
vegetative		15	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard	

1	2	3	4	5	6	7	8	9	10	
<b><i>Heuchera L.</i></b>										
seed	15	1	UK	NIAB		01/12	24/01	28/01	250 seed	Seed must be of high germination capacity
vegetative	15	1	UK	NIAB		01/12	11/03	22/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season.
vegetative	15	1	NL	NAKTUINBOUW		01/12	01/03	31/03	10 young plants being able to show all their characteristics in the first year of examination	
<b><i>Hibiscus L.</i></b>										
garden plants	15	1	UK	NIAB		01/12	11/03	22/03	15 vegetatively propagated plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season.
<b><i>Hibiscus moscheutos L.</i></b>										
vegetative	15	1	UK	NIAB		01/12	11/03	22/03	15 vegetatively propagated plants,	Plants should be visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size to flower and/or to show all their representative characteristics in the first year.
<b><i>Hibiscus rosa-sinensis L.</i></b>										
vegetative	13	1	DE	Bundessortenamt		01/11	01/03	05/03	20 rooted top cuttings	not pinched and not treated with growth regulators
vegetative	13	1	UK	NIAB		01/12	14/03	18/03	20 young plants	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year
<b><i>Hibiscus syriacus L.</i></b>										
vegetative	15	1	UK	NIAB		01/12	11/03	22/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
	15	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant						
<b><i>Hippeastrum Herb.</i></b>										
vegetative	14	1	NL	NAKTUINBOUW		01/11	11/12	15/12	20 bulbs	of flowerable size of which at least 18 should flower; bulbs should have been treated so that they will flower under greenhouse conditions in the Northern hemisphere in January.

1	2	3	4	5	6	7	8	9	10	
<b><i>Hippophae rhamnoides</i> L.</b>										
	25	4	DE	Bundessortenamt	01/02	01/03	31/03	6 one-year-old, potted plants with a good root development		
<b><i>Hordeum vulgare</i> L. sensu lato</b>										
hybrid winter	cms,	1	2	FR	GEVES	10/09	20/09	hybrid: 5,0 kg	2,5 kg of male sterile line and 5,0 kg of maintainer and restorer line	
spring		1	2	DK	Ministry of Food, Agriculture and Fisheries	20/01	10/02	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line	
spring		1	2	FI	Finnish Food Safety Authority Evira	01/03	01/04	3,0 kg	120 ears	
spring		1	2	SK	UKSUP	15/12	20/01	5,0 kg	and 260 unthreshed ears	
spring		1	2	RO	ISTIS	10/01	01/02	3,0 kg	minimum germination capacity 94% and 100 unthreshed ears	
spring		1	2	CZ	UKZUZ	10/01	20/01	3,0 kg	200 ears	
spring		1	2	DE	Bundessortenamt	05/01	20/01	5,0 kg	on request: 120 ears and minimum germination capacity 94%	
spring		1	2	EE	Agricultural Research Center	01/02	01/04	3,0 kg	and unbeaten 150 ears	
spring		1	2	AT	Bundesamt für Ernährungssicherheit	29/01	29/01	3,0 kg	120 ears	
spring		1	2	PL	COBORU	31/12	01/02	01/03	6,0 kg	240 ears. In case of hybrid: in addition 3 kg and 240 ears for each component of the hybrid.
spring		1	2	ES	Oficina Española de Variedades Vegetales	15/08	15/09	3,0 kg	240 ears	
spring		1	2	FR	GEVES	15/01	25/01	5,0 kg		
spring		1	2	UK	Food and Environment Research Agency (FERA)	30/11	08/01	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line	
winter		1	2	RO	ISTIS	15/08	01/09	3,0 kg, minimum germination capacity 94%	150 ears	
winter		1	2	DE	Bundessortenamt	15/08	01/09	5,0 kg	on request: 170 ears and minimum germination capacity 94%	
winter		1	2	ES	Oficina Española de Variedades Vegetales	01/08	01/09	3,0 kg	240 ears	
winter		1	2	UK	Food and Environment Research Agency (FERA)	24/08	08/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line	
winter		1	2	HU	CENTRAL AGRICULTURAL OFFICE	10/09	20/09	5,0 kg	and 220 ears	
winter		1	2	BG	Ministry of Agriculture and Food	01/08	01/09	2,0 kg seeds and 250 unthreshed ears		
winter		1	2	DK	Ministry of Food, Agriculture and Fisheries	01/09	01/09	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line	
winter		1	2	AT	Bundesamt für Ernährungssicherheit	29/08	03/09	3,0 kg	120 ears	
winter		1	2	CZ	UKZUZ	20/08	25/08	3,0 kg	200 ears	
winter		1	2	SK	UKSUP	25/08	31/08	5,0 kg	and 360 unthreshed ears	
winter		1	2	FR	GEVES	10/09	20/09	5,0 kg		
winter		1	2	PL	COBORU	20/08	20/08	31/08	6,0 kg	300 ears. In case of hybrid: in addition 3 kg and 300 ears for each component of the hybrid.
<b><i>Hosta</i> Tratt.</b>										
vegetative		15	2	NL	NAKTUINBOUW	01/12	01/04	15/04	24 plants of two years old, able to show all their representative characteristics	

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Humulus lupulus* L.**

	26	3	DE	Bundessortenamt	15/01	01/03	15/03	18 dormant roots	healthy without mildew. Plant material from the US must be accompanied by a certificate proving that each plant is free of the hop stunt viroid.
--	----	---	----	-----------------	-------	-------	-------	------------------	--

***Hydrangea macrophylla* (Thunb.) Ser.**

vegetative	11	2	FR	GEVES	30/10	15/11	30/11	10 rooted, container-grown plants, 6 to 8 month old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	----	---	----	-------	-------	-------	-------	--	--

***Hydrangea paniculata* Siebold**

vegetative	11	2	FR	GEVES	30/10	15/11	30/11	10 rooted, container-grown plants, 6 to 8 month old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	----	---	----	-------	-------	-------	-------	--	--

***Hypericum* L.**

vegetative	12	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	
------------	----	---	----	-------------	-------	-------	-------	--	--

***Hypericum androsaemum* L.**

vegetative	12	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	
------------	----	---	----	-------------	-------	-------	-------	--	--

***Hypericum* × *inodorum* Mill.**

vegetative	12	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	
------------	----	---	----	-------------	-------	-------	-------	--	--

***Impatiens* L.**

vegetative	14	1	DE	Bundessortenamt	15/11	15/03	21/03	20 young plants	as in commerce, not pinched
------------	----	---	----	-----------------	-------	-------	-------	-----------------	-----------------------------

***Impatiens New Guinea* Group**

vegetative	14	1	DE	Bundessortenamt	15/11	15/03	21/03	20 young plants	as in commerce, not pinched
------------	----	---	----	-----------------	-------	-------	-------	-----------------	-----------------------------

***Impatiens walleriana* Hook. f.**

vegetative	14	1	DE	Bundessortenamt	15/11	15/03	21/03	20 young plants	as in commerce, not pinched
------------	----	---	----	-----------------	-------	-------	-------	-----------------	-----------------------------

***Ipomoea batatas* (L.) Lam.**

ornamental, vegetative	16	1	UK	NIAB	01/12	19/04	23/04	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
---------------------------	----	---	----	------	-------	-------	-------	-----------------	---



1	2	3	4	5	6	7	8	9	10
<b><i>Kalanchoe Adans.</i></b>									
vegetative	13	1	DE	Bundessortenamt	15/11	15/04	21/04	30 unrooted cuttings.	
vegetative, parent in 13a	13A	1	DE	Bundessortenamt	15/11	15/04	21/04	30 unrooted cuttings	
<b><i>Kalanchoe blossfeldiana Poelln.</i></b>									
vegetative	13A	1	DE	Bundessortenamt	15/11	15/04	21/04	30 unrooted cuttings	
<b><i>Lactuca sativa L.</i></b>									
greenhouse au- tumn	21	2	ES	Oficina Española de Variedades Vegetales	01/06		01/07	14,000 seeds	
greenhouse	21	2	FR	GEVES	01/09		01/10	14,000 seeds (30 g)	
greenhouse	21	2	NL	NAKTUINBOUW	15/12		01/01	14,000 seeds	
greenhouse	21	2	ES	Oficina Española de Variedades Vegetales	01/11		01/12	14,000 seeds	
spring									
outdoor	20	2	FR	GEVES	01/01		01/02	14,000 seeds (30 g)	
outdoor	20	2	NL	NAKTUINBOUW	01/02		01/03	14,000 seeds	
outdoor	20	2	DE	Bundessortenamt	15/01		15/02	25,000 seeds	minimum germination capacity 90%
outdoor au- tumn	20	2	ES	Oficina Española de Variedades Vegetales	01/06		01/07	14,000 seeds	
outdoor spring	20	2	ES	Oficina Española de Variedades Vegetales	01/11		01/12	14,000 seeds	
<b><i>Lagerstroemia indica L.</i></b>									
vegetative	11	2	FR	GEVES	01/09	01/10	15/03	8 plants, well rooted, in con- tainer, 2 years old.	each plant should be labelled in- dividually.
<b><i>Lantana camara L.</i></b>									
vegetative	16	1	DE	Bundessortenamt	15/11	27/02	03/03	25 rooted cuttings	not pinched
<b><i>Lavandula angustifolia Mill.</i></b>									
seed	11	2	FR	GEVES	01/11	15/01	01/03	30 young and well rooted plants	plants should be of sufficient size to flower and/or show their other representative characteristics
vegetative	11	2	FR	GEVES	01/11	15/01	01/03	15 plants well rooted,	Plants should be of sufficient size to flower and/or show their other representative characteristics
	11	2	BG	Ministry of Agricul- ture and Food					
<b><i>Lavandula stoechas L.</i></b>									
seed	11	2	FR	GEVES	01/11	15/01	15/02	30 young and well rooted plants	plants should be of sufficient size to flower and/or show their other representative characteristics
vegetative	11	2	FR	GEVES	01/11	15/01	15/02	15 plants well rooted,	Plants should be of sufficient size to flower and/or show their other representative characteristics
<b><i>Lemna minor L.</i></b>									
	7	1	NL	NAKTUINBOUW	01/08	01/09	01/10	Plant material to be sent on re- quest. 100 young plants of com- mercial standard able to show all their characteristics in the first year of examination. To be de- livered in water.	Contact person: Wim Sang- ster, Tel.: +31 (0)71 3326124; w.sangster@naktuinbouw.nl
<b><i>Lilium L.</i></b>									
vegetative	14	1	NL	NAKTUINBOUW	01/11	05/01	15/01	30 bulbs, without having under- gone any treatment. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14- 16; LxA hybrids: 14-16; LxO hy- brids: 16-18; Other: of commer- cial bulb size.	Virus: for 90% without LSV, for 95% without TMV (Type Longi- florum included).

1	2	3	4	5	6	7	8	9	10
<b><i>Limonium sinense</i> (Girard) Kuntze</b>									
vegetative, greenhouse	14	1	NL	NAKTUINBOUW	01/12	01/03	15/03	24 young plants being able to show all their characteristics during the first year of examination	after cold treatment
<b><i>Limonium sinuatum</i> (L.) Mill.</b>									
vegetative, outdoor	14	1	NL	NAKTUINBOUW	01/12	01/05	15/05	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<b><i>Linum usitatissimum</i> L.</b>									
fibre	6	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	15/01		01/03	1,0 kg	germination rate of 85%
oil	3	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	15/01		01/03	1,5 kg	germination rate of 85%
	3	2	FR	GEVES	01/01		15/01	1,0 kg	germination rate of 85%
	3	2	RO	ISTIS	15/01		15/02	1,0 kg	germination rate of 85%
	3	2	NL	NAKTUINBOUW	15/01		01/02	1,5 kg	
<b><i>Lobelia erinus</i> L.</b>									
vegetative	16	1	DE	Bundessortenamt	01/11	01/03	06/03	25 rooted cuttings	not pinched
<b><i>Lolium boucheanum</i> Kunth</b>									
	4	3	UK	Food and Environment Research Agency (FERA)	05/01		05/02	1,5 kg diploids, 2,0 kg teraploids	
	4	3	NL	NAKTUINBOUW					
	4	3	DE	Bundessortenamt	15/01		15/02	1,5 kg	minimum germination capacity 90%
<b><i>Lolium multiflorum</i> Lam.</b>									
	4	3	DE	Bundessortenamt	15/01		15/02	1,5 kg	minimum germination capacity 90%
	4	3	UK	Food and Environment Research Agency (FERA)	05/01		05/02	1,5 kg diploids; 2,0 kg tetraploids	
	4	3	NL	NAKTUINBOUW	15/01		01/02	1,5 kg	
<b><i>Lolium perenne</i> L.</b>									
	4	3	NL	NAKTUINBOUW	15/01		01/02	1,5 kg	
	4	3	PL	COBORU	15/01		31/01	1,0 kg	
	4	3	SK	UKSUP	15/01		31/01	1,0 kg	
	4	3	UK	Food and Environment Research Agency (FERA)	05/01		05/02	1,5 kg diploids; 2,0 kg tetraploids	
	4	3	EE	Agricultural Research Center	01/02		01/03	1,5 kg	
	4	3	DE	Bundessortenamt	15/01		15/02	1,5 kg	minimum germination capacity 90%
	4	3	HU	CENTRAL AGRICULTURAL OFFICE	31/01		10/02	1,0 kg	germination rate 80 %
<b><i>Lonicera caerulea</i> L. var. <i>kamtschatica</i> Sevest.</b>									
	25	4	LV	State Plant Protection Service					
<b><i>Ludisia discolor</i> (Ker-Gawl.) A. Rich.</b>									
vegetative, august crop	14	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants	Plants should be able to flower and to show all their characteristics in the first year of examination. Plants must not be flowering and must not have flowered before.

1	2	3	4	5	6	7	8	9	10
<b><i>Ludisia discolor</i> (Ker-Gawl.) A. Rich.</b>									
vegetative, january crop	14	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants	Plants should be able to flower and to show all their characteristics in the first year of examination. Plants must not be flowering and must not have flowered before.
<b><i>Lupinus L.</i></b>									
ornamental	16	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics during the first year of examination	
<b><i>Lupinus angustifolius L.</i></b>									
	8	2	DE	Bundessortenamt	15/12		01/02	4.0 kg	minimum germination capacity 85%
	8	2	PL	COBORU	31/12	01/02	05/03	6,0 kg	
	8	2	ES	Oficina Española de Variedades Vegetales					
<b><i>Lycopersicon esculentum Mill.</i></b>									
field	20	2	HU	CENTRAL AGRICULTURAL OFFICE	15/12		15/01	2,000 seeds	95% min. germination
greenhouse spring	21	2	RO	ISTIS	15/01		01/02	10 g seed	
heated covers	21	2	PL	COBORU	31/10	15/11	15/12	4 g seed	
open field	20	2	BG	Ministry of Agriculture and Food	28/01		28/02	2,500 seeds	minimum 75% germination
open field	20	2	PL	COBORU	31/01	01/02	01/03	20 g seed	
open field	20	2	RO	ISTIS	01/02		15/02	10 g seed	
seed, indetm., green shoulder	21	2	NL	NAKTUINBOUW	01/03		01/04	2,500 seeds	germination rate 70% after 5 days
seed, determinate	21	2	NL	NAKTUINBOUW	15/03		15/04	2,500 seeds	
seed, field with support	20	2	FR	GEVES	01/02		01/03	2,500 seeds (10 g)	
seed, field without support	20	2	FR	GEVES	01/02		01/03	2,500 seeds (10 g)	
seed, greenhouse	21	2	HU	CENTRAL AGRICULTURAL OFFICE					
seed, greenhouse	21	2	ES	Oficina Española de Variedades Vegetales	01/11		01/12	2,500 seeds	
seed, greenhouse autumn	21	2	FR	GEVES	01/06		15/06	2,500 seeds (10 g)	
seed, greenhouse spring	21	2	FR	GEVES	15/12		01/01	2,500 seeds (10 g)	
seed, indtm, non-green shldr	21	2	NL	NAKTUINBOUW	01/12		15/12	2,500 seeds	
seed, indtm.cherry cocktail	21	2	NL	NAKTUINBOUW	01/05		15/05	2,500 seeds	germination rate 70% after 5 days
seed, outdoor	20	2	ES	Oficina Española de Variedades Vegetales	01/11		01/12	2,500 seeds	
unheated covers	21	2	PL	COBORU	30/12	31/01	28/02	4 g seed	
vegetative	23	2	NL	NAKTUINBOUW	01/12			24 plants, date depending on type	of commercial standard
vegetative, greenhouse	23	2	FR	GEVES				25 plants	
vegetative, greenhouse	23	2	ES	Oficina Española de Variedades Vegetales				25 plants	

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Lycopersicon esculentum* Mill.**

20 2 PT DIRECÇÃO-GERAL  
DE AGRICULTURA  
E DESENVOLVI-  
MENTO RURAL  
(DGADR)

***Lycopersicon lycopersicum* (L.) Karst. ex. Farw. × *Lycopersicon hirsutum* L.**

rootstock	23	2	NL	NAKTUINBOUW	01/04		15/04	2,500 seeds	
rootstock	23	2	FR	GEVES	01/05	01/05	01/06	2,500 seeds	
rootstock	23	2	ES	Oficina Española de Variedades Vegetales				25 plants	

***Malus* Mill.**

ornamental	15	4	LV	State Plant Protec- tion Service					
ornamental	15	4	UK	NIAB	01/12	12/03	23/03	8 container grown trees.	

Trees must be vegetatively propagated, visually healthy and not treated in any way that will affect subsequent development. Trees should be of sufficient size to flower and/or show their other representative characteristics in the first year.

rootstock	24A	4	FR	GEVES	30/01	01/01	28/02	30 one-year-old rooted plants or cuttings	each plant or cutting must be individually labelled
-----------	-----	---	----	-------	-------	-------	-------	---	---

rootstock	24A	4	LV	State Plant Protec- tion Service	29/02	15/03	15/04	30 one year-old rooted plants or cuttings	
-----------	-----	---	----	-------------------------------------	-------	-------	-------	---	--

rootstock	24A	4	DE	Bundessortenamt	01/02	01/03	31/03	15 virus-tested one-year-old rooted shoots emanating from vegetative propagation or 25 young plants emanating from seed propagation + 300 seeds.	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple mosaic larvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV)
-----------	-----	---	----	-----------------	-------	-------	-------	--	---

***Malus domestica* Borkh.**

fruit	24A	4	LV	State Plant Protec- tion Service	29/02	15/03	15/04	10 virus-tested one year-old trees grafted on virus-free B9 rootstock	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV)
-------	-----	---	----	-------------------------------------	-------	-------	-------	---	--

1	2	3	4	5	6	7	8	9	10
<i>Malus domestica</i> Borkh.									
24A	4	DE	Bundessortenamt		01/02	01/03	31/03	6, or in case of mutant varieties, 11 virus-tested one year-old trees grafted on virus-free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf.	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV)
24A	4	HU	CENTRAL AGRICULTURAL OFFICE						
24A	4	CZ	UKZUZ		15/09	01/11	15/02	7, or in case of mutant varieties, 12 virus-tested one year-old trees grafted on virus-free 'M9' rootstock	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV)
24A	4	PL	COBORU		15/01	01/03	31/03	12, or in case of mutant varieties, 22 virus-tested one year-old trees grafted on virus-free 'M9' rootstock.	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV)
24A	4	FR	GEVES		31/01	01/01	28/02	8, or in case of mutation varieties, 12 virus-tested one year-old trees grafted on virus-free 'M9' rootstock. In the case of mutation varieties, an additional 4 virus-free one year-old trees of the parent variety grafted on to M9 to be provided.	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV)

1	2	3	4	5	6	7	8	9	10
<b><i>Malus domestica</i> Borkh.</b>									
	24A	4	ES	Oficina Española de Variedades Vegetales					
<b><i>Mandevilla</i> Lindl.</b>									
vegetative	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
<b><i>Medicago sativa</i> L.</b>									
	8	2	FR	GEVES	15/12		10/01	1,0 kg	
	8	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	1 kg non treated seeds, with germination rate >90%	Contact person: Gabriel Ruíz. e-mail: ruiz.gabriel@inia.es Telephone: 913476763 Fax.: 913474168
	8	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01		10/02	1,0 kg	germination rate 85 %
<b><i>Nemesia</i> Vent.</b>									
vegetative	16	1	UK	NIAB	01/12	25/04	29/04	20 plug plants	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
<b><i>Ocimum basilicum</i> L.</b>									
	22	2	FR	GEVES					
	20	2	HU	CENTRAL AGRICULTURAL OFFICE					
	20	2	DE	Bundessortenamt	15/01		15/02	6,000 seeds	minimum germination capacity 80%
	22	2	HU	CENTRAL AGRICULTURAL OFFICE					
	20	2	FR	GEVES	15/01		15/02	6,000 seeds	
	22	2	DE	Bundessortenamt	15/01		30/04	40 well rooted young plants	
<b><i>Olea europaea</i> L.</b>									
	24	4	ES	Oficina Española de Variedades Vegetales	31/01	01/03	31/03	5 one year-old plants + 50 fruit or endocarps	
<b><i>Oryza sativa</i> L.</b>									
hybrid (chemical, mediterranean type)	7	2	FR	GEVES	15/02		01/03	5,0 kg	
hybrid cms (mediterranean type)	7	2	FR	GEVES	15/02		01/03	Hybrid: 5,0 kg Male sterile line: 2,5 kg Maintainer and Restorer: 5,0 kg	
line (mediterranean type)	7	2	FR	GEVES	15/02		01/03	5,0 kg	
	7	2	BG	Ministry of Agriculture and Food	28/01		28/02	5,0 kg	and 200 panicles
	7	2	IT	INRAN (Istituto Nazionale di Ricerca per gli Alimenti e la Nutrizione) - Attività di Gestione ex ENS	01/02		15/02	3,0 kg	
	7	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	3,0 kg	

1	2	3	4	5	6	7	8	9	10
<b><i>Osteospermum</i> L.</b>									
vegetative	13	1	DE	Bundessortenamt	01/10	19/01	23/01	25 well rooted cuttings	not pinched and not treated with growth regulators
<b><i>Osteospermum ecklonis</i> (DC.) Norl.</b>									
vegetative	13	1	DE	Bundessortenamt	01/10	19/01	23/01	25 well rooted cuttings	not pinched and not treated with growth regulators
<b><i>Papaver</i> L.</b>									
ornamental, vegetative	15	1	NL	NAKTUINBOUW	01/10	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Papaver orientale</i> L.</b>									
seed	15	1	NL	NAKTUINBOUW	01/12		01/02	1 gram of seed.	
<b><i>Pastinaca sativa</i> L.</b>									
	20	2	NL	NAKTUINBOUW	01/04		15/04	25,000 seeds	
	20	2	UK	Food and Environment Research Agency (FERA)	31/01		28/02	10,000 seeds	minimum germination rate 65%
	20	2	FR	GEVES	01/01		01/02	20 g seed	
<b><i>Pelargonium grandiflorum</i> (Andrews) Willd.</b>									
vegetative	13	1	DE	Bundessortenamt	15/07	01/11	06/11	25 young plants	as in commerce, not pinched
<b><i>Pelargonium peltatum</i> (L.) L'Her. ex Aiton</b>									
vegetative	13A	1	DE	Bundessortenamt	01/07	01/10	06/10	20 young plants	as in commerce, not pinched
<b><i>Pelargonium zonale</i> (L.) L'Her. ex Aiton</b>									
vegetative	13A	1	DE	Bundessortenamt	01/07	01/10	06/10	20 young plants	as in commerce, not pinched
<b><i>Penstemon</i> Schmidel</b>									
vegetative	15	1	UK	NIAB	01/12	14/03	25/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
<b><i>Pericallis</i> × <i>hybrida</i> B. Nord.</b>									
vegetative	13	1	DE	Bundessortenamt	15/07	01/11	06/11	25 rooted cuttings	
<b><i>Persea americana</i> Mill.</b>									
	24	4	MX	Servicio Nacional de Inspeccion y Certificacion de Semillas (SNICS)	30/04	01/05	31/05	8 plants with a good root development grated on 'Duke 7' rootstock together with 10 budsticks, or else 25 healthy and vigorous budsticks. Plant material must be accompanied by a phytosanitary certificate attesting that it is free from:- Mites: <i>Oligonychus punicae</i> Hirst, <i>Oligonychus yothersi</i> McGregor, <i>Tegolophus perseiflorae</i> Keifer.	Thrips: <i>Heliethrips haemorrhoidalis</i> Bouché, <i>Scirtothrips</i> spp., <i>Frankliniella</i> spp. Insects: <i>Protopulvinaria pyriformis</i> Cockerell, <i>Copturus aguacatae</i> Kissinger. Nematodes: <i>Meloidogyne</i> spp. Fungi: <i>Colletotrichum gloeosporioides</i> Penz., <i>Phytophthora</i> spp., <i>Pseudocercospora purpurea</i> Cooke, <i>Armillaria mellea</i> Kumm.; <i>Verticillium dahliae</i> Kleb., <i>Rosellinia necatrix</i> Prill. Viroids: Avocado sunblotch viroid (ASBV)

1	2	3	4	5	6	7	8	9	10
<b><i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill</b>									
leaf	20	2	DE	Bundessortenamt	15/12		01/02	12000 seeds	minimum germination capacity 80%
root	20	2	DE	Bundessortenamt	15/12		01/02	12,000 seeds	minimum germination capacity 80 %
	20	2	NL	NAKTUINBOUW	01/04		15/04	12,000 seeds	
	20	2	PL	COBORU	31/01	01/02	01/03	400 g	
	20	2	FR	GEVES	01/03		01/04	150 g	
<b><i>Petunia</i> Juss.</b>									
seed	16	1	DE	Bundessortenamt	15/11		15/02	600 seeds in 6 portions	minimum germination capacity 85%
vegetative	16	1	DE	Bundessortenamt	15/11	15/03	21/03	30 well-rooted cuttings.	not pinched
<b><i>Petunia</i> × <i>atkinsiana</i> D. Don</b>									
vegetative	16	1	DE	Bundessortenamt	15/11	15/03	21/03	30 well-rooted cuttings	not pinched
<b><i>Phalaenopsis</i> Blume</b>									
august crop	14	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	14	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<b><i>Phalaris arundinacea</i> L.</b>									
	4	2	EE	Agricultural Research Center			01/04	1500 g	
<b><i>Phaseolus coccineus</i> L.</b>									
	20	2	FR	GEVES	01/03		01/04	2,500 g seed	
	20	2	UK	Food and Environment Research Agency (FERA)					
	20	2	NL	NAKTUINBOUW	01/04		15/04	5,000 seeds	
<b><i>Phaseolus vulgaris</i> L.</b>									
autumn	20	2	FR	GEVES	01/04		01/05	20,000 seeds (2.5 kg)	
climbing	20	2	NL	NAKTUINBOUW	01/04		15/04	5 000 seeds	
climbing flat podded bean	20	2	ES	Oficina Española de Variedades Vegetales	01/02		01/03	20,000 seeds	
dwarf and agricultural	20	2	NL	NAKTUINBOUW	15/04		01/05	5,000 seeds	
spring	20	2	FR	GEVES	01/02		01/03	20,000 seeds (2.5 kg)	
	20	2	PL	COBORU	31/01	01/03	31/03	3 kg varieties of 1000 seed weight < 400 g; 5 kg varieties of 1000 seed weight > 400 g	
	20	2	RO	ISTIS	01/02		15/02	20,000 seeds	
	20	2	DE	Bundessortenamt	01/02		01/03	9,000 seeds	minimum germination capacity 85%
	20	2	CZ	UKZUZ	10/01		28/02	10.000 seeds	
	20	2	BG	Ministry of Agriculture and Food	28/01		28/02	10,000 seeds	minimum 75% germination
<b><i>Phlox drummondii</i> Hook.</b>									
seed	16	1	NL	NAKTUINBOUW	01/12		01/02	10 gr of seeds	
vegetative	16	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Phlox paniculata</i> L.</b>									
vegetative	16	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	



1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Phygelius* E. Mey. ex Benth.**

vegetative	15	1	UK	NIAB		01/12	08/03	19/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
------------	----	---	----	------	--	-------	-------	-------	-----------	--

***Pisum sativum* L.**

agricultural	8	2	CZ	UKZUZ		10/01		20/01	2,0 kg	
agricultural	8	2	DK	Ministry of Food, Agriculture and Fisheries		20/01		10/02	3 kg	
agricultural	8	2	DE	Bundessortenamt		15/12		01/02	4,0 kg	minimum germination capacity 88%
agricultural	8	2	UK	Food and Environment Research Agency (FERA)		30/11		15/01	3 kg or 12.000 seeds	
agricultural	8	2	EE	Agricultural Board		01/02		01/03	3,0 kg	
agricultural	8	2	NL	NAKTUINBOUW		01/03		01/04	5000 seeds	
field, vegetable	8	2	HU	CENTRAL AGRICULTURAL OFFICE		15/01		15/02	2,5 kg	
spring, agricultural	8	2	FR	GEVES		20/12		10/01	20 000 Seeds	
vegetable	8	2	DE	Bundessortenamt		15/01		15/02	10.000 seeds	minimum germination capacity 85%
vegetable	8	2	NL	NAKTUINBOUW		01/03		15/03	5 000 seeds	
vegetable	8	2	FR	GEVES		01/11		15/11	20,000 seeds	
vegetable	8	2	UK	Food and Environment Research Agency (FERA)		15/01		15/02	12 000 Seeds	
winter, agriculture	8	2	FR	GEVES		20/08		10/09	20 000 Seeds	
	8	2	ES	Oficina Española de Variedades Vegetales		15/08		01/09	6,0 kg	
	8	2	PL	COBORU		31/12	01/02	01/03	8 kg	
	8	2	EE	Agricultural Research Center		01/02		01/04	3,0 kg	

***Pleurotus eryngii***

	9A	2	HU	CENTRAL AGRICULTURAL OFFICE			20/09	05/10	9 litres of spawn	
--	----	---	----	-----------------------------	--	--	-------	-------	-------------------	--

***Pleurotus ostreatus* (Jacq.:Fr.) Kummer**

	9A	2	HU	CENTRAL AGRICULTURAL OFFICE			20/09	05/10	6 litres of spawn	
--	----	---	----	-----------------------------	--	--	-------	-------	-------------------	--

***Poa pratensis* L.**

	4	2	PL	COBORU		15/01		31/01	1,5 kg	
	4	2	NL	NAKTUINBOUW		15/12		15/12	600 g	
	4	2	CZ	UKZUZ		10/01		20/01	1,0 kg	
	4	2	FI	Finnish Food Safety Authority Evira		01/03		01/04	600 g	
	4	2	DE	Bundessortenamt		15/01		15/02	1,5 kg	minimum germination capacity 80%

***Populus* L.**

vegetative	11	2	DE	Bundessortenamt		15/02	01/03	15/03	25 cuttings or 15 plants	cuttings about 20 cm long, 10-15 mm in diameter or well rooted one year old plants
------------	----	---	----	-----------------	--	-------	-------	-------	--------------------------	--

***Portulaca oleracea* L.**

vegetative	13	1	NL	NAKTUINBOUW		01/12	01/05	31/05	24 young plants being able to show all their characteristics in the first year of examination	
------------	----	---	----	-------------	--	-------	-------	-------	---	--

1	2	3	4	5	6	7	8	9	10	
<b><i>Portulaca oleracea</i> L.</b>										
	13	1	DE	Bundessortenamt		01/12	01/03	05/03	25 well rooted cuttings	
<b><i>Prunus amygdalus</i> Batsch × <i>Prunus persica</i> Batsch</b>										
	24	4	ES	Oficina Española de Variedades Vegetales		31/12	01/12	31/01	25 well rooted, one-year-old trees	
<b><i>Prunus armeniaca</i> L.</b>										
fruit	24	4	HU	CENTRAL AGRICULTURAL OFFICE		31/12	01/03	31/03	9 virus-tested, one year old trees grafted on to an apricot seedling rootstock (please specify)	each tree must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures
fruit	24	4	FR	GEVES		31/12	01/12	31/01	9 virus-tested, one year old scions grafted on to apricot seedling rootstock 'Manicot', or if not possible, on peach seedling rootstock 'GF305' or 'Rubira' (please specify)	Each plant must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures
rootstock, plants	24	4	HU	CENTRAL AGRICULTURAL OFFICE		31/12	01/03	31/03	50 one-year-old rooted plants	Each plant must be clearly labelled
rootstock, plants	24	4	FR	GEVES		31/12	01/01	31/01	30 one-year-old rooted plants	Each plant must be clearly labelled
rootstock, seed	24	4	FR	GEVES		30/09	01/10	31/10	300 seed	
	24	4	ES	Oficina Española de Variedades Vegetales		30/11	01/12	31/01	9 one-year-old tres grafted on 'Adesoto 101'	Each plant must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures
<b><i>Prunus avium</i> (L.) L.</b>										
fruit	24	5	HU	CENTRAL AGRICULTURAL OFFICE		31/12	01/03	31/03	8 virus-tested, one year old scions grafted on Brokforest (Maxma 14) rootstock	Each scion must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/37/EEC and implementing measures - please refer to the CPVO cherry portocol in our website for a complete list of pests and diseases which the plant material must be free from.
	24	5	FR	GEVES		31/12	01/12	31/01	6 virus-tested, one year-old scions grafted by preference on to rootstock 'Maxma 14', or as an alternative on Prunus mahaleb 'SL 64' or 'Ferci'. 'F12 1' and hazzard-type rootstocks are inadvisable due to their late fruiting qualities; other Prunus mahaleb seedling rootstocks are not acceptable due to their lack of uniformity.	Each scion must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/37/EEC and implementing measures - please refer to the CPVO cherry portocol in our website for a complete list of pests and diseases which the plant material must be free from.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

*Prunus avium* (L.) L.

	24	5	ES	Oficina Española de Variedades Vegetales						
	24	5	LV	State Plant Protection Service	29/02	15/03	15/04	10 one year-old trees grafted on seedling rootstock Prunus avium or Prunus mahaleb	Each scion must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/37/EEC and implementing measures - please refer to the CPVO cherry portocol in our website for a complete list of pests and diseases which the plant material must be free from.	

*Prunus cerasus* L.

	24	4	DE	Bundessortenamt	01/02	01/03	31/03	5 well developed and well rootedvirus-tested, one-year-old trees grafted on Prunus mahaleb var. 'Alpruma' or similar selection	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cherry leaf roll nepovirus (CLRV) Little cherry chlosterovirus 1 & 2 (LChV-1, LChV-2) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV) Raspberry ringspot nepovirus (RpRSV)
	24	4	PL	COBORU	15/01	01/03	31/03	12 one-year-old trees on F/12/1 rootstock	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cherry leaf roll nepovirus (CLRV) Little cherry chlosterovirus 1 & 2 (LChV-1, LChV-2) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV) Raspberry ringspot nepovirus (RpRSV)
	24	4	HU	CENTRAL AGRICULTURAL OFFICE					

*Prunus domestica* L.

fruit	24	4	PL	COBORU	15/01	01/03	31/03	12 one-year-old trees on Wangenheims Plum Seedling	The plants should be uniform in size, visibly healthy, not lacking in vigour, ora affected by any pests or disease. It must not have undergone any treatment. Plants should not have been obtained directly by in vitro culture. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/37/EEC and implementing measures - please refer to the CPVO european plum portocol in our website for a complete list of pests and diseases which the plant material mu
-------	----	---	----	--------	-------	-------	-------	--	--

1	2	3	4	5	6	7	8	9	10
<b><i>Prunus domestica</i> L.</b>									
	24	4	HU	CENTRAL AGRICULTURAL OFFICE					
	24	4	LV	State Plant Protection Service					
	24	4	DE	Bundessortenamt	01/02	01/03	31/03	6 well rooted, virus tested, one year-old plants grafted on virus-free 'Myrobalan B', or if not possible, on a similar selection of <i>Prunus cerasifera</i> (please specify).	Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give negative result for: European stone fruit yellows phytoplasma, Prune dwarf ilarvirus (PDV, Plum pox potyvirus (PPV), <i>Prunus necrotic ringspot ilarvirus</i> (PNRSV).
	24	4	SK	UKSUP					
	24	4	ES	Oficina Española de Variedades Vegetales					
<b><i>Prunus dulcis</i> (Mill.) D. A. Webb</b>									
	24	4	ES	Oficina Española de Variedades Vegetales	30/11	10/01	10/02	9 virus-tested one-year-old plants grafted on to rootstock 'GF 677'	Free from: <i>Anarsia lineatella</i> ; <i>Capnodis tenebrionis</i> ; <i>Meloidogyne</i> spp.; <i>Agrobacterium tumefaciens</i> ; <i>Pseudomonas syringae</i> pv. <i>mors prunorum</i> ; <i>Pseudomonas syringae</i> pv. <i>syringae</i> ; <i>Armillariella mellea</i> ; <i>Chondrostereum purpureum</i> ; <i>Nectria galligena</i> ; <i>Rosellinia necatrix</i> ; <i>Taphrina deformans</i> ; <i>Verticillium</i> spp.; Prune dwarf virus; <i>Prunus necrotic ringspot virus</i> .
<b><i>Prunus laurocerasus</i> L.</b>									
vegetative	15	2	HU	CENTRAL AGRICULTURAL OFFICE	31/12	01/03	31/03	8 plants	of commercial size, container grown.
vegetative	15	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes; plants must be able to show all their characteristics in the examination period	
vegetative	15	2	UK	NIAB					
<b><i>Prunus persica</i> (L.) Batsch</b>									
fruit	24	4	HU	CENTRAL AGRICULTURAL OFFICE	31/12	01/03	31/03	9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' (in the case of this latter option, the duration of technical examination could be prolonged by a further year).	Each plant must be clearly labelled. In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures - please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be

1	2	3	4	5	6	7	8	9	10
<b><i>Prunus persica</i> (L.) Batsch</b>									
low chilling varieties	24	4	ES	Oficina Española de Variedades Vegetales	30/11	10/01	10/02	9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year.	Each plant must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures . The plant material must be accompanied by an an ELISA analysis demonstratign it is free of: Plum pox potyvirus (PPV Prune dwarf ilarvirus (PDV) Prunas necrotic ringspot ilarvirus (PNRSV)
	24	4	IT	C.R.A.- FRU	29/02	01/03	31/03	8 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' (in the case of this latter option, the duration of technical examiantion could be prolonged by a further year).	Each plant must be clearly labelled. In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures - please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be
	24	4	ES	Oficina Española de Variedades Vegetales	30/11	01/12	31/01	9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year.	Each plant must be clearly labelled. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures . The plant material must be accompanied by an an ELISA analysis demonstratign it is free of: Plum pox potyvirus (PPV Prune dwarf ilarvirus (PDV) Prunas necrotic ringspot ilarvirus (PNRSV)
	24	4	FR	GEVES	30/11	01/12	31/01	9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' (in the case of this latter option, the duration of technical examiantion could be prolonged by a further year).	Each plant must be clearly labelled. In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures - please refer to the CPVO peach/nectarine protocol in our website for a complete list of pests and pathogens which the plant material must be

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

*Prunus salicina* Lindl.

24	4	IT	C.R.A.- FRU	01/03	01/03	31/03	8 virus-tested one-year-old scions grafted on 'Myrobalan 29C'	The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures - please refer to the CPVO Japanes plum protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
----	---	----	-------------	-------	-------	-------	---	---

24	4	ES	Oficina Española de Variedades Vegetales	31/12	01/01	31/01	9 one-year-old plants grafted on 'Mariana 26-24'	The plants must be accompanied by a certificate dating no more than two months before the submission of plants to the test station, indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV) Apple chlorotic leafspot closterovirus (CLSV) Apple mosaic ilarvirus (ApMV) Myrobalan latent ringspot neprovirus (MLRSV)
----	---	----	--	-------	-------	-------	--	--

*Prunus salicina* Lindl. × *Prunus armeniaca* L.

predominantly plum	24	4	IT	C.R.A.- FRU	29/02	01/03	31/03	8 scions
--------------------	----	---	----	-------------	-------	-------	-------	----------

*Prunus tomentosa* Thunb. ex. Murr. × *Prunus cerasifera* Ehrh

24	4	DE	Bundessortenamt	01/02	01/03	31/03	5 well developed and well rooted, two-year-old virus tested plants from from vegetative propagation	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma, Prune dwarf ilarvirus (PDV) Plum pox potyvirus (PPV) Prunus necrotic ringspot ilarvirus (PNRSV)
----	---	----	-----------------	-------	-------	-------	---	--

*Pyrus communis* L.

fruit	24	4	FR	GEVES	31/01	01/01	28/02	8 virus-tested one year-old trees grafted on to Cognassier (BA29) rootstock.	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot
-------	----	---	----	-------	-------	-------	-------	--	---

1	2	3	4	5	6	7	8	9	10	
<b><i>Pyrus communis</i> L.</b>										
fruit	24	4	LV	State Plant Protection Service		29/02	15/03	15/04	10 virus-tested one year-old trees grafted on 'BA29' or Pyrodwarf rootstock	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot
fruit	24	4	DE	Bundessortenamt		01/02	01/03	31/03	6, or in case of mutant varieties, 11 virus-tested one year-old trees on 'Quince EM A' rootstock with 'Beurré Hardy' interstock.	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot
rootstock	24	4	FR	GEVES		31/01	01/01	28/02	30 one-year-old rooted plants	each plant must be clearly and individually labelled
rootstock	24	4	DE	Bundessortenamt		01/02	01/03	31/03	25 virus-tested one-year-old rooted shoots	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot
	24	4	HU	CENTRAL AGRICULTURAL OFFICE						
	24	4	ES	Oficina Española de Variedades Vegetales						
<b><i>Ranunculus asiaticus</i> L.</b>										
seed-propagated	18A	1	DK	University of Aarhus		01/06	01/10	15/10	30 plants raised from seeds approximately 6 weeks old	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number (phone: +45-8999-1900; fax: +45-8999-3490).

1	2	3	4	5	6	7	8	9	10
<b><i>Ranunculus asiaticus</i> L.</b>									
vegetative	13	1	DK	University of Aarhus	01/06	01/10	15/10	25 young plants ready for potting or 25 dried corms	Plants/corms must be of sufficient size to flower during the first year of examination. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number (phone: +45-8999-1900; fax: +45-8999-3490).
<b><i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers.</b>									
agricultural	8	2	DE	Bundessortenamt	15/12		01/02	2,0 kg	minimum germination capacity 85%
<b><i>Raphanus sativus</i> L. var. <i>sativus</i></b>									
autumn	20	2	FR	GEVES	01/09		01/10	10,000 seeds (300 g)	
greenhouse	20	2	DE	Bundessortenamt	01/11		01/12	14,000 seeds	minimum germination capacity 85%
greenhouse	21	2	NL	NAKTUINBOUW	15/01		01/02	10,000 seeds	
outdoor	20	2	NL	NAKTUINBOUW	15/03		01/04	10,000 seeds	
outdoor	20	2	DE	Bundessortenamt	01/02		01/03	14,000 seeds	minimum germination capacity 85%
spring	20	2	FR	GEVES	01/01		01/02	10,000 seeds (300 g)	
summer	20	2	FR	GEVES	01/05		01/06	10,000 seeds (300 g)	
	20	2	ES	Oficina Española de Variedades Vegetales	31/05		30/06	10,000 seeds	
	20	2	UK	Food and Environment Research Agency (FERA)	15/03		15/04	6,000 seeds	
<b><i>Rhipsalidopsis</i> Britton et Rose</b>									
vegetative	14	1	DK	University of Aarhus	01/01	01/03	15/03	20 plants, 1 year old, delivered after cold treatment	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.



1	2	3	4	5	6	7	8	9	10
<b><i>Rhododendron L.</i></b>									
vegetative	15	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant					
vegetative	15	1	LV	State Plant Protection Service	01/09	01/10	01/11	8 plants	with at least 3 flowerbuds.
vegetative, outdoor	15	1	DE	Bundessortenamt	01/09	15/09	01/10	10 plants	with at least 3 flower buds
	11	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant					
<b><i>Rhododendron simsii Planch.</i></b>									
vegetative	11	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant					
vegetative	11	1	DE	Bundessortenamt	15/10	01/11	15/11	25 plants	potted in 13 cm pots, pinched twice
<b><i>Ribes nigrum L.</i></b>									
	25	3	DE	Bundessortenamt	01/02	01/03	31/03	6 well rooted, virus tested bushes, each bush having 3 vigorous branches	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Black currant reversion agent (ŠAtavismusŠ) Raspberry ringspot nepovirus
	25	3	LV	State Plant Protection Service	29/02	10/03	10/04	6 bushes, each bush having 3 branches	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Black currant reversion agent (ŠAtavismusŠ) Raspberry ringspot nepovirus
	25	3	SK	UKSUP					
	25	3	PL	COBORU	31/08	15/10	31/10	12 well-rooted, virus tested plants with minimum 3 shoots per plant	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Black currant reversion agent (ŠAtavismusŠ) Raspberry ringspot nepovirus

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Ribes sylvestre* (Lam.) Mert. & W. Koch**

25	3	DE	Bundessortenamt		01/02	01/03	31/03	6 well rooted, virus tested bushes, each bush having 3 vigorous branches	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Black currant reversion agent (ŠAtavismusŠ) Raspberry ringspot nepovirus
----	---	----	-----------------	--	-------	-------	-------	--	--

***Ribes uva-crispa* L.**

25	3	LV	State Plant Protection Service						
25	3	DE	Bundessortenamt		01/02	01/03	31/03	5 well rooted, virus tested bushes, each bush having 3 vigorous branches	The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Raspberry ringspot nepovirus

***Rosa* L.**

Climbing roses	11	2	DE	Bundessortenamt		30/09	01/11	15/11	8 plants	one year old plants, with at least three shoots, grafted plants on a hardy rootstock or on own roots.
garden	11	1	DE	Bundessortenamt		30/09	01/11	15/11	8 plants	one year old plants, with at least three shoots, grafted plants on a hardy rootstock or on own roots.
garden LV	11	1	LV	State Plant Protection Service		30/09		15/11	8 plants	one year old, with at least 3 shoots or grafted plants on hardy rootstock or own roots.
garden UK	11	1	UK	NIAB		30/09	01/11	15/11	8 plants	Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year.
greenhouse	13	1	NL	NAKTUINBOUW		15/11	01/02	15/02	seedling variety: 12 well rooted cuttings, in 5 cm cocos peat plug. mutant variety: 22 well rooted cuttings, in 5 cm cocos peat plug.	Able to show all their characteristics in the first year of examination. Individual labeling of each cutting is preferred
pot plant	9	1	DE	Bundessortenamt		15/02	15/02	31/03	6 plants	with at least three shoots, on own roots.
rootstock	11	1	DE	Bundessortenamt		30/09	01/11	15/11	8 plants	one year old plants, with at least three shoots, on own roots.

***Rosmarinus officinalis* L.**

22	2	UK	NIAB		31/01	09/03	20/03	10 plants	Plants should be container grown and of a sufficient size and maturity to flower and/or show their other representative characteristics no later than the second year of the test.
----	---	----	------	--	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Rubus idaeus* L.**

25	3	PL	COBORU		15/01	01/03	31/03	20 well-rooted, virus tested plants	The plants must be accompanied by a recognised certificate dating no more than two months before the submission of plants to the test station, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Black raspberry necrosis virus Raspberry bushy dwarf virus Raspberry leaf mottle Raspberry leaf spot Raspberry ringspot nepovirus Raspberry yellow spot Rubus stunt MLO Rubus yellow net virus
25	3	DE	Bundessortenamt		01/02	01/03	31/03	11 vigorous well rooted virus-free plants, with a satisfactory number of adventitious buds, potted in 7-15cm pots; or alternatively: 11 vigorous, well rooted one year old canes, with a satisfactory number of adventitious buds	The plants must be accompanied by a recognised certificate dating no more than two months before the submission of plants to the test station, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Black raspberry necrosis virus Raspberry bushy dwarf virus Raspberry leaf mottle Raspberry leaf spot Raspberry ringspot nepovirus Raspberry yellow spot Rubus stunt MLO Rubus yellow net virus
25	3	LV	State Plant Protection Service		29/02	15/03	15/04	10 well rooted one year old canes	The plants must be accompanied by a recognised certificate dating no more than two months before the submission of plants to the test station, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Black raspberry necrosis virus Raspberry bushy dwarf virus Raspberry leaf mottle Raspberry leaf spot Raspberry ringspot nepovirus Raspberry yellow spot Rubus stunt MLO Rubus yellow net virus

***Rubus subgenus Eubatus* Sect. *Moriferi* & *Ursini***

25	3	DE	Bundessortenamt		01/02	01/03	31/03	6 vigorous, well rooted virus-free plants with a satisfactory number of adventitious buds, potted in 7-17 cm pots	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Black raspberry necrosis virus Raspberry bushy dwarf virus Raspberry leaf mottle Raspberry leaf spot Raspberry ringspot nepovirus Raspberry yellow spot Rubus stunt MLO Rubus yellow net virus
----	---	----	-----------------	--	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
<b><i>Saintpaulia ionantha</i> H. Wendl.</b>									
seed	13A	1	DE	Bundessortenamt	01/06	17/01	21/01	45 young plants from seeds ready to be potted in final pot (8 to 9 cm)	
vegetative	13A	1	DE	Bundessortenamt	01/06	15/08	21/08	20 budded plants	from leaf cuttings
<b><i>Salix</i> L.</b>									
vegetative	11	2	DE	Bundessortenamt	15/02	01/03	15/03	25 cuttings or 15 plants	cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants
	11	2	PL	COBORU	15/01	21/03	31/03	32 cuttings about 20 cm long, 10-15 mm in diameter	
<b><i>Sanvitalia procumbens</i> Lam.</b>									
vegetative	16	1	DE	Bundessortenamt	01/12	01/04	06/04	25 rooted cuttings	not pinched
vegetative	16	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Saxifraga</i> × <i>arendsii</i> Engl.</b>									
vegetative	15	1	UK	NIAB	31/07	13/09	17/09	10 plants	vegetatively propagated container grown plants, visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year.
<b><i>Scaevola aemula</i> R. Br.</b>									
vegetative	16	1	DE	Bundessortenamt	01/11	15/02	19/02	25 well rooted cuttings,	not pinched.
<b><i>Schlumbergera</i> Lem.</b>									
vegetative	14	1	DK	University of Aarhus	01/06	10/08	20/08	20 plants appr. 7 months old, grown under long day conditions.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<b><i>Schlumbergera truncata</i> (Haw.) Moran</b>									
vegetative	14	1	DK	University of Aarhus	01/06	10/08	20/08	20 plants, appr. 7 months old, grown under long day conditions	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<b><i>Secale cereale</i> L.</b>									
spring	1	2	PL	COBORU	31/12	01/02	01/03	8,0 kg	In case of hybrid: In addition 3,0 kg of each component
spring	1	2	FI	Finnish Food Safety Authority Evira	01/03		01/04	5,0 kg	
spring	1	2	DE	Bundessortenamt	05/01		15/01	5,0 kg	minimum germination capacity 94%
winter	1	2	FI	Finnish Food Safety Authority Evira	20/07		20/08	5,0 kg	

1	2	3	4	5	6	7	8	9	10
<b><i>Secale cereale</i> L.</b>									
winter	1	2	DE	Bundessortenamt	25/08		10/09	5,0 kg	and 2,0 kg of each component including single cross; minimum germination capacity 94%
winter	1	2	PL	COBORU	31/08	31/08	10/09	8,0 kg	In case of hybrid: In addition 3,0 kg of each component
<b><i>Sinapis alba</i> L.</b>									
spring	3	2	DE	Bundessortenamt	15/12		01/02	1,5 kg	minimum germination capacity 85%
	3	2	PL	COBORU					
	3	2	ES	Oficina Española de Variedades Vegetales					
<b><i>Sinningia</i> Nees</b>									
vegetative	14	1	DE	Bundessortenamt	01/12	01/03	06/03	20 young plants	from in vitro culture, 2 times planted
<b><i>Skimmia japonica</i> Thunb.</b>									
vegetative	15	1	NL	NAKTUINBOUW	01/09	01/10	31/10	8 young bushes; plants must be able to show all their characteristics in the first year of examination	
<b><i>Solanum melongena</i> L.</b>									
	21	2	NL	NAKTUINBOUW	01/11		15/11	1,500seeds	
	21	2	FR	GEVES	01/02		01/03	10 g	
	21	2	RO	ISTIS	01/02		15/02	10 g seed	
	21	2	ES	Oficina Española de Variedades Vegetales					
	21	2	SK	UKSUP	10/01		31/01	20 g seed	
<b><i>Solanum tuberosum</i> L.</b>									
for lightsprout testing	2	2	PL	COBORU		30/10	30/11	20 tubers	
medium, late, very late	2	2	PL	COBORU	31/12	25/02	25/03	150 tubers for each year of test	
very early, early	2	2	PL	COBORU	31/10	01/11	30/11	150 tubers for each year of test	
	2	2	DE	Bundessortenamt	15/11		10/12	120 tubers for each year of test	tubers with size of planting material, tuber weight <99g
	2	2	CZ	UKZUZ	10/01		31/01	150 tubers for each year of test	
	2	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	250 tubers for each year of test	size 35 - 50 mm
	2	2	UK	Food and Environment Research Agency (FERA)	15/12		15/01	120 tubers for each year of test	Size 30 - 50 mm; containers should be sealed with Plant Passport and seed potato certification label attesting that seed potato complied with the standards and conditions for Community Grade seed potatoes.
	2	2	AT	Bundesamt für Ernährungssicherheit	20/12		20/02	150 tubers for each year of test	tubers weight 50 - 100 g
<b><i>Solanum tuberosum</i> L.</b>									
	2	2	NL	NAKTUINBOUW	15/12	01/01	01/02	150 tubers (35 - 55 mm) for each year of test	Add NAK-Certificate or Plant Passport to the plant material. Quarantine tests by the Dutch Phytosanitary Service: Naktuinbouw shall pick 20 tubers at random from each submitted identity sample to be tested by the Phytosanitary Service on relevant quarantine diseases. Test results shall be communicated only to Naktuinbouw. Under all circumstances the applicant is held responsible to comply with the quarantine rules. Tubers will be destroyed after the quarantine test.

1	2	3	4	5	6	7	8	9	10
<b><i>Solanum tuberosum</i> L.</b>									
	2	2	SK	UKSUP	15/12		15/02	150 tubers for each year of test	
	2	2	IE	Department of Agriculture, Food and the Marine	15/12	01/01	31/01	100 tubers for each year of test	Size between 35 and 50 mm. Seed should comply with the standards and conditions for Community Grade seed potatoes. Containers should be sealed and accompanied with a plant passport.
<b><i>Solenostemon scutellarioides</i> (L.) Codd</b>									
vegetative	14	1	UK	NIAB	01/12	19/04	23/04	15 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
<b><i>Solidago</i> L.</b>									
vegetative	15	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<b><i>Sorghum bicolor</i> (L.) Moench</b>									
hybrid	1	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01		28/02	1,0 kg plus 50 panicles	and 500 g per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components), germination rate 90 %
hybrid	1	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	3,0 kg seeds for hybrids and open pollinating varieties	and, in case of hybrids: 1,0 kg per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components and simple hybrid used as parent)
hybrid, grain	1	2	FR	GEVES	25/02		15/03	Hybrid: 1,0 kg seeds Lines A/B/R, if unknown: 200 g untreated seeds of line A and 500 g untreated seeds of line B and line R.	germination rate 85%
line	1	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	1,0 kg	
line	1	2	HU	CENTRAL AGRICULTURAL OFFICE	31/01		28/02	500 g and 50 panicles	germination rate 90 %
line, grain	1	2	FR	GEVES	25/02		15/03	Lines A/B/R: 200 g untreated seeds of line A and 500 g untreated seeds of line B and line R	germination rate 85%
<b><i>Spathiphyllum</i> Schott</b>									
vegetative	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Spinacia oleracea</i> L.</b>									
	20	2	FR	GEVES	01/01		01/02	20,000 seed (200 g)	
	20	2	HU	CENTRAL AGRICULTURAL OFFICE					
	20	2	NL	NAKTUINBOUW	01/03		15/03	14,000 seeds	
	20	2	ES	Oficina Española de Variedades Vegetales	31/05		30/06	25,000 seed	
<b><i>Sutera</i> Roth</b>									
vegetative	15	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	

1	2	3	4	5	6	7	8	9	10
<b><i>Sutera Roth</i></b>									
vegetative	15	1	DE	Bundessortenamt	15/11	15/02	19/02	25 rooted cuttings	not pinched
<b><i>Sutera cordata</i> Thunb. Kuntze</b>									
vegetative	15	1	DE	Bundessortenamt	15/11	15/02	19/02	25 rooted cuttings	not pinched
vegetative	15	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Symphotrichum novi-belgii</i> var. <i>novi-belgii</i> (syn. <i>Aster novi-belgii</i> L.)</b>									
cutflower/ pot-plant	14	1	NL	NAKTUINBOUW	15/02	01/05	01/06	24 rooted cuttings; plants must be able to show all their characteristics in the first year of examination	
garden	14	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	
<b><i>Torenia</i> L.</b>									
vegetative	14	1	DE	Bundessortenamt	15/11	27/02	03/03	25 well-rooted cuttings	not pinched
<b><i>Trifolium pratense</i> L.</b>									
	8	2	SK	UKSUP	15/02		28/02	1,0 kg	
	8	2	FI	Finnish Food Safety Authority Evira	01/03		01/04	1,0 kg	
	8	2	DE	Bundessortenamt	15/01		15/02	2,0 kg	minimum germination capacity 85%
<b>× <i>Triticosecale</i> Witt.</b>									
spring	1	2	DE	Bundessortenamt	05/01		15/01	5,0 kg	minimum germination capacity 94%; on request: 120 ears
spring	1	2	AT	Bundesamt für Ernährungssicherheit	29/01		29/01	3,0 kg	120 ears
spring	1	2	PL	COBORU	31/12	01/02	01/03	6,0 kg	240 ears
spring, hybrid	1	2	DE	Bundessortenamt	05/01		15/01	4,0 kg of hybrid and each component	minimum germination capacity 94%; on request: 120 ears
spring, line	1	2	FR	GEVES	15/01		25/01	5,0 kg	
winter	1	2	PL	COBORU	31/08	31/08	10/09	6,0 kg	300 ears
winter	1	2	AT	Bundesamt für Ernährungssicherheit	30/08		30/08	3,0 kg	120 ears
winter	1	2	DE	Bundessortenamt	25/08		10/09	5,0 kg	minimum germination capacity 94%; on request: 170 ears
winter, hybrid	1	2	DE	Bundessortenamt	25/08		10/09	4,0 kg of hybrid and each component:	minimum germination capacity 94%; on request 170 ears
winter, hybrid (chemical)	1	2	FR	GEVES	10/09		20/09	5,0 kg	
winter, line	1	2	FR	GEVES	10/09		20/09	5,0 kg	
<b><i>Triticum aestivum</i> L. emend. Fiori et Paol.</b>									
hybrid (chemical, winter)	1	2	FR	GEVES	10/09		20/09	5,0 kg	
spring	1	2	ES	Oficina Española de Variedades Vegetales	15/08		15/09	5,0 kg	150 ears
spring	1	2	FI	Finnish Food Safety Authority Evira	01/03		01/04	3,0 kg	120 ears
spring	1	2	DE	Bundessortenamt	05/01		15/01	5,0 kg	minimum germination capacity 94%; on request: 120 unbeaten ears. In case of hybrid: hybrid and each component: 5 kg and on request 120 ears

1	2	3	4	5	6	7	8	9	10
<b><i>Triticum aestivum</i> L. emend. Fiori et Paol.</b>									
spring	1	2	CZ	UKZUZ		10/01	20/01	3,0 kg	150 ears
spring	1	2	PL	COBORU		31/12	01/02	01/03	6,0 kg
spring	1	2	AT	Bundesamt für Ernährungssicherheit		29/01	29/01	3,0 kg	120 ears
spring	1	2	DK	Ministry of Food, Agriculture and Fisheries		20/01	10/02	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line
spring	1	2	FR	GEVES		15/01	25/01	5,0 kg	
spring	1	2	UK	Food and Environment Research Agency (FERA)		22/09	15/01	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
spring	1	2	EE	Agricultural Research Center		01/02	01/04	3,0 kg	and 150 unbeaten ears
winter	1	2	DE	Bundessortenamt		01/09	15/09	5,0 kg	minimum germination capacity 94%; on request: 170 unbeaten ears. In case of hybrid: hybrid and each component: 4 kg and on request 170 ears
winter	1	2	UK	Food and Environment Research Agency (FERA)		31/08	14/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
winter	1	2	BG	Ministry of Agriculture and Food		30/08	30/09	5,0 kg	and 300 unthreshed ears
winter	1	2	DK	Ministry of Food, Agriculture and Fisheries		05/09	05/09	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line
winter	1	2	ES	Oficina Española de Variedades Vegetales		01/08	01/09	5,0 kg	150 ears
winter	1	2	PL	COBORU		31/08	31/08	10/09	6,0 kg
winter	1	2	HU	CENTRAL AGRICULTURAL OFFICE		10/09	20/09	5,0 kg	220 ears
winter	1	2	CZ	UKZUZ		25/08	01/09	3,0 kg	150 ears
winter	1	2	AT	Bundesamt für Ernährungssicherheit		09/09	14/09	3,0 kg	120 ears
winter	1	2	BE	Centre Wallon de Recherches Agronomiques		15/09	25/09	3,0 kg	300 ears
winter	1	2	FR	GEVES		10/09	20/09	5,0 kg	
winter	1	2	FI	Finnish Food Safety Authority Evira		20/07	20/08	3,0 kg	120 ears
winter	1	2	RO	ISTIS		15/08	01/09	3,0 kg	minimum germination capacity 94% and 150 ears. In case of hybrids 1.5 kg and 500 g of each parent line plus 150 ears
<b><i>Triticum durum</i> Desf.</b>									
spring	1	2	ES	Oficina Española de Variedades Vegetales		15/08	15/09	5,0 kg	240 ears
spring	1	2	AT	Bundesamt für Ernährungssicherheit		29/01	29/01	3,0 kg	180 ears
spring	1	2	IT	INRAN (Istituto Nazionale di Ricerca per gli Alimenti e la Nutrizione) - Attività di Gestione ex ENS		30/11	15/01	2 kg of seeds and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + 1 kg of the female parental line + 1 kg of the restorer	germination capacity min. 85%, untreated



1	2	3	4	5	6	7	8	9	10
<b><i>Triticum durum</i> Desf.</b>									
winter	1	2	IT	INRAN (Istituto Nazionale di Ricerca per gli Alimenti e la Nutrizione) - Attività di Gestione ex ENS	31/07		15/08	2 kg of seeds and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + 1 kg of the female parental line + 1 kg of the restorer	germination capacity min. 85%, untreated
winter	1	2	AT	Bundesamt für Ernährungssicherheit	30/08		30/08	3,0 kg	180 ears
winter	1	2	ES	Oficina Española de Variedades Vegetales	01/08		01/09	5,0 kg	240 ears
	1	2	FR	GEVES			10/09	20/09	5,0 kg
<b><i>Tulipa</i> L.</b>									
vegetative	16	1	NL	NAKTUINBOUW	01/09	01/10	15/10	30 bulbs of flowering size, able to show all their characteristics during the first year of examination.	Please deliver the bulbs at the reception and ask for Mr Kees Kogge or Mr Martien Geelings of the BKD.
<b><i>Vaccinium corymbosum</i> L.</b>									
autumn planting	25	4	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	31/08	01/09	30/09	10 well developed, well rooted two-year-old bushes, potted or with root balls, each bush having three branches.	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.
spring planting	25	4	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	29/02	01/03	31/03	10 well developed, well rooted two-year-old bushes, potted or with root balls, each bush having three branches.	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.
	25	4	LV	State Plant Protection Service	29/02	30/03	30/04	6 two-year-old plants	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.
	25	4	PL	COBORU	31/08	15/10	21/10	16 well-rooted, virus tested, potted plants with minimum 3 shoots per plant	Plants should not have been obtained directly by in vitro culture. The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Vaccinium simulatum* Small**

autumn planting	25	4	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	31/08	01/09	30/09	10 well developed, well rooted two-year-old bushes, potted or with root balls, each bush having three branches.	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.
spring planting	25	4	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	29/02	01/03	31/03	10 well developed, well rooted two-year-old bushes, potted or with root balls, each bush having three branches.	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.

***Vaccinium virgatum* Aiton**

autumn planting	25	4	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	31/08	01/09	30/09	10 well developed, well rooted two-year-old bushes, potted or with root balls, each bush having three branches.	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.
spring planting	25	4	PT	DIRECÇÃO-GERAL DE AGRICULTURA E DESENVOLVIMENTO RURAL (DGADR)	29/02	01/03	31/03	10 well developed, well rooted two-year-old bushes, potted or with root balls, each bush having three branches.	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.
	25	4	PL	COBORU	31/08	15/10	31/10	16 well-rooted, virus tested, potted plants with minimum 3 shoots per plant	Plants should not have been obtained directly by in vitro culture. The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality.

***Valerianella locusta* L.**

	20	2	NL	NAKTUINBOUW	15/02		01/03	14,000 seeds	
	20	2	FR	GEVES	01/09		01/10	20,000 seeds (150 g)	

***Vanda Jones ex R. Br.***

august crop	14	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants, able to flower in the first year of examination but not yet flowering and not having flowered before, plus 3 fully-grown plants, able to flower and to show all their characteristics in the first year of examination	
-------------	----	---	----	-------------	-------	-------	-------	---	--

1	2	3	4	5	6	7	8	9	10
<b>Vanda Jones ex R. Br.</b>									
january crop	14	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants, able to flower in the first year of examination but not yet flowering and not having flowered before, plus 3 fully-grown plants, able to flower and to show all their characteristics in the first year of examination	
<b>Verbascum L.</b>									
vegetative	15	1	UK	NIAB	01/12	08/03	19/03	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
<b>Verbena L.</b>									
seed	17A	1	NL	NAKTUINBOUW	01/12		01/02	10 gram seeds	germination capacity 50%
vegetative	16	1	NL	NAKTUINBOUW	01/12	01/05	15/05	24 young plants being able to show all their characteristics in the first year of examination, virus free.	
<b>Veronica L.</b>									
vegetative	15	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<b>Vicia faba L.</b>									
agricultural	8	2	FR	GEVES	15/12		10/01	20000 grains	
agricultural	8	2	NL	NAKTUINBOUW	01/03		01/04	3,000 seeds	
agricultural	8	2	DE	Bundessortenamt	15/12		01/02	4 kg seed	minimum germination capacity 90%
agriculture	8	2	AT	Bundesamt für Ernährungssicherheit	01/12		01/12	3.0 kg	Minimum germination capacity 85 %
agriculture	8	2	PL	COBORU	15/12		03/01	5,0 kg seed	
spring	8	2	UK	Food and Environment Research Agency (FERA)	30/11		15/01	3 kg or 6000 seeds	Minimum germination capacity 80%
spring	8	2	DK	Ministry of Food, Agriculture and Fisheries	20/01		10/02	5.0 kg seed	
vegetable	8	2	ES	Oficina Española de Variedades Vegetales	01/08		01/09	6,0 kg	
vegetable	8	2	NL	NAKTUINBOUW	01/03		01/04	3 000 seeds	
vegetable	8	2	PL	COBORU	31/12		03/01	4,0 kg seed	
vegetable	8	2	DE	Bundessortenamt	15/01		01/02	6,000 seeds	minimum germination capacity 85%
vegetable, broad bean	8	2	FR	GEVES	15/08		15/09	4,0 kg	
winter	8	2	UK	Food and Environment Research Agency (FERA)	31/08		17/09	3 kg or 6000 seeds	Minimum germination capacity 80%
<b>Viola L.</b>									
seed-propagated	17A	1	UK	NIAB	01/12	24/01	28/01	250 seeds	seed must be of high germination capacity
vegetative	16	1	UK	NIAB	01/12	14/03	25/03	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

**Vitis L.**

fruit	26	4	FR	GEVES	31/01	01/01	15/04	10 one-year-old rooted plants	Each plant must be clearly labelled. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
-------	----	---	----	-------	-------	-------	-------	-------------------------------	---

fruit	26	4	IT	C.R.A.- VIT	31/01	01/02	31/03	15 virus-tested one year-old grafted plants with sufficient root growth	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
-------	----	---	----	-------------	-------	-------	-------	---	--

fruit	26	4	ES	Oficina Española de Variedades Vegetales	31/01	01/01	31/01	24 grafted plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
-------	----	---	----	--	-------	-------	-------	-------------------	--

fruit	26	4	DE	Bundessortenamt	15/02	01/03	15/04	10 rooted grafts	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
-------	----	---	----	-----------------	-------	-------	-------	------------------	--

1	2	3	4	5	6	7	8	9	10
<b>Vitis L.</b>									
rootstock	26	4	ES	Oficina Española de Variedades Vegetales	31/01	01/01	31/03	10 plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
rootstock	26	4	DE	Bundessortenamt	15/02	01/03	15/04	8 rooted cuttings	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
	26	4	HU	CENTRAL AGRICULTURAL OFFICE	31/01	01/03	15/04	30 grafted plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.
	26	4	BG	Ministry of Agriculture and Food	15/02		15/03	15 grafted plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down for certified material in Council Directive 68/193/EEC and their implementing measures - please refer to the CPVO grapevine protocol in our website for a complete list of pests and pathogens which the plant material must be free from.

1	2	3	4	5	6	7	8	9	10
<b>Vriesea Lindl.</b>									
vegetative	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	age: approximately 1 months before flower induction treatment
<b>Xerochrysum bracteatum (Vent.) Tzvelev (syn: Bracteantha bracteata Anderb. and Haegi)</b>									
vegetative	16	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	
<b>Zantedeschia Spreng.</b>									
aethiopica	13	1	NL	NAKTUINBOUW	01/06	01/09	15/09	30 rhizomes in rest	size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination)
seed	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	500 seeds + 100 one year old tubers (C2 material).	
vegetative	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 rhizomes/bulbs	size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination)
<b>Zea mays L.</b>									
hybrid	1	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	5000 grains of the hybrid and of its parent lines	Indicate thousand seed weight and germination capacity
hybrid	1	2	FR	GEVES	01/03		01/04	Hybrid: 1,0 kg	1500 grains of each line If applicable: 1500 grains of the single hybrid parent
hybrid	1	2	DE	Bundessortenamt	01/02		01/03	2,0 kg	minimum germination capacity 94%. For each component 3000 germinable grains
hybrid	1	2	HU	CENTRAL AGRICULTURAL OFFICE	10/02		15/03	1,0 kg	500 g of each component
hybrid	1	2	BG	Ministry of Agriculture and Food	28/01		28/02	2,0 kg	For each component 3000 germinable grains
hybrid	1	2	SK	UKSUP	20/02		10/03	1,0 kg	For each component 3000 germinable grains
hybrid	1	2	CZ	UKZUZ	31/01		15/03	1.0 kg of the hybrid and 1500 grains of each line and 1500 grains of the single hybrid, if applicable	untreated seed must meet at least the requirements for certified seeds
hybrid	1	2	RO	ISTIS	01/02		01/03	1,0 kg	For each component 1500 germinable grains
line	1	2	DE	Bundessortenamt	01/02		01/03	3000 germinable grains	
line	1	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	5000 grains	Indicate thousand seed weight and germination capacity
line	1	2	CZ	UKZUZ	31/01		15/03	1500 grains	
line	1	2	BG	Ministry of Agriculture and Food	28/01		28/02	5000 germinable grains	
line	1	2	FR	GEVES	01/03		01/04	1500 grains	
line	1	2	RO	ISTIS	01/02		01/03	1500 seeds	
line	1	2	HU	CENTRAL AGRICULTURAL OFFICE	10/02		15/03	500 g	
line	1	2	SK	UKSUP	20/02		10/03	3000 germinable grains	
single hybrid as parent	1	2	FR	GEVES	01/03		01/04	1500 grains	
sweet & pop	1	2	HU	CENTRAL AGRICULTURAL OFFICE	10/02		15/03	1,0 kg	
sweet corn	1	2	RO	ISTIS	01/02		01/03	1,0 kg seed	
sweet corn & pop corn	1	2	SK	UKSUP	31/01		28/02	2000 germinable grains	
sweet corn & pop corn	1	2	NL	NAKTUINBOUW	01/04		15/04	3.000 seeds	

1	2	3	4	5	6	7	8	9	10
<b><i>Zea mays</i> L.</b>									
sweet corn & pop corn	1	2	ES	Oficina Española de Variedades Vegetales	01/01		01/02	5000 grains	
sweet corn & pop corn	1	2	BG	Ministry of Agriculture and Food	28/01		28/02	1,0 kg	For each component 3.000 germinable grains
sweet corn & pop corn	1	2	FR	GEVES	01/03		01/04	1.0 kg	

## Format of official CPVO publications

### As from 2010

The 6 editions of the Official Gazette, the 6 editions of the S2-Gazette and the Annex to the Annual Report will be exclusively available in digital format.

The Annual Report (without Annex) will be available in both formats, hard copy and digital.

All official publications of the CPVO published after 2009 will be free of charge.

### Before 2010

Available hard copies of all official CPVO publications will be for sale.

Digital copies will be freely downloadable.

## How to obtain CPVO Publications

### Paper copies:

Of pre-2010 CPVO Publications, hard copies for sale, if printed versions are still available, only available at the CPVO.

Of Annual Reports as from 2010:

- via EU Bookshop (<http://bookshop.europa.eu>);
- from your bookseller by quoting the title, publisher and/or ISBN number;
- by contacting one of the sales agents of the Publications Office of the European Union directly.  
You can obtain their contact details on the Internet (<http://bookshop.europa.eu>) or by sending a fax to +352 2929-42758.

### Digital copies:

All CPVO Publications are freely downloadable as pdf documents:

- via the CPVO website (<http://cpvo.europa.eu>);
- via EU Bookshop (<http://bookshop.europa.eu>).

### Note:

An e-subscriber service is in place via the CPVO website, at the very bottom of the CPVO web pages, "Subscription" / "CPVO Publications and announcements".

To be kept posted on new Official Publications, you can subscribe to receive a message delivered straight in your inbox.

ISSN 1831-6212 • TG-AB-12-S01-1X-N

©CPVO Angers, 2012

Reproduction is authorised, except for commercial purposes, provided the source is acknowledged.

**Produced by CPVO**  
Typeset by L<sup>A</sup>T<sub>E</sub>X





**CPVO**

3, Bd. Maréchal Foch - BP 10121  
49101 Angers Cedex 02 - France  
Tel. +33 (0)2 41 25 64 00 - Fax +33 (0)2 41 25 64 10  
cpvo@cpvo.europa.eu - www.cpvo.europa.eu

S2•1•2012

15|02|2012



Publications Office