



CPVO

Community Plant Variety Office

Официален бюлетин на Службата на Общността за сортовете растения
Boletín Oficial de la Oficina Comunitaria de Variedades Vegetales
Úřední věstník Odrůdového úřadu Společenství
EF-Sortsmyndighedens Officielle Tidende
Amtsblatt des Gemeinschaftlichen Sortenamtes
Ühenduse Sordiameti ametlik väljaanne
Επίσημη Εφημερίδα του Κοινοτικού Γραφείου Φυτικών Ποικιλιών
Official Gazette of the Community Plant Variety Office
Bulletin officiel de l'Office communautaire des variétés végétales
Bollettino ufficiale dell'Ufficio comunitario delle varietà vegetali
Kopienas Augu šķirņu biroja Oficiālais Vēstnesis
Bendrijos augalų veislių tarnybos oficialusis žurnalas
A Közösségi Növényfajta Hivatal Hivatalos Közlönye
Gazzetta Ufficjali ta' l-Ufficċju Komunitarju tal-Varjetajiet ta' Pjanti
Mededelingenblad van het Communautair Bureau voor Plantenrassen
Urzędowa Gazeta Wspólnotowego Urzędu Odmian Roślin
Boletim Oficial do Instituto Comunitário das Variedades Vegetais
Buletinul oficial al Oficiului Comunitar pentru Soiuri de Plante
Úradný vestník Úradu Spoločenstva pre odrody rastlín
Uradno glasilo Urada Skupnosti za rastlinske sorte
Yhteisön kasvilajikeviraston virallinen lehti
Officiell tidskrift för Gemenskapens växtsortsmyndighet

S2•2•2013

15|04|2013

- BG** Служба на Общността за сортовете растения • Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал(Страница 2)
- ES** Oficina Comunitaria de Variedades Vegetales • Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales(Página 3)
- CS** Odrůdový úřad Společenství • Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu(Strana 4)
- DA** EF-Sortsmyndigheden • Særudgave af Ef-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale(Side 5)
- DE** Gemeinschaftliches Sortenamts • Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über Antragsfristen und über Bestimmungen zur Vorlage von Pflanzenmaterial(Seite 6)
- ET** Ühenduse Sordiamet • Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta(Lehekülj 7)
- EL** Κοινοτικό Γραφείο Φυτικών Ποικιλιών • Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτήσεων και τις απαιτήσεις για την υποβολή φυτικού υλικού(Σελίδα 8)
- EN** Community Plant Variety Office • Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material(Page 9)
- FR** Office communautaire des variétés végétales • Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal(Page 10)
- IT** Ufficio comunitario delle varietà vegetali • Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale(Pagina 11)
- LV** Kopienas Augu šķirņu birojs • Kopienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām(Lappuse 12)
- LT** Bendrijos augalų veislių tarnyba • Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus(Puslapis 13)
- HU** Közöségi Növényfajta Hivatal • A CPVO Hivatalos Közlönyének speciális kiadványa-tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről(Oldal 14)
- MT** L-Uffiċċju Komunitarju tal-Varjetajiet ta' Pjanti • Hargha Speċjali tal-Gazzetta uffċjali tas-CPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-rekwiziti għallpreżentazzjoni ta' materjali tal-pjanti(Paġna 15)
- NL** Communautair Bureau voor plantenrassen • Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informatieve betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plantmateriaal(Bladzijde 16)
- PL** Wspólnotowy Urząd Odmian Roślin • Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przesyłania materiału roślinnego(Strona 17)
- PT** Instituto Comunitário das Variedades Vegetais • Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal(Página 18)
- RO** Oficiul Comunitar pentru Soiuri de Plante • Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal(Pagina 19)

- SK** Úrad Spoločenstva pre odrody rastlín • Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu(Strana 20)
- SL** Urad Skupnosti za rastlinske sorte • Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala(Stran 21)
- FI** Yhteisön kasvilajikevirasto • Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määräajoista hakemuksen jättämiselle ja vaatimuksista kasvimateriaalin toimittamiselle(Sivu 22)
- SV** Gemenskapens växtsortsmyndighet • Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial(Sida 23)

3 boulevard Maréchal Foch
CS 10121
FR-49101 ANGERS CEDEX 2
Tel: +33(0) 241 25 64 00
Fax: +33(0) 241 25 64 10
Email: cpvo@cpvo.europa.eu
Website: www.cpvo.europa.eu

BG Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал (Страница 24)

Специалното издание на Официалния бюлетин на Службата на Общността за сортовете растения (S2) има за цел да предостави на заявителите консолидирана версия на крайните срокове за заявки и изискванията за предоставяне на материал от сорта с оглед техническата му проверка.

От октомври 2010 г. S2 ще се публикува в електронен вид на уебсайта на Службата шест пъти в годината. Всяко специално издание ще съдържа консолидирана версия; измененията в предходното издание ще се отбелязват с осветен текст.

На уебсайта на Службата е предоставен инструмент за търсене, чрез който могат да се проследят измененията.

За да са възможни проверки в историята на записите, всяко специално издание на Официалния бюлетин на ЦПВО ще бъде запазено в .pdf формат и ще остане на разположение на уеб потребителите за справка.

В списъците в специалните издания на Официалния бюлетин на ЦПВО са включени най-значителните сортове растения от гледната точка на заявките. Ако имате въпроси относно други сортове растения, обърнете се към ЦПВО на: cpvo@cpvo.europa.eu.

- 1: Подвид
- 2: Такси за изпитване по групи
- 3: Брой на предвидените цикли на отглеждане
- 4: Страна
- 5: Изпитващ офис
- 6: Краен срок за заявки
- 7: Начало на подаването
- 8: Край на подаването
- 9: Количество семена/ посадъчен материал
- 10: Качество на семената/ посадъчния материал

Важни забележки:

- От заявителя се очаква да предостави растителен материал, едва след като получи писмено искане от ЦПВО. Неспазването на горното указание може да изложи на риск цялата процедура.
- Заявителите се приканват настоятелно да не оставят изпращането на заявките или растителния материал за последния момент.
- Заявките могат да се подават по всяко време. ЦПВО предвижда да започне техническата проверка през периода на отглеждане, който следва крайния срок, при условие че преди изтичане на крайния срок е получена валидна заявка.
- В случай че растителният материал бъде предоставен след определената дата за подаване, заявката може да бъде отхвърлена съгласно член 61 от Регламент (ЕО) н° 2100/94 на Съвета от 27 юли 1994 година.
- Ако крайният срок изтича на ден, на който ЦПВО не работи и не може да получава документи, срокът се удължава до първия следващ работен ден, на който ЦПВО може да получава документи и на който се доставя обикновена поща, съгласно член 71 от Правилат а за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.
- Ако крайният срок изтича на ден, в който службата не работи и не може да получава растителен материал, срокът се удължава до първия следващ работен ден, на който службата за проверка може да получава растителен материал, съгласно член 71 от Правилат а за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.
- Всички фитосанитарни изисквания се съобщават на заявителя заедно с искането за предоставяне на растителен материал на съответната служба за проверка.
- Предоставеният растителен материал трябва да бъде видимо здрав, да изглежда свеж и да не е засегнат от никакви значителни вредители или болести.

ES Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales (Página 24)

La serie S2 del Boletín presenta a los solicitantes una versión consolidada de los plazos de presentación de las solicitudes y de los requisitos de presentación de los materiales vegetales para su examen técnico.

A partir de octubre de 2010, se publicará en formato digital en el sitio web de la Oficina seis veces al año. Cada número del S2 se publicará en una versión consolidada; todas las modificaciones respecto de la versión del S2 publicada anteriormente aparecerán destacadas en el texto.

Con una herramienta de búsqueda se pueden encontrar tales modificaciones en el sitio web de la Oficina.

Para permitir la consulta de los archivos por los usuarios de Internet, cada boletín S2 se guardará como documento .pdf.

En la lista del Boletín S2 figuran las especies más importantes en términos de solicitudes. En caso de preguntas sobre otras especies, diríjase a la OCVV a través de cpvo@cpvo.europa.eu.

- 1: Subtipo
- 2: Grupo de tasas de examen
- 3: Número de ciclos de cultivo previstos
- 4: País
- 5: Oficina de examen
- 6: Fecha límite para la presentación de solicitudes
- 7: Fecha inicio de envío de material vegetal
- 8: Fecha final de envío de material vegetal
- 9: Cantidad de semillas/plantas
- 10: Calidad de semillas/plantas

Notas importantes:

- *El solicitante no deberá enviar el material vegetal hasta que haya recibido una petición por escrito de la Oficina. El incumplimiento de este requisito puede poner en peligro todo el procedimiento.*
- *Se aconseja a los solicitantes que no dejen para el último minuto el envío de solicitudes o material vegetal.*
- *Las solicitudes pueden presentarse en cualquier momento a la OCVV. La Oficina prevé iniciar el examen técnico en el periodo de cultivo siguiente a la fecha límite, siempre y cuando la solicitud haya sido recibida por la OCVV antes de la fecha límite.*
- *Si se presenta material vegetal pasada la fecha de presentación establecida, la solicitud podría denegarse con arreglo a lo dispuesto en el artículo 61 del Reglamento (CE) no 2100/94 del Consejo de 27 de julio de 1994.*
- *Con arreglo a lo dispuesto en el Artículo 71 de las Disposiciones de desarrollo, Reglamento de la Comisión Europea n° 874/2009 de 17/09/2009. Si un plazo finaliza en un día en que la OCVV no esta abierta para recibir documentos, este plazo se ampliará hasta el primer día siguiente en que la OCVV este abierta para la recepción de documentos y en que se distribuya el correo ordinario.*
- *Si el plazo expira un día en el que la oficina de examen no está abierta para la recepción de material vegetal, se ampliará el plazo hasta el día siguiente en que esté abierta la oficina de examen para la recepción de material vegetal , con arreglo a lo dispuesto en el artículo 71 del Reglamento de la Comisión Europea n° 874/2009 de 17/09/2009.*
- *Se le comunicará al solicitante cualquier requisito fitosanitario junto con las instrucciones para el envío de material vegetal a la oficina de examen pertinente.*
- *El material vegetal suministrado deberá tener apariencia sano, vigoroso y que no esté afectado por ninguna plaga o enfermedad importante.*

CS Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu (Strana 24)

Cílem věstníku S2 je poskytovat žadatelům konsolidovanou verzi dat uzávěrek žádostí a informovat je o požadavcích na zaslání rostlinného materiálu za účelem jeho podrobení technickým zkouškám.

Počínaje říjnem 2010 bude tento věstník šestkrát ročně v digitální podobě zveřejňován na internetových stránkách úřadu. Každé vydání věstníku S2 bude zveřejněno v konsolidované verzi, přičemž všechny změny původní uveřejněné verze věstníku S2 budou zvýrazněny.

Na internetových stránkách úřadu je k dispozici vyhledávací nástroj k identifikaci těchto změn.

Všechna vydání věstníku S2 budou uložena ve formátu .pdf, aby bylo možné konzultovat předchozí vydání, a budou návštěvníkům internetových stránek i nadále k dispozici. Seznam uvedený ve věstníku S2 obsahuje z hlediska přihlášek nejdůležitější druhy.

Pokud máte dotazy týkající se jiných druhů, obraťte se laskavě na úřad CPVO prostřednictvím e-mailové adresy cpvo@cpvo.europa.eu.

- 1: Podskupina
- 2: Skupina zkušebních poplatků
- 3: Počet předpokládaných pěstebních cyklů
- 4: Země
- 5: Zkušební úřad
- 6: Termín pro podání žádosti
- 7: Počátek podání
- 8: Ukončení podání
- 9: Množství osiva/sadby
- 10: Kvalita osiva/sadby

Důležité upozornění:

— Žadatel zašle rostlinného materiál až poté, co od CPVO obdrží písemnou výzvu. Nedodržení výše uvedeného pokynu může narušit průběh celého řízení.

— Žadatelům se důrazně doporučuje, aby nenechávali zaslání žádosti nebo rostlinného materiálu až na poslední chvíli.

— Žádosti mohou být podány kdykoliv. CPVO plánuje začít technické zkoušky v růstovém období, které bude následovat po datu uzávěrky, pokud byla platná žádost obdržena do data uzávěrky.

— Pokud bude rostlinný materiál obdržen po stanoveném datu uzávěrky, může být žádost zamítnuta v souladu s článkem 61 nařízení Rady (ES) č. 2100/94 ze dne 27. července 1994.

— Pokud lhůta uplyne dnem, kdy CPVO není otevřen pro přijímání dokumentů, prodlužuje se lhůta až do prvního následujícího dne, kdy je CPVO otevřen pro příjem dokumentů a kdy se doručuje obyčejná pošta, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Pokud lhůta uplyne dnem, kdy zkušební úřad není otevřen pro přijímání rostlinného materiálu, prodlužuje se až do prvního následujícího dne, kdy je zkušební úřad otevřen pro příjem rostlinných materiálů, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Jakékoliv fytoosanitární požadavky budou žadateli sděleny současně se žádostí o zaslání rostlinného materiálu příslušnému zkušebnímu úřadu.

— Dodaný rostlinný materiál by měl být viditelně zdravý, neměl by být ve špatném stavu nebo vykazovat zásadní napadení škůdci nebo nemocemi.

DA Særudgave af Ef-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale (Side 24)

Formålet med særudgaven af Sortsmyndighedens Officielle Tidende (S2) er, i en konsolideret version, at give ansøgerne oplysninger om de tidsfrister og betingelser for indgivelse, der finder anvendelse, når der foretages teknisk afprøvning af plantemateriale.

Fra oktober 2010 offentliggøres oplysningerne digitalt på Sortsmyndighedens websted seks gange årligt. Alle S2-udgaver offentliggøres i en konsolideret version, og eventuelle ændringer i forhold til den tidligere offentliggjorte S2-version vil blive fremhævet.

På Sortsmyndighedens websted findes der et søgeværktøj, som kan identificere disse ændringer.

For at gøre det muligt at søge i arkiverne, gemmes alle S2-publikationer som pdf-dokument og forbliver tilgængelige for webbrugere.

Listen i S2-udgaven angiver de vigtigste sorter, når det gælder ansøgninger. I tilfælde af spørgsmål vedrørende andre sorter kan der rettes henvendelse til Sortsmyndigheden på adressen cpvo@cpvo.europa.eu.

- 1: Undertype
- 2: Afprøvningsgebyrgruppe
- 3: Forventet antal vækstperioder
- 4: Land
- 5: Prøvningsmyndighed
- 6: Ansøgningsfrist
- 7: Påbegyndelse af indgivelsesperiode
- 8: Afslutning af indgivelsesperiode
- 9: Frø/plantemængde
- 10: Frø/plantekvalitet

Vigtigt:

— Ansøgeren skal kun indgive materialet efter skriftlig anmodning fra Sortsmyndigheden. Tilsidesættelse af ovenstående anvisninger kan bringe hele proceduren i fare.

— Det tilrådes kraftigt, at ansøgeren ikke venter til sidste øjeblik med at sende ansøgningen eller plantematerialet.

— Ansøgninger kan indgives på et hvilket som helst tidspunkt. Sortsmyndigheden har til hensigt at påbegynde den tekniske afprøvning i dyrkningsperioden efter ansøgningsfristens udløb, hvis der er modtaget en gyldig ansøgning inden fristens udløb.

— Hvis plantematerialet indsendes efter den fastsatte indsendelsesfrist, kan ansøgningen afvises i henhold til artikel 61 i Rådets forordning (EF) nr. 2100/94 af 27. juli 1994.

— Udløber en frist på en dag, hvor Sortsmyndigheden har lukket for modtagelse af dokumenter, forlænges fristen til den nærmest følgende dag, hvor Sortsmyndigheden har åbent for modtagelse af dokumenter, og hvor almindelige postforsendelser udbringes, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17 September 2009 om gennemførelsesbestemmelser.

— Udløber en frist på en dag, hvor prøvningsmyndigheden har lukket for modtagelse af plantematerialer, forlænges fristen til den nærmest følgende dag, hvor prøvningsmyndigheden har åbent for modtagelse af plantematerialer, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17 September 2009 om gennemførelsesbestemmelser.

— Ethvert fyto sanitært krav vil blive meddelt ansøgeren sammen med anmodningen om indgivelse af plantemateriale til den pågældende prøvningsmyndighed.

— Plantematerialet skal være sundt og frisk uden spor af skadedyr og sygdomme.

DE Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über Antragsfristen und über Bestimmungen zur Vorlage von Pflanzenmaterial (Seite 24)

Zweck des S2-Amtsblattes ist es, die Antragsteller in einer konsolidierten Fassung über Schlussdaten für die Anträge auf Sortenschutz sowie über die Anforderungen für die Einreichung von Pflanzenmaterial im Hinblick auf ihre technische Prüfung zu informieren.

Ab Oktober 2010 wird das S2-Amtsblatt sechsmal pro Jahr digital auf der Website des Amtes veröffentlicht. Jede S2-Ausgabe wird als konsolidierte Fassung erscheinen; Änderungen im Vergleich zur vorher veröffentlichten Fassung des S2 werden hervorgehoben dargestellt.

Eine Suchfunktion zum Auffinden dieser Änderungen ist auf der Website des Amtes verfügbar.

Um frühere Einträge prüfen zu können, wird jede S2-Veröffentlichung als .pdf-Dokument gespeichert und den Webnutzern zur Einsichtnahme zur Verfügung stehen.

In der Liste des S2-Amtsblattes sind die nach Antragszahlen wichtigsten Arten aufgeführt. Bei Fragen zu anderen Arten, senden Sie bitte eine E-Mail an cpvo@cpvo.europa.eu.

- 1: Subtyp
- 2: Gebührgruppe
- 3: Wachstumsperioden
- 4: Land
- 5: Prüfamt
- 6: Antragsdatum
- 7: Vorlage Beginn
- 8: Vorlage Ende
- 9: Menge des Saatguts/der Pflanzen
- 10: Qualität des Saatguts/der Pflanzen

Wichtige Hinweise:

- Die Vorlage des Pflanzenmaterials durch den Antragsteller soll nur nach schriftlicher Aufforderung durch das CPVO erfolgen. Die Nichterfüllung dieser Vorgabe kann das gesamte Antragsverfahren gefährden.
- Den Antragstellern wird empfohlen, die Anträge bzw. das Pflanzenmaterial rechtzeitig im Vorfeld zu senden.
- Anträge können jederzeit eingereicht werden. Das CPVO sieht vor, die technische Prüfung in der dem Antragsdatum folgenden Wachstumsperiode zu beginnen, falls ein gültiger Antrag bis zum Antragsschluss des jeweiligen Jahres eingereicht wurde.
- Wird Pflanzenmaterial nach dem festgelegten Vorlagezeitraum vorgelegt, kann der Antrag gemäß Artikel 61 der Verordnung (EG) Nr. 2100/94 des Rates vom 27. Juli 1994 abgelehnt werden.
- Läuft eine Frist an einem Tag ab, an dem das CPVO zur Entgegennahme von Schriftstücken nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das CPVO zur Entgegennahme von Schriftstücken geöffnet ist und an dem gewöhnliche Postsendungen zugestellt werden (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamte).
- Läuft eine Frist an einem Tag ab, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial geöffnet ist (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamte).
- Jegliche phytosanitären Anforderungen an das Pflanzenmaterial werden dem Antragsteller in der schriftlichen Aufforderung zur Vorlage des Pflanzenmaterials beim betreffenden Prüfamt mitgeteilt.
- Vorgelegtes Pflanzenmaterial muss augenscheinlich gesund sein, darf keinen Mangel an Wuchskraft aufweisen und muss frei von signifikanten Schädlingen oder Krankheiten sein.

ET Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta (Lehekülj 24)

Teataja eriväljaande (S2 Gazette) eesmärk on anda taotlejatele kokkuvõtlikku teavet taotluste esitamise tähtaegade ja taimse materjali registreerimiskatseteks esitamise nõuete kohta.

Alates oktoobrist 2010 ilmub eriväljaanne ameti veebilehel digitaalselt kuus korda aastas. Iga S2 väljaanne avaldatakse konsolideeritud versioonina, kõik eelmise versiooni muudatused märgistatakse.

Otsinguvahendiga saab muudatusi leida ameti veebilehel.

Iga S2 väljaanne salvestatakse pdf-vormingus dokumendina, et saaks vaadata varasemaid salvestisi, ja see jääb veebikasutajaile otsinguis kättesaadavaks.

S2 väljaannete loetelu näitab taotluste poolest kõige tähtsamaid liike. Küsimused teiste liikide kohta saatke palun Ühenduse Sordiametile aadressil: cpvo@cpvo.europa.eu.

- 1: Alatüüp
- 2: Registreerimiskatse tasu rühm
- 3: Ettenähtud kasvutsükli arv
- 4: Riik
- 5: Katseasutus
- 6: Taotluse esitamise lõpptähtaeg
- 7: Saatmise algus
- 8: Saatmise lõpp
- 9: Seemnete/taimede kogus
- 10: Seemnete/taimede kvaliteet

Tähelepanu:

— Taotlejad saavad taimse materjali alles pärast Ühenduse Sordiametilt kirjaliku nõude saamist. Selle juhise eiramine võib kahjustada kogu menetlust.

— Soovitame tungivalt taotlejatele mitte jätta taotluste või taimse materjali saatmist viimasele hetkele.

— Taotlusi võib esitada igal ajal. Juhul kui kehtiv taotlus on laekunud tähtajaks, alustab Ühenduse Sordiamet registreerimiskatsetega tähtajale järgneval kasvuperioodil.

— Kui taimne materjal saadetakse pärast esitamise tähtaega, võidakse taotlus tagasi lükata, vastavalt nõukogu 27. Juuli 1994. aasta määruse (EÜ) nr 2100/94 artiklile 61.

— Kui tähtaeg lõpeb päeval, mil Ühenduse Sordiamet ei ole dokumentide vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil Ühenduse Sordiamet on dokumentide vastuvõtuks avatud ja mil kantakse laiali harilikku posti, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.

— Kui tähtaeg lõpeb päeval, mil kontrolliasutus ei ole taimse materjali vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil kontrolliasutus on taimse materjali vastuvõtuks avatud, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.

— Kõik fütosanitaarnõuded edastatakse taotlejale koos asjaomasele kontrolliasutusele taimse materjali esitamise nõudega.

— Esitatav taimne materjal peab olema nähtavalt terve, elujõuline ning olulistest kahjuritest ja haigustest puutumatu.

EL Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτησεωυρνυ και υρταυις απαιτησεις για την υποβολη φυτικου υλικου (Σελίδα 24)

Σκοπός της εφημερίδας S2 είναι η παροχή στους αιτούντες ενσποιημένης έκδοσης με τις προθεσμίες των αιτήσεων και τις απαιτήσεις υποβολής υλικού φυτών για τη διεξαγωγή της τεχνικής εξέτασης.

Από τον Οκτώβριο 2010, η εφημερίδα, θα δημοσιεύεται ψηφιακά στον δικτυακό τόπο του Γραφείου έξι φορές ετησίως. Κάθε τεύχος της εφημερίδας S2 θα δημοσιεύεται σε ενσποιημένη έκδοση, ενώ όλες οι τροποποιήσεις σε σχέση με το προηγούμενο δημοσιευθέν κείμενο της S2 θα είναι υπογραμμισμένες.

Υπάρχει διαθέσιμο στον δικτυακό τόπο του Γραφείου εργαλείο αναζήτησης για τον εντοπισμό των τροποποιήσεων αυτών.

Προκειμένου να είναι εφικτός ο έλεγχος του ιστορικού των αρχείων, κάθε δημοσίευση της S2 θα αποθηκεύεται υπό μορφή εγγράφου .pdf και θα παραμένει διαθέσιμη ώστε να μπορούν να τη συμβουλευούνται οι χρήστες του Ιστού.

Ο κατάλογος που δημοσιεύεται στην εφημερίδα S2 περιέχει τα πιο σημαντικά είδη όον αφορά τις αιτήσεις. Για οποιαδήποτε ερώτησή σας σχετικά με άλλα είδη, επικοινωνήστε με το ΚΓΦΠ μέσω της ηλεκτρονικής διεύθυνσης crvo@crvo.europa.eu.

- 1: Υποκατηγορία
- 2: Ομάδα τελών εξέτασης
- 3: Αριθμός προβλεπόμενων βλαστικών κύκλων
- 4: Χώρα
- 5: Γραφείο εξέτασης
- 6: Προθεσμία υποβολής αιτήσεων
- 7: Εναρξη υποβολής
- 8: Λήξη υποβολής
- 9: Ποσότητα σπόρουφυτού
- 10: Ποιότητα σπόρουφυτού

Σημαντικές επισημανσεις:

- Ο αιτών θα υποβάλει το φυτικό υλικό μόνο αφού λάβει σχετικό γραπτό αίτημα από το ΚΓΦΠ. Σε περίπτωση μη συμμόρφωσης με την ανωτέρω οδηγία ενδέχεται να ακυρωθεί ολόκληρη η διαδικασία.
- Συνιστάται ρητώς στους αιτούντες να αποφεύγουν την αποστολή των αιτήσεων και του φυτικού υλικού την τελευταία στιγμή
- Οι αιτήσεις μπορούν να υποβάλλονται οποτεδήποτε. Το ΚΓΦΠ θα ξεκινήσεια την τεχνική εξέταση κατά την περίοδο καλλιέργειας μετά την ημερομηνία λήξης της προθεσμίας, εφόσον παραλάβει έγκυρη αίτηση εντός της συγκεκριμένης προθεσμίας
- Εάν το φυτικό υλικό υποβληθεί μετά τη λήξη της προθεσμίας υποβολής, η αίτηση απορρίπτεται, σύμφωνα με το άρθρο 61 του κανονισμού (ΕΚ) αριθ. 2100/94 του Συμβουλίου, της 27ης Ιουλίου 1994.
- Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το ΚΓΦΠ δεν είναι ανοικτό για τη παραλαβή εγγράφων, η προθεσμία παρατείνεται μέχρι την επομένη ημέρα κατά την οποία το ΚΓΦΠ ανοίγει για τη παραλαβή εγγράφων και διεξάγεται η διανομή του κανονικού ταχυδρομείου, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.
- Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το γραφείο εξέτασης δεν είναι ανοικτό για τη λήψη φυτικού υλικού, η προθεσμία παρατείνεται μέχρι την επομένη ημέρα κατά την οποία το γραφείο εξέτασης ανοίγει για τη λήψη φυτικού υλικού, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.
- Τυχόν φυτοϋγειονομικές απαιτήσεις θα γνωστοποιηθούν στον αιτούντα μαζί με το αίτημα υποβολής φυτικού υλικού στο σχετικό γραφείο εξέτασης
- Το φυτικό υλικό που υποβάλλεται πρέπει να είναι εμφανώς υγιές, εύρωστο και να μην έχει προσβληθεί από σημαντικούς επιβλαβείς οργανισμούς ή ασθένειες

EN Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material (Page 24)

The purpose of the S2 Gazette is to provide applicants with a consolidated version of the closing dates for applications and the submission requirements for plant material in view of their technical examination.

From October 2010, it will be digitally published on the web site of the Office six times per year. Each S2 issue will be published in a consolidated version; any modifications with respect to the previously published version of the S2 will appear highlighted.

A search tool is available to identify these modifications on the web site of the Office.

In order to allow for the checking of the history of records, each S2 publication will be saved as a .pdf document and will remain available for consultation to the web users.

The list in the S2 Gazette shows the most important species in terms of applications. In case of questions about other species, please approach the CPVO at cpvo@cpvo.europa.eu.

- 1: Sub-type
- 2: Examination fee group
- 3: Number of foreseen growing cycles
- 4: Country
- 5: Examination office
- 6: Closing dates for applications
- 7: Submission start
- 8: Submission end
- 9: Seed/plant quantity
- 10: Seed/plant quality

Important notes:

— *The applicant is expected to submit the plant material only after having received a request in writing from the CPVO. Failure to comply with the above instruction may jeopardise the whole procedure.*

— *Applicants are strongly advised not to leave the sending of applications or plant material to the last minute.*

— *Applications can be filed at any time. The CPVO envisages to start the technical examination in the growing period following the closing date if a valid application has been received by the closing date.*

— *If plant material is submitted after the set submission date, the application could be refused pursuant to Article 61 Council Regulation (EC) No 2100/94 of 27 July 1994.*

— *If a time limit expires on a day on which the CPVO is not open for receipt of documents, the time limit shall extend until the first day thereafter on which the CPVO is open for receipt of documents and on which ordinary mail is delivered, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *If a time limit expires on a day on which the examination office is not open for receipt of plant material, the time limit shall extend until the first day thereafter on which the examination office is open for receipt of plant material, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *Any phytosanitary requirements will be communicated to the applicant with the request for the submission of plant material to the relevant examination office.*

— *The plant material supplied should be visibly healthy, not lacking in vigour or affected by any significant pest or disease.*

FR Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal (Page 24)

La Gazette S2 fournit aux demandeurs une version consolidée des dates de clôture des demandes et des conditions requises pour la soumission du matériel végétal en vue de son examen technique.

À compter d'octobre 2010, elle sera publiée six fois par an au format numérique sur le site web de l'Office. Chaque numéro de S2 sera publié sous la forme d'une version consolidée; toute modification par rapport à la version précédemment publiée sera surlignée.

Un outil de recherche est disponible pour identifier ces modifications sur le site web de l'Office.

Afin de permettre la consultation des archives, chaque publication S2 sera sauvegardée dans un document au format .pdf auquel les internautes auront accès.

La liste de la Gazette S2 présente les espèces les plus importantes du point de vue du nombre de demandes. Pour toutes questions concernant les autres espèces, veuillez prendre contact avec l'OCVV à l'adresse: cpvo@cpvo.europa.eu

- 1: Sous-type
- 2: Groupe de taxe d'examen
- 3: Nombre de cycles de culture prévus
- 4: Pays
- 5: Office d'examen
- 6: Date de clôture des demandes
- 7: Début de présentation
- 8: Fin de présentation
- 9: Quantité de graines/plants
- 10: Qualité de graines/plants

Remarques importantes:

— Le demandeur ne peut présenter le matériel végétal qu'après réception d'une demande écrite de l'OCVV. Le non-respect de l'instruction susmentionnée peut compromettre l'ensemble de la procédure.

— Il est fortement recommandé aux demandeurs de ne pas introduire des demandes ou de ne pas envoyer du matériel végétal à la dernière minute.

— Les demandes peuvent être déposées à tout moment. L'OCVV envisage de débiter l'examen technique lors de la saison de culture suivant la date de clôture, si une demande valide a été reçue avant la date de clôture.

— Si du matériel végétal est présenté après la date de fin de présentation, la demande pourrait être rejetée conformément à l'article 61 du règlement (CE) n° 2100/94 du Conseil du 27 juillet 1994 instituant un régime de protection communautaire des obtentions végétales.

— Si un délai expire un jour où l'OCVV n'est pas ouvert pour recevoir des documents, le délai est prorogé jusqu'au premier jour suivant où les documents peuvent être déposés et où le courrier normal est distribué, conformément à l'article 71 du règlement d'application, Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.

— Si un délai expire un jour où on ne peut présenter de matériel végétal auprès de l'office d'examen, le délai est prorogé jusqu'au premier jour suivant celui où l'office d'examen est ouvert pour le dépôt de matériel végétal, conformément à l'article 71 du Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.

— Toute condition phytosanitaire sera communiquée au demandeur avec la demande de présentation de matériel végétal à l'office d'examen concerné.

— Le matériel végétal fourni doit être visiblement sain, vigoureux et exempt d'organismes nuisibles ou de maladies.

IT Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale (Pagina 24)

La finalità della Gazzetta S2 è fornire ai richiedenti una versione consolidata delle date di chiusura per la presentazione delle domande e i requisiti per la presentazione di materiale vegetale, in vista del loro esame tecnico.

Dal mese di ottobre 2010, la Gazzetta S2 sarà pubblicata in formato digitale sul sito Internet dell'Ufficio sei volte all'anno. Ogni numero sarà pubblicato in una versione consolidata ed ogni modifica delle versioni della Gazzetta S2 precedentemente pubblicate apparirà evidenziata.

Per identificare queste modifiche, è inoltre disponibile uno strumento di ricerca sul sito Internet dell'Ufficio.

Per consentire il controllo dello storico della documentazione, ciascuna pubblicazione S2 sarà salvata in formato .pdf e rimarrà disponibile per poter essere consultata da parte degli utenti Web.

L'elenco nella Gazzetta S2 evidenzia le specie più importanti rubricate in base alle domande. Per eventuali quesiti inerenti ulteriori specie, si prega di contattare l'UCVV al seguente indirizzo di posta elettronica: cpvo@cpvo.europa.eu.

- 1: Sottotipo
- 2: Categoria di tassa d'esame
- 3: Numero di cicli vegetativi previsti
- 4: Paese/Nazione
- 5: Ufficio di esame
- 6: Termine ultimo per la presentazione delle domande
- 7: Inizio presentazione
- 8: Fine presentazione
- 9: Quantità semi/piante
- 10: Qualità semi/piante

Note importanti:

— *Il richiedente è tenuto a presentare il materiale vegetale solo dopo averne ricevuto richiesta scritta da parte dell'U.C.V.V. L'inosservanza di quanto sopra può compromettere l'intera procedura.*

— *Si raccomanda imperativamente ai richiedenti di non inviare le domande, o il materiale vegetale, all'ultimo momento.*

— *Le domande possono essere depositate in qualsiasi momento. L'UCVV prevede di iniziare gli esami tecnici nel periodo di crescita successivo al termine ultimo per la presentazione, qualora la domanda sia valida, e pervenuta entro il termine ultimo previsto.*

— *Se il materiale vegetale viene presentato successivamente al termine ultimo di presentazione, la domanda può essere respinta ai sensi dell'articolo 61 del regolamento (CE) n. 2100/94 del Consiglio del 27 luglio 1994.*

— *Ove il termine ultimo dovesse scadere un giorno festivo, esso sarà prorogato sino al primo giorno successivo in cui l'U.C.V.V. può ricevere i documenti e nel quale la distribuzione della corrispondenza avviene normalmente, ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.*

— *Ove il termine ultimo dovesse scadere un giorno in cui l'ufficio d'esame non è in grado di ricevere il materiale vegetale, il richiedente dovrà considerare come termine ultimo il primo giorno successivo in cui l'ufficio d'esame è aperto per la ricezione del materiale vegetale ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.*

— *Qualsiasi particolare concernente i requisiti fitosanitari sarà comunicato al richiedente insieme alla richiesta di presentazione del materiale vegetale all'ufficio d'esame competente.*

— *Il materiale vegetale fornito deve godere visibilmente di buon stato di salute, non mancare di vigore e non- essere affetto da alcun parassita o malattia importante.*

LV Kapienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām (Lappuse 24)

S2 Gazette mērķis ir sniegt pieteikuma iesniedzējiem konsolidētā versijā pieteikumu iesniegšanas beigumu datumus un iesniegšanas prasības attiecībā uz augu materiāliem, ņemot vērā to tehnisko pārbaudi.

No 2010. gada oktobra tas tiks digitāli publicēts Biroja tīmekļa vietnē sešas reizes gadā. Katrs S2 tiks publicēts konsolidētajā versijā; jebkuras izmaiņas, salīdzinot ar iepriekš publicēto S2 versiju, tiks izceltas.

Lai identificētu šīs izmaiņas, Biroja tīmekļa vietnē ir pieejams meklēšanas rīks.

Lai varētu pārbaudīt ierakstu vēsturi, katra S2 publikācija tiks saglabāta pdf formāta dokumentā un būs pieejama tīmekļa lietotājiem.

Saraksts S2 Gazette parāda pieteikumu ziņā svarīgākās šķirnes. Ja Jums ir jautājumi par citām šķirnēm, lūdzu, sazinieties ar Kapienas Augu šķirņu biroju cpvo@cpvo.europa.eu.

- 1: Apakštīps
- 2: Pārbaudes izcenojumu grupa
- 3: Paredzēto audzēšanas ciklu skaits
- 4: Valsts
- 5: Pārbaudes iestāde
- 6: Iesniegumu iesniegšanas termiņš
- 7: Iesniegšanas sākums
- 8: Iesniegšanas beigas
- 9: Sēklu/augu daudzums
- 10: Sēklu/augu kvalitāte

Svarīgas piezīmes:

— *Iesniedzējs iesniedz augu materiālu tikai pēc CPVO rakstiska pieprasījuma saņemšanas. Minētā noteikuma neievērošana var apdraudēt visu procedūru.*

— *Pieteikumu iesniedzējiem neiesaka kavēties ar pieteikumu vai augu materiāla nosūtīšanu līdz pēdējam brīdim.*

— *Pieteikumus var iesniegt jebkurā laikā. KAŠB paredz sākt tehnisko pārbaudi nākamajā veģetācijas periodā pēc iesniegšanas termiņa, ja derīgs pieteikums ir saņemts pirms attiecīgā iesniegšanas termiņa beigām.*

— *Ja augu materiāls iesniegts pēc noteiktā iesniegšanas termiņa, pieteikumu var noraidīt saskaņā ar 1994. gada 27. jūlija Padomes Regulas (EK) Nr. 2100/94 61. pantu.*

— *Ja termiņš izbeidzas dienā, kad CPVO dokumentus nepieņem, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad CPVO pieņem dokumentus un kad saņem parasto pastu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 īstenošanas noteikumu 71.pantu.*

— *Ja termiņš izbeidzas dienā, kad pārbaudes iestāde nepieņem augu materiālu, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad pārbaudes iestāde pieņem augu materiālu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 īstenošanas noteikumu 71.pantu.*

— *Visas nepieciešamās fitosanitārās prasības pieteikuma iesniedzējam paziņo, izsūtot pieprasījumu augu materiāla iesniegšanai atbilstīgajai pārbaudes iestādei*

— *Iesniedzamajam materiālam jābūt vizuāli veselam, spēcīgam, bez būtiskiem kaitēkļu vai slimību izraisītiem bojājumiem.*

LT Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus (Puslapis 24)

S2 biuletenyje pareiškėjams pateikiama apibendrinta informacija apie galutines paraiškų pateikimo datas ir techninei ekspertizei skirtos augalinės medžiagos pateikimo reikalavimus.

Nuo 2010 m. spalio mėn. jo elektroninė versija bus skelbiama Tarnybos svetainėje šešis kartus per metus. Pasirodys kiekvieno S2 leidimo suvestinė redakcija. Visi anksčiau paskelbtų S2 versijų pakeitimai bus paryškinti.

Paieškos priemonė padės nustatyti šiuos pakeitimus Tarnybos svetainėje.

Kad būtų galima peržiūrėti įrašų žurnalą, visi S2 leidiniai bus įrašomi PDF formatu, ir su jais galės susipažinti interneto svetainės lankytojai.

S2 biuletenio sąraše nurodomos rūšys, dėl kurių pateikiama daugiausia paraiškų. Klausimus dėl kitų rūšių prašome pateikti Augalų veislių tarnybai el. paštu cpvo@cpvo.europa.eu.

- 1: Porūšis
- 2: Ekspertizės mokesčio grupė
- 3: Numatomas auginimo ciklų skaičius
- 4: Šalis
- 5: Ekspertizės tarnyba
- 6: Galutinė paraiškos pateikimo data
- 7: Pateikimo pradžia
- 8: Pateikimo pabaiga
- 9: Sėklų (augalų) kiekis
- 10: Sėklų (augalų) kokybė

Svarbi informacija:

- *Pareiškėjas augalinę medžiagą gali pateikti tik tuomet, kai BAVT to pareikalauja raštu. Nesilaikant šio reikalavimo, procedūra gali būti nutraukta.*
- *Rekomenduojama paraiškas ir augalinę medžiagą pateikti laiku (nelaukiant iki paskutinės dienos).*
- *Paraiškas galima užpildyti bet kuriuo metu. BAVT numato pradėti techninę ekspertizę auginimo laikotarpiu po galutinės paraiškų pateikimo dienos, jei ji galiojančią paraišką gavo iki galutinės paraiškų pateikimo datos.*
- *Jei augalinė medžiaga pateikiama po galutinės jos pateikimo datos, paraiška gali būti atmesta pagal 1994 m. liepos 27 d. Tarybos reglamento (EB) Nr. 2100/94 61 straipsnį.*
- *Jei nustatytas terminas yra tokia diena, kurią BAVT nepriima dokumentų, jis pratęsiamas iki kitos dienos, kurią BAVT priima dokumentus ir kurią teikiamos įprastinės pašto paslaugos, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.*
- *Jei nustatytas terminas yra tokia diena, kurią ekspertizės tarnyba nepriima augalinės medžiagos, jis pratęsiamas iki kitos dienos, kurią ekspertizės tarnyba priima augalinę medžiagą, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.*
- *Apie visus fitosanitarinius reikalavimus pareiškėjui bus pranešta, kai iš jo bus pareikalauta pateikti augalinę medžiagą atitinkamai ekspertizės tarnybai.*
- *Pateikiama augalinė medžiaga iš pažiūros turi atrodyti sveika, nesuglebusi ir negali būti sugadinta kenkėjų ar ligų.*

HU A CPVO Hivatalos Közlönyének speciális kiadványa-tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről (Oldal 24)

Az S2 Gazette célja az, hogy a kérelmezők rendelkezésére bocsássa a kérelmek beadásának egységesített határideit, valamint a növény minta benyújtására vonatkozó előírásokat szakmai vizsgálatuk fényében.

2010 októberétől a kiadvány digitálisan kerül közzétételre a Hivatal weboldalán évente hat alkalommal. Minden S2 kiadvány egységesített változatban kerül közzétételre, az S2 kiadvány bármely, előzőleg közzétett verziójához képest megjelenő módosítás kiemelve fog megjelenni.

Egy kereső segítségével ezek módosítások azonosíthatók a Hivatal weboldalán.

Annak érdekében, hogy a nyilvántartások előzményeit ellenőrizni lehessen, minden S2 kiadványt el fognak menteni pdf dokumentumként, amely betekintés céljából a webes felhasználók rendelkezésére fog állni.

Az S2 Gazette kiadványban található lista a kérelmek szempontjából leglényegesebb fajtákat sorolja fel. Amennyiben egyéb fajtákkal kapcsolatban kérdése merülne fel, kérjük, keresse meg a CPVO-t a : cpvo@cpvo.europa.eu címen.

- 1: Alfaj
- 2: Vizsgálati díj csoport
- 3: A tervezett termesztési ciklusok száma
- 4: Ország
- 5: Ellenőrző Hivatal
- 6: A bejelentések benyújtási határideje
- 7: Benyújtás kezdete
- 8: Benyújtás vége
- 9: Mag/Növény mennyiség
- 10: Mag/Növény minőség

Fontos megjegyzés:

— *A kérelmet benyújtónak csak akkor kell elküldenie a mintát, miután a CPVO-tól írásos kérelmét átvette. Az említett utasítás be nem tartása az egész eljárást veszélyezteti.*

— *A kérelmezőknek nem tanácsos a kérelmek vagy a növényi minták benyújtásnak elküldését az utolsó pillanatra hagyniuk.*

— *Kérelmet bármikor be lehet nyújtani. A CPVO a technikai vizsgálat megkezdését a benyújtási határidőt követő növekedési időszakra irányozza elő, ha az érvényes kérelem a benyújtási határidő lejártá előtt beérkezett.*

— *A benyújtási határidő lejártát követően benyújtott növényi minták esetében a kérelmet az 1994. július 27-i, 2100/94/EK tanácsi rendelet 61. cikke alapján vissza lehet utasítani.*

— *Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem fogad dokumentumokat, a határidőt - a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint - az első olyan napig hosszabbítják meg, amelyen a CPVO fogad dokumentumokat, és amelyen a szokványos postai küldemények érkeznek.*

— *Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem vesz át mintákat, a határidőt - a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint - az első olyan napig hosszabbítják meg, amelyen az ellenőrző hivatal átvesz növényi mintákat.*

— *A kérelmet benyújtó tájékoztatást kap a növény-egészségügyi követelményekről, amikor megkapja a növényi minta illetékes ellenőrző hivatalhoz való benyújtásáról szóló kérelmet.*

— *A benyújtott növénymintának láthatóan egészségesnek, életerősnek kell lennie, illetve nem szenvedhet jelentős kártevőfertőzéstől vagy betegségtől.*

MT **Ħarġa Speċjali tal-Gazzetta uffiċjali tas-CPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti għallprezentazzjoni ta' materjali tal-pjanti (Pagna 24)**

L-għan tal-ġurnal S2 huwa li jipprovi lill-applikanti b'verzjoni konsolidata tad-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti ta' prezentazzjoni għal materjali tal-pjanti fid-dawl tal-eżami tekniku tagħhom.

Minn Ottubru 2010, il-ġurnal ser jibda jkun ippubblikat b'mod diġitali fuq is-sit elettroniku tal-Uffiċċju sitt darbiet fis-sena. Kull ħarġa tal-S2 ser tkun ippubblikata f'verzjoni kkonsolidata; kwalunkwe modifiki li jirrigwardaw il-verzjoni preċedenti tal-S2 ser ikunu sottomlinejati.

Għodda ta' tfittxija hija disponibbli b'x tidentifika dawn il-modifiki fuq is-sit elettroniku tal-Uffiċċju.

Sabiex ikun eħfef it-tiftix fir-rekords tal-passat, kull ħarġa ta' S2 ser tkun issejvjata bħal dokument .pdf u tibqa' disponibbli għall-konsultazzjoni mill-utenti.

Il-lista fil-Ġurnal S2 turi l-ispeċijiet l-iktar importanti f'dak li għandu x'jaqsam ma' applikazzjonijiet. F'każ ta' mistoqsijiet dwar speċje oħra, iktbilna hawnhekk cpvo@cpvo.europa.eu.

- 1: Subtip
- 2: Grupp ta' miżata ta' l-eżami
- 3: Għadd ta' ċikli ta' tkabbir previst
- 4: Pajjiż
- 5: Uffiċċju ta' l-eżami
- 6: Data ta' għeluq għall-applikazzjonijiet
- 7: Bidu tal-perjodu ta' prezentazzjoni
- 8: Tmiem tal-perjodu ta' prezentazzjoni
- 9: Kwantità ta' żrieragħ/pjanti
- 10: Kwalità ta' żrieragħ/pjanti

Noti importanti:

— *L-applikant huwa mistenni jipprezenta l-materjal tal-pjanti biss wara li jkun irċieva talba bil-miktub mis-CPVO. Jekk ma jsirx dan ta' hawn fuq, il-proċedura oħra tista' tiġi perikolata.*

— *Applikanti huma mwissija sew li ma jdumux sa l-aħħar ma jibagħtu l-applikazzjonijiet jew il-materjal tal-pjanti.*

— *L-applikazzjonijiet jistgħu jiġu ddepożitati fi kwalunkwe mument. Is-CPVO jipprevedi li jibda l-eżamijiet tekniċi fil-perjodu tat-tkabbir wara d-data ta' skadenza, f'każ li tasal applikazzjoni valida sad-data ta' skadenza.*

— *Jekk il-materjal tal-pjanti jiġi pprezentat wara d-data ta' prezentazzjoni stabbilita, l-applikazzjoni tista' tiġi rifjutata skond l-Artikolu 61 tar-Regolament tal-Kunsill (KE) Nru 2100/94 tas-27 ta' Lulju 1994.*

— *Jekk jiskadi limitu ta' żmien f'ġurnata meta s-CPVO ma jkunx jopera għar-riċeviment ta' dokumenti, il-limitu ta' żmien għandu jiġi estiż sa l-ewwel ġurnata wara din, meta s-CPVO jkun miġtuħ għall-wasla ta' dokumenti u meta posta ġenerali tkun taslihom, skond l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Jekk jiskadi limitu ta' żmien f'ġurnata meta l-uffiċċju ta' l-eżami ma jkunx jopera għar-riċeviment ta' materjali tal-pjanti, il-limitu ta' żmien għandu jiġi estiż sa l-ewwel ġurnata wara din, meta l-uffiċċju ta' l-eżami jkun miġtuħ għall-wasla ta' materjali tal-pjanti skond l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Kwalunkwe rekwiżiti fitosanitarji jintbagħtu lill-applikant flimkien mat-talba tal-prezentazzjoni tal-materjal tal-pjanti lilluffiċċju ta' l-eżami rilevanti.*

— *Il-materjal tal-pjanta fornut għandu jkun viżibbilment b'saħħtu, ma jonqsux il-vitalità jew ibati minn parassita jew marda importanti.*

NL Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informatieve betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plantmateriaal (Bladzijde 24)

Het S2-Mededelingenblad is bedoeld om aanvragers een geconsolideerde versie ter beschikking te stellen van informatie betreffende de afsluitdata voor aanvragen en de vereisten voor inlevering van plantmateriaal met het oog op het technisch onderzoek ervan.

Vanaf oktober 2010 zal de publicatie ervan elektronisch via de website van het Bureau zesmaal per jaar gebeuren. Elk S2-nummer zal worden gepubliceerd in een geconsolideerde versie: alle wijzigingen ten opzichte van het vorige gepubliceerde nummer zullen gemarkeerd zijn.

Op de website van het Bureau is een zoektool beschikbaar om deze wijzigingen gemakkelijk terug te vinden.

Elk S2-nummer zal worden opgeslagen als .pdf-document en ter raadpleging voor de webgebruikers beschikbaar blijven, zodat de document-geschiedenis kan worden nagegaan.

De lijst in het S2-Mededelingenblad toont de voornaamste soorten voor wat betreft aanvragen. In geval van vragen over andere soorten kunt u met het CPVO contact opnemen via cpvo@cpvo.europa.eu.

- 1: Subtype
- 2: Categorie van onderzoeksrechten
- 3: Aantal voorziene groeicycli
- 4: Land
- 5: Onderzoeksstation
- 6: Sluitingsdatum
- 7: Aanvang van inleveringsperiode
- 8: Sluiting van inleveringsperiode
- 9: Zaad-/planthoeveelheid
- 10: Zaad-/plantkwaliteit

Belangrijke opmerkingen:

- *De aanvrager dient het plantmateriaal uitsluitend in te leveren nadat hij daartoe een schriftelijk verzoek heeft ontvangen van het Communautair Bureau voor Plantenrassen. Het niet-voldoen aan deze vereiste kan de gehele procedure in gevaar brengen.*
- *Aanvragers wordt ten zeerste aanbevolen niet tot het laatste moment te wachten met het insturen van aanvragen of het ter beschikking stellen van plantmateriaal.*
- *Aanvragen kunnen op ieder moment worden ingediend. Indien het Communautair Bureau voor Plantenrassen een geldige en volledige aanvraag ontvangt vóór de sluitingsdatum, zal het het technisch onderzoek in de meeste gevallen starten in het groeiseizoen dat volgt op de sluitingsdatum.*
- *Indien plantmateriaal na de uiterste inleverdatum wordt ingeleverd, kan de aanvraag worden afgewezen krachtens artikel 61 van Verordening (EG) nr. 2100/94 van de Raad van 27 juli 1994.*
- *Wanneer een termijn verstrijkt op een dag waarop het Communautair Bureau voor Plantenrassen niet open is voor ontvangst van documenten, wordt de termijn verlengd tot de eerstvolgende dag waarop het Communautair Bureau voor Plantenrassen wel open is voor ontvangst van documenten en waarop gewone post wordt bezorgd, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.*
- *Wanneer een termijn verstrijkt op een dag waarop het onderzoeksstation niet open is voor ontvangst van plantmateriaal, wordt de termijn verlengd tot de eerstvolgende waarop het onderzoeksstation wel open is voor ontvangst van plantmateriaal, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.*
- *Bijzondere fytosanitaire voorwaarden zullen samen met het verzoek tot inlevering van plantmateriaal bij het relevante onderzoeksstation aan de aanvrager worden meegedeeld.*
- *Het aangeleverde plantmateriaal dient zichtbaar in gezonde staat te verkeren en mag geen gebrek aan groeikracht of aantasting vertonen van een belangrijke plaag of ziekte.*

PL Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przesyłania materiału roślinnego (Strona 24)

Celem publikacji Urzędowej Gazety S2 jest przekazanie wnioskodawcom skonsolidowanych informacji o ostatecznych terminach składania wniosków oraz o wymogach dotyczących składania materiału roślinnego w związku z jego badaniem technicznym.

Od października 2010 r. Urzędowa Gazeta S2 będzie publikowana na stronie internetowej Urzędu sześć razy w roku. Każde wydanie gazety będzie publikowane w wersji skonsolidowanej; wszelkie zmiany względem wcześniejszej opublikowanych wersji zostaną zaznaczone.

Na stronie internetowej Urzędu jest dostępne narzędzie wyszukiwania w celu zidentyfikowania tych zmian.

Aby umożliwić sprawdzenie wcześniejszych dokumentów, każda publikacja Urzędowej Gazety S2 zostanie zachowana jako dokument .pdf i będzie dostępna do konsultacji dla użytkowników internetowych.

Lista zamieszczona w Urzędowej Gazecie S2 pokazuje najważniejsze gatunki, których dotyczą wnioski. W przypadku pytań dotyczących innych gatunków prosimy o kontakt z CPVO pod adresem cpvo@cpvo.europa.eu.

- 1: Podtyp
- 2: Grupa opłat za badanie
- 3: Liczba przewidzianych cykli wzrostu
- 4: Kraj
- 5: Urząd badawczy
- 6: Termin zamknięcia
- 7: Data rozpoczęcia dostarczania materiału
- 8: Data zamknięcia dostarczania materiału
- 9: Ilość materiału siewnego/ liczba roślin
- 10: Jakość materiału siewnego/ roślin

Ważne uwagi:

- Wnioskodawca winien wysłać materiał roślinny jedynie na pisemne żądanie WUOR. Niezastosowanie się do powyższych zaleceń może negatywnie wpłynąć na przebieg postępowania.
- Wnioskodawcy nie zaleca się wysyłanie wniosków lub materiału roślinnego w ostatnim momencie.
- Zgłoszenia może składać w każdym czasie. CPVO zamierza rozpocząć badanie techniczne w okresie wzrostu przypadającym po dacie zamknięcia, pod warunkiem, że ważny wniosek został złożony przed upływem ostatecznego terminu.
- Jeżeli materiał roślinny zostanie złożony po ustalonej dacie składania materiału, wniosek może zostać odrzucony na mocy art. 61 rozporządzenia Rady (WE) nr 2100/94 z dnia 27 lipca 1994 r.
- Jeżeli dany termin upływa w dniu, w którym WUOR nie przyjmuje dokumentów, termin ten zostaje przedłużony do pierwszego kolejnego dnia, w którym WUOR jest otwarty do celów przyjmowania dokumentów oraz w którym dostarczana jest zwyczajna poczta, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Jeżeli dany termin upływa w dniu, w którym urząd badawczy nie przyjmuje materiałów roślinnych, termin ten zostaje przedłużony do pierwszego dnia, w którym urząd badawczy jest otwarty do celów przyjmowania materiału roślinnego, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Wszelkie wymogi fitosanitarne zostaną przekazane wnioskodawcy wraz z wnioskiem o przedstawienie materiału roślinnego odpowiedniemu urzędowi badawczemu.
- Dostarczony materiał roślinny powinien charakteryzować się wyraźnie zdrowym wyglądem i żywotnością, nie powinien też być poważnie zaatakowany przez szkodniki ani dotknięty istotnymi chorobami.

PT Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal (Página 24)

A Edição Especial do Boletim Oficial (S2) destina-se a fornecer aos requerentes uma versão consolidada com informações relativas às datas limite e aos requisitos de apresentação de material vegetal com vista ao seu exame técnico.

A partir de Outubro de 2010, o boletim será publicado no website do ICVV, em versão digital, seis vezes por ano. Todas as edições do Boletim S2 serão publicadas numa versão consolidada e serão destacadas todas as alterações efectuadas relativamente a versões anteriormente publicadas.

No website do ICVV está disponível uma ferramenta de pesquisa que permite identificar estas alterações.

Com vista a permitir a consulta do historial de registos, cada publicação do Boletim S2 será guardada em formato .pdf e disponibilizada para consulta aos utilizadores do website.

A lista constante do Boletim S2 inclui as espécies mais importantes no que se refere às solicitações para exame técnico. Para qualquer questão relacionada com outras espécies, contacte o ICVV através do seguinte endereço de correio electrónico: cpvo@cpvo.europa.eu.

- 1: Subespécie
- 2: Grupo de taxa de exame
- 3: Número de ciclos vegetativos previstos
- 4: País
- 5: Organismo de exame
- 6: Data-limite para pedidos
- 7: Início do prazo de envio do material vegetal
- 8: Fim do prazo de envio do material vegetal
- 9: Quantidade de sementes/plantas
- 10: Qualidade das sementes/plantas

Notas importantes:

— *O requerente só deve apresentar o material vegetal depois de ter recebido um pedido por escrito do ICVV. O incumprimento desta instrução pode comprometer todo o processo.*

— *Os requerentes são vivamente aconselhados a não deixarem para a última hora o envio dos pedidos ou do material vegetal.*

— *Os pedidos podem ser apresentados em qualquer altura. O ICVV prevê iniciar o exame técnico no ciclo de cultivo seguinte a data limite para pedidos, sempre que o pedido seja válido e tenha sido recebido dentro do prazo.*

— *Se o material vegetal for apresentado após a data de apresentação fixada, o pedido poderá ser recusado, nos termos do artigo 61º do Regulamento (CE) nº 2100/94 do Conselho, de 27 de Julho de 1994.*

— *Se um prazo expirar num dia em que o ICVV não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o ICVV esteja aberto para recepção de documentos e em que o correio normal seja distribuído, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Se um prazo expirar num dia em que o organismo de exame não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o organismo de exame esteja aberto para recepção de documentos, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Quaisquer requisitos fitossanitários serão comunicados ao requerente, juntamente com o pedido de apresentação do material vegetal ao organismo de exame pertinente.*

— *O material vegetal apresentado deve estar em perfeitas condições sanitárias, apresentar-se viçoso e não estar afectado por qualquer praga ou doença, nomeadamente vírus.*

RO Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal (Pagina 24)

Scopul Buletinului S2 este de a oferi solicitanților o versiune consolidată a datelor de închidere a depunerii candidaturilor și a cerințelor pentru depunerea materialului vegetal în vederea examinării tehnice.

Începând cu luna octombrie 2010, acesta va fi publicat în format electronic pe situl internet al oficiului, de șase ori pe an. Fiecare număr al S2 va fi publicat în versiune consolidată; toate modificările față de versiunea publicată anterior a Buletinului S2 vor apărea evidențiate.

Este, de asemenea, disponibil un instrument de căutare pentru identificarea acestor modificări pe situl internet al oficiului.

Pentru a permite verificarea înregistrărilor anterioare, fiecare publicație S2 va fi salvată ca document în format .pdf și va putea fi consultată de utilizatorii sitului.

Lista din Buletinul S2 prezintă, în ceea ce privește cererile, speciile cele mai importante. Pentru întrebări legate de alte specii, vă puteți adresa la OCSP la cpvo@cpvo.europa.eu.

- 1: Subtip
- 2: Taxa grupului de examinare
- 3: Numărul prevăzut al perioadelor de cultură
- 4: Țara
- 5: Oficiul de examinare
- 6: Termenul de depunere a cererilor
- 7: Începutul perioadei de depunere
- 8: Încheierea perioadei de depunere
- 9: Cantitatea de semințe/plante
- 10: Calitatea semințelor/plantelor

Observații importante:

— Solicitantul nu trebuie să depună materialul vegetal decât după primirea unei invitații în scris în acest sens de la OCSP. Nerespectarea acestei instrucțiuni poate compromite întreaga procedură.

— Se recomandă în mod expres solicitanților să nu amâne expedierea cererilor sau a materialului vegetal până în ultima clipă.

— Cererile pot fi depuse în orice moment. OCSP preconizează să înceapă examinarea tehnică în perioada de cultură care urmează după termenul de depunere, dacă a fost primită o cerere valabilă până la termenul de depunere.

— În cazul în care materialul vegetal este depus după termenul de depunere fixat, cererea poate fi refuzată în conformitate cu articolul 61 din Regulamentul (CE) nr. 2100/94 al Consiliului din 27 iulie 1994.

— În cazul în care termenul de depunere expiră într-o zi în care nu se primesc documente la OCSP, termenul se prelungeste până în prima zi imediat următoare în care se primesc documente la OCSP și în care se distribuie corespondența obișnuită, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.

— În cazul în care un termen de depunere expiră într-o zi în care nu se primește material vegetal la oficiul de examinare, perioada de depunere se prelungeste până în prima zi imediat următoare în care oficiul de examinare primește material vegetal, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.

— Toate cerințele fitosanitare se vor comunica solicitantului împreună cu invitația de depunere a materialului vegetal la oficiul de examinare în cauză.

— Materialul vegetal depus trebuie să fie în mod vizibil sănătos, viguros și neafectat de dăunători sau de boli semnificative.

SK Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu (Strana 24)

Účelom vestníka S2 je poskytovať žiadateľom konsolidovanú verziu dátumov uzávierok prijímania žiadostí a požiadaviek na predloženie rastlinného materiálu v súvislosti s odborným preskúmaním.

Vestník bude od októbra 2010 šesťkrát ročne uverejňovaný v digitálnej podobe na webovej stránke Úradu Spoločenstva pre odrody rastlín. Každé vydanie vestníka S2 bude vydané v konsolidovanej verzii, pričom všetky zmeny oproti pôvodne uverejnenej verzii vestníka S2 budú vyznačené.

Na zistenie týchto zmien je na webovej stránke Úradu Spoločenstva pre odrody rastlín k dispozícii nástroj na vyhľadávanie.

Každé vydanie vestníka S2 bude uložené ako dokument vo formáte .pdf, aby sa zabezpečila možnosť prezerania predošlých vydaní, a bude nad'alej k dispozícii na konzultáciu pre návštevníkov webovej stránky.

V zozname vo vestníku S2 sa uvádzajú najdôležitejšie druhy z hľadiska žiadostí. Pokiaľ máte otázky týkajúce sa iných druhov, obráťte sa na úrad CPVO prostredníctvom emailovej adresy cpvo@cpvo.europa.eu.

- 1: Poddruh
- 2: Skupina poplatku za skúšanie
- 3: Predpokladaný počet rastových cyklov
- 4: Krajina
- 5: Skúšobný úrad
- 6: Dátum uzávierky prihlášok
- 7: Začiatok dodania materiálu
- 8: Koniec dodania materiálu
- 9: Množstvo osiva /počet rastlín
- 10: Kvalita osiva a sadby

Dôležité upozornenia:

- Prihlasovateľ dodá množiteľský materiál len vtedy, keď ho o to písomnou formou požiada CPVO. Nesplnenie tohto pokynu môže ohroziť celkový priebeh konania.
- Prihlasovateľom odporúčame, aby si zasielanie prihlášok alebo rastlinného materiálu nenechávali na poslednú chvíľu.
- Prihlášky možno predložiť kedykoľvek. CPVO plánuje začať technické preskúmanie v rastovom období po uzávierke, ak bola do uzávierky prijatá platná prihláška.
- Ak sa rastlinný materiál predloží po stanovenom dátume na predkladanie, prihláška môže byť zamietnutá v súlade s článkom 61 nariadenia Rady (ES) č. 2100/94 z 27. júla 1994.
- Ak stanovená lehota uplynie v deň, kedy CPVO dokumenty neprijíma, stanovená lehota sa predĺži do najbližšieho d'alsieho dňa, kedy CPVO prijíma dokumenty a kedy sa prijíma bežná pošta, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.
- Ak stanovená lehota uplynie v deň, kedy skúšobný úrad neprijíma rastlinný materiál, stanovená lehota sa predĺži do najbližšieho d'alsieho dňa, kedy skúšobný úrad prijíma rastlinný materiál, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.
- Všetky fytoosanitárne požiadavky sa oznámia prihlasovateľovi so žiadosťou o predloženie rastlinného materiálu príslušnému skúšobnému úradu.
- Dodaný rastlinný materiál by mal byť viditeľne zdravý, čerstvý a nenapadnutý žiadnou chorobou alebo morom.

SL Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala (Stran 24)

Namen Glasila S2 je prijavitelje seznaniti s konsolidirano različico rokov za oddajo prijav in zahtevami v zvezi s predložitvijo rastlinskega materiala za preskušanje.

Od oktobra 2010 bo glasilo šestkrat letno objavljeno v digitalni obliki na spletni strani urada. Vsaka številka tega glasila bo objavljena v konsolidirani obliki, kar pomeni, da bodo vse spremembe podatkov iz predhodno objavljenih različic glasila S2 vidno označene.

Na spletni strani urada je na voljo orodje za iskanje omenjenih sprememb.

Da bi omogočili vpogled v zgodovino zapisov, bodo vsa glasila S2 shranjena v formatu .pdf in bodo še nadalje ostala na voljo uporabnikom spletne strani urada.

Seznam v Glasilu S2 vsebuje najpomembnejše vrste glede na podane prijave. Če imate kakršnakoli vprašanja o drugih vrstah, se obrnite na Urad Skupnosti za rastlinske sorte na naslov cpvo@cpvo.europa.eu.

- 1: Podvrsta
- 2: Razred za plačilo pristojbin
- 3: Število predvidenih rastnih ciklusov
- 4: Država
- 5: Urad za preskušanje sort
- 6: Rok za oddajo prijav
- 7: Predložitev se začne
- 8: Predložitev se konča
- 9: Količina semena/rastlin
- 10: Kakovost semena/rastlin

Pomembno:

— Od prijavitelja se pričakuje, da predloži rastlinski material šele, ko od CPVO prejme pisno zahtevo. Neizpolnjevanje zgoraj navedenega navodila lahko ogrozi celoten postopek.

— Prijaviteljem svetujemo, da s pošiljanjem prijav ali rastlinskega materiala ne čakajo na zadnji trenutek.

— Prijave se lahko vložijo kadar koli. CPVO predvideva začetek preskušanja v obdobju rasti po roku za oddajo prijav, če je bila veljavna prijava prejeta do tega roka.

— Če je rastlinski material predložen po roku za predložitev, se lahko prijava zavrne v skladu s členom 61 Uredbe Sveta (ES) št. 2100/94 z dne 27. julija 1994.

— Če rok poteče na dan, ko CPVO ni odprt za sprejem dokumentov, se rok podaljša do prvega dne, ko je CPVO odprt za prejem dokumentov in na katerega se opravlja dostava navadne pošte, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009.

— Če rok poteče na dan, ko urad za preskušanje sort ni odprt za sprejem rastlinskega materiala, se rok podaljša do prvega dne, ko je urad za preskušanje sort odprt za prejem rastlinskega materiala, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009 o uvedbi izvedbenih pravil.

— V primeru fitosanitarnih zahtev se obvesti prijavitelja in se od njega zahteva, da zadevnemu uradu za preskušanje sort predloži rastlinski material.

— Predloženi rastlinski material mora izkazovati zdravje, vitalnost ter ne sme biti prizadet zaradi škodljivcev ali bolezni.

FI Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määräajoista hakemuksen jättämiseksi ja vaatimuksista kasvimateriaalin toimittamiselle (Sivu 24)

Kasvilajikeviraston virallisen lehden S2:n tarkoituksena on tarjota hakijoille konsolidoidun version muodossa tietoa määräajoista hakemusten jättämiseksi ja vaatimuksista kasvimateriaalin toimittamiselle niiden teknisen tutkimuksen yhteydessä.

Lokakuusta 2010 alkaen lehti julkaistaan digitaalisena kasvilajikeviraston verkkosivustolla kuusi kertaa vuodessa. Jokainen S2 julkaistaan konsolidoituna versiona ja mahdolliset muutokset suhteessa S2:n edelliseen numeroon on merkitty näkyviin.

Muutosten havaitsemiseksi viraston sivustolla on myös käytettävissä hakuväline.

Vanhoiden tietojen tarkistamisen helpottamiseksi jokainen S2-julkaisu tallennetaan verkkosivustolle pdf-asiakirjana, johon sivuston käyttäjät voivat tutustua.

S2:ssa olevasta luettelosta ilmenee hakemusten kannalta tärkeimmät lajit. Muita lajeja koskevien kysymysten osalta pyydämme ottamaan yhteyttä kasvilajikevirastoon cpvo@cpvo.europa.eu.

- 1: Alatyypit
- 2: Tutkimusmaksuryhmä
- 3: Kasvukausien ennakoitu lukumäärä
- 4: Maa
- 5: Tutkimuslaitos
- 6: Määräajat hakemuksille
- 7: Toimittaminen alkaa
- 8: Toimittaminen päättyy
- 9: Siementen/kasvien määrä
- 10: Siementen/kasvien laatu

Tärkeä huomautus:

— *Hakijan odotetaan toimittavan kasvimateriaalia vasta vastaanotettuaan kasvilajikevirastolta kirjallisen pyynnön asiasta. Kyseisen ohjeen noudattamatta jättäminen saattaa vaarantaa koko menettelyn.*

— *Hakijaa kehoitetaan lähettämään hakemus tai kasvimateriaali hyvissä ajoin ennen määräaika.*

— *Hakemuksen voi lähettää koska tahansa. CPVO:n tarkoituksena on aloittaa tekninen tutkimus määräpäivää seuraavana kasvukautena, jos virasto on saanut virallisen hakemuksen määräpäivään mennessä.*

— *Jos kasvimateriaali toimitetaan annetun määräpäivän jälkeen, hakemus voidaan hylätä 27 päivänä heinäkuuta 1994 annetun neuvoston asetuksen (EY) N:o 2100/94 61 artiklan mukaan.*

— *Jos määräaika päättyy päivänä, jona kasvilajikevirasto ei ole avoinna asiakirjojen vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona kasvilajikevirasto on auki asiakirjojen vastaanottamiseksi ja jona tavanomainen postinjakelu toimii, 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Jos määräaika päättyy päivänä, jona tutkimusvirasto ei ole avoinna kasvimateriaalin vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona tutkimusvirasto on auki kasvimateriaalin vastaanottamiseksi ja jona tavanomainen postinjakelu toimii 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Kasvien terveydentilaa koskevat vaatimukset esitetään hakijalle kasvimateriaalin toimittamista asianomaiselle tutkimusvirastolle koskevan pyynnön yhteydessä.*

— *Toimitetun kasvimateriaalin on oltava silmin nähtä tervettä ja elinvoimaista eikä siinä saa olla minkäänlaisia merkkejä tuholaisista tai sairauksista.*

SV Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial (Sida 24)

Syftet med specialutgåvan (S2) av den officiella tidskriften är att i en konsoliderad version informera de sökande om tidsfrister för ansökningar och krav på inlämning av växtmaterial för den tekniska provningen.

Från och med oktober 2010 kommer specialutgåvan att offentliggöras digitalt sex gånger per år på myndighetens webbplats. Varje specialutgåva kommer att offentliggöras i en konsoliderad version. Varje ändring jämfört med tidigare publicerade versioner av specialutgåvan kommer att vara markerade.

Ett sökverktyg för att identifiera dessa ändringar finns på myndighetens webbplats.

För att tillåta kontroll av tidigare publicerade dokument så kommer alla specialutgåvor sparas som pdf-dokument och dessa kommer att finnas tillgängliga för konsultation för webbanvändare.

Listan i specialutgåvan visar de viktigaste arterna när det gäller ansökningar. Kontakta CPVO på cpvo@cpvo.europa.eu om det finns frågor om andra arter.

- 1: Undergrupp
- 2: Avgiftsgrupp för provningen
- 3: Antal planerade växtcykler
- 4: Land
- 5: Provningsmyndighet
- 6: Slutdatum
- 7: Början för inlämnade
- 8: Slut för inlämnade
- 9: Säd-/plantkvantitet
- 10: Säd-/plantkvalitet

Observera:

— Den sökande förväntas lämna in växtmaterialet endast efter det att denne mottagit en skriftlig begäran från växtsortsmyndigheten. Underlåtenhet att rätta sig efter instruktionerna ovan kan äventyra hela förfarandet.

— De sökande uppmanas att inte vänta till sista stund med att lämna ansökningar eller växtmaterial.

— Ansökningar kan lämnas in när som helst. CPVO räknar med att påbörja den tekniska provningen under växtperioden efter sista ansökningsdatum om en giltig ansökan har inkommit senast detta datum.

— Om materialet lämnas in efter fastställd tidsfrist för inlämnande kan ansökan avslås enligt artikel 61 i rådets förordning (EG) nr 2100/94 av den 27 juli 1994.

— Om en tidsfrist löper ut på en dag då växtsortsmyndigheten inte är öppen för mottagande av handlingar ska tidsfristen förlängas till första dagen därefter då växtsortsmyndigheten är öppen för mottagande av handlingar och då vanlig post delas ut, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.

— Om en tidsfrist löper ut på en dag då provningsmyndigheten inte är öppen för mottagande av växtmaterial, ska tidsfristen förlängas till första dagen därefter då provningsmyndigheten är öppen för mottagande av växtmaterial, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.

— Eventuella fytosanitära villkor kommer att meddelas den sökande tillsammans med begäran att lämna in växtmaterial till berörd provningsmyndighet.

— Det inlämnade växtmaterialet ska vara synbarligen friskt och inte sakna livskraft eller vara drabbat av några skadedjur eller någon sjukdom.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|-----------------|-------|-------|-------|---|--|
| <i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder | | | | | | | | | |
| vegetative | 15 | 2 | FR | GEVES | 01/09 | 01/10 | 15/03 | 8 plants, grown in container, 2 years old | all plants should be individually labelled. |
| <i>Actinidia</i> Lindl. | | | | | | | | | |
| | 26 | 4 | IT | C.R.A.- FRU | 01/03 | 01/03 | 31/03 | 8 one-year-old plants grafted on 'Hayward' or on their own roots | Plants should be accompanied by a recognized certificate indicating that the plants are not affected by any important pest or disease and that they have been laboratory tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i> |
| <i>Actinidia chinensis</i> Planch. | | | | | | | | | |
| | 26 | 4 | IT | C.R.A.- FRU | 01/03 | 01/03 | 31/03 | 8 one-year-old plants grafted on 'Hayward' or on their own roots | Plants should be accompanied by a recognized certificate indicating that the plants are not affected by any important pest or disease and that they have been laboratory tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i> |
| <i>Adenium obesum</i> (Forssk.) Roem. et Schult. | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination. | |
| <i>Agapanthus</i> L'Hér. | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination. | |
| <i>Agastache</i> J. Clayton ex Gronov. | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 08/03 | 19/03 | 10 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Ageratum houstonianum</i> Mill. | | | | | | | | | |
| vegetative | 16 | 1 | DE | Bundessortenamt | 15/11 | 15/03 | 21/03 | 25 rooted cuttings | not pinched |
| <i>Aglaonema commutatum</i> Schott × <i>Aglaonema rotundum</i> N. E. Br. | | | | | | | | | |
| vegetative | 9 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination | |
| <i>Allium cepa</i> (Aggregatum Group) | | | | | | | | | |
| seed | 22 | 2 | FR | GEVES | 01/01 | 01/01 | 01/02 | 100 g seed | |
| seed, semi-long & long day | 22 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 15,000 seeds | |
| seed, short & semi-short day | 22 | 2 | NL | NAKTUINBOUW | 01/01 | | 15/01 | 15,000 seeds | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------------------------------|----|---|----|--|-------|-------|-------|--------------|---|
| Allium cepa (Aggregatum Group) | | | | | | | | | |
| vegetative | 22 | 2 | FR | GEVES | 01/02 | 01/02 | 15/02 | 150 bulblets | |
| vegetative | 22 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 300 bulblets | |
| semi-long & long da | | | | | | | | | |
| vegetative, short & semi-short | 22 | 2 | NL | NAKTUINBOUW | 01/01 | | 15/01 | 300 bulblets | |
| | 22 | 2 | UK | Food and Environment Research Agency (FERA) | | | | | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | | | | | |
| Allium cepa (Cepa group) | | | | | | | | | |
| long day | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 31/01 | 30,000 seeds | germination rate 75% |
| long day | 20 | 2 | FR | GEVES | 01/01 | 01/01 | 01/02 | 100 g | Technical examination carried out simultaneously in GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle. |
| over wintered | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 15/06 | | 15/07 | 16,000 seeds | |
| semi-long & long day | 20 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 15,000 seeds | |
| short days | 20 | 2 | FR | GEVES | 01/07 | 01/07 | 01/08 | 100 g | |
| short, semi-short day, overwint | 20 | 2 | NL | NAKTUINBOUW | 01/01 | | 15/01 | 15,000 seeds | |
| spring | 20 | 2 | PL | COBORU | 31/01 | 01/02 | 01/03 | 300 g | |
| spring | 20 | 2 | HU | National Food Chain Safety Office | 15/01 | | 15/02 | 20,000 seeds | 85% min. germination |
| spring | 20 | 2 | DE | Bundessortenamt | 01/12 | | 15/01 | 20,000 seeds | minimum germination capacity 85% |
| spring | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 31/12 | | 31/01 | 16,000 seeds | |
| winter | 20 | 2 | DE | Bundessortenamt | 01/07 | | 15/07 | 20,000 seeds | minimum germination capacity 85% |
| winter | 20 | 2 | PL | COBORU | 30/06 | 01/07 | 31/07 | 300 g | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 31/05 | | 30/06 | 100 g | |
| Allium fistulosum L. | | | | | | | | | |
| | 20 | 2 | DE | Bundessortenamt | 01/12 | | 15/01 | 2,000 seeds | minimum germination capacity 80% |
| | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 31/01 | 30,000 seeds | |
| | 20 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 13,000 seeds | |
| | 20 | 2 | FR | GEVES | 01/01 | | 01/02 | 100 g seed | |
| Allium oschaninii O. Fedtsch. | | | | | | | | | |
| | 20 | 2 | FR | GEVES | 01/02 | 01/02 | 15/02 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|----------------------------------|--|
| Allium porrum L. | | | | | | | | | |
| seed | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 31/12 | | 31/01 | 13,000 seeds | |
| seed | 20 | 2 | FR | GEVES | 01/02 | | 01/03 | 13,000 seeds (150 g) | |
| seed | 20 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 10/01 | | 31/01 | 150 g | |
| seed | 20 | 2 | DE | Bundessortenamt | 15/01 | | 15/02 | 25,000 seeds | minimum germination capacity 80% |
| seed | 20 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 13,000 seeds | |
| seed | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 01/11 | | 01/12 | 13,000 seeds | |
| vegetative | 22 | 2 | UK | Food and Environment Research Agency (FERA) | 31/12 | 01/01 | 31/01 | 75 plants | |
| vegetative | 22 | 2 | NL | NAKTUINBOUW | 07/07 | 15/08 | 01/09 | 75 plants | 4-6 mm diameter, about 15-20 cm long, either in modules or single plants ready for transplanting |
| vegetative | 22 | 2 | ES | Oficina Española de Variedades Vegetales | | | | 75 plants | |
| vegetative | 22 | 2 | FR | GEVES | 01/02 | 01/05 | 15/05 | 200 plants rooted and acclimated | |
| vegetative | 22 | 2 | DE | Bundessortenamt | | | | | |
| vegetative | 22 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | | | | | |
| Allium sativum L. | | | | | | | | | |
| autumn (v. early & indeterminate) | 22 | 2 | FR | GEVES | 01/09 | | 01/10 | 120 bulbs per growing period | bulbs must be free of nematodes, white rot, mites and Onion Yellow Dwarf Virus |
| plantation, spring | 22 | 2 | FR | GEVES | 01/09 | | 15/12 | 120 bulbs per growing period | bulbs must be free from nematodes, white rot, mites and Onion Yellow Dwarf Virus |
| | 22 | 2 | NL | NAKTUINBOUW | 15/08 | | 01/09 | 120 cloves from virus free bulbs | |
| | 22 | 2 | ES | Oficina Española de Variedades Vegetales | 30/01 | | 15/10 | 50 virus free bulbs | |
| Allium schoenoprasum L. | | | | | | | | | |
| | 20 | 2 | DE | Bundessortenamt | 01/12 | | 01/02 | 7,200 seeds | minimum germination capacity of 80% |
| | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 31/01 | 20,000 seeds | germination rate 75% |
| | 20 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 5,000 seeds | |
| | 20 | 2 | FR | GEVES | | | | | |
| Aloe aristata Haw. × Haworthia margaritifera (L.) Haw | | | | | | | | | |
| | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants | Able to show all their characteristics in the First year of examination |
| Alstroemeria L. | | | | | | | | | |
| seed | 14 | 1 | NL | NAKTUINBOUW | 01/09 | 01/10 | 31/10 | 10 gr seed and 24 young plants | being able to show all their characteristics in the first year of examination |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|---|-------|-------|-------|--|--|
| <i>Alstroemeria</i> L. | | | | | | | | | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | 01/09 | 01/10 | 31/10 | 10 young plants being able to show all their characteristics in the first year of examination. | |
| <i>Anethum graveolens</i> L. | | | | | | | | | |
| | 21 | 2 | DE | Bundessortenamt | 01/02 | | 01/03 | 8,400 seeds | minimum germination capacity 80% |
| <i>Angelonia</i> Bonpl. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 01/12 | 01/04 | 06/04 | 25 rooted cuttings | not pinched |
| <i>Angelonia angustifolia</i> Benth. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 01/12 | 01/04 | 08/04 | 25 rooted cuttings, | not pinched. |
| <i>Anigozanthos</i> Labill. | | | | | | | | | |
| vegetative | 14 | 1 | UK | NIAB | 01/12 | 08/03 | 19/03 | 15 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Anisodonteia capensis</i> (L.) D. M. Bates | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination. | |
| <i>Anthurium</i> Schott | | | | | | | | | |
| cutflower | 13 | 2 | NL | NAKTUINBOUW | 01/07 | 01/02 | 15/02 | 6 young plants, able to flower and to show all their characteristics during the second year of examination. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed. | grown up in Oasis and to be delivered in 21 cm pots |
| pot plant | 9 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 10 young plants, able to flower and to show all their characteristics during the examination period. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed. | |
| <i>Anthurium andraeanum</i> Linden ex Andre | | | | | | | | | |
| cutflower | 13 | 2 | NL | NAKTUINBOUW | 01/07 | 01/02 | 15/02 | 6 young plants, able to flower and to show all their characteristics during the second year of examination. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed. | grown up in Oasis and to be delivered in 21 cm pots |
| <i>Antirrhinum majus</i> L. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 01/12 | 01/04 | 06/04 | 25 well rooted cuttings | not pinched |
| <i>Apium graveolens</i> L. var. <i>dulce</i> (Mill.) Pers | | | | | | | | | |
| | 20 | 2 | FR | GEVES | 01/02 | | 01/03 | 20 g | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 28/02 | | 31/03 | 15 000 untreated seed | |
| | 20 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 15,000 seeds | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|----|----|--|-------------|-------|-------|--|---|
| <i>Apium graveolens</i> L. var. <i>rapaceum</i> (Mill.) Gaud | | | | | | | | | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | | | | | |
| | 20 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 15,000 seeds | |
| | 20 | 2 | DE | Bundessortenamt | 15/01 | | 01/02 | 5000 seeds | minimum germination capacity 70% |
| <i>Arachis hypogaea</i> L. | | | | | | | | | |
| | 1 | 2 | BG | Ministry of Agriculture and Food | 15/02 | | 28/02 | 7 kg of seeds with min. germination capacity of 70% | Contact person: Kamelia Pavlova Tel.: +3592 892 98 00 Fax: +3592 870 6517 kpavlova@iasas.government.bg |
| <i>Argyranthemum Webb ex Schultz Bip.</i> | | | | | | | | | |
| | 15 | 1 | DE | Bundessortenamt | 01/11 | 01/03 | 05/03 | 25 well rooted cuttings | not pinched |
| <i>Argyranthemum frutescens</i> (L.) Sch. Bip. | | | | | | | | | |
| vegetative | 15 | 1 | DE | Bundessortenamt | 01/11 | 01/03 | 06/03 | 25 rooted cuttings | not pinched |
| <i>Asparagus officinalis</i> L. | | | | | | | | | |
| seed | 20 | 4 | FR | GEVES | 01/03 | | 01/04 | 3000 seed (50 g) | |
| seed | 20 | 4 | NL | NAKTUINBOUW | 01/01 | | 01/03 | 3,000 (50 g) seeds | |
| seed | 20 | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | | 31/01 | 3000 seed | |
| vegetative | 22 | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | | 31/01 | 80 rhizomes | |
| vegetative | 22 | 4 | FR | GEVES | 01/03 | | 01/04 | 30 well developed young plants | |
| vegetative | 22 | 4 | NL | NAKTUINBOUW | 15/12 | | 01/05 | 80 well developed young plants | |
| <i>Aster</i> L. | | | | | | | | | |
| cutflower/ pot-plant - indoor | 14 | 1 | NL | NAKTUINBOUW | 15/02 | 01/05 | 01/06 | 24 rooted cuttings; plants must be able to show all their characteristics in the first year of examination | |
| garden outdoor | - | 14 | 1 | NL | NAKTUINBOUW | 15/06 | 15/08 | 15/09 | 24 young plants being able to show all their characteristics in the first year of examination |
| <i>Astilbe Buch.-Ham. ex D. Don</i> | | | | | | | | | |
| vegetative | 12 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 24 young plants being able to show all their characteristics in the first year of examination | appropriate to be grown in the open |
| <i>Astragalus boeticus</i> L. | | | | | | | | | |
| | 21 | 2 | NL | NAKTUINBOUW | 01/12 | | 15/12 | 2000 seeds | |
| <i>Astrantia major</i> L. | | | | | | | | | |
| vegetative | 16 | 2 | UK | NIAB | 01/12 | 11/03 | 22/03 | 10 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two. |
| <i>Avena sativa</i> L. | | | | | | | | | |
| spring | 1 | 2 | FR | GEVES | 15/01 | | 25/01 | 5,0 kg | |
| spring | 1 | 2 | FI | Finnish Food Safety Authority Evira | 01/03 | | 01/04 | 3.0 kg | 120 panicles |
| spring | 1 | 2 | DK | Ministry of Food Agriculture and Fisheries | 20/01 | | 10/02 | 3.0 kg | |
| spring | 1 | 2 | PL | COBORU | 31/12 | 01/02 | 01/03 | 6,0 kg | 240 panicles |
| spring | 1 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 31/01 | | 15/02 | 3,0 kg | 300 panicles |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|---|
| <i>Avena sativa</i> L. | | | | | | | | | |
| spring | 1 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 20/01 | 3,0 kg | 200 panicles |
| spring | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 15/08 | | 15/09 | 5,0 kg | 150 panicles |
| spring | 1 | 2 | DE | Bundessortenamt | 01/12 | | 15/12 | 5,0 kg | on request: 120 panicles and minimum germination capacity 94% |
| spring | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 25/01 | | 29/01 | 3,0 kg | 120 panicles |
| spring | 1 | 2 | UK | Food and Environment Research Agency (FERA) | 30/11 | | 15/01 | 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given | |
| winter | 1 | 2 | FR | GEVES | 10/09 | | 20/09 | 5,0 kg | |
| winter | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 29/08 | | 03/09 | 3,0 kg | 120 panicles |
| winter | 1 | 2 | UK | Food and Environment Research Agency (FERA) | 31/08 | | 14/09 | 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given | |
| winter | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/08 | | 01/09 | 5,0 kg | 150 panicles |
| winter | 1 | 2 | DE | Bundessortenamt | 15/08 | | 01/09 | 5,0 kg | on request: 170 panicles and minimum germination capacity 94% |
| <i>Begonia boliviensis</i> A. DC. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 01/12 | 01/04 | 05/04 | 25 well rooted cuttings. | |
| <i>Begonia</i> × <i>hiemalis</i> Fotsch (<i>Begonia xelatio</i> hort.) | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 01/12 | 15/04 | 19/04 | 25 young plants form not induced top cuttings | |
| <i>Begonia</i> × <i>tuberhybrida</i> Voss | | | | | | | | | |
| vegetative | 14 | 1 | BE | Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant | 15/01 | 15/03 | 15/04 | 100 tubers, diameter 4 cm or 100 well rooted cuttings (young plants) | |
| <i>Berberis</i> L. | | | | | | | | | |
| vegetative | 11 | 2 | PL | COBORU | 15/01 | 01/04 | 07/04 | 8 plants | 2 years old, vegetatively propagated, on their own roots |
| vegetative | 11 | 2 | FR | GEVES | 01/12 | 15/02 | 15/03 | 8 plants, in container, 2 years old | each plant should be labelled individually. |
| <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>altissima</i> Döll | | | | | | | | | |
| component | 5 | 2 | SE | The Swedish Board of Agriculture | 01/02 | | 15/02 | 1,0 kg | for a TSW of 10 g and minimum germination capacity of 80% |
| sugar beet hybrid | 5 | 2 | DK | Ministry of Food Agriculture and Fisheries | 20/01 | | 10/02 | 0.3 units of nzked untreated seeds | |
| <i>Beta vulgaris</i> L. var. <i>conditiva</i> Alef. | | | | | | | | | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | | | | | |
| | 20 | 2 | FR | GEVES | 01/01 | | 01/02 | 100 g seed | |
| | 20 | 2 | DE | Bundessortenamt | 01/02 | | 01/03 | 40,000 seeds | minimum germination capacity 80% |
| | 20 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 9,000 seed clusters | |
| | 20 | 2 | PL | COBORU | 31/01 | 01/02 | 01/03 | 1,600 g | |
| <i>Bidens ferulifolia</i> (Jacq.) DC. | | | | | | | | | |
| vegetative | 16 | 1 | DE | Bundessortenamt | 15/11 | 18/02 | 22/02 | 25 well-rooted cuttings, | not pinched. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|-------|---|---|
| <i>Bougainvillea</i> Comm. ex Juss. | | | | | | | | | |
| vegetative | 13 | 1 | DK | University of Aarhus - Aarslev | 01/12 | 20/02 | 01/03 | 15 plantlets propagated by nodal cuttings | main shoot 4 - 7cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. |
| <i>Brassica carinata</i> A. Braun | | | | | | | | | |
| | 20 | 2 | DE | Bundessortenamt | 15/01 | | 15/02 | 6,000 seeds | minimum 80% germination capacity |
| <i>Brassica napus</i> L. emend. Metzg. | | | | | | | | | |
| forage | 3 | 2 | UK | Food and Environment Research Agency (FERA) | 15/01 | | 15/02 | 1000 g | |
| spring | 3 | 2 | PL | COBORU | 15/01 | 01/02 | 01/03 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| spring | 3 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 20/01 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A,B,R) |
| spring | 3 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 1000 g of seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94% | For hybrids: in addition 35000 germinable seeds of each component (A, B, R); minimum germination capacity 94% |
| spring | 3 | 2 | FR | GEVES | 15/01 | | 01/02 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (A,B,R) | |
| spring | 3 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 15/01 | | 31/01 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| spring | 3 | 2 | DK | Ministry of Food Agriculture and Fisheries | 20/01 | | 10/02 | 700 g seeds of hybrid varieties or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| winter | 3 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 30/07 | | 10/08 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| winter | 3 | 2 | FR | GEVES | 01/08 | | 10/08 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (A,B,R) | |
| winter | 3 | 2 | DE | Bundessortenamt | 05/08 | | 10/08 | 1000 g of seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94% | For hybrids: in addition 60000 seeds of each component (A, B, R); minimum germination capacity 94% |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|--|--|
| <i>Brassica napus</i> L. emend. Metzg. | | | | | | | | | |
| winter | 3 | 2 | PL | COBORU | 10/08 | 01/08 | 15/08 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| winter | 3 | 2 | UK | Food and Environment Research Agency (FERA) | 10/08 | | 10/08 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| winter | 3 | 2 | DK | Ministry of Food Agriculture and Fisheries | 08/08 | | 08/08 | 700 g seeds of hybrid varieties or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| winter | 3 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/07 | | 05/08 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| winter & spring | 3 | 2 | ES | Oficina Española de Variedades Vegetales | 01/08 | | 10/08 | 1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties | For hybrids: in addition 350 g seeds of each component (A, B, R) |
| <i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i> | | | | | | | | | |
| seed | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 01/03 | | 01/04 | 10,000 seeds | |
| seed, autumn & winter | 20 | 2 | NL | NAKTUINBOUW | 15/04 | | 01/05 | 5 000 seeds | |
| seed, overwintering | 20 | 2 | NL | NAKTUINBOUW | 15/05 | | 15/06 | 5 000 seeds | |
| seed, spring & summer | 20 | 2 | NL | NAKTUINBOUW | 01/01 | | 15/01 | 5,000 seeds | |
| seed: autumn/winter early type | 20 | 2 | FR | GEVES | 01/04 | | 01/05 | 10,000 seeds (50 g) | |
| seed: other types | 20 | 2 | FR | GEVES | 01/04 | | 01/05 | 10,000 seeds (50 g) | |
| vegetative | 22 | 2 | FR | GEVES | | | | | |
| vegetative, autumn & winter | 22 | 2 | NL | NAKTUINBOUW | 15/04 | 15/06 | 01/07 | 125 plants of commercial standard | |
| vegetative, overwintering | 22 | 2 | NL | NAKTUINBOUW | 15/05 | 01/08 | 15/08 | 125 plants of commercial standard | |
| vegetative, spring & summer | 22 | 2 | NL | NAKTUINBOUW | 01/01 | 15/04 | 01/05 | 125 plants of commercial standard | |
| <i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duch. | | | | | | | | | |
| early & medium early | 20 | 2 | PL | COBORU | 31/12 | 15/01 | 15/02 | 100 g | |
| medium late & late | 20 | 2 | PL | COBORU | 31/12 | 01/03 | 31/03 | 100 g | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 31/05 | | 30/06 | 20,000 seeds | |
| | 20 | 2 | FR | GEVES | 01/01 | | 01/03 | 15,000 seeds (50 g) | Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|-------|---------------------|--|
| <i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duch. | | | | | | | | | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 15/02 | | 15/03 | 6,000 seeds | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 5,000 seeds | |
| <i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC. | | | | | | | | | |
| not point, early round, spring | 20 | 2 | NL | NAKTUINBOUW | 01/02 | | 15/02 | 5,000 seeds | |
| pointed, early round, spring | 20 | 2 | NL | NAKTUINBOUW | 01/01 | | 15/01 | 5 000 seeds | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 01/02 | | 28/02 | 10,000 seeds | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/12 | | 10/01 | 10,000 seeds | germination rate 85% |
| | 20 | 2 | FR | GEVES | 01/03 | | 01/04 | 10,000 seeds (50 g) | |
| | 20 | 2 | DE | Bundessortenamt | 01/01 | | 01/02 | 5,000 seeds | minimum germination capacity 85% |
| <i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>rubra</i> (L.) Thell. | | | | | | | | | |
| | 20 | 2 | FR | GEVES | 01/03 | | 01/04 | 15,000 seeds | |
| | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/12 | | 10/01 | 10,000 seeds | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/02 | | 15/02 | 5,000 seeds | |
| <i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>sabauda</i> L. | | | | | | | | | |
| | 20 | 2 | FR | GEVES | 01/03 | | 01/04 | 15,000 seeds | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/05 | | 15/05 | 5,000 seeds. | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 28/02 | | 31/03 | 10,000 seeds | |
| | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/12 | | 10/01 | 10,000 seeds | germiantion rate 85% |
| <i>Brassica oleracea</i> L. var. <i>gemmifera</i> Zenker | | | | | | | | | |
| early & medium early | 20 | 2 | PL | COBORU | 31/12 | 15/01 | 15/02 | 100 g seed | |
| medium late & late | 20 | 2 | PL | COBORU | 31/12 | 01/03 | 31/03 | 100 g | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 28/02 | | 31/03 | 15,000 seeds | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 31/01 | | 28/02 | 6,000 seeds | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/03 | | 15/03 | 5,000 seeds | |
| | 20 | 2 | FR | GEVES | 01/01 | | 01/03 | 15,000 seeds (50 g) | Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|-----|---|----|--|-------|-------|-------|---|--|
| <i>Brassica oleracea</i> L. var. <i>gongylodes</i> L. | | | | | | | | | |
| | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/12 | | 10/01 | 10,000 seeds | germination rate 85% |
| | 20 | 2 | DE | Bundessortenamt | 15/12 | | 15/01 | 5000 seeds | germination rate 85% |
| | 20 | 2 | NL | NAKTUINBOUW | 01/06 | | 15/06 | 5,000 seeds | |
| <i>Brassica rapa</i> L. var. <i>pekinensis</i> (Lour.) Kitam. | | | | | | | | | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/06 | | 15/06 | 5,000 seeds | |
| | 20 | 2 | FR | GEVES | 01/01 | 01/02 | 01/03 | 50 g seed | Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle. |
| <i>Buddleja</i> L. | | | | | | | | | |
| | 11 | 2 | FR | GEVES | 01/12 | 15/02 | 15/03 | 8 plants, in container, 2 years old | each plant should be labelled individually. |
| <i>Calathea</i> G. Mey. | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination. | |
| <i>Calibrachoa</i> Llave & Lex. | | | | | | | | | |
| vegetative | 16 | 1 | DE | Bundessortenamt | 15/11 | 11/03 | 15/03 | 30 well-rooted cuttings. | not pinched |
| <i>Calluna vulgaris</i> (L.) Hull | | | | | | | | | |
| vegetative | 11 | 1 | DE | Bundessortenamt | 01/02 | 01/03 | 15/03 | 25 well-rooted young plants out of the quick-pot propagation tray | root ball diameter 4-6 cm, at least 6 month old plants |
| <i>Campanula portenschlagiana</i> Schult. | | | | | | | | | |
| | 13 | 1 | UK | NIAB | 01/12 | 11/03 | 15/03 | 20 x 8 week old rooted cuttings | Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. |
| <i>Capsicum annuum</i> L. | | | | | | | | | |
| autumn | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/06 | | 01/07 | 3,000 seeds | |
| except lamuyo types | 21 | 2 | NL | NAKTUINBOUW | 15/12 | | 31/12 | 1500 seeds | |
| field, summer (triangle fruit) | 20 | 2 | FR | GEVES | 01/02 | | 01/03 | 2,000 seeds (15 g) | |
| greenhouse | 21 | 2 | HU | National Food Chain Safety Office | 15/01 | | 15/02 | 2,000 seeds | 92% min. germination |
| greenhouse, autumn | 21 | 2 | FR | GEVES | 01/05 | | 01/06 | 2,000 seeds (15 g) | |
| greenhouse, spring | 21 | 2 | FR | GEVES | 15/12 | | 01/01 | 2,000 seeds (15 g) | |
| lamuyo type | 21 | 2 | NL | NAKTUINBOUW | 15/01 | | 01/02 | 1 500 seeds | |
| ornamental fr | 18A | 2 | FR | GEVES | 15/12 | | 01/01 | 10 gram of seeds | |
| ornamental nl | 18A | 2 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination | |
| spring | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/11 | | 01/12 | 3,000 seeds | |
| vegetatively propagated | 23 | 2 | NL | NAKTUINBOUW | 15/12 | 01/03 | 15/03 | 25 plants of commercial standard | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|-----|---|----|--|-------|-------|-------|---|--|
| <i>Capsicum annuum</i> L. | | | | | | | | | |
| | 20 | 2 | PT | Direção Geral de Alimentação e Veterinária | | | | | |
| <i>Celosia argentea</i> var. <i>cristata</i> (L.) Kuntze | | | | | | | | | |
| seed | 18A | 1 | NL | NAKTUINBOUW | 01/12 | | 01/02 | 5 gram seeds, germination capacity 50%. | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | 01/12 | 21/04 | 25/04 | 75 well rooted cuttings, able to show all their characteristics during the first year of examination. | |
| <i>Chrysanthemum</i> L. | | | | | | | | | |
| ayr crop 1 | 10 | 1 | UK | NIAB | 14/07 | 10/01 | 14/01 | 25 unrooted cuttings | Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not be treated in any way that will affect subsequent development. |
| ayr crop 2 | 10 | 1 | UK | NIAB | 30/10 | 14/03 | 18/03 | 25 unrooted cuttings | Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development. |
| ayr crop 3 | 10 | 1 | UK | NIAB | 17/02 | 04/07 | 08/07 | 25 unrooted cuttings | Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development. |
| cut flowers ayr | 10 | 1 | PL | COBORU | 15/01 | 09/04 | 15/04 | 40 unrooted cuttings | |
| natural season | 11 | 1 | UK | NIAB | 01/12 | 11/04 | 15/04 | 25 unrooted cuttings | Cuttings must be of commercial standard, visually healthy and unaffected by any important pest or disease, and not treated in any way that will affect subsequent development. |
| natural season | 11 | 1 | PL | COBORU | 15/01 | 09/04 | 15/04 | 25 unrooted cuttings | |
| pot plant ayr | 10 | 1 | PL | COBORU | 15/01 | 09/04 | 15/04 | 25 unrooted cuttings | |
| <i>Cicer arietinum</i> L. | | | | | | | | | |
| | 20 | 2 | BG | Ministry of Agriculture and Food | 28/01 | | 28/02 | 2,0 kg seed | minimum 85% germination |
| | 20 | 2 | FR | GEVES | 01/12 | | 01/01 | 1,0 kg seed | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| <i>Cichorium endivia</i> L. | | | | | | | | | |
| autumn | 20 | 2 | FR | GEVES | 01/05 | | 01/05 | 5,000 seeds (20 g) | Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|--------------------|--|---|
| <i>Cichorium endivia</i> L. | | | | | | | | | |
| spring | 20 | 2 | FR | GEVES | 01/01 | 01/02 | 5,000 seeds (20 g) | Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle. | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/01 | 15/01 | 5,000 seeds | | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 01/03 | 01/04 | 25,000 seeds | | |
| <i>Cichorium intybus</i> L. partim | | | | | | | | | |
| industrial | 21 | 2 | BE | Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant | 31/01 | 01/03 | 300 g seed | same category as certified seed | |
| industrial | 21 | 2 | HU | National Food Chain Safety Office | | | | | |
| industrial | 20 | 2 | NL | NAKTUINBOUW | 01/04 | 15/04 | 15,000 seeds | | |
| leaf | 20 | 2 | NL | NAKTUINBOUW | 15/05 | 01/06 | 5,000 seeds | | |
| leaf | 21 | 2 | HU | National Food Chain Safety Office | | | | | |
| seed, witloof chicory | 21 | 2 | HU | National Food Chain Safety Office | | | | | |
| seed, witloof chicory | 20 | 2 | NL | NAKTUINBOUW | 15/04 | 01/05 | 25,000 seeds | | |
| vegetative | 22 | 2 | NL | NAKTUINBOUW | 15/01 | | 100 plants | | |
| witloof | 21 | 2 | FR | GEVES | 01/01 | 01/02 | 80 g seed | | |
| witloof | 21 | 2 | HU | National Food Chain Safety Office | | | | | |
| | 21 | 2 | BE | Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant | | | | | |
| <i>Citrullus lanatus</i> (Thunb.) Matsum et. Nakai | | | | | | | | | |
| field | 20 | 2 | HU | National Food Chain Safety Office | 15/01 | 15/02 | 1,000 seeds | 94% min. germination | |
| greenhouse | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 31/10 | 30/11 | 4,500 seeds | | |
| outdoor | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 31/10 | 30/11 | 4,500 seeds | | |
| | 21 | 2 | FR | GEVES | 01/02 | 01/03 | 100 g seed | | |
| | 21 | 2 | NL | NAKTUINBOUW | 01/03 | 15/03 | 1,200 seeds | | |
| | 20 | 2 | FR | GEVES | 01/02 | 01/03 | 100 g | | |
| | 20 | 2 | PT | Direção Geral de Alimentação e Veterinária | | | | | |
| <i>Citrus</i> L. | | | | | | | | | |
| | 24 | 5 | ES | Oficina Española de Variedades Vegetales | 15/04 | 15/04 | 15/06 | 4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total | The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis, |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

***Citrus reticulata* Blanco**

| | | | | | | | | |
|----|---|----|--|-------|-------|-------|---|--|
| 24 | 5 | ES | Oficina Española de Variedades Vegetales | 15/04 | 15/04 | 16/06 | 4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total | The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis, |
|----|---|----|--|-------|-------|-------|---|--|

***Citrus sinensis* (L.) Osbeck**

| | | | | | | | | |
|----|---|----|--|-------|-------|-------|---|--|
| 24 | 5 | ES | Oficina Española de Variedades Vegetales | 15/04 | 15/04 | 15/06 | 4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total | The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis, |
|----|---|----|--|-------|-------|-------|---|--|

***Clematis* L.**

| | | | | | | | | | |
|------------|----|---|----|-------------|-------|-------|-------|--|--|
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 10 young plants being able to show all their representative characteristics during the first year of examination | appropriate to be grown in the open |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 11/03 | 22/03 | 10 container grown plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| vegetative | 15 | 1 | PL | COBORU | 15/01 | 01/04 | 07/04 | 10 young plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before. |

***Coreopsis* L.**

| | | | | | | | | | |
|------------|----|---|----|------|-------|-------|-------|-----------|--|
| vegetative | 16 | 1 | UK | NIAB | 01/12 | 22/04 | 26/04 | 15 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
|------------|----|---|----|------|-------|-------|-------|-----------|--|

***Coriandrum sativum* L.**

| | | | | | | | | |
|----|---|----|-----------------------------------|-------|-------|-------|------------|--|
| 20 | 2 | HU | National Food Chain Safety Office | 28/02 | 01/03 | 31/03 | 70 g seeds | |
|----|---|----|-----------------------------------|-------|-------|-------|------------|--|

***Cortaderia selloana* (Schult. et Schult. f.) Asch. & Graebn.**

| | | | | | | | | |
|------------|----|---|----|-------------|-------|-------|-------|---|
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 10 young plants, able to show all their characteristics during the first year of examination. |
|------------|----|---|----|-------------|-------|-------|-------|---|

***Crocsmia* Planch.**

| | | | | | | | | |
|------------|----|---|----|-------------|-------|-------|-------|---|
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 30 corms, able to show all their characteristics during the first year of examination |
|------------|----|---|----|-------------|-------|-------|-------|---|

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|-------|-----------------------------------|--|
| <i>Crocoshia Planch.</i> | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 08/03 | 19/03 | 15 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Cucumis melo L.</i> | | | | | | | | | |
| field | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 31/10 | | 30/11 | 4,500 seeds | |
| greenhouse | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 31/10 | | 30/11 | 4,500 seeds | |
| | 21 | 2 | NL | NAKTUINBOUW | 01/03 | | 15/03 | 1,500 seeds | |
| | 20 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 10/01 | | 31/01 | 2,000 seeds /40 g | |
| | 20 | 2 | PT | Direção Geral de Alimentação e Veterinária | | | | | |
| | 21 | 2 | FR | GEVES | 01/01 | | 15/01 | 50 g seed | |
| | 21 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 10/01 | | 31/01 | 2,000 seeds /40 g | |
| <i>Cucumis sativus L.</i> | | | | | | | | | |
| cucumber | 21 | 2 | FR | GEVES | 01/12 | | 01/01 | 1,500 seeds(50 g) | Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle. |
| field | 20 | 2 | HU | National Food Chain Safety Office | 15/12 | | 15/01 | 2,000 seeds | 94% min. germination |
| gherkin | 21 | 2 | FR | GEVES | 01/03 | | 01/04 | 1,500 seeds (50 g) | |
| greenhouse | 21 | 2 | BG | Ministry of Agriculture and Food | 01/01 | | 01/02 | 1,500 seeds | minimum germination rate 80% after 4 days |
| heated covers | 21 | 2 | PL | COBORU | 31/10 | 30/11 | 31/12 | 300 seeds | |
| open field | 20 | 2 | BG | Ministry of Agriculture and Food | 15/02 | | 15/03 | 1,500 seed | minimum 80% germination rate after 4 days |
| open field | 20 | 2 | PL | COBORU | 28/02 | 01/03 | 31/03 | 200 g | |
| seed autumn | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/06 | | 01/07 | 1,800 seeds | |
| seed spring | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/11 | | 01/12 | 1,800 seeds | |
| seed, European type | 21 | 2 | NL | NAKTUINBOUW | 15/12 | | 01/01 | 1,500 seeds | |
| seed, all except European type | 21 | 2 | NL | NAKTUINBOUW | 01/02 | | 15/02 | 1 500 seeds | |
| vegetative | 23 | 2 | ES | Oficina Española de Variedades Vegetales | | | | 50 plants | |
| vegetative | 23 | 2 | NL | NAKTUINBOUW | 01/01 | | | 24 plants, date depending on type | plants of commercial standard type |
| | 20 | 2 | DE | Bundessortenamt | 01/03 | | 01/04 | 3,000 seeds | minimum germination capacity 90% |
| | 21 | 2 | HU | National Food Chain Safety Office | | | | | |
| | 23 | 2 | FR | GEVES | | | | | |
| <i>Cucurbita moschata Duchesne</i> | | | | | | | | | |
| | 20 | 2 | NL | NAKTUINBOUW | 28/02 | 01/03 | 01/04 | 1,000 seeds | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|---|
| <i>Cucurbita moschata</i> Duchesne | | | | | | | | | |
| | 20 | 2 | FR | GEVES | 01/01 | | 01/03 | 200 g seed | |
| <i>Cucurbita máxima</i> Duchesne × <i>Cucurbita moschata</i> Duchesne | | | | | | | | | |
| | 20 | 2 | NL | NAKTUINBOUW | 15/03 | | 01/04 | 1000 seeds | |
| <i>Cucurbita pepo</i> L. | | | | | | | | | |
| autumn, field | 20 | 2 | FR | GEVES | 01/02 | | 01/06 | 150 g seed | |
| field | 20 | 2 | HU | National Food Chain Safety Office | 15/02 | | 15/03 | 3,000 seeds | 88% min. germination |
| halloween, field | 20 | 2 | FR | GEVES | 01/02 | | 01/04 | 150 g seed | |
| non trailing type | 20 | 2 | NL | NAKTUINBOUW | 15/04 | | 01/05 | 1,000 seeds | |
| spring | 20 | 2 | FR | GEVES | 01/02 | | 01/03 | 150 g seed | |
| trailing type | 20 | 2 | NL | NAKTUINBOUW | 15/03 | | 01/04 | 1,000 seeds | |
| | 21 | 2 | FR | GEVES | | | | | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| | 21 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| <i>Curcuma alismatifolia</i> Gagnep. | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 15/04 | 15/05 | 24 young plants being able to show all their characteristics in the first year of examination | |
| <i>Cymbidium</i> Sw. | | | | | | | | | |
| august crop | 14 | 1 | NL | NAKTUINBOUW | 30/04 | 01/08 | 31/08 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering |
| january crop | 14 | 1 | NL | NAKTUINBOUW | 30/09 | 01/01 | 31/01 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering |
| <i>Cynara cardunculus</i> L. | | | | | | | | | |
| seed | 20 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| seed | 20 | 2 | FR | GEVES | 01/04 | | 01/07 | 50 g seed | |
| seed | 20 | 2 | NL | NAKTUINBOUW | 01/02 | | 15/02 | 1,400 seeds | |
| vegetative | 22 | 2 | FR | GEVES | 01/04 | 01/09 | 15/09 | 60 rooted plants | Healthy and virus-free |
| vegetative | 22 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| <i>Dactylis glomerata</i> L. | | | | | | | | | |
| | 4 | 2 | FR | GEVES | 15/12 | | 10/01 | 1,0 kg | |
| | 4 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 15/01 | | 31/01 | 1,5 kg | |
| | 4 | 2 | HU | National Food Chain Safety Office | 31/01 | | 10/02 | 1,0 kg | germination rate 80% |
| <i>Dahlia</i> Cav. | | | | | | | | | |
| greenhouse | 14 | 1 | UK | NIAB | 01/12 | 09/05 | 13/05 | 20 well-rooted cuttings | plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. |
| outdoor | 16 | 1 | UK | NIAB | 01/12 | 09/05 | 13/05 | 20 well-rooted cuttings | plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|---|-------|-------|-------|--|--|
| <i>Daucus carota</i> L. | | | | | | | | | |
| autumn | 20 | 2 | FR | GEVES | 01/04 | | 01/05 | 90,000 seeds (150 g) | |
| spring | 20 | 2 | FR | GEVES | 01/01 | | 01/02 | 90,000 seeds (150 g) | |
| | 20 | 2 | NL | NAKTUINBOUW | 15/03 | | 15/04 | 30,000 seeds | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 28/02 | | 31/03 | 35,000 seeds | |
| | 20 | 2 | PL | COBORU | 31/01 | 01/02 | 01/03 | 400 g | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 31/05 | | 30/06 | 90,000 seeds | |
| <i>Delphinium</i> L. | | | | | | | | | |
| seed | 13 | 1 | UK | NIAB | 01/12 | 21/01 | 25/01 | 250 seeds | Seed must be of high germination capacity |
| vegetative, bare roots | 13 | 1 | UK | NIAB | 01/12 | 04/02 | 08/02 | 20 dormant plants | bare roots |
| vegetative, young plants | 13 | 1 | UK | NIAB | 01/12 | 11/03 | 22/03 | 20 plants | (either from micropropagation or cuttings) well established in 9 cm containers |
| <i>Dendrobium</i> Sw. | | | | | | | | | |
| august crop | 14 | 1 | NL | NAKTUINBOUW | 30/04 | 01/08 | 31/08 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering |
| january crop | 14 | 1 | NL | NAKTUINBOUW | 30/09 | 01/01 | 31/01 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering |
| <i>Dianthus</i> L. | | | | | | | | | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | 01/11 | 10/02 | 14/02 | 60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination | for 85% without virus (carnation mottle virus and or carnation etched ring virus) |
| <i>Dianthus</i> × <i>allwoodii</i> hort. | | | | | | | | | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | 01/11 | 10/02 | 14/02 | 60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination | for 85% without virus (carnation mottle virus and or carnation etched ring virus) |
| <i>Dianthus caryophyllus</i> L. | | | | | | | | | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | 01/11 | 10/02 | 14/02 | 60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination | for 85% without virus (carnation mottle virus and or carnation etched ring virus) |
| <i>Diascia</i> Link et Otto | | | | | | | | | |
| vegetative | 16 | 1 | UK | NIAB | 01/12 | 22/04 | 26/04 | 20 plug plants | plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development; plants should be of sufficient size to flower and/or show their representative characteristics in the first year |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

***Diospyros kaki* Thunb.**

| | | | | | | | | |
|----|---|----|--|-------|-------|-------|---|--|
| 24 | 4 | ES | Oficina Española de Variedades Vegetales | 30/11 | 01/12 | 31/01 | 9 one-year old trees grafted on to one of the following rootstocks according to the type of candidate variety: * Non-astringent kaki varieties (PCNA): <i>Diospyros kaki</i> * Astringent kaki varieties (PCA, PVA, PVNA): <i>Diospyros lotus</i> | Plant material must be accompanied by a recognised certificate indicating that the material came from mother plants free from <i>Acremonium diospyri</i> (sin. <i>Cephalosporium diospyri</i>), <i>Pellicularia koleroga</i> (<i>Corticium stevensii</i>), <i>Mycosphaerella brassicicola</i> , virus, symptoms of speckled leaves, necrosis of nerves, malformations of leaves, defoliation prematurely and drop flowers, necrosis in wood, necrotic spots on the inside of the fruit. |
|----|---|----|--|-------|-------|-------|---|--|

***Diplotaxis eruroides* (L.) DC.**

| | | | | | | | |
|----|---|----|-------------|-------|-------|--------------|---|
| 21 | 2 | FR | GEVES | 01/01 | 15/02 | 15,000 seeds | minimum germination rate 80% after 4 days |
| 21 | 2 | NL | NAKTUINBOUW | 15/01 | 01/02 | 5,000 seeds | minimum germination rate 80% after 4 days |

***Diplotaxis tenuifolia* (L.) DC.**

| | | | | | | | |
|----|---|----|-------------|-------|-------|--------------|---|
| 21 | 2 | NL | NAKTUINBOUW | 15/01 | 01/02 | 5,000 seeds | |
| 21 | 2 | FR | GEVES | 01/01 | 15/02 | 15,000 seeds | minimum germination rate 80% after 4 days |

× *Doritaenopsis* hort.

| | | | | | | | | | |
|--------------|----|---|----|-------------|-------|-------|-------|---|--|
| august crop | 14 | 1 | NL | NAKTUINBOUW | 30/04 | 01/08 | 31/08 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering. |
| january crop | 14 | 1 | NL | NAKTUINBOUW | 30/09 | 01/01 | 31/01 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering. |

***Echinacea* Moench**

| | | | | | | | | | |
|------------|----|---|----|------|-------|-------|-------|---------------------------|---|
| vegetative | 15 | 2 | UK | NIAB | 01/12 | 11/03 | 22/03 | 15 container grown plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two. |
|------------|----|---|----|------|-------|-------|-------|---------------------------|---|

***Echinacea purpurea* (L.) Moench**

| | | | | | | | | | |
|-----------------|-----|---|----|------|-------|-------|-------|--|---|
| seed-propagated | 17A | 2 | UK | NIAB | 01/12 | 24/01 | 28/01 | 250 seeds of high germination capacity | |
| vegetative | 15 | 2 | UK | NIAB | 01/12 | 11/03 | 22/03 | 15 container grown plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two. |

***Echinacea purpurea* (L.) Moench × *E. paradoxa* (Norton) Britton**

| | | | | | | | | | |
|------------|----|---|----|------|-------|-------|-------|---------------------------|---|
| vegetative | 15 | 2 | UK | NIAB | 01/12 | 10/03 | 21/03 | 15 container grown plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics by year two. |
|------------|----|---|----|------|-------|-------|-------|---------------------------|---|

***Elaeagnus* L.**

| | | | | | | | | | |
|------------|----|---|----|-------|-------|-------|-------|------------------------------------|---|
| vegetative | 11 | 2 | FR | GEVES | 01/12 | 15/02 | 15/03 | 8 plants in container, 2 years old | each plant should be labelled individually. |
|------------|----|---|----|-------|-------|-------|-------|------------------------------------|---|

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|--------------|---|
| <i>Eruca sativa</i> Mill. | | | | | | | | | |
| | 21 | 2 | NL | NAKTUINBOUW | 15/01 | | 01/02 | 5,000 seeds | minimum germination rate 80% after 4 days |
| | 21 | 2 | FR | GEVES | | 01/01 | 15/02 | 15,000 seeds | Minimum germination rate 80% after 4 days. |
| <i>Euphorbia hypericifolia</i> L. (syn. <i>Chamaesyce hypericifolia</i> (L.) Millsp.) | | | | | | | | | |
| | 14 | 1 | DE | Bundessortenamt | | 01/11 | 27/02 | 03/03 | 25 well-rooted cuttings, not pinched. |
| <i>Euphorbia milii</i> Des Moul. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | | 15/11 | 15/03 | 21/03 | 25 young plants well rooted, not flowering |
| <i>Euphorbia pulcherrima</i> Willd. ex Klotzsch | | | | | | | | | |
| vegetative | 9A | 1 | DK | University of Aarhus - Aarslev | | 10/01 | 01/03 | 07/03 | 10 well rooted cuttings Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 57 60 75 66. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. Department of Horticulture: Tel 0045 8999 1900 or fax 0045 89999 |
| vegetative | 9A | 1 | PL | COBORU | | 10/01 | 01/03 | 07/03 | 16 rooted cuttings |
| <i>Festuca arundinacea</i> Schreb. | | | | | | | | | |
| | 4 | 2 | FI | Finnish Food Safety Authority Evira | | 01/03 | | 01/04 | 1,5 kg |
| | 4 | 2 | FR | GEVES | | 15/12 | | 10/01 | 1,0 kg of the generation for commercialisation |
| | 4 | 2 | PL | COBORU | | 15/01 | | 01/03 | 1,0 kg |
| <i>Festuca pratensis</i> Huds. | | | | | | | | | |
| | 4 | 2 | FI | Finnish Food Safety Authority Evira | | 01/03 | | 01/04 | 1,5 kg |
| | 4 | 2 | DE | Bundessortenamt | | 15/01 | | 15/02 | 1,5 kg minimum germination capacity 86% |
| | 4 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | | 15/02 | | 28/02 | 1.0 kg |
| <i>Festuca rubra</i> L. | | | | | | | | | |
| | 4 | 2 | DE | Bundessortenamt | | 15/01 | | 15/02 | 1,5 kg minimum germination capacity 86% |
| | 4 | 2 | NL | NAKTUINBOUW | | 15/01 | | 01/02 | 1,2 kg |
| | 4 | 2 | PL | COBORU | | 15/01 | | 01/03 | 1,0 kg |
| | 4 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | | 15/01 | | 31/01 | 1,5 kg |
| <i>Fittonia albivenis</i> (Lindl. ex hort. Veitch) Brummitt (syn. <i>Fittonia verschaffeltii</i>) | | | | | | | | | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

Foeniculum vulgare P. Mill.

| | | | | | | | | |
|--------------|----|---|----|-----------------|-------|-------|---------------------|--|
| Pharmaceutic | 20 | 2 | DE | Bundessortenamt | 15/01 | 15/02 | 5,400 seeds | minimum germination capacity 80% |
| | 20 | 2 | NL | NAKTUINBOUW | 01/04 | 15/04 | 4,000 seeds | |
| | 20 | 2 | FR | GEVES | 01/03 | 01/04 | 35 g untreated seed | Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle. |

Fragaria × *ananassa* Duchesne ex Rozier

| | | | | | | | | | |
|--------------------------------|----|---|----|--|-------|-------|------------|--|---|
| day neutral bearing | 27 | 2 | PT | Direção Geral de Alimentação e Veterinária | 31/12 | 01/02 | 28/02 | 40 virus-tested plants packed in such a way as to prevent dehydration, and free from viruses, root rot or nematodes. | |
| non, partial or fully remontan | 27 | 2 | PT | Direção Geral de Alimentação e Veterinária | 31/08 | 01/11 | 30/11 | 40 virus-tested plants packed in such a way as to prevent dehydration, and free from viruses, root rot and nematodes. | |
| seed | 27 | 2 | DE | Bundessortenamt | 15/10 | 15/12 | 1.5 g seed | Minimum germination capacity 60% | |
| vegetative | 27 | 2 | PL | COBORU | 31/05 | 01/09 | 15/09 | 30 well-rooted, virus-tested, potted fresh plants | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Strawberry mottle virus (SMV) Strawberry green petal (SGP-MLO) |
| vegetative | 27 | 2 | DE | Bundessortenamt | 31/05 | 01/07 | 31/07 | 30 vigorous, well rooted, virus-tested potted fresh plants, free from viruses, root rots and nematodes. The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 92/34/EEC and implementing measures. | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Strawberry crinkle rhabdovirus Strawberry mild yellow edge Strawberry mottle Strawberry vein-banding caulimovirus |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|-------|--|--|
| <i>Fragaria</i> × <i>ananassa</i> Duchesne ex Rozier | | | | | | | | | |
| | 27 | 2 | ES | Oficina Española de Variedades Vegetales | 31/08 | 10/10 | 25/10 | 40 well-rooted, vigorous, fresh plants. | The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EEC and 92/34/EEC and implementing measures |
| <i>Freesia</i> Eckl. ex Klatt | | | | | | | | | |
| vegetative | 10 | 1 | NL | NAKTUINBOUW | 15/05 | 15/06 | 15/07 | 30 corms; plants must show all their characteristics in the first year of examination | over sieve size 5, without having undergone any treatment |
| <i>Fuchsia</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | DE | Bundessortenamt | 01/11 | 15/02 | 16/02 | 25 well rooted cuttings | not pinched |
| <i>Gaillardia aristata</i> Pursh | | | | | | | | | |
| seed | 16 | 1 | HU | National Food Chain Safety Office | 01/12 | | 31/01 | 2000 seeds | germination capacity 70% |
| vegetative | 16 | 1 | UK | NIAB | 01/12 | 08/03 | 19/03 | 10 plants | container grown |
| <i>Gaura</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 14/03 | 25/03 | 15 young plants | plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Gaura lindheimeri</i> Engelm. et A. Gray | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 14/03 | 25/03 | 15 young plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Geranium</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 08/03 | 19/03 | 10 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Gerbera</i> L. | | | | | | | | | |
| cut flower varieties | 13 | 1 | NL | NAKTUINBOUW | 31/03 | 13/05 | 17/05 | 12 young plants being able to show all their characteristics in the first year of examination | not grown on rockwool |
| garden varieties | 13 | 1 | NL | NAKTUINBOUW | 31/10 | 01/03 | 31/03 | 12 container-grown plants being able to show all their characteristics in the first year of examination | |
| pot varieties | 13 | 1 | NL | NAKTUINBOUW | 31/10 | 01/03 | 31/03 | 12 container-grown plants being able to show all their characteristics in the first year of examination | |
| vegetative | 13 | 1 | PL | COBORU | 01/02 | 06/05 | 10/05 | 12 young plants | commercial standard |
| <i>Gladiolus</i> L. | | | | | | | | | |
| vegetative | 16 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 30 corms of flowering size; plants must be able to show all their characteristics in the first year of examination | |
| <i>Glycine max</i> (L.) Merrill | | | | | | | | | |
| | 3 | 2 | HU | National Food Chain Safety Office | 31/01 | | 15/02 | 5,0 kg | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|-----|---|----|--|---|-------|-------|----------------------|--|
| <i>Glycine max</i> (L.) Merrill | | | | | | | | | |
| | 3 | 2 | FR | GEVES | | 01/03 | 31/03 | 3,0 kg | |
| | 3 | 2 | ES | Oficina Española de Variedades Vegetales | | 01/01 | 01/02 | 5,0 kg | |
| <i>Gossypium hirsutum</i> L. | | | | | | | | | |
| agricultural | 6 | 2 | ES | Oficina Española de Variedades Vegetales | | 01/01 | 01/02 | 5,0 kg | delinted seed |
| ornamental (seed-propagated) | 17A | 2 | ES | Oficina Española de Variedades Vegetales | | 01/01 | 15/02 | 1 kg of seeds | |
| | 6 | 2 | BG | Ministry of Agriculture and Food | | | | | |
| | 6 | 2 | GR | MINISTRY OF AGRICULTURE | | 01/01 | 01/03 | 15/03 | 3,0 kg delinted seed |
| <i>Guzmania Ruiz et Pav.</i> | | | | | | | | | |
| seed | 13 | 1 | NL | NAKTUINBOUW | | 01/12 | 01/03 | 31/03 | 50 young plants, able to show all their characteristics during the first year of examination. age: approximately 1 months before flower induction treatment |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination. age: approximately 1 month before flower induction treatment |
| <i>Gypsophila</i> L. | | | | | | | | | |
| vegetative | 9 | 1 | NL | NAKTUINBOUW | | 01/10 | 01/02 | 28/02 | 24 well rooted cuttings, able to show all their characteristics during the first year of examination. |
| <i>Hebe Comm. ex. Juss.</i> | | | | | | | | | |
| vegetative, non variegated | 15 | 1 | UK | NIAB | | 01/12 | 10/03 | 21/03 | 10 container grown plants Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season. |
| vegetative, variegated | 15 | 1 | UK | NIAB | | 01/12 | 10/03 | 21/03 | 15 container grown plants Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season. |
| <i>Helianthus annuus</i> L. | | | | | | | | | |
| hybrid | 3 | 2 | BG | Ministry of Agriculture and Food | | 01/02 | 01/03 | 1,0 kg of the hybrid | and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown) |
| hybrid | 3 | 2 | HU | National Food Chain Safety Office | | 31/01 | 15/03 | 1,0 kg of the hybrid | and 500 g per each component (male sterile line, maintainer line, restorer line and parent lines with its components) |
| hybrid | 3 | 2 | FR | GEVES | | 01/02 | 01/03 | 1,0 kg of the hybrid | and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown) |
| hybrid | 3 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | | 28/02 | 10/03 | 800 g | |
| line | 3 | 2 | FR | GEVES | | 01/02 | 01/03 | 5000 grains | |
| line | 3 | 2 | ES | Oficina Española de Variedades Vegetales | | 01/12 | 01/01 | 500 g | |
| line | 3 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | | 28/02 | 10/03 | 500 g | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---------|-----|---|----|--|-------|-------|----------------------------------|--|
| <i>Helianthus annuus</i> L. | | | | | | | | | |
| line | | 3 | 2 | BG | Ministry of Agriculture and Food | 01/02 | 01/03 | 5000 grains | |
| line | | 3 | 2 | HU | National Food Chain Safety Office | 31/01 | 15/03 | 500 g | |
| male line | sterile | 3 | 2 | FR | GEVES | 01/02 | 01/03 | 5000 grains of male sterile line | and 500 grains of maintainer line |
| male line | sterile | 3 | 2 | ES | Oficina Española de Variedades Vegetales | 01/12 | 01/01 | 500 g of male sterile line | and 100 g of maintainer |
| male line | sterile | 3 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 28/02 | 10/03 | 500 g | and 500 g of its maintainer line |
| male line | sterile | 3 | 2 | BG | Ministry of Agriculture and Food | 01/02 | 01/03 | 5000 grains of male sterile line | and 1000 grains of maintainer line |
| male line | sterile | 3 | 2 | HU | National Food Chain Safety Office | 31/01 | 15/03 | 500 g | |
| single hybrid | | 3 | 2 | ES | Oficina Española de Variedades Vegetales | 01/12 | 01/01 | 2,0 kg of the hybrid | and 500 grams of each component (A,C and R), 300 grams of B |
| single as parent | hybrid | 3 | 2 | FR | GEVES | 01/02 | 01/03 | 5000 grains | and 5000 grains of the male sterile line, maintainer line, and male maintainer line (if material unknown) |
| single as parent | hybrid | 3 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 28/02 | 10/03 | 500 g | |
| single as parent | hybrid | 3 | 2 | BG | Ministry of Agriculture and Food | 01/02 | 01/03 | 5000 grains | and 5000 grains of the male sterile line, maintainer line and male maintainer line (if material unknown) |
| <i>Heliotropium arborescens</i> L. | | | | | | | | | |
| vegetative | | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination |
| vegetative | | 15 | 1 | UK | NIAB | 01/12 | 19/04 | 23/04 | 10 young plants Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Helleborus</i> L. | | | | | | | | | |
| seed | | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/02 | | 20 gram seeds of germination capacity 50% and 50 one-year old plants not flowering or having flowered submission period for seeds: to 31/03/2008 submission period for plants: 1/04/2008 - 30/04/2008 |
| vegetative -cuttings, in vitro | | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 24 young plants being able to show all their characteristics in the first year of examination |
| vegetative -division of plants | | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/10 | 31/10 | 24 young plants being able to show all their characteristics in the first year of examination |
| <i>Helleborus niger</i> L. | | | | | | | | | |
| seed | | 17A | 1 | NL | NAKTUINBOUW | 01/12 | 31/03 | | 20 gram seeds of germination capacity 50% and 50 one-year old plants not flowering or having flowered and able to show all their characteristics in the first year of examination. submission period for seeds: to 31/03/2009 submission period for plants: 1/04/2009 - 30/04/2009 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|--|--|
| <i>Helleborus niger</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 24 young plants of commercial standard | |
| <i>Helleborus</i> × <i>nigercors</i> J. T. Wall | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 24 young plants of commercial standard | |
| <i>Helleborus orientalis</i> Lam. | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 24 young plants of commercial standard | |
| <i>Heuchera</i> L. | | | | | | | | | |
| seed | 15 | 1 | UK | NIAB | 01/12 | 24/01 | 28/01 | 250 seed | Seed must be of high germination capacity |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 11/03 | 22/03 | 15 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season. |
| <i>Hibiscus</i> L. | | | | | | | | | |
| garden plants | 15 | 1 | UK | NIAB | 01/12 | 11/03 | 22/03 | 15 vegetatively propagated plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season. |
| <i>Hibiscus moscheutos</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 11/03 | 22/03 | 15 vegetatively propagated plants, | Plants should be visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size to flower and/or to show all their representative characteristics in the first year. |
| <i>Hibiscus rosa-sinensis</i> L. | | | | | | | | | |
| vegetative | 13 | 1 | DE | Bundessortenamt | 01/11 | 01/03 | 05/03 | 20 rooted top cuttings | not pinched and not treated with growth regulators |
| vegetative | 13 | 1 | UK | NIAB | 01/12 | 14/03 | 18/03 | 20 young plants | plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year |
| <i>Hibiscus syriacus</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 11/03 | 22/03 | 10 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| | 15 | 1 | BE | Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
|---|------|---|----|--|--|-------|-------|---|---|--|
| <i>Hippeastrum</i> Herb. | | | | | | | | | | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | 01/11 | 10/12 | 14/12 | 20 bulbs | of flowerable size of which at least 18 should flower; bulbs should have been treated so that they will flower under greenhouse conditions in the Northern hemisphere in January. | |
| <i>Hippophae rhamnoides</i> L. | | | | | | | | | | |
| | 25 | 4 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 01/02 | 01/03 | 31/03 | 6 one-year-old, potted plants with a good root development | | |
| | 25 | 4 | DE | Bundessortenamt | 01/02 | 01/03 | 31/03 | 6 one-year-old, potted plants with a good root development | | |
| <i>Hordeum vulgare</i> L. sensu lato | | | | | | | | | | |
| hybrid winter | cms, | 1 | 2 | FR | GEVES | 10/09 | 20/09 | hybrid: 5,0 kg | 2,5 kg of male sterile line and 5,0 kg of maintainer and restorer line | |
| spring | | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 29/01 | 29/01 | 3,0 kg | 120 ears | |
| spring | | 1 | 2 | EE | Agricultural Research Center | 01/02 | 01/04 | 3,0 kg | and unbeaten 150 ears | |
| spring | | 1 | 2 | DE | Bundessortenamt | 05/01 | 20/01 | 5,0 kg | on request: 120 ears and minimum germination capacity 94% | |
| spring | | 1 | 2 | DK | Ministry of Food Agriculture and Fisheries | 20/01 | 10/02 | 3,0 kg | in case of hybrids: additional 3 kg seeds of every unknown parental line | |
| spring | | 1 | 2 | FI | Finnish Food Safety Authority Evira | 01/03 | 01/04 | 3,0 kg | 120 ears | |
| spring | | 1 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | 20/01 | 3,0 kg | 200 ears | |
| spring | | 1 | 2 | UK | Food and Environment Research Agency (FERA) | 30/11 | 08/01 | 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given | In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line | |
| spring | | 1 | 2 | FR | GEVES | 15/01 | 25/01 | 5,0 kg | | |
| spring | | 1 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 15/12 | 20/01 | 5,0 kg | and 260 unthreshed ears | |
| spring | | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 15/08 | 15/09 | 3,0 kg | 240 ears | |
| spring | | 1 | 2 | PL | COBORU | 31/12 | 01/02 | 01/03 | 6,0 kg | 240 ears. In case of hybrid: in addition 3 kg and 240 ears for each component of the hybrid. |
| winter | | 1 | 2 | UK | Food and Environment Research Agency (FERA) | 24/08 | 08/09 | 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given | In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line | |
| winter | | 1 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 20/08 | 25/08 | 3,0 kg | 200 ears | |
| winter | | 1 | 2 | PL | COBORU | 20/08 | 20/08 | 31/08 | 6,0 kg | 300 ears. In case of hybrid: in addition 3 kg and 300 ears for each component of the hybrid. |
| winter | | 1 | 2 | FR | GEVES | 10/09 | 20/09 | 5,0 kg | | |
| winter | | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 29/08 | 03/09 | 3,0 kg | 120 ears | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|-------|--|--|
| <i>Hordeum vulgare</i> L. sensu lato | | | | | | | | | |
| winter | 1 | 2 | DK | Ministry of Food Agriculture and Fisheries | 01/09 | | 01/09 | 3,0 kg | in case of hybrids: additional 3 kg seeds of every unknown parental line |
| winter | 1 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 25/08 | | 31/08 | 5,0 kg | and 360 unthreathed ears |
| winter | 1 | 2 | HU | National Food Chain Safety Office | 10/09 | | 20/09 | 5,0 kg | and 220 ears |
| winter | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/08 | | 01/09 | 3,0 kg | 240 ears |
| winter | 1 | 2 | DE | Bundessortenamt | 15/08 | | 01/09 | 5,0 kg | on request: 170 ears and minimum germination capacity 94% |
| <i>Hosta</i> Tratt. | | | | | | | | | |
| vegetative | 15 | 2 | NL | NAKTUINBOUW | 01/12 | 01/04 | 15/04 | 24 plants of two years old, able to show all their representative characteristics | |
| <i>Humulus lupulus</i> L. | | | | | | | | | |
| | 26 | 3 | DE | Bundessortenamt | 15/01 | 01/03 | 15/03 | 18 dormant roots | healthy without mildew. Plant material from the US must be accompanied by a certificate proving that each plant is free of the hop stunt viroid. |
| <i>Hydrangea macrophylla</i> (Thunb.) Ser. | | | | | | | | | |
| vegetative | 11 | 2 | FR | GEVES | 15/11 | 15/01 | 30/01 | 10 rooted, container-grown plants, 6 to 8 month old, pinched at least once, not treated with chemicals that influence the colour (blueing) | each plant should be labelled individually |
| <i>Hydrangea paniculata</i> Siebold | | | | | | | | | |
| vegetative | 11 | 2 | FR | GEVES | 15/11 | 15/01 | 30/01 | 10 rooted, container-grown plants, 6 to 8 month old, pinched at least once, not treated with chemicals that influence the colour (blueing) | each plant should be labelled individually |
| <i>Hypericum</i> L. | | | | | | | | | |
| vegetative | 12 | 2 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 12 young bushes; plants must be able to show all their characteristics during the examination period | |
| <i>Hypericum androsaemum</i> L. | | | | | | | | | |
| vegetative | 12 | 2 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 12 young bushes; plants must be able to show all their characteristics during the examination period | |
| <i>Hypericum</i> × <i>inodorum</i> Mill. | | | | | | | | | |
| vegetative | 12 | 2 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 12 young bushes; plants must be able to show all their characteristics during the examination period | |
| <i>Impatiens</i> L. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 15/11 | 15/03 | 21/03 | 20 young plants | as in commerce, not pinched |
| <i>Impatiens New Guinea</i> Group | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 15/11 | 18/03 | 22/03 | 20 young plants | as in commerce, not pinched |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|-----|---|----|---|-------|-------|-------|---|--|
| <i>Impatiens walleriana</i> Hook. f. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 15/11 | 15/03 | 21/03 | 20 young plants | as in commerce, not pinched |
| <i>Ipomoea batatas</i> (L.) Lam. | | | | | | | | | |
| ornamental, vegetative | 16 | 1 | UK | NIAB | 01/12 | 19/04 | 23/04 | 15 young plants | Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year. |
| <i>Kalanchoe</i> Adans. | | | | | | | | | |
| vegetative | 13 | 1 | DE | Bundessortenamt | 15/11 | 15/04 | 21/04 | 30 unrooted cuttings. | |
| vegetative, parent in 13a | 13A | 1 | DE | Bundessortenamt | 15/11 | 15/04 | 21/04 | 30 unrooted cuttings | |
| <i>Kalanchoe blossfeldiana</i> Poelln. | | | | | | | | | |
| vegetative | 13A | 1 | DE | Bundessortenamt | 15/11 | 15/04 | 21/04 | 30 unrooted cuttings | |
| <i>Lactuca sativa</i> L. | | | | | | | | | |
| greenhouse au- tumn | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/06 | | 01/07 | 14,000 seeds | |
| greenhouse | 21 | 2 | FR | GEVES | 15/08 | | 01/09 | 14,000 seeds (30 g) | Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle. |
| greenhouse | 21 | 2 | NL | NAKTUINBOUW | 15/12 | | 01/01 | 14,000 seeds | |
| greenhouse spring | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/11 | | 01/12 | 14,000 seeds | |
| outdoor | 20 | 2 | FR | GEVES | 01/01 | | 01/03 | 14,000 seeds (30 g) | Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle. |
| outdoor | 20 | 2 | NL | NAKTUINBOUW | 01/02 | | 01/03 | 14,000 seeds | |
| outdoor | 20 | 2 | DE | Bundessortenamt | 15/01 | | 15/02 | 25,000 seeds | minimum germination capacity 90% |
| outdoor au- tumn | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 01/06 | | 01/07 | 14,000 seeds | |
| outdoor spring | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 01/11 | | 01/12 | 14,000 seeds | |
| <i>Lagerstroemia indica</i> L. | | | | | | | | | |
| vegetative | 11 | 2 | FR | GEVES | 01/09 | 01/10 | 15/03 | 8 plants, well rooted, in container, 2 years old. | each plant should be labelled individually. |
| <i>Lantana camara</i> L. | | | | | | | | | |
| vegetative | 16 | 1 | DE | Bundessortenamt | 15/11 | 04/03 | 08/03 | 25 rooted cuttings | not pinched |
| <i>Lavandula angustifolia</i> Mill. | | | | | | | | | |
| seed | 11 | 2 | FR | GEVES | 01/11 | 15/01 | 01/03 | 30 young and well rooted plants | plants should be of sufficient size to flower and/or show their other representative characteristics |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|---|-------|-------|-------|--|--|
| <i>Lavandula angustifolia</i> Mill. | | | | | | | | | |
| vegetative | 11 | 2 | FR | GEVES | 01/11 | 15/01 | 01/03 | 15 plants well rooted, | Plants should be of sufficient size to flower and/or show their other representative characteristics |
| | 11 | 2 | BG | Ministry of Agriculture and Food | | | | | |
| <i>Lavandula stoechas</i> L. | | | | | | | | | |
| seed | 11 | 2 | FR | GEVES | 01/11 | 15/01 | 15/02 | 30 young and well rooted plants | plants should be of sufficient size to flower and/or show their other representative characteristics |
| vegetative | 11 | 2 | FR | GEVES | 01/11 | 15/01 | 15/02 | 15 plants well rooted, | Plants should be of sufficient size to flower and/or show their other representative characteristics |
| <i>Lemna minor</i> L. | | | | | | | | | |
| | 7 | 1 | NL | NAKTUINBOUW | 01/08 | 01/09 | 01/10 | Plant material to be sent on request. 100 young plants of commercial standard able to show all their characteristics in the first year of examination. To be delivered in water. | Contact person: Wim Sangster, Tel.: +31 (0)71 3326124; w.sangster@naktuinbouw.nl |
| <i>Lilium</i> L. | | | | | | | | | |
| vegetative | 14 | 1 | NL | NAKTUINBOUW | 01/11 | 05/01 | 15/01 | 30 bulbs. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size. | Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognized certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMoV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point. |
| <i>Limonium sinense</i> (Girard) Kuntze | | | | | | | | | |
| vegetative, greenhouse | 14 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 15/03 | 24 young plants being able to show all their characteristics during the first year of examination | after cold treatment |
| <i>Limonium sinuatum</i> (L.) Mill. | | | | | | | | | |
| vegetative, outdoor | 14 | 1 | NL | NAKTUINBOUW | 01/12 | 01/05 | 15/05 | 24 young plants being able to show all their characteristics during the first year of examination | appropriate to be grown in the open |
| <i>Linum usitatissimum</i> L. | | | | | | | | | |
| | 3 | 2 | FR | GEVES | 01/01 | | 15/01 | 1,0 kg | germination rate of 85% |
| | 3 | 2 | NL | NAKTUINBOUW | 15/01 | | 01/02 | 1,5 kg | |
| <i>Lobelia erinus</i> L. | | | | | | | | | |
| vegetative | 16 | 1 | DE | Bundessortenamt | 01/11 | 01/03 | 06/03 | 25 rooted cuttings | not pinched |
| <i>Lolium boucheanum</i> Kunth | | | | | | | | | |
| | 4 | 3 | DE | Bundessortenamt | 15/01 | | 15/02 | 1,5 kg | minimum germination capacity 90% |
| | 4 | 3 | NL | NAKTUINBOUW | | | | | |
| | 4 | 3 | UK | Food and Environment Research Agency (FERA) | 05/01 | | 05/02 | 1,5 kg diploids, 2,0 kg teraploids | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|-----|---|----|---|-------|-------|-------|---|--|
| <i>Lolium multiflorum</i> Lam. | | | | | | | | | |
| | 4 | 3 | UK | Food and Environment Research Agency (FERA) | 05/01 | | 05/02 | 1,5 kg diploids; 2,0 kg tetraploids | |
| | 4 | 3 | DE | Bundessortenamt | 15/01 | | 15/02 | 1,5 kg | minimum germination capacity 90% |
| | 4 | 3 | NL | NAKTUINBOUW | 15/01 | | 01/02 | 1,5 kg | |
| <i>Lolium perenne</i> L. | | | | | | | | | |
| | 4 | 3 | PL | COBORU | 15/01 | | 31/01 | 1,0 kg | |
| | 4 | 3 | HU | National Food Chain Safety Office | 31/01 | | 10/02 | 1,0 kg | germination rate 80 % |
| | 4 | 3 | UK | Food and Environment Research Agency (FERA) | 05/01 | | 05/02 | 1,5 kg diploids; 2,0 kg tetraploids | |
| | 4 | 3 | NL | NAKTUINBOUW | 15/01 | | 01/02 | 1, 5 kg | |
| | 4 | 3 | DE | Bundessortenamt | 15/01 | | 15/02 | 1,5 kg | minimum germination capacity 90% |
| <i>Ludisia discolor</i> (Ker-Gawl.) A. Rich. | | | | | | | | | |
| vegetative, august crop | 14 | 1 | NL | NAKTUINBOUW | 30/04 | 01/08 | 31/08 | 10 young plants | Plants should be able to flower and to show all their characteristics in the first year of examination. Plants must not be flowering and must not have flowered before. |
| vegetative, january crop | 14 | 1 | NL | NAKTUINBOUW | 30/09 | 01/01 | 31/01 | 10 young plants | Plants should be able to flower and to show all their characteristics in the first year of examination. Plants must not be flowering and must not have flowered before. |
| <i>Lupinus</i> L. | | | | | | | | | |
| ornamental | 16 | 1 | NL | NAKTUINBOUW | 15/06 | 15/08 | 15/09 | 24 young plants being able to show all their characteristics during the first year of examination | |
| <i>Lupinus angustifolius</i> L. | | | | | | | | | |
| | 8 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 4,0 kg | minimum germination capacity 85% |
| | 8 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| | 8 | 2 | PL | COBORU | 31/12 | 01/02 | 05/03 | 6,0 kg | |
| <i>Malus</i> Mill. | | | | | | | | | |
| ornamental | 15 | 2 | UK | NIAB | 01/12 | 12/03 | 23/03 | 8 container grown trees. | Trees must be vegetatively propagated, visually healthy and not treated in any way that will affect subsequent development. Trees should be of sufficient size to flower and/or show their other representative characteristics in the first year. |
| rootstock | 24A | 4 | FR | GEVES | 31/12 | 01/01 | 28/02 | 30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety) | The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) Apple Stem Grooving Virus (ASGV) Apple Mosaic Virus (ApMV) Apple Stem Pitting Virus (ASPV) Apple rubbery wood |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|

Malus Mill.

| | | | | | | | | | |
|-----------|-----|---|----|-----------------|-------|-------|-------|--|---|
| rootstock | 24A | 4 | DE | Bundessortenamt | 31/12 | 01/03 | 31/03 | 15 virus-tested one-year-old rooted shoots emanating from vegetative propagation or 25 young plants emanating from seed propagation + 300 seeds. | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple mosaic larvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) |
|-----------|-----|---|----|-----------------|-------|-------|-------|--|---|

Malus domestica Borkh.

| | | | | | | | | | |
|-------|-----|---|----|--|-------|-------|-------|---|---|
| fruit | 24A | 4 | FR | GEVES | 31/12 | 01/01 | 28/02 | 8, or in case of mutation varieties, 12 virus-free one year-old trees grafted on virus-free 'M9' rootstock (M9 clone must be precise). In the case of mutation varieties, an additional 4 virus-free one year-old trees of the parent variety grafted on the same virus free M9 clone to be provided. | The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) Apple Stem Grooving Virus (ASGV) Apple Mosaic Virus (ApMV) Apple Stem Pitting Virus (ASPV) Apple rubbery wood |
| | 24A | 4 | DE | Bundessortenamt | 31/12 | 01/03 | 31/03 | 6, or in case of mutant varieties, 11 virus-tested one year-old trees grafted on virus-free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf. | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) |
| | 24A | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | 10/01 | 28/02 | 10, or in case of mutant varieties, 15 virus-tested one year-old trees grafted on virus-free 'M9' rootstock. | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|-----|---|----|--|-------|-------|-------|---|--|
| <i>Malus domestica</i> Borkh. | | | | | | | | | |
| | 24A | 4 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/12 | 01/03 | 31/03 | 7, or in case of mutant varieties, 12 virus-tested one year-old trees grafted on virus-free 'M9' rootstock, in case of columnar apple trees the required rootstock is 'MM111' vf. | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) |
| | 24A | 4 | PL | COBORU | 31/12 | 01/03 | 31/03 | 8, or in case of mutant varieties, 12 virus-tested one year-old trees grafted on virus-free 'M9' rootstock. | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple proliferation phytoplasma (AP) |
| | 24A | 4 | HU | National Food Chain Safety Office | 31/12 | 01/03 | 31/03 | 6, or in case of mutant varieties, 12 virus-tested one-year-old trees grafted on virus-free 'M9' rootstock. | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |
| <i>Mandevilla</i> Lindl. | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants | being able to show all their characteristics in the first year of examination |
| <i>Medicago sativa</i> L. | | | | | | | | | |
| | 8 | 2 | HU | National Food Chain Safety Office | 31/01 | | 10/02 | 1,0 kg | germination rate 85 % |
| | 8 | 2 | FR | GEVES | 15/12 | | 10/01 | 1,0 kg | |
| | 8 | 2 | ES | Oficina Española de Variedades Vegetales | 01/01 | | 01/02 | 1 kg non treated seeds, with germination rate >90% | Contact person: Gabriel Ruíz. e-mail: ruiz.gabriel@inia.es Telephone: 913476763 Fax.: 913474168 |
| <i>Metasequoia glyptostroboides</i> Hu & W. C. Cheng | | | | | | | | | |
| vegetative | 15 | 1 | PL | COBORU | 15/01 | 01/04 | 07/04 | 8 plants | 3-4 years old plants, container grown |
| <i>Miscanthus</i> Andersson | | | | | | | | | |
| vegetative | 15 | 2 | DE | Bundessortenamt | 15/06 | 01/09 | 15/09 | 15 container grown plants, one year old | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

Nemesia Vent.

| | | | | | | | | | | |
|------------|----|---|----|------|--|-------|-------|-------|----------------|---|
| vegetative | 16 | 1 | UK | NIAB | | 01/12 | 25/04 | 29/04 | 20 plug plants | plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year. |
|------------|----|---|----|------|--|-------|-------|-------|----------------|---|

Ocimum basilicum L.

| | | | | | | | | | | |
|--|----|---|----|-----------------------------------|--|-------|--|-------|-----------------------------|----------------------------------|
| | 20 | 2 | DE | Bundessortenamt | | 15/01 | | 15/02 | 6,000 seeds | minimum germination capacity 80% |
| | 22 | 2 | FR | GEVES | | | | | | |
| | 22 | 2 | DE | Bundessortenamt | | 15/01 | | 30/04 | 60 well rooted young plants | |
| | 22 | 2 | HU | National Food Chain Safety Office | | | | | | |
| | 20 | 2 | FR | GEVES | | 15/01 | | 15/02 | 6,000 seeds | |
| | 20 | 2 | HU | National Food Chain Safety Office | | | | | | |

Olea europaea L.

| | | | | | | | | | | |
|--|----|---|----|--|--|-------|-------|-------|------------------------------|--|
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | | 01/01 | 01/02 | 30/03 | 8 one year-old rooted plants | Healthy plants; the plants must be accompanied by an official certificate of laboratory analysis using PDA methodology indicating that the material is free from <i>Verticillium dahliae</i> . |
|--|----|---|----|--|--|-------|-------|-------|------------------------------|--|

Oryza sativa L.

| | | | | | | | | | | |
|---------------------------------------|---|---|----|--|--|-------|--|-------|--|------------------|
| hybrid (chemical, mediterranean type) | 7 | 2 | FR | GEVES | | 15/02 | | 01/03 | 5,0 kg | |
| hybrid cms (mediterranean type) | 7 | 2 | FR | GEVES | | 15/02 | | 01/03 | Hybrid: 5,0 kg Male sterile line: 2,5 kg Maintainer and Restorer: 5,0 kg | |
| line (mediterranean type) | 7 | 2 | FR | GEVES | | 15/02 | | 01/03 | 5,0 kg | |
| | 7 | 2 | ES | Oficina Española de Variedades Vegetales | | 01/01 | | 01/02 | 3,0 kg | |
| | 7 | 2 | BG | Ministry of Agriculture and Food | | 28/01 | | 28/02 | 5,0 kg | and 200 panicles |
| | 7 | 2 | IT | INRAN (Istituto Nazionale di Ricerca per gli Alimenti e la Nutrizione) | | 01/02 | | 15/02 | 3,0 kg | |

Osteospermum L.

| | | | | | | | | | | |
|------------|----|---|----|-----------------|--|-------|-------|-------|-------------------------|--|
| vegetative | 13 | 1 | DE | Bundessortenamt | | 01/10 | 19/01 | 23/01 | 25 well rooted cuttings | not pinched and not treated with growth regulators |
|------------|----|---|----|-----------------|--|-------|-------|-------|-------------------------|--|

Osteospermum ecklonis (DC.) Norl.

| | | | | | | | | | | |
|------------|----|---|----|-----------------|--|-------|-------|-------|-------------------------|--|
| vegetative | 13 | 1 | DE | Bundessortenamt | | 01/10 | 19/01 | 23/01 | 25 well rooted cuttings | not pinched and not treated with growth regulators |
|------------|----|---|----|-----------------|--|-------|-------|-------|-------------------------|--|

Papaver L.

| | | | | | | | | | | |
|------------------------|----|---|----|-------------|--|-------|-------|-------|---|--|
| ornamental, vegetative | 15 | 1 | NL | NAKTUINBOUW | | 01/10 | 01/04 | 30/04 | 24 young plants being able to show all their characteristics in the first year of examination | |
|------------------------|----|---|----|-------------|--|-------|-------|-------|---|--|

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|-----|---|----|---|-------|-------|-------|--|--|
| <i>Papaver orientale</i> L. | | | | | | | | | |
| seed | 15 | 1 | NL | NAKTUINBOUW | 01/12 | | 01/02 | 1 gram of seed. | |
| <i>Pastinaca sativa</i> L. | | | | | | | | | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 25,000 seeds | |
| | 20 | 2 | FR | GEVES | 01/01 | | 01/02 | 20 g seed | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 31/01 | | 28/02 | 10,000 seeds | minimum germination rate 65% |
| <i>Pelargonium grandiflorum</i> (Andrews) Willd. | | | | | | | | | |
| vegetative | 13 | 1 | DE | Bundessortenamt | 15/07 | 01/11 | 06/11 | 25 young plants | as in commerce, not pinched |
| <i>Pelargonium peltatum</i> (L.) L'Her. ex Aiton | | | | | | | | | |
| vegetative | 13A | 1 | DE | Bundessortenamt | 15/06 | 01/10 | 06/10 | 20 young plants | as in commerce, not pinched |
| <i>Pelargonium zonale</i> (L.) L'Her. ex Aiton | | | | | | | | | |
| vegetative | 13A | 1 | DE | Bundessortenamt | 15/06 | 07/10 | 11/10 | 20 young plants | as in commerce, not pinched |
| <i>Penstemon</i> Schmidel | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 14/03 | 25/03 | 10 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Pericallis</i> × <i>hybrida</i> B. Nord. | | | | | | | | | |
| vegetative | 13 | 1 | DE | Bundessortenamt | 15/07 | 01/11 | 06/11 | 25 rooted cuttings | |
| <i>Persea americana</i> Mill. | | | | | | | | | |
| | 24 | 4 | MX | Servicio Nacional de Inspeccion y Certificacion de Semillas (SNICS) | 30/04 | 01/05 | 31/05 | 8 plants with a good root development grated on 'Duke 7' rootstock together with 10 budsticks, or else 25 healthy and vigorous budsticks. Plant material must be accompanied by a phytosanitary certificate attesting that it is free from:- Mites: <i>Oligonychus punicae</i> Hirst, <i>Oligonychus yothersi</i> McGregor, <i>Tegolophus perseiflorae</i> Keifer. | Thrips: <i>Heliethrips haemorrhoidalis</i> Bouché, <i>Scirtothrips</i> spp., <i>Frankliniella</i> spp. Insects: <i>Protopulvinaria pyriformis</i> Cockerell, <i>Copturus aguacatae</i> Kissinger. Nematodes: <i>Meloidogyne</i> spp. Fungi: <i>Colletotrichum gloeosporioides</i> Penz., <i>Phytophthora</i> spp., <i>Pseudocercospora purpurea</i> Cooke, <i>Armillaria mellea</i> Kumm.; <i>Verticillium dahliae</i> Kleb., <i>Rosellinia necatrix</i> Prill. Viroids: Avocado sunblotch viroid (ASBV) |
| <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill | | | | | | | | | |
| leaf | 20 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 12000 seeds | minimum germination capacity 80% |
| root | 20 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 12,000 seeds | minimum germination capacity 80% |
| | 20 | 2 | FR | GEVES | 01/03 | | 01/04 | 150 g | |
| | 20 | 2 | PL | COBORU | 31/01 | 01/02 | 01/03 | 400 g | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 12,000 seeds | |
| <i>Petunia</i> Juss. | | | | | | | | | |
| seed | 16 | 1 | DE | Bundessortenamt | 15/11 | | 15/02 | 600 seeds in 6 portions | minimum germination capacity 85% |
| vegetative | 16 | 1 | DE | Bundessortenamt | 15/11 | 15/03 | 21/03 | 30 well-rooted cuttings. | not pinched |
| <i>Petunia</i> × <i>atkinsiana</i> D. Don | | | | | | | | | |
| vegetative | 16 | 1 | DE | Bundessortenamt | 15/11 | 15/03 | 21/03 | 30 well-rooted cuttings | not pinched |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|-------|---|--|
| <i>Phalaenopsis</i> Blume | | | | | | | | | |
| august crop | 14 | 1 | NL | NAKTUINBOUW | 30/04 | 01/08 | 31/08 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering |
| january crop | 14 | 1 | NL | NAKTUINBOUW | 30/09 | 01/01 | 31/01 | 10 young plants being able to show all their characteristics in the first year of examination | preferably budded but not yet flowering |
| <i>Phalaris arundinacea</i> L. | | | | | | | | | |
| | 4 | 2 | EE | Agricultural Research Center | | | 01/04 | 1500 g | |
| <i>Phaseolus coccineus</i> L. | | | | | | | | | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 5,000 seeds | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | | | | | |
| | 20 | 2 | FR | GEVES | 01/03 | | 01/04 | 2,500 g seed | |
| <i>Phaseolus vulgaris</i> L. | | | | | | | | | |
| autumn | 20 | 2 | FR | GEVES | 01/04 | | 01/05 | 20,000 seeds (2.5 kg) | |
| climbing | 20 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 5 000 seeds | |
| climbing flat podded bean | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 01/02 | | 01/03 | 20,000 seeds | |
| dwarf and agricultural | 20 | 2 | NL | NAKTUINBOUW | 15/04 | | 01/05 | 5,000 seeds | |
| spring | 20 | 2 | FR | GEVES | 01/02 | | 01/03 | 20,000 seeds (2.5 kg) | |
| | 20 | 2 | DE | Bundessortenamt | 01/02 | | 01/03 | 9,000 seeds | minimum germination capacity 85% |
| | 20 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 28/02 | 10.000 seeds | |
| | 20 | 2 | PL | COBORU | 31/01 | 01/03 | 31/03 | 3 kg varieties of 1000 seed weight < 400 g; 5 kg varieties of 1000 seed weight > 400 g | |
| <i>Phlox drummondii</i> Hook. | | | | | | | | | |
| seed | 16 | 1 | NL | NAKTUINBOUW | 01/12 | | 01/02 | 10 gr of seeds | |
| vegetative | 16 | 1 | NL | NAKTUINBOUW | 15/06 | 15/08 | 15/09 | 24 young plants being able to show all their characteristics in the first year of examination | |
| <i>Phlox paniculata</i> L. | | | | | | | | | |
| vegetative | 16 | 1 | NL | NAKTUINBOUW | 15/06 | 15/08 | 15/09 | 24 young plants being able to show all their characteristics in the first year of examination | |
| <i>Phygelius</i> E. Mey. ex Benth. | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 08/03 | 19/03 | 10 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Pisum sativum</i> L. | | | | | | | | | |
| agricultural | 8 | 2 | NL | NAKTUINBOUW | 01/03 | | 01/04 | 5000 seeds | |
| agricultural | 8 | 2 | UK | Food and Environment Research Agency (FERA) | 30/11 | | 15/01 | 3 kg or 12.000 seeds | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|---|
| <i>Pisum sativum</i> L. | | | | | | | | | |
| agricultural | 8 | 2 | DK | Ministry of Food Agriculture and Fisheries | 20/01 | | 10/02 | 3 kg | |
| agricultural | 8 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 20/01 | 2,0 kg | |
| agricultural | 8 | 2 | EE | Agricultural Board | 01/02 | | 01/03 | 3,0 kg | |
| agricultural | 8 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 4,0 kg | minimum germination capacity 88% |
| field, vegetable | 8 | 2 | HU | National Food Chain Safety Office | 15/01 | | 15/02 | 2,5 kg | |
| spring, agricultural | 8 | 2 | FR | GEVES | 20/12 | | 10/01 | 20 000 Seeds | |
| vegetable | 8 | 2 | DE | Bundessortenamt | 15/01 | | 15/02 | 10.000 seeds | minimum germination capacity 85% |
| vegetable | 8 | 2 | UK | Food and Environment Research Agency (FERA) | 15/01 | | 15/02 | 12 000 Seeds | |
| vegetable | 8 | 2 | FR | GEVES | 01/11 | | 15/11 | 20,000 seeds | |
| vegetable | 8 | 2 | NL | NAKTUINBOUW | 01/03 | | 15/03 | 5 000 seeds | |
| winter, agriculture | 8 | 2 | FR | GEVES | 20/08 | | 10/09 | 20 000 Seeds | |
| | 8 | 2 | PL | COBORU | 31/12 | 01/02 | 01/03 | 8 kg | |
| | 8 | 2 | EE | Agricultural Research Center | 01/02 | | 01/04 | 3,0 kg | |
| | 8 | 2 | ES | Oficina Española de Variedades Vegetales | 15/08 | | 01/09 | 6,0 kg | |
| <i>Pleurotus eryngii</i> | | | | | | | | | |
| | 9A | 2 | HU | National Food Chain Safety Office | | 20/09 | 05/10 | 9 litres of spawn | |
| <i>Pleurotus ostreatus</i> (Jacq.:Fr.) Kummer | | | | | | | | | |
| | 9A | 2 | HU | National Food Chain Safety Office | | 20/09 | 05/10 | 6 litres of spawn | |
| <i>Poa pratensis</i> L. | | | | | | | | | |
| | 4 | 2 | FI | Finnish Food Safety Authority Evira | 01/03 | | 01/04 | 600 g | |
| | 4 | 2 | DE | Bundessortenamt | 15/01 | | 15/02 | 1,5 kg | minimum germination capacity 80% |
| | 4 | 2 | NL | NAKTUINBOUW | 15/12 | | 15/12 | 600 g | |
| | 4 | 2 | PL | COBORU | 15/01 | | 31/01 | 1,5 kg | |
| | 4 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 20/01 | 1,0 kg | |
| <i>Populus</i> L. | | | | | | | | | |
| vegetative | 11 | 2 | DE | Bundessortenamt | 15/02 | 01/03 | 15/03 | 25 cuttings or 15 plants | cuttings about 20 cm long, 10-15 mm in diameter or well rooted one year old plants |
| <i>Portulaca oleracea</i> L. | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/05 | 31/05 | 24 young plants being able to show all their characteristics in the first year of examination | |
| | 13 | 1 | DE | Bundessortenamt | 01/12 | 01/03 | 05/03 | 25 well rooted cuttings | |
| <i>Prunus amygdalus</i> Batsch × <i>Prunus persica</i> Batsch | | | | | | | | | |
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 01/12 | 10/01 | 10/02 | 25 well rooted, one-year-old trees | The plant material should be accompanied by an ELISA analysis demonstrating that it is free from the three viruses: Plum pox potyvirus, Prune dwarf ilarvirus, Prunus necrotic ringspot ilarvirus |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

Prunus armeniaca L.

| | | | | | | | | | |
|-------------------|----|---|----|--|-------|-------|-------|--|---|
| fruit | 24 | 4 | HU | National Food Chain Safety Office | 30/11 | 01/03 | 31/03 | 9 virus-tested, one year old trees grafted on to an apricot seedling rootstock (please specify) | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |
| fruit | 24 | 4 | FR | GEVES | 30/11 | 01/12 | 31/01 | 12 virus-free, one year old scions grafted on virus free apricot seedling rootstock 'Manicot', or if not possible, on virus free peach seedling rootstock 'GF305' or 'Rubira' (please specify) | The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) Prunus Necrotic Ringspot Virus (PNRSV) Prune Dwarf Virus (PDV) |
| rootstock, plants | 24 | 4 | HU | National Food Chain Safety Office | 30/11 | 01/03 | 31/03 | 6 one-year-old rooted plants | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |
| rootstock, plants | 24 | 4 | FR | GEVES | 30/11 | 01/01 | 31/01 | 30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety) | The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) Prunus Necrotic Ringspot Virus (PNRSV) Prune Dwarf Virus (PDV) |
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 30/11 | 01/01 | 31/01 | 9 one-year-old trees grafted on 'Adesoto 101' | Healthy plants. The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: - Plum pox potyvirus (PPV) - Prune dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV) - Apple chlorotic leafspot closterovirus (CLSV) - Apple mosaic ilarvirus (ApMV) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

***Prunus armeniaca* L. × *P. salicina* Lindl.**

| | | | | | | | | | |
|-----------------------|----|---|----|-------------|-------|-------|-------|--|--|
| predominantly plum | 24 | 4 | IT | C.R.A.- FRU | 28/02 | 01/03 | 31/03 | 8 one-year-old plants grafted on 'Myrobalan 29C' | The plant material must be accompanied by an official document indicating that the plant material is not affected by any important pest or disease, and that it has been laboratory tested to give a negative result for: Prune dwarf ilavirus (PDV), Prunus necrotic ringspot ilavirus (PNRSV), Plum pox potyvirus (PPV). |
|-----------------------|----|---|----|-------------|-------|-------|-------|--|--|

***Prunus avium* (L.) L.**

| | | | | | | | | | |
|-------|----|---|----|-----------------------------------|-------|-------|-------|--|---|
| fruit | 24 | 5 | HU | National Food Chain Safety Office | 30/11 | 01/03 | 31/03 | 8 virus-tested, one year old scions grafted on Brokforest (Maxma 14) rootstock | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |
|-------|----|---|----|-----------------------------------|-------|-------|-------|--|---|

| | | | | | | | | | |
|--|----|---|----|--|-------|-------|-------|--|---|
| | 24 | 5 | ES | Oficina Española de Variedades Vegetales | 30/11 | 10/01 | 15/02 | 9 virus-tested, one-year old scions grafted on Santa Lucia 64 clonal rootstock | Healthy plants; the plants must be accompanied by an official certificate of laboratory analysis indicating that the material is free from: - Prunus dwarf ilavirus (PDV) - Prunus necrotic ringspot ilavirus (PNRSV) |
|--|----|---|----|--|-------|-------|-------|--|---|

| | | | | | | | | | |
|--|----|---|----|-------|-------|-------|-------|---|---|
| | 24 | 5 | FR | GEVES | 30/11 | 01/12 | 31/01 | 7 virus-free, one year-old scions grafted by preference on to virus free rootstock 'Maxma 14', or as an alternative on virus free Prunus mahaleb 'SL 64' or 'Ferci'. 'F12 1' and hazzard-type rootstocks are inadvisable due to their late fruiting qualities; other Prunus mahaleb seedling rootstocks are not acceptable due to their lack of uniformity. | The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) Prunus Necrotic Ringspot Virus (PNRSV) Prune Dwarf Virus (PDV) Cherry Leaf Roll Virus (CLRV) Raspberry Ring Spot Virus (RRSV=RpRSV) Cherry Necrotic Rusty Mottle Virus (CNRMV) |
|--|----|---|----|-------|-------|-------|-------|---|---|

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|

Prunus cerasifera Ehrh. × *P. tomentosa* Thunb.

| | | | | | | | | |
|----|---|----|-----------------|-------|-------|-------|--|--|
| 24 | 4 | DE | Bundessortenamt | 01/02 | 01/03 | 31/03 | 5 well developed and well rooted, two-year-old virus tested plants from vegetative propagation | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma, Prune dwarf ilarvirus (PDV) Plum pox potyvirus (PPV) Prunus necrotic ringspot ilarvirus (PNRSV) |
|----|---|----|-----------------|-------|-------|-------|--|--|

Prunus cerasus L.

| | | | | | | | | |
|----|---|----|-----------------------------------|-------|-------|-------|---|---|
| 24 | 4 | DE | Bundessortenamt | 31/01 | 01/03 | 31/03 | 5 well developed and well rooted virus-tested, one-year-old trees grafted on Prunus mahaleb var. 'Alpruma' or similar selection | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cherry leaf roll nepovirus (CLRV) Little cherry chlosterovirus 1 & 2 (LChV-1, LChV-2) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV) Raspberry ringspot nepovirus (RpRSV) |
| 24 | 4 | PL | COBORU | 31/01 | 01/03 | 31/03 | 8 one-year-old virus-tested trees on F/12/1 rootstock | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV) |
| 24 | 4 | HU | National Food Chain Safety Office | 31/01 | 01/03 | 31/03 | 8 virus-tested, one-year-old scions grafted on Prunus mahaleb rootstock (please specify). | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |

Prunus domestica L.

| | | | | | | | | | |
|-------|----|---|----|--------|-------|-------|-------|---|--|
| fruit | 24 | 4 | PL | COBORU | 31/01 | 01/03 | 31/03 | 8 one-year-old virus- tested trees grafted on Wangenheims Plum Seedling | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Plum pox virus (PPV) European stone fruit yellow (ESFY) Prune dwarf virus (PDV) |
|-------|----|---|----|--------|-------|-------|-------|---|--|

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

***Prunus domestica* L.**

| | | | | | | | | | |
|--|----|---|----|--|-------|-------|-------|--|---|
| | 24 | 4 | HU | National Food Chain Safety Office | 31/01 | 01/03 | 31/03 | 8 virus-tested, one-year-old scions grafted on GF 8/1 (Marianna) rootstock | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 31/01 | 10/01 | 28/02 | 10 virus-tested, one year old scions grafted on San Julián A clonal rootstock | Healthy plants. The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: - Prune dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV) |
| | 24 | 4 | DE | Bundessortenamt | 31/01 | 01/03 | 31/03 | 6 well rooted, virus tested, one year-old plants grafted on virus-free 'Myrobalan B', or if not possible, on a similar selection of <i>Prunus cerasifera</i> (please specify). | Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give negative result for: European stone fruit yellows phytoplasma, Prune dwarf ilarvirus (PDV, Plum pox potyvirus (PPV), Prunus necrotic ringspot ilarvirus (PNRSV). |
| | 24 | 4 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 31/01 | 01/03 | 31/03 | 6 well rooted, virus tested, one year-old plants grafted on virus-free 'Myrobalan B', or if not possible, on a similar selection of <i>Prunus cerasifera</i> (please specify) | Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give negative result for: European stone fruit yellows phytoplasma, Prune dwarf ilarvirus (PDV, Plum pox potyvirus (PPV), Prunus necrotic ringspot ilarvirus (PNRSV). |

***Prunus dulcis* (Mill.) D. A. Webb**

| | | | | | | | | | |
|--|----|---|----|--|-------|-------|-------|---|---|
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 01/11 | 10/01 | 10/02 | 9 virus-tested one-year-old plants grafted on to rootstock 'GF 677' | The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: - Plum pox potyvirus (PPV) - Prune dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV) |
|--|----|---|----|--|-------|-------|-------|---|---|

***Prunus laurocerasus* L.**

| | | | | | | | | | |
|------------|----|---|----|-----------------------------------|-------|-------|-------|---|--------------------------------------|
| vegetative | 15 | 2 | UK | NIAB | | | | | |
| vegetative | 15 | 2 | HU | National Food Chain Safety Office | 31/12 | 01/03 | 31/03 | 8 plants | of commercial size, container grown. |
| vegetative | 15 | 2 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 8 young bushes; plants must be able to show all their characteristics in the examination period | |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|

Prunus persica (L.) Batsch

| | | | | | | | | | |
|------------------------|----|---|----|--|-------|-------|-------|--|--|
| fruit | 24 | 4 | HU | National Food Chain Safety Office | 30/11 | 01/03 | 31/03 | 9 virus-tested one-year-old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year. | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |
| low chilling varieties | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 01/11 | 01/12 | 31/01 | 9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year. | Each plant must be clearly labelled . The plant material must be accompanied by an an ELISA analysis demonstratign it is free of: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunas necrotic ringspot ilarvirus (PNRSV) |
| | 24 | 4 | FR | GEVES | 30/11 | 01/12 | 31/01 | 9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' (in the case of this latter option, the duration of technical examiantion could be prolonged by a further year). | The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) Prunus Necrotic Ringspot Virus (PNRSV) Prune Dwarf Virus (PDV) Peach Latent Mosaic Viroid (PLMVd) Ca Phytoplasma prunorum , 16SrX - European Stone Fruit Yellows phytoplasma (ESFY) |
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 30/11 | 10/01 | 10/02 | 9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year. | Each plant must be clearly labelled. The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunas necrotic ringspot ilarvirus (PNRSV) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|---|
| <i>Prunus persica</i> (L.) Batsch | | | | | | | | | |
| | 24 | 4 | IT | C.R.A.- FRU | 30/11 | 01/03 | 31/03 | 8 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677'. In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year. | Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognized certificate indicating that the plants are not affected by any important pest or disease, and that they have been laboratory tested to give a negative result for: Plum pox potyvirus (PPV); Prune dwarf ilarvirus (PDV); Prunus necrotic ringspot ilarvirus (PNRSV). |
| <i>Prunus salicina</i> Lindl. | | | | | | | | | |
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 30/11 | 01/01 | 31/01 | 9 one-year-old plants grafted on 'Mariana 26-24' | The plants must be accompanied by a certificate indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV) Apple chlorotic leafspot closterovirus (CLSV) Apple mosaic ilarvirus (ApMV) Myrobalan latent ringspot neprovirus (MLRSV) |
| | 24 | 4 | IT | C.R.A.- FRU | 30/11 | 01/03 | 31/03 | 8 one-year-old plants grafted on 'Myrobalan 29C' | The plant material must be accompanied by an official document indicating that the plant material is not affected by any important pest or disease, and that it has been laboratory tested to give a negative result for: Prune dwarf ilarvirus (PDV), Prunus necrotic ringspot ilarvirus (PNRSV), Plum pox potyvirus (PPV). |
| <i>Pyrus communis</i> L. | | | | | | | | | |
| fruit | 24 | 4 | DE | Bundessortenamt | 31/12 | 01/03 | 31/03 | 6, or in case of mutant varieties, 11 virus-tested one year-old trees on 'Quince EM A' rootstock with 'Beurré Hardy' interstock. | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|

Pyrus communis L.

| | | | | | | | | | |
|-----------|----|---|----|-----------------|-------|-------|-------|---|--|
| fruit | 24 | 4 | FR | GEVES | 31/12 | 01/01 | 28/02 | 8 virus-tested one year-old trees grafted on to <i>Cydonia oblonga</i> (BA29) rootstock. | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot Ring Pattern Mosaic Virus (CLSV) Pear Blister Canker Viroid (PBCVd) Apple rubbery wood |
| rootstock | 24 | 4 | FR | GEVES | 31/12 | 01/01 | 28/02 | 30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety) | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot Ring Pattern Mosaic Virus (CLSV) Pear Blister Canker Viroid (PBCVd) Apple Rubbery wood |
| rootstock | 24 | 4 | DE | Bundessortenamt | 31/12 | 01/03 | 31/03 | 25 virus-tested one-year-old rooted shoots | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear decline phytoplasma (PD) Pear stony pit Quince sooty ringspot |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

Pyrus communis L.

| | | | | | | | | | |
|--|----|---|----|--|-------|-------|-------|---|--|
| | 24 | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | 15/01 | 28/02 | 8 virus-tested one year-old trees grafted on to quince (BA29) rootstock. | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Apple chlorotic leaf spot trichovirus (ACLSV) - Apple stem-grooving capillovirus (ASGV) - Apple stem-pitting foveavirus (ASPV) - Pear decline phytoplasma (PD) - Pear stony pit - Quince sooty ringspot |
| | 24 | 4 | HU | National Food Chain Safety Office | 31/12 | 01/03 | 31/03 | 6, or in case of mutant varieties, 12 virus-tested one-year-old trees on pear seedling rootstock (please specify), or on 'Quince EM A' rootstock with 'Beurré Hardy' interstock if necessary. | The quality of plants should not be less than the standards laid down in Council Directive 77/93/EEC and 2000/29/EC and their amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning organisms impairing quality, at the date of adoption of the CPVO protocol. |

Ranunculus asiaticus L.

| | | | | | | | | | |
|-----------------|-----|---|----|--------------------------------|-------|-------|-------|---|--|
| seed-propagated | 18A | 1 | DK | University of Aarhus - Aarslev | 01/06 | 01/10 | 15/10 | 30 plants raised from seeds approximately 6 weeks old | Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number (phone: +45-8999-1900; fax: +45-8999-3490). |
| vegetative | 13 | 1 | DK | University of Aarhus - Aarslev | 01/06 | 01/10 | 15/10 | 25 young plants ready for potting or 25 dried corms | Plants/corms must be of sufficient size to flower during the first year of examination. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number (phone: +45-8999-1900; fax: +45-8999-3490). |

Raphanus sativus L. var. *oleiformis* Pers.

| | | | | | | | | | |
|--------------|---|---|----|-----------------|-------|--|-------|--------|----------------------------------|
| agricultural | 8 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 2,0 kg | minimum germination capacity 85% |
|--------------|---|---|----|-----------------|-------|--|-------|--------|----------------------------------|

Raphanus sativus L. var. *sativus*

| | | | | | | | | | |
|------------|----|---|----|-----------------|-------|--|-------|-------------------------------|----------------------------------|
| autumn | 20 | 2 | FR | GEVES | 01/09 | | 01/10 | 10,000 seeds (300 g) | |
| greenhouse | 21 | 2 | NL | NAKTUINBOUW | 15/01 | | 01/02 | 10,000 seeds not fractionated | |
| greenhouse | 20 | 2 | DE | Bundessortenamt | 01/11 | | 01/12 | 14,000 seeds | minimum germination capacity 85% |
| outdoor | 20 | 2 | NL | NAKTUINBOUW | 15/03 | | 01/04 | 10,000 seeds not fractionated | |
| outdoor | 20 | 2 | DE | Bundessortenamt | 01/02 | | 01/03 | 14,000 seeds | minimum germination capacity 85% |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|--|-------|-------|-------|--|---|
| <i>Raphanus sativus</i> L. var. <i>sativus</i> | | | | | | | | | |
| spring | 20 | 2 | FR | GEVES | 01/01 | | 01/02 | 10,000 seeds (300 g) | |
| summer | 20 | 2 | FR | GEVES | 01/05 | | 01/06 | 10,000 seeds (300 g) | |
| | 20 | 2 | UK | Food and Environment Research Agency (FERA) | 15/03 | | 15/04 | 6,000 seeds | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 31/05 | | 30/06 | 10,000 seeds | |
| <i>Rhipsalidopsis</i> Britton et Rose | | | | | | | | | |
| vegetative | 14 | 1 | DK | University of Aarhus - Aarslev | 01/01 | 01/03 | 15/03 | 20 plants, 1 year old, delivered after cold treatment | Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. |
| <i>Rhododendron</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | BE | Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant | | | | | |
| vegetative, outdoor | 15 | 1 | DE | Bundessortenamt | 01/09 | 15/09 | 01/10 | 6 plants | with at least 3 flower buds |
| | 11 | 1 | BE | Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant | | | | | |
| <i>Rhododendron simsii</i> Planch. | | | | | | | | | |
| vegetative | 11 | 1 | BE | Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant | | | | | |
| vegetative | 11 | 1 | DE | Bundessortenamt | 15/10 | 01/11 | 15/11 | 25 plants | potted in 13 cm pots, pinched twice |
| <i>Ribes nigrum</i> L. | | | | | | | | | |
| | 25 | 3 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 31/01 | 01/03 | 31/03 | 6 well rooted, virus tested bushes, each bush having 3 vigorous branches | The plants should be accompanied by a recognised certificate, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Black currant reversion agent (ŠatavismusŠ) Raspberry ringspot nepovirus |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|----|---|----|-----------------|-------|-------|-------|--|--|
| <i>Ribes nigrum</i> L. | | | | | | | | | |
| | 25 | 3 | DE | Bundessortenamt | 31/01 | 01/03 | 31/03 | 6 well rooted, virus tested bushes, each bush having 3 vigorous branches | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Black currant reversion agent (ŠAtavismusŠ) Raspberry ringspot nepovirus |
| | 25 | 3 | PL | COBORU | 31/01 | 01/03 | 31/03 | 8 well-rooted, virus tested plants with minimum 3 shoots per plant | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Black currant reversion virus (BRV) Gooseberry vein banding virus (VBV) |
| <i>Ribes rubrum</i> L. (syn. <i>R. sylvestri</i> (Lam.) Mert. & W. D. J. Koch) | | | | | | | | | |
| | 25 | 3 | DE | Bundessortenamt | 31/01 | 01/03 | 31/03 | 6 well rooted, virus tested bushes, each bush having 3 vigorous branches | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Black currant reversion agent (ŠAtavismusŠ) Raspberry ringspot nepovirus |
| <i>Ribes uva-crispa</i> L. | | | | | | | | | |
| | 25 | 3 | DE | Bundessortenamt | 31/01 | 01/03 | 31/03 | 5 well rooted, virus tested bushes, each bush having 3 vigorous branches | The plants should be accompanied by a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Arabis mosaic nepovirus Raspberry ringspot nepovirus |
| <i>Rosa</i> L. | | | | | | | | | |
| Climbing roses | 11 | 2 | DE | Bundessortenamt | 30/09 | 01/11 | 15/11 | 8 plants | one year old plants, with at least three shoots, grafted plants on a hardy rootstock or on own roots. |
| garden | 11 | 1 | DE | Bundessortenamt | 30/09 | 01/11 | 15/11 | 8 plants | one year old plants, with at least three shoots, grafted plants on a hardy rootstock or on own roots. |
| garden UK | 11 | 1 | UK | NIAB | 30/09 | 01/11 | 15/11 | 8 plants | Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|-----------------|-------|-------|-------|---|---|
| Rosa L. | | | | | | | | | |
| greenhouse cutflower | 13 | 1 | NL | NAKTUINBOUW | 15/11 | 01/02 | 15/02 | seedling variety: 12 well rooted cuttings, in 5 cm cocos peat plug. mutant variety: 22 well rooted cuttings, in 5 cm cocos peat plug. | Able to show all their characteristics in the first year of examination. Individual labeling of each cutting is preferred |
| pot plant | 9 | 1 | DE | Bundessortenamt | 15/02 | 15/02 | 31/03 | 6 plants | with at least three shoots, on own roots. |
| rootstock | 11 | 1 | DE | Bundessortenamt | 30/09 | 01/11 | 15/11 | 8 plants | one year old plants, with at least three shoots, on own roots. |
| Rosmarinus officinalis L. | | | | | | | | | |
| | 22 | 2 | UK | NIAB | 31/01 | 09/03 | 20/03 | 10 plants | Plants should be container grown and of a sufficient size and maturity to flower and/or show their other representative characteristics no later than the second year of the test. |
| Rubus idaeus L. | | | | | | | | | |
| | 25 | 3 | PL | COBORU | 31/01 | 01/03 | 31/03 | 20 well-rooted, virus tested plants | The plants must be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Raspberry bushy dwarf virus (RBDV) |
| | 25 | 3 | DE | Bundessortenamt | 31/01 | 01/03 | 31/03 | 11 vigorous well rooted virus-free plants, with a satisfactory number of adventitious buds, potted in 7-15cm pots; or alternatively: 11 vigorous, well rooted one year old canes, with a satisfactory number of adventitious buds | The plants must be accompanied by a recognised certificate dating no more than two months before the submission of plants to the test station, indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Black raspberry necrosis virus Raspberry bushy dwarf virus Raspberry leaf mottle Raspberry leaf spot Raspberry ringspot nepovirus Raspberry yellow spot Rubus stunt MLO Rubus yellow net virus |
| Rubus subg. Eubatus sect. Moriferi & Ursini | | | | | | | | | |
| | 25 | 3 | DE | Bundessortenamt | 31/01 | 01/03 | 31/03 | 6 vigorous, well rooted virus-free plants with a satisfactory number of adventitious buds, potted in 7-17 cm pots | The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Black raspberry necrosis virus Raspberry bushy dwarf virus Raspberry leaf mottle Raspberry leaf spot Raspberry ringspot nepovirus Raspberry yellow spot Rubus stunt MLO Rubus yellow net virus |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|-----|---|----|-------------------------------------|-------|-------|-------|---|---|
| <i>Saintpaulia ionantha</i> H. Wendl. | | | | | | | | | |
| seed | 13A | 1 | DE | Bundessortenamt | 01/06 | 17/01 | 21/01 | 45 young plants from seeds ready to be potted in final pot (8 to 9 cm) | |
| vegetative | 13A | 1 | DE | Bundessortenamt | 01/06 | 15/08 | 21/08 | 20 budded plants | from leaf cuttings |
| <i>Salix</i> L. | | | | | | | | | |
| vegetative | 11 | 2 | DE | Bundessortenamt | 15/02 | 01/03 | 15/03 | 25 cuttings or 15 plants | cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants |
| | 11 | 2 | PL | COBORU | 15/01 | 21/03 | 31/03 | 32 cuttings about 20 cm long, 10-15 mm in diameter | |
| <i>Sanvitalia procumbens</i> Lam. | | | | | | | | | |
| vegetative | 16 | 1 | DE | Bundessortenamt | 01/12 | 02/04 | 05/04 | 25 rooted cuttings | not pinched |
| vegetative | 16 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination | |
| <i>Saxifraga</i> × <i>arendsii</i> Engl. | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 31/07 | 13/09 | 17/09 | 10 plants | vegetatively propagated container grown plants, visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size and maturity to flower and/or show their other representative characteristics in the first year. |
| <i>Schlumbergera</i> Lem. | | | | | | | | | |
| vegetative | 14 | 1 | DK | University of Aarhus - Aarslev | 01/06 | 10/08 | 20/08 | 20 plants appr. 7 months old, grown under long day conditions. | Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. |
| <i>Schlumbergera truncata</i> (Haw.) Moran | | | | | | | | | |
| vegetative | 14 | 1 | DK | University of Aarhus - Aarslev | 01/06 | 10/08 | 20/08 | 20 plants, appr. 7 months old, grown under long day conditions | Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. |
| <i>Secale cereale</i> L. | | | | | | | | | |
| spring | 1 | 2 | FI | Finnish Food Safety Authority Evira | 01/03 | | 01/04 | 5,0 kg | |
| spring | 1 | 2 | DE | Bundessortenamt | 05/01 | | 15/01 | 5,0 kg | minimum germination capacity 94% |
| spring | 1 | 2 | PL | COBORU | 31/12 | 01/02 | 01/03 | 8,0 kg | In case of hybrid: In addition 3,0 kg of each component |
| winter | 1 | 2 | DE | Bundessortenamt | 25/08 | | 10/09 | 5,0 kg | and 2,0 kg of each component including single cross; minimum germination capacity 94% |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|--|---|
| <i>Secale cereale</i> L. | | | | | | | | | |
| winter | 1 | 2 | PL | COBORU | 31/08 | 31/08 | 10/09 | 8,0 kg | In case of hybrid: In addition 3,0 kg of each component |
| winter | 1 | 2 | FI | Finnish Food Safety Authority Evira | 20/07 | | 20/08 | 5,0 kg | |
| <i>Sinapis alba</i> L. | | | | | | | | | |
| spring | 3 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 1,5 kg | minimum germination capacity 85% |
| | 3 | 2 | ES | Oficina Española de Variedades Vegetales | | | | | |
| | 3 | 2 | PL | COBORU | | | | | |
| <i>Sinningia</i> Nees | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 01/12 | 01/03 | 06/03 | 20 young plants | from in vitro culture, 2 times planted |
| <i>Skimmia japonica</i> Thunb. | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/09 | 01/10 | 31/10 | 8 young bushes; plants must be able to show all their characteristics in the first year of examination | |
| <i>Solanum lycopersicum</i> L. | | | | | | | | | |
| field | 20 | 2 | HU | National Food Chain Safety Office | 15/12 | | 15/01 | 2,000 seeds | 95% min. germination |
| heated covers | 21 | 2 | PL | COBORU | 31/10 | 15/11 | 15/12 | 4 g seed | |
| open field | 20 | 2 | PL | COBORU | 31/01 | 01/02 | 01/03 | 20 g seed | |
| seed, indetm., green shoulder | 21 | 2 | NL | NAKTUINBOUW | 01/03 | | 01/04 | 2,500 seeds | germination rate 70% after 5 days |
| seed, determinate | 21 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 2,500 seeds | |
| seed, field with support | 20 | 2 | FR | GEVES | 01/02 | | 01/03 | 2,500 seeds (10 g) | |
| seed, field without support | 20 | 2 | FR | GEVES | 01/02 | | 01/03 | 2,500 seeds (10 g) | |
| seed, greenhouse | 21 | 2 | HU | National Food Chain Safety Office | | | | | |
| seed, greenhouse | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/11 | | 01/12 | 2,500 seeds | |
| seed, greenhouse autumn | 21 | 2 | FR | GEVES | 01/06 | | 15/06 | 2,500 seeds (10 g) | |
| seed, greenhouse spring | 21 | 2 | FR | GEVES | 15/12 | | 01/01 | 2,500 seeds (10 g) | |
| seed, indtm, non-green shldr | 21 | 2 | NL | NAKTUINBOUW | 01/12 | | 15/12 | 2,500 seeds | |
| seed, indtm.cherry cocktail | 21 | 2 | NL | NAKTUINBOUW | 01/05 | | 15/05 | 2,500 seeds | germination rate 70% after 5 days |
| seed, outdoor | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 01/11 | | 01/12 | 2,500 seeds | |
| unheated covers | 21 | 2 | PL | COBORU | 30/12 | 31/01 | 28/02 | 4 g seed | |
| vegetative | 23 | 2 | NL | NAKTUINBOUW | 01/12 | 01/02 | 15/02 | 50 plants | of commercial standard |
| vegetative, greenhouse | 23 | 2 | ES | Oficina Española de Variedades Vegetales | | | | 25 plants | |
| vegetative, greenhouse | 23 | 2 | FR | GEVES | | | | 25 plants | |
| | 20 | 2 | PT | Direção Geral de Alimentação e Veterinária | | | | | |
| <i>Solanum lycopersicum</i> L. × <i>Solanum habrochaites</i> S. Knapp & D. M. Spooner | | | | | | | | | |
| rootstock | 23 | 2 | FR | GEVES | 01/05 | 01/05 | 01/06 | 2,500 seeds | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|--|
| <i>Solanum lycopersicum</i> L. × <i>Solanum habrochaites</i> S. Knapp & D. M. Spooner | | | | | | | | | |
| rootstock | 23 | 2 | ES | Oficina Española de Variedades Vegetales | | | | 25 plants | |
| rootstock | 23 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 2,500 seeds | |
| <i>Solanum melongena</i> L. | | | | | | | | | |
| | 21 | 2 | NL | NAKTUINBOUW | 01/11 | | 15/11 | 1,500seeds | |
| | 21 | 2 | FR | GEVES | 01/02 | | 01/03 | 10 g | |
| | 21 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 10/01 | | 31/01 | 20 g seed | |
| | 21 | 2 | ES | Oficina Española de Variedades Vegetales | 01/02 | | 01/03 | 20 g untreated seed | |
| <i>Solanum torvum</i> Sw. | | | | | | | | | |
| | 21 | 2 | FR | GEVES | 01/02 | | 01/03 | 10 g / 2500 untreated seeds | |
| | 21 | 2 | NL | NAKTUINBOUW | 01/11 | | 15/11 | 1500 untreated seeds | Plants should be able to demonstrate all their characteristics in the second year of examination |
| <i>Solanum tuberosum</i> L. | | | | | | | | | |
| for lightsprout testing | 2 | 2 | PL | COBORU | | 30/10 | 30/11 | 20 tubers | |
| medium, late, very late | 2 | 2 | PL | COBORU | 31/12 | 25/02 | 25/03 | 150 tubers for each year of test | |
| very early, early | 2 | 2 | PL | COBORU | 31/10 | 01/11 | 30/11 | 150 tubers for each year of test | |
| | 2 | 2 | IE | Department of Agriculture Food and the Marine | 15/12 | 01/01 | 31/01 | 100 tubers for each year of test | Size between 35 and 50 mm. Seed should comply with the standards and conditions for Community Grade seed potatoes. Containers should be sealed and accompanied with a plant passport. |
| | 2 | 2 | NL | NAKTUINBOUW | 15/12 | 01/01 | 01/02 | 150 tubers (35 - 55 mm) for each year of test | Add NAK-Certificate or Plant Passport to the plant material. Quarantine tests by the Dutch Phytosanitary Service: Naktuinbouw shall pick 20 tubers at random from each submitted identity sample to be tested by the Phytosanitary Service on relevant quarantine diseases. Test results shall be communicated only to Naktuinbouw. Under all circumstances the applicant is held responsible to comply with the quarantine rules. Tubers will be destroyed after the quarantine test. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|---|
| <i>Solanum tuberosum</i> L. | | | | | | | | | |
| | 2 | 2 | AT | Bundesamt für Ernährungssicherheit | 20/12 | | 20/02 | 150 tubers for each year of test | tubers weight 50 - 100 g |
| | 2 | 2 | UK | Food and Environment Research Agency (FERA) | 15/12 | | 15/01 | 120 tubers for each year of test | Size 30 - 50 mm; containers should be sealed with Plant Passport and seed potato certification label attesting that seed potato complied with the standards and conditions for Community Grade seed potatoes. |
| | 2 | 2 | ES | Oficina Española de Variedades Vegetales | 01/01 | | 01/02 | 250 tubers for each year of test | size 35 - 50 mm |
| | 2 | 2 | DE | Bundessortenamt | 15/11 | | 10/12 | 120 tubers for each year of test | tubers with size of planting material, tuber weight <99g |
| | 2 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 31/01 | 150 tubers for each year of test | |
| | 2 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 15/12 | | 15/02 | 150 tubers for each year of test | |
| <i>Solenostemon scutellarioides</i> (L.) Codd | | | | | | | | | |
| vegetative | 14 | 1 | UK | NIAB | 01/12 | 19/04 | 23/04 | 15 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| <i>Solidago</i> L. | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 15/06 | 15/08 | 15/09 | 24 young plants being able to show all their characteristics in the first year of examination | appropriate to be grown in the open |
| <i>Sorghum bicolor</i> (L.) Moench | | | | | | | | | |
| hybrid | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/01 | | 01/02 | 3,0 kg seeds for hybrids and open pollinating varieties | and, in case of hybrids: 1,0 kg per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components and simple hybrid used as parent) |
| hybrid | 1 | 2 | HU | National Food Chain Safety Office | 31/01 | | 28/02 | 1,0 kg plus 50 panicles | and 500 g per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components), germination rate 90 % |
| hybrid, grain | 1 | 2 | FR | GEVES | 25/02 | | 15/03 | Hybrid: 1,0 kg seeds Lines A/B/R, if unknown: 200 g untreated seeds of line A and 500 g untreated seeds of line B and line R. | germination rate 85% |
| line | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/01 | | 01/02 | 1,0 kg | |
| line | 1 | 2 | HU | National Food Chain Safety Office | 31/01 | | 28/02 | 500 g and 50 panicles | germination rate 90 % |
| line, grain | 1 | 2 | FR | GEVES | 25/02 | | 15/03 | Lines A/B/R: 200 g untreated seeds of line A and 500 g untreated seeds of line B and line R | germination rate 85% |
| <i>Spathiphyllum</i> Schott | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|--|
| <i>Spinacia oleracea</i> L. | | | | | | | | | |
| | 20 | 2 | HU | National Food Chain Safety Office | | | | | |
| | 20 | 2 | ES | Oficina Española de Variedades Vegetales | 31/05 | | 30/06 | 25,000 seed | |
| | 20 | 2 | FR | GEVES | 01/01 | | 01/02 | 20,000 seed (200 g) | |
| | 20 | 2 | NL | NAKTUINBOUW | 01/03 | | 15/03 | 14,000 seeds | |
| <i>Sutera</i> Roth | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination | |
| vegetative | 15 | 1 | DE | Bundessortenamt | 15/11 | 17/02 | 21/02 | 25 rooted cuttings | not pinched |
| <i>Sutera cordata</i> Thunb. Kuntze | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants being able to show all their characteristics in the first year of examination | |
| vegetative | 15 | 1 | DE | Bundessortenamt | 15/11 | 17/02 | 21/02 | 25 rooted cuttings | not pinched |
| <i>Torenia</i> L. | | | | | | | | | |
| vegetative | 14 | 1 | DE | Bundessortenamt | 15/11 | 27/02 | 03/03 | 25 well-rooted cuttings | not pinched |
| <i>Trifolium pratense</i> L. | | | | | | | | | |
| | 8 | 2 | FI | Finnish Food Safety Authority Evira | 01/03 | | 01/04 | 1,0 kg | |
| | 8 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 15/02 | | 28/02 | 1.0 kg | |
| | 8 | 2 | DE | Bundessortenamt | 15/01 | | 15/02 | 2,0 kg | minimum germination capacity 85% |
| × <i>Triticosecale</i> Witt. | | | | | | | | | |
| spring | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 29/01 | | 29/01 | 3,0 kg | 120 ears |
| spring | 1 | 2 | DE | Bundessortenamt | 05/01 | | 15/01 | 5,0 kg | minimum germination capacity 94%; on request: 120 ears |
| spring | 1 | 2 | PL | COBORU | 31/12 | 01/02 | 01/03 | 6,0 kg | 240 ears |
| spring, hybrid | 1 | 2 | DE | Bundessortenamt | 05/01 | | 15/01 | 4,0 kg of hybrid and each component | minimum germination capacity 94%; on request: 120 ears |
| spring, line | 1 | 2 | FR | GEVES | 15/01 | | 25/01 | 5,0 kg | |
| winter | 1 | 2 | PL | COBORU | 31/08 | 31/08 | 10/09 | 6,0 kg | 300 ears |
| winter | 1 | 2 | DE | Bundessortenamt | 25/08 | | 10/09 | 5,0 kg | minimum germination capacity 94%; on request: 170 ears |
| winter | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 30/08 | | 30/08 | 3,0 kg | 120 ears |
| winter, hybrid | 1 | 2 | DE | Bundessortenamt | 25/08 | | 10/09 | 4,0 kg of hybrid and each component: | minimum germination capacity 94%; on request 170 ears |
| winter, hybrid (chemical) | 1 | 2 | FR | GEVES | 10/09 | | 20/09 | 5,0 kg | |
| winter, line | 1 | 2 | FR | GEVES | 10/09 | | 20/09 | 5,0 kg | |
| <i>Triticum aestivum</i> L. emend. Fiori et Paol. | | | | | | | | | |
| hybrid (chemical, winter) | 1 | 2 | FR | GEVES | 10/09 | | 20/09 | 5,0 kg | |
| spring | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 15/08 | | 15/09 | 5,0 kg | 150 ears |
| spring | 1 | 2 | FR | GEVES | 15/01 | | 25/01 | 5,0 kg | |
| spring | 1 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 10/01 | | 20/01 | 3,0 kg | 150 ears |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|---|---|----|--|-------|-------|-------|---|---|
| <i>Triticum aestivum</i> L. emend. Fiori et Paol. | | | | | | | | | |
| spring | 1 | 2 | PL | COBORU | 31/12 | 01/02 | 01/03 | 6,0 kg | 240 ears. In case of hybrid: In addition for each component 3,0 kg and 240 ears |
| spring | 1 | 2 | DK | Ministry of Food Agriculture and Fisheries | 20/01 | | 10/02 | 3,0 kg | in case of hybrids: additional 3 kg seeds of every unknown parental line |
| spring | 1 | 2 | EE | Agricultural Research Center | 01/02 | | 01/04 | 3,0 kg | and 150 unbeaten ears |
| spring | 1 | 2 | UK | Food and Environment Research Agency (FERA) | 22/09 | | 15/01 | 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given | In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line |
| spring | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 29/01 | | 29/01 | 3,0 kg | 120 ears |
| spring | 1 | 2 | FI | Finnish Food Safety Authority Evira | 01/03 | | 01/04 | 3,0 kg | 120 ears |
| spring | 1 | 2 | DE | Bundessortenamt | 05/01 | | 15/01 | 5,0 kg | minimum germination capacity 94%; on request: 120 unbeaten ears. In case of hybrid: hybrid and each component: 5 kg and on request 120 ears |
| winter | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/08 | | 01/09 | 5,0 kg | 150 ears |
| winter | 1 | 2 | FR | GEVES | 10/09 | | 20/09 | 5,0 kg | |
| winter | 1 | 2 | UK | Food and Environment Research Agency (FERA) | 31/08 | | 14/09 | 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given | In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line |
| winter | 1 | 2 | BG | Ministry of Agriculture and Food | 30/08 | | 30/09 | 5,0 kg | and 300 unthreshed ears |
| winter | 1 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 25/08 | | 01/09 | 3,0 kg | 150 ears |
| winter | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 09/09 | | 14/09 | 3,0 kg | 120 ears |
| winter | 1 | 2 | PL | COBORU | 31/08 | 31/08 | 10/09 | 6,0 kg | 300 ears. In case of hybrid: In addition for each component 3,0 kg and 300 ears |
| winter | 1 | 2 | HU | National Food Chain Safety Office | 10/09 | | 20/09 | 5,0 kg | 220 ears |
| winter | 1 | 2 | FI | Finnish Food Safety Authority Evira | 20/07 | | 20/08 | 3,0 kg | 120 ears |
| winter | 1 | 2 | DE | Bundessortenamt | 01/09 | | 15/09 | 5,0 kg | minimum germination capacity 94%; on request: 170 unbeaten ears. In case of hybrid: hybrid and each component: 4 kg and on request 170 ears |
| winter | 1 | 2 | DK | Ministry of Food Agriculture and Fisheries | 05/09 | | 05/09 | 3,0 kg | in case of hybrids: additional 3 kg seeds of every unknown parental line |
| winter | 1 | 2 | BE | Centre Wallon de Recherches Agronomiques | 15/09 | | 25/09 | 3,0 kg | 300 ears |
| <i>Triticum durum</i> Desf. | | | | | | | | | |
| spring | 1 | 2 | IT | INRAN (Istituto Nazionale di Ricerca per gli Alimenti e la Nutrizione) | 30/11 | | 15/01 | 2 kg of seeds and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + 1 kg of the female parental line + 1 kg of the restorer | germination capacity min. 85%, untreated |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------------------------------|----|---|----|--|-------|-------|-------|---|--|
| <i>Triticum durum</i> Desf. | | | | | | | | | |
| spring | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 29/01 | | 29/01 | 3,0 kg | 180 ears |
| spring | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 15/08 | | 15/09 | 5,0 kg | 240 ears |
| winter | 1 | 2 | AT | Bundesamt für Ernährungssicherheit | 30/08 | | 30/08 | 3,0 kg | 180 ears |
| winter | 1 | 2 | IT | INRAN (Istituto Nazionale di Ricerca per gli Alimenti e la Nutrizione) | 31/07 | | 15/08 | 2 kg of seeds and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + 1 kg of the female parental line + 1 kg of the restorer | germination capacity min. 85%, untreated |
| winter | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/08 | | 01/09 | 5,0 kg | 240 ears |
| | 1 | 2 | FR | GEVES | 10/09 | | 20/09 | 5,0 kg | |
| <i>Tulipa</i> L. | | | | | | | | | |
| vegetative | 16 | 1 | NL | NAKTUINBOUW | 01/09 | 01/10 | 15/10 | 30 bulbs of flowering size, able to show all their characteristics during the first year of examination. | Please deliver the bulbs at the reception and ask for Mr Kees Kogge or Mr Martien Geelings of the BKD. |
| <i>Vaccinium corymbosum</i> L. | | | | | | | | | |
| autumn planting | 25 | 4 | PT | Direção Geral de Alimentação e Veterinária | 31/07 | 01/09 | 30/09 | 10 well-rooted, potted plants with minimum 3 shoots per plant | The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |
| spring planting | 25 | 4 | PT | Direção Geral de Alimentação e Veterinária | 31/01 | 01/03 | 31/03 | 10 well-rooted, potted plants with minimum 3 shoots per plant | The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |
| | 25 | 4 | PL | COBORU | 31/07 | 01/10 | 31/10 | 8 well-rooted, potted plants with minimum 3 shoots per plant | Plants should not have been obtained directly by in vitro culture. The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

***Vaccinium simulatum* Small**

| | | | | | | | | | |
|-----------------|----|---|----|--|-------|-------|-------|---|---|
| autumn planting | 25 | 4 | PT | Direção Geral de Alimentação e Veterinária | 31/07 | 01/09 | 30/09 | 10 well-rooted, potted plants with minimum 3 shoots per plant | The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |
| spring planting | 25 | 4 | PT | Direção Geral de Alimentação e Veterinária | 31/01 | 01/03 | 31/03 | 10 well-rooted, potted plants with minimum 3 shoots per plant | The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |

***Vaccinium virgatum* Aiton**

| | | | | | | | | | |
|-----------------|----|---|----|--|-------|-------|-------|---|--|
| autumn planting | 25 | 4 | PT | Direção Geral de Alimentação e Veterinária | 31/07 | 01/09 | 30/09 | 10 well-rooted, potted plants with minimum 3 shoots per plant | The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |
| spring planting | 25 | 4 | PT | Direção Geral de Alimentação e Veterinária | 31/01 | 01/03 | 31/03 | 10 well-rooted, potted plants with minimum 3 shoots per plant | The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |
| | 25 | 4 | PL | COBORU | 31/07 | 01/10 | 31/10 | 8 well-rooted, potted plants with minimum 3 shoots per plant | Plants should not have been obtained directly by in vitro culture. The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EC and its amendments concerning quarantine organisms, and Council Directive 92/34/EEC and Commission Directive 93/48/EEC and their amendments concerning quality. |

***Valerianella locusta* L.**

| | | | | | | | | | |
|--|----|---|----|-------------|-------|--|-------|----------------------|--|
| | 21 | 2 | NL | NAKTUINBOUW | 15/02 | | 01/03 | 14,000 seeds | |
| | 21 | 2 | FR | GEVES | 01/09 | | 01/10 | 20,000 seeds (150 g) | |

Vanda Jones ex R. Br.

| | | | | | | | | | |
|-------------|----|---|----|-------------|-------|-------|-------|---|--|
| august crop | 14 | 1 | NL | NAKTUINBOUW | 30/04 | 01/08 | 31/08 | 10 young plants, able to flower in the first year of examination but not yet flowering and not having flowered before, plus 3 fully-grown plants, able to flower and to show all their characteristics in the first year of examination | |
|-------------|----|---|----|-------------|-------|-------|-------|---|--|

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------------------|-----|---|----|---|-------|-------|-------|---|--|
| Vanda Jones ex R. Br. | | | | | | | | | |
| january crop | 14 | 1 | NL | NAKTUINBOUW | 30/09 | 01/01 | 31/01 | 10 young plants, able to flower in the first year of examination but not yet flowering and not having flowered before, plus 3 fully-grown plants, able to flower and to show all their characteristics in the first year of examination | |
| Verbascum L. | | | | | | | | | |
| vegetative | 15 | 1 | UK | NIAB | 01/12 | 08/03 | 19/03 | 10 plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |
| Verbena L. | | | | | | | | | |
| seed | 17A | 1 | NL | NAKTUINBOUW | 01/12 | | 01/02 | 10 gram seeds | germination capacity 50% |
| vegetative | 16 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 15/04 | 24 young plants being able to show all their characteristics in the first year of examination, virus free. | |
| Veronica L. | | | | | | | | | |
| vegetative | 15 | 1 | NL | NAKTUINBOUW | 01/12 | 01/04 | 30/04 | 24 young plants being able to show all their characteristics in the first year of examination | appropriate to be grown in the open |
| Vicia faba L. | | | | | | | | | |
| agricultural | 8 | 2 | DE | Bundessortenamt | 15/12 | | 01/02 | 4 kg seed | minimum germination capacity 90% |
| agricultural | 8 | 2 | AT | Bundesamt für Ernährungssicherheit | 01/12 | | 01/12 | 3.0 kg | Minimum germination capacity 85 % |
| agricultural | 8 | 2 | FR | GEVES | 15/12 | | 10/01 | 20000 grains | |
| agricultural | 8 | 2 | NL | NAKTUINBOUW | 01/03 | | 01/04 | 3,000 seeds | |
| agriculture | 8 | 2 | PL | COBORU | 15/12 | | 03/01 | 5,0 kg seed | |
| spring | 8 | 2 | DK | Ministry of Food Agriculture and Fisheries | 20/01 | | 10/02 | 5.0 kg seed | |
| spring | 8 | 2 | UK | Food and Environment Research Agency (FERA) | 30/11 | | 15/01 | 3 kg or 6000 seeds | Minimum germination capacity 80% |
| vegetable | 8 | 2 | ES | Oficina Española de Variedades Vegetales | 01/08 | | 01/09 | 6,0 kg | |
| vegetable | 8 | 2 | DE | Bundessortenamt | 15/01 | | 01/02 | 6,000 seeds | minimum germination capacity 85% |
| vegetable | 8 | 2 | PL | COBORU | 31/12 | | 03/01 | 4,0 kg seed | |
| vegetable | 8 | 2 | NL | NAKTUINBOUW | 01/03 | | 01/04 | 3 000 seeds | |
| vegetable, broad bean | 8 | 2 | FR | GEVES | 15/08 | | 15/09 | 4,0 kg | |
| winter | 8 | 2 | UK | Food and Environment Research Agency (FERA) | 31/08 | | 17/09 | 3 kg or 6000 seeds | Minimum germination capacity 80% |
| Viola L. | | | | | | | | | |
| seed-propagated | 17A | 1 | UK | NIAB | 01/12 | 24/01 | 28/01 | 250 seeds | seed must be of high germination capacity |
| vegetative | 16 | 1 | UK | NIAB | 01/12 | 14/03 | 25/03 | 10 young plants | Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|----|
|---|---|---|---|---|---|---|---|---|----|

Vitis L.

| | | | | | | | | | | |
|-----------|----|---|----|--|-------|-------|-------|----|--|---|
| grape | 26 | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | 01/02 | 15/03 | 10 | one-year-old rooted grafts grafted on R110 rootstock (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: Fan leaf, Leaf Roll I and III. |
| grape | 26 | 4 | DE | Bundessortenamt | 15/02 | 01/03 | 15/04 | 10 | one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| grape | 26 | 4 | FR | GEVES | 31/12 | 01/01 | 15/04 | 10 | one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material must fulfill the requirements fixed on quarantine pathogens and in addition a certificate must attest that it is free of the following pathogens: - Grapevine fan-leaf virus (GFLV), - Arabis mosaic virus (ArMV), - Grapevine leafroll-associated GLRaV1 and GLRaV3 |
| rootstock | 26 | 4 | DE | Bundessortenamt | 15/02 | 01/03 | 15/04 | 8 | one-year-old rooted cuttings (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| rootstock | 26 | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | 01/02 | 15/03 | 10 | one-year-old rooted cuttings (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: Fan leaf, Leaf Roll I and III. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--------------------------|----|---|----|--|-------|-------|-------|---|--|
| Vitis L. | | | | | | | | | |
| table grape | 26 | 4 | IT | C.R.A.- VIT | 31/12 | 01/02 | 31/03 | 10 one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| | 26 | 4 | HU | National Food Chain Safety Office | 31/12 | 01/03 | 15/04 | 10 one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| Vitis vinifera L. | | | | | | | | | |
| rootstock | 26 | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | 01/02 | 15/03 | 10 one-year-old rooted cuttings (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: Fan leaf, Leaf Roll I and III. |
| table grape | 26 | 4 | IT | C.R.A.- VIT | 31/12 | 01/02 | 31/03 | 10 one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| | 26 | 4 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/12 | 01/03 | 15/04 | 10 one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| | 26 | 4 | ES | Oficina Española de Variedades Vegetales | 31/12 | 01/02 | 15/03 | 10 one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: Fan leaf, Leaf Roll I and III. |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|----|---|----|--|-------|-------|-------|---|---|
| <i>Vitis vinifera</i> L. | | | | | | | | | |
| | 26 | 4 | HU | National Food Chain Safety Office | 31/12 | 01/03 | 15/04 | 10 one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| | 26 | 4 | DE | Bundessortenamt | 15/02 | 01/03 | 15/04 | 10 one-year-old rooted grafts (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. |
| | 26 | 4 | FR | GEVES | 31/12 | 01/01 | 15/04 | 10 one-year-old rooted cuttings (not produced from herbaceous material) | Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material must fulfill the requirements fixed on quarantine pathogens and in addition a certificate must attest that it is free of the following pathogens: - Grapevine fan-leaf virus (GFLV) - Arabis mosaic virus (ArMV) - Grapevine leafroll-associated GLRaV1 and GLRaV3 |
| <i>Vriesea</i> Lindl. | | | | | | | | | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 young plants, able to show all their characteristics during the first year of examination. | age: approximately 1 months before flower induction treatment |
| <i>Weigela</i> Thunb. | | | | | | | | | |
| vegetative | 11 | 2 | FR | GEVES | 01/12 | 15/02 | 15/03 | 8 plants, two years old, in container | each plant should be individually labelled |
| <i>Xerochrysum bracteatum</i> (Vent.) Tzvelev (syn: <i>Bracteantha bracteata</i> Anderb. and Haegi) | | | | | | | | | |
| vegetative | 16 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 24 well rooted cuttings, able to show all their characteristics during the first year of examination. | |
| <i>Zantedeschia</i> Spreng. | | | | | | | | | |
| aethiopica | 13 | 1 | NL | NAKTUINBOUW | 01/06 | 01/09 | 15/09 | 30 rhizomes in rest | size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination) |
| seed | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 500 seeds + 100 one year old tubers (C2 material). | |
| vegetative | 13 | 1 | NL | NAKTUINBOUW | 01/12 | 01/03 | 31/03 | 30 rhizomes/bulbs | size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination) |
| <i>Zea mays</i> L. | | | | | | | | | |
| hybrid | 1 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 20/02 | | 10/03 | 1,0 kg | For each component 3000 germinable grains |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-------------------------|---|---|----|--|-------|---|-------|---|---|
| Zea mays L. | | | | | | | | | |
| hybrid | 1 | 2 | FR | GEVES | 01/03 | | 01/04 | Hybrid: 1,0 kg | 1500 grains of each line If applicable: 1500 grains of the single hybrid parent |
| hybrid | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/01 | | 01/02 | 5000 grains of the hybrid and of its parent lines | Indicate thousand seed weight and germination capacity |
| hybrid | 1 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/01 | | 15/03 | 1.0 kg of the hybrid and 1500 grains of each line and 1500 grains of the single hybrid, if applicable | untreated seed must meet at least the requirements for certified seeds |
| hybrid | 1 | 2 | HU | National Food Chain Safety Office | 10/02 | | 15/03 | 1,0 kg | 1,0 kg of each component |
| hybrid | 1 | 2 | DE | Bundessortenamt | 01/02 | | 01/03 | 2,0 kg | minimum germination capacity 94%. For each component 3000 germinable grains |
| line | 1 | 2 | HU | National Food Chain Safety Office | 10/02 | | 15/03 | 1,0 kg | |
| line | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/01 | | 01/02 | 5000 grains | Indicate thousand seed weight and germination capacity |
| line | 1 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 20/02 | | 10/03 | 3000 germinable grains | |
| line | 1 | 2 | CZ | Central Institute for Supervising & Testing in Agriculture (UKZUZ) | 31/01 | | 15/03 | 1500 grains | |
| line | 1 | 2 | FR | GEVES | 01/03 | | 01/04 | 2000 grains | |
| line | 1 | 2 | DE | Bundessortenamt | 01/02 | | 01/03 | 3000 germinable grains | |
| single hybrid as parent | 1 | 2 | FR | GEVES | 01/03 | | 01/04 | 1500 grains | |
| sweet & pop | 1 | 2 | HU | National Food Chain Safety Office | 10/02 | | 15/03 | 1,0 kg | |
| sweet corn & pop corn | 1 | 2 | ES | Oficina Española de Variedades Vegetales | 01/01 | | 01/02 | 5000 grains | |
| sweet corn & pop corn | 1 | 2 | FR | GEVES | 01/03 | | 01/04 | 1.0 kg | |
| sweet corn & pop corn | 1 | 2 | NL | NAKTUINBOUW | 01/04 | | 15/04 | 3.000 seeds | |
| sweet corn & pop corn | 1 | 2 | SK | Central Controlling and Testing Institute in Agriculture (UKZUP) | 31/01 | | 28/02 | 2000 germinable grains | |

Format of official CPVO publications

As from 2010

The 6 editions of the Official Gazette, the 6 editions of the S2-Gazette and the Annex to the Annual Report will be exclusively available in digital format.

The Annual Report (without Annex) will be available in both formats, hard copy and digital.

All official publications of the CPVO published after 2009 will be free of charge.

Before 2010

Available hard copies of all official CPVO publications will be for sale.

Digital copies will be freely downloadable.

How to obtain CPVO Publications

Paper copies:

Of pre-2010 CPVO Publications, hard copies for sale, if printed versions are still available, only available at the CPVO.

Of Annual Reports as from 2010:

- via EU Bookshop (<http://bookshop.europa.eu>);
- from your bookseller by quoting the title, publisher and/or ISBN number;
- by contacting one of the sales agents of the Publications Office of the European Union directly.
You can obtain their contact details on the Internet (<http://bookshop.europa.eu>) or by sending a fax to +352 2929-42758.

Digital copies:

All CPVO Publications are freely downloadable as pdf documents:

- via the CPVO website (<http://www.cpvo.europa.eu>);
- via EU Bookshop (<http://bookshop.europa.eu>).

Note:

An e-subscriber service is in place via the CPVO website, at the very bottom of the CPVO web pages, "Subscription" / "CPVO Publications and announcements".

To be kept posted on new Official Publications, you can subscribe to receive a message delivered straight in your inbox.

ISSN 1831-6212 • TG-AB-13-S02-1X-N

©CPVO Angers, 2013

Reproduction is authorised, except for commercial purposes, provided the source is acknowledged.

Produced by CPVO
Typeset by \LaTeX



CPVO

3 boulevard Maréchal Foch - CS 10121
49101 ANGERS CEDEX 2 - FRANCE
Tel. +33 (0)2 41 25 64 00 - Fax +33 (0)2 41 25 64 10
cpvo@cpvo.europa.eu - www.cpvo.europa.eu

S2•2•2013

15|04|2013



Publications Office