



**CPVO**

Community Plant Variety Office

## DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.

**Murdannia loriformis (Hassk.) R.S. Rao & Kammathy**  
**Simplified standard protocol: SSP/MRD/1**

---

Botanical taxon:	Murdannia loriformis (Hassk.) R.S. Rao & Kammathy	
Common Name (when known):	Beijing Grass	
Date of preparation of TP:	01-01-2020	
Date of revision of SSP:	-	
TP data prepared by:	G. van de Wardt	
Sample to be examined	VEGETATIVE	
Number of growing cycles:	1 year	
Closing date for applications:	1/12	
Submission date/period:	1/3 – 31/3	
Seed/Plant Quantity	24 young plants of commercial standard	
Seed /Plant Quality	able to show all its characteristics in the first year of examination	
Special conditions sample:	none	
Test station address:	Naktuinbouw, Sotaweg 22, 2371 GD Roelofarendsveen	
Name/Email/Tel./Contact person	Team Support Variety Testing Department <a href="mailto:teamsupport@rasraad.nl">teamsupport@rasraad.nl</a>	
List of grouping characteristics	NO, (if yes put as annex)	
Minimum number of plants in trial	vegetative: 20	seed: not appl.
Minimum number of plants observed by measuring or counting:	vegetative: 1	seed: not appl.
Give description of when/where observations on the leaf should take place:	after 9 month's growth	
Give description of when/where observations on the flower should take place:	after 9 month's growth.	
Give description of when/where the other observations should take place:	after 9 month's growth..	
Test will take place	GREENHOUSE	
Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of off-types allowed: one off-type allowed in a sample size of 24 plants.		
Table of characteristics	PRESENT (see annex)	
(if present, please annex the table of characteristics and explanations)		
Literature	ABSENT	
(when present, please annex to this document)		

**Table of characteristics Murdannia**

Plant: height
Plant: diameter
Stem: length of internodes
Stem: thickness of internodes
Stem: intensity of green colour
Sheath: length
Sheath: width
Sheath: intensity of green colour
Leaf blade: length
Leaf blade: width
Leaf blade: ratio length/width
Leaf blade: position of broadest part
Leaf blade: main colour of upper side
Leaf blade: second colour of upper side
Leaf blade: pattern of second colour
Leaf blade: pubescence
Leaf blade: shape of apex
Leaf blade: undulation of margin
Peduncle: length
Peduncle: intensity of green colour
Calyx: length
Calyx: width
Calyx: intensity of green colour
Calyx: anthocyanin coloration
Calyx: pubescence
Flower: diameter
Petal: length
Petal: width
Petal: shape of apex
Petal: number of colours
Petal: main colour (RHS Colour Chart (indicate reference number))
Anthers: colour
Style: colour