

DISCLAIMER

The present version of the national guideline has been accepted by the President of the CPVO for its use in technical examinations carried out on behalf of the CPVO or for the take-over of reports serving as a basis for a CPVO decision.



Pulmonaria Simplified standard protocol: SSP/BLK/1

Examination office:	Naktuinbouw	
Reference of the protocol:	SSP/BLK/1	
Date of preparation of the protocol:	27/05/2022	
Date of entry into force of the protocol:	01/04/2023	
Botanical taxon:	Pulmonaria L.	
Common Name (when known):	Jerusalem cowslip	
Way of propagation of the plants to be examined:	Self or cross pollinated seed propagated □	
	Vegetatively propagated ⊠	
Number of growing cycles:	1 ⊠ 2 □	
	Other □ specify Click or tap here to enter text.	
List of grouping characteristics:	Yes □ if yes put as annex	
	No ⊠	
Minimum number of plants in trial:	Vegetative:20	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place:	-	
Uniformity:		
 For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1 % and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-types is allowed. 		
 For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known. 		
Table of characteristics:	Present □	

	Not available ⊠
Literature:	Present □
(when present, please annex to this document)	Absent ⊠