



CPVO

Community Plant Variety Office

Официален бюлетин на Службата на Общността за сортовете растения

Boletín Oficial de la Oficina Comunitaria de Variedades Vegetales

Úřední věstník Odrůdového úřadu Společenství

EF-Sortsmyndighedens Officielle Tidende

Amtsblatt des Gemeinschaftlichen Sortenamtes

Ühenduse Sordiameti ametlik väljaanne

Επίσημη Εφημερίδα του Κοινοτικού Γραφείου Φυτικών Ποικιλιών

Official Gazette of the Community Plant Variety Office

Bulletin officiel de l'Office communautaire des variétés végétales

Službeni list Ureda Zajednice za zaštitu biljnih sorti

Bollettino ufficiale dell'Ufficio comunitario delle varietà vegetali

Kopienas Augu šķirņu biroja Oficiālais Vēstnesis

Bendrijos augalų veislių tarnybos oficialusis žurnalas

A Közösségi Növényfajta Hivatal Hivatalos Közlönye

Gazzetta Ufficjale ta' l-Ufficċju Komunitarju tal-Varjetajiet ta' Pjanti

Mededelingenblad van het Communautair Bureau voor Plantenrassen

Urzędowa Gazeta Wspólnotowego Urzędu Odmian Roślin

Boletim Oficial do Instituto Comunitário das Variedades Vegetais

Buletinul oficial al Oficiului Comunitar pentru Soiuri de Plante

Úradný vestník Úradu Spoločenstva pre odrody rastlín

Uradno glasilo Urada Skupnosti za rastlinske sorte

Yhteisön kasvilajikeviraston virallinen lehti

Officiell tidskrift för Gemenskapens växsortsmyndighet

S2•1•2017

15|02|2017

- BG** Служба на Общността за сортовете растения • Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал(Страница 2)
- ES** Oficina Comunitaria de Variedades Vegetales • Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales(Página 3)
- CS** Odrůdový úřad Společenství • Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu(Strana 4)
- DA** EF-Sortsmyndigheden • Særdgave af EF-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale(Side 5)
- DE** Gemeinschaftliches Sortenamt • Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über Antragsfristen und über Bestimmungen zur Vorlage von Pflanzenmaterial(Seite 6)
- ET** Ühenduse Sordiamet • Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta(Lehekülg 7)
- EL** Κοινοτικό Γραφείο Φυτικών Ποικιλιών • Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτήσεων και τις απαιτήσεις για την υποβολή φυτικού υλικού(Σελίδα 8)
- EN** Community Plant Variety Office • Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material(Page 9)
- FR** Office communautaire des variétés végétales • Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal(Page 10)
- HR** Ured Zajednice za zaštitu biljnih sorti • Posebno izdanje Službenog lista Ureda Zajednice za zaštitu biljnih sorti obavještuje o datumima zatvaranja predaje zahtjeva te preduvjetima za prijavu biljnog materijala(Stranica 11)
- IT** Ufficio comunitario delle varietà vegetali • Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale(Pagina 12)
- LV** Kopienas Augu šķirņu birojs • Kopienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām(Lappuse 13)
- LT** Bendrijos augalų veislių tarnyba • Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus(Puslapis 14)
- HU** Közöségi Növényfajta Hivatal • A CPVO Hivatalos Közlönyének speciális kiadványa tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről(Oldal 15)
- MT** L-Uffiċċju Komunitarju tal-Varjetajiet ta' Pjanti • Hargha Speċjali tal-Gazzetta uffiċjali tas-CPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-reqwiżiti għallpreżentazzjoni ta' materjali tal-pjanti(Paġna 16)
- NL** Communautair Bureau voor plantenrassen • Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informative betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plant-materiaal(Bladzijde 17)
- PL** Wspólnotowy Urząd Odmian Roślin • Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przesyłania materiału roślinnego(Strona 18)
- PT** Instituto Comunitário das Variedades Vegetais • Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal(Página 19)
- RO** Oficiul Comunitar pentru Soiuri de Plante • Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal(Pagina 20)

- SK** Úrad Spoločenstva pre odrody rastlín • Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu(Strana 21)
- SL** Urad Skupnosti za rastlinske sorte • Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala(Stran 22)
- FI** Yhteisön kasvilajikevirasto • Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määräajoista hakemuksen jättämiselle ja vaatimuksista kasvimateriaalin toimittamiselle(Sivu 23)
- SV** Gemenskapens växtsortsmyndighet • Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial(Sida 24)

3 boulevard Maréchal Foch
CS 10121
FR-49101 ANGERS CEDEX 2
Tel: +33(0) 241 25 64 00
Fax: +33(0) 241 25 64 10
Email: cpvo@cpvo.europa.eu
Website: www.cpvo.europa.eu

BG Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал (Страница 25)

Специалното издание на Официалния бюлетин на Службата на Общността за сортовете растения (S2) има за цел да предостави на заявителите консолидирана версия на крайните срокове за заявки и изискванията за предоставяне на материал от сорта с оглед техническата му проверка.

От 2010 г. той ще се публикува в електронен вид на уебсайта на Службата шест пъти в годината. Всички изменения в предходното издание на S2 се отбелязват с осветен текст.

На уебсайта на Службата е предоставен инструмент за търсене, чрез който могат да се проследят измененията.

За да са възможни проверки в историята на записите, всяко специално издание на Официалния бюлетин на ЦПВО ще бъде запазено в .pdf формат и ще остане на разположение на уеб потребителите за справка.

До първото издание на бюлетина през 2016 г., в S2 се включва информация за крайни срокове за предоставяне на растителен материал и изискванията за това по отношение на видове, за които редовно се подават заявки. От второто издание на бюлетина през 2016 г., ЦПВО взе решение да публикува всички растителни видове в бюлетина S2, но някои от полетата за данни могат да останат празни. Ако информацията за въпросните видове не е налична, ще трябва да се свържете със Службата. Моля да имате предвид, че е задължение на заявителя да се запознае с всички изисквания на процедурата по заявяване, включително с подробностите за доставка на материал за техническо изпитване. Когато попълва заявка, заявителят трябва да може да достави материал от сорта, който заявява до крайната дата и в изискваното от ЦПВО количество и качество. Ако това не стане заявителят рискува заявката да бъде отхвърлена. Ако имате въпроси относно други сортове растения, обърнете се към ЦПВО на: cpvo@cpvo.europa.eu.

- 1: Вид на отглеждането
- 2: Такси по групи
- 3: Брой на предвидените цикли на отглеждане
- 4: Страна
- 5: Изпитващ офис
- 6: Краен срок
- 7: Начало на подаването
- 8: Край на подаването
- 9: Количество семена/ посадъчен материал
- 10: Качество на семената/ посадъчния материал

Важни забележки:

— От заявителя се очаква да предостави растителен материал, едва след като получи писмено искане от ЦПВО. Неспазването на горното указание може да изложи на риск цялата процедура.

— Заявителите се приканват настоятелно да не оставят изпращането на заявките или растителния материал за последния момент.

— Заявките могат да се подават по всяко време. ЦПВО предвижда да започне техническата проверка през периода на отглеждане, който следва крайния срок, при условие че преди изтичане на крайния срок е получена валидна заявка.

— Крайният срок определя началото на изпитването. За заявления с дата на подаване преди или в деня на крайния срок изпитването започва в следващия вегетативен период. Ако в деня на крайния срок Службата е затворена, то за краен срок ще се счита първият следващ ден, в който Службата е отворена. За заявления с дата на подаване след крайния срок изпитването започва на следващата година.

— В случай че растителният материал бъде предоставен след определената дата за подаване, заявката може да бъде отхвърлена съгласно член 61 от Регламент (ЕО) № 2100/94 на Съвета от 27 юли 1994 година.

— Ако крайният срок изтича на ден, на който ЦПВО не работи и не може да получава документи, срокът удължава до първия следващ работен ден, на който ЦПВО може да получава документи и на който се доставя обикновена поща, съгласно член 71 от Правилат а за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.

— Ако крайният срок изтича на ден, в който службата не работи и не може да получава растителен материал, срокът се удължава до първия следващ работен ден, на който службата за проверка може да получава растителен материал, съгласно член 71 от Правилат а за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.

— Всички фитосанитарни изисквания се съобщават на заявителя заедно с искането за предоставяне на растителен материал на съответната служба за проверка.

— Предоставеният растителен материал трябва да бъде видимо здрав, да изглежда свеж и да не е засегнат от никакви значителни вредители или болести.

ES Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales (Página 25)

La serie S2 del Boletín presenta a los solicitantes una versión consolidada de los plazos de presentación de las solicitudes y de los requisitos de presentación de los materiales vegetales para su examen técnico.

Desde octubre de 2010, se publica en formato digital, en el sitio web de la Oficina, seis veces cada año. Toda modificación respecto de la versión del S2 publicada anteriormente aparece destacada en el texto.

Con una herramienta de búsqueda se pueden encontrar tales modificaciones en el sitio web de la Oficina.

Para permitir la consulta de los archivos por los usuarios de Internet, cada boletín S2 se guardará como documento .pdf.

Hasta el número 201601, el boletín oficial S2 cubría los plazos para la presentación de material vegetal y los requisitos de presentación relativos a las especies para las que se presentan solicitudes regularmente. Desde el número 201602, la CVPO decidió publicar todas las especies en el boletín oficial S2, pero podría ser que faltasen algunos datos. Se le invita a ponerse directamente en contacto con la Oficina si la información correspondiente a la especie en cuestión no está disponible. Se les recuerda tomen nota que es la responsabilidad del solicitante de familiarizarse suficientemente con todos los aspectos del procedimiento de una solicitud, incluyendo los detalles para la sumisión de material vegetal para la conducta del examen técnico. En el momento de realizar una solicitud, el solicitante debe estar en condiciones de enviar material vegetal de su variedad según la cantidad y calidad prescrita por la Oficina, antes de la fecha límite. De ser el contrario, el solicitante corre el riesgo que la solicitud será rechazada. En caso de preguntas sobre otras especies, diríjase a la OCVV a través de cpvo@cpvo.europa.eu.

- 1: Tipo de cultivo
- 2: Grupo de tasas
- 3: Número de ciclos de cultivo previstos
- 4: País
- 5: Oficina de examen
- 6: Plazo de presentación de la solicitud
- 7: Fecha inicio de envío de material vegetal
- 8: Fecha final de envío de material vegetal
- 9: Cantidad de semillas/plantas
- 10: Calidad de semillas/plantas

Notas importantes:

- *El solicitante no deberá enviar el material vegetal hasta que haya recibido una petición por escrito de la Oficina. El incumplimiento de este requisito puede poner en peligro todo el procedimiento.*
- *Se aconseja a los solicitantes que no dejen para el último minuto el envío de solicitudes o material vegetal.*
- *Las solicitudes pueden presentarse en cualquier momento a la OCVV. La Oficina prevé iniciar el examen técnico en el periodo de cultivo siguiente a la fecha límite, siempre y cuando la solicitud haya sido recibida por la OCVV antes de la fecha límite.*
- *La fecha límite de clausura determina el comienzo del examen técnico. Para solicitudes con una fecha de solicitud anterior o el mismo día que la fecha límite de clausura, el examen técnico comenzará en el próximo periodo de cultivo. Si el plazo de presentación coincide con un día en que la Oficina está cerrada, se entenderá que el plazo es el primer día inmediatamente posterior en que esté abierta la Oficina. Para solicitudes con una fecha de solicitud posterior a la fecha límite clausura, el examen técnico comenzará el año siguiente.*
- *Si se presenta material vegetal pasada la fecha de presentación establecida, la solicitud podría denegarse con arreglo a lo dispuesto en el artículo 61 del Reglamento (CE) no 2100/94 del Consejo de 27 de julio de 1994.*
- *Con arreglo a lo dispuesto en el Artículo 71 de las Disposiciones de desarrollo, Reglamento de la Comisión Europea nº 874/2009 de 17/09/2009. Si un plazo finaliza en un día en que la OCVV no está abierta para recibir documentos, este plazo se ampliará hasta el primer día siguiente en que la OCVV esté abierta para la recepción de documentos y en que se distribuya el correo ordinario.*
- *Si el plazo expira un día en el que la oficina de examen no está abierta para la recepción de material vegetal, se ampliará el plazo hasta el día siguiente en que esté abierta la oficina de examen para la recepción de material vegetal, con arreglo a lo dispuesto en el artículo 71 del Reglamento de la Comisión Europea nº 874/2009 de 17/09/2009.*
- *Se le comunicará al solicitante cualquier requisito fitosanitario junto con las instrucciones para el envío de material vegetal a la oficina de examen pertinente.*
- *El material vegetal suministrado deberá tener apariencia sano, vigoroso y que no esté afectado por ninguna plaga o enfermedad importante.*

CS Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu (Strana 25)

Cílem věstníku S2 je poskytovat žadatelům konsolidovanou verzi dat uzávěrek žádostí a informovat je o požadavcích na zaslání rostlinného materiálu za účelem jeho podrobení technickým zkouškám.

Od října 2010 je tento věstník zveřejňován v digitální podobě na internetových stránkách úřadu šestkrát ročně. Přičemž všechny změny oproti původní zveřejněné verzi věstníku S2 jsou zvýrazněny.

Na internetových stránkách úřadu je k dispozici vyhledávací nástroj k identifikaci těchto změn.

Všechna vydání věstníku S2 budou uložena ve formátu .pdf, aby bylo možné konzultovat předchozí vydání, a budou návštěvníkům internetových stránek i nadále k dispozici.

Do vydání věstníku č. 2016/01 věstník S2 obsahoval termíny dodání rostlinného materiálu a další požadavky na rostlinné druhy, u kterých jsou žádosti podávány pravidelně. Úřad CPVO se rozhodl, že počínaje věstníkem č. 2016/02 bude ve věstníku S2 zveřejňovat všechny rostlinné druhy, přičemž ale některé údaje nemusí být uvedeny. Pokud informace týkající se dotčeného druhu nejsou k dispozici, kontaktujte prosím úřad CPVO. Mějte prosím na paměti, že žadatel je povinen seznámit se dostatečně se všemi aspekty postupu podání žádosti včetně podrobností o dodání rostlinného materiálu za účelem provedení technického zkoušení. Při podání žádosti žadatel musí být schopen dodat rostlinný materiál v termínu, kvalitě i množství požadovaném úřadem CPVO. V opačném případě se vystavuje nebezpečí, že jeho žádost bude zamítnuta. Pokud máte dotazy týkající se jiných druhů, obraťte se laskavě na úřad CPVO prostřednictvím e-mailové adresy cpvo@cpvo.europa.eu.

- 1: Typ pěstování
- 2: Poplatek skupina
- 3: Počet předpokládaných pěstebních cyklů
- 4: Země
- 5: Zkušební úřad
- 6: Datum uzávěrky
- 7: Počátek podání
- 8: Ukončení podání
- 9: Množství osiva/sadby
- 10: Kvalita osiva/sadby

Důležité upozornění:

— Žadatel zašle rostlinného materiál až poté, co od CPVO obdrží písemnou výzvu. Nedodržení výše uvedeného pokynu může narušit průběh celého řízení.

— Žadatelům se důrazně doporučuje, aby nenechávali zaslání žádosti nebo rostlinného materiálu až na poslední chvíli.

— Žádosti mohou být podány kdykoliv. CPVO plánuje začít technické zkoušky v růstovém období, které bude následovat po datu uzávěrky, pokud byla platná žádost obdržena do data uzávěrky.

— Datum uzávěrky pro podání žádostí určuje zahájení technického zkoušení. Pro žádosti s datem podání nejpozději v den uzávěrky bude technické zkoušení zahájeno v nadcházejícím vegetačním období. V případě, že datum uzávěrky připadá na den, kdy úřad není otevřený, pak je za datum uzávěrky považován první den po tomto datu, kdy je úřad otevřený. Pro žádosti s datem podání po uzávěrce bude technické zkoušení zahájeno v následujícím roce.

— Pokud bude rostlinný materiál obdržen po stanoveném datu uzávěrky, může být žádost zamítnuta v souladu s článkem 61 nařízení Rady (ES) č. 2100/94 ze dne 27. července 1994.

— Pokud lhůta uplyne dnem, kdy CPVO není otevřen pro přijímání dokumentů, prodlužuje se lhůta až do prvního následujícího dne, kdy je CPVO otevřen pro příjem dokumentů a kdy se doručuje obyčejná pošta, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Pokud lhůta uplyne dnem, kdy zkušební úřad není otevřen pro přijímání rostlinného materiálu, prodlužuje se až do prvního následujícího dne, kdy je zkušební úřad otevřen pro příjem rostlinných materiálů, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Jakékoliv fytoosanitární požadavky budou žadateli sděleny současně se žádostí o zaslání rostlinného materiálu příslušnému zkušebnímu úřadu.

— Dodaný rostlinný materiál by měl být viditelně zdravý, neměl by být ve špatném stavu nebo vykazovat zásadní napadení škůdci nebo nemocemi.

DA Særudgave af EF-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale (Side 25)

Formålet med særudgaven af Sortsmyndighedens Officielle Tidende (S2) er, i en konsolideret version, at give ansøgerne oplysninger om de tidsfrister og betingelser for indgivelse, der finder anvendelse, når der foretages teknisk afprøvning af plantemateriale.

Siden oktober 2010 er oplysningerne blevet offentliggjort digitalt på Sortsmyndighedens websted seks gange årligt. Og eventuelle ændringer i forhold til den tidligere offentliggjorte S2-version fremhæves.

På Sortsmyndighedens websted findes der et søgeværktøj, som kan identificere disse ændringer.

For at gøre det muligt at søge i arkiverne, gemmes alle S2-publikationer som pdf-dokument og forbliver tilgængelige for webbrugerne.

Indtil januar 2016 indeholdt S2 frister for indgivelse af plantemateriale og betingelser for indgivelse af arter, der anmeldes jævnlige. Siden februar 2016 har CPVO offentliggjort alle arter i S2, men vise oplysninger kan være udeladt. Kontakt venligst Sortsmyndigheden, hvis oplysningerne om den pågældende art ikke er tilgængelige. Kontakt venligst Sortsmyndigheden for information, der vedrører arter, som ikke er anført. Husk, at det er anmelderens ansvar at være bekendt med kravene til anmeldelsen, hvilket dækker over proceduren, fremsendelse af plantemateriale og den tekniske afprøvning. Ved anmeldelse skal man kunne fremsende plantematerialet i den mængde og kvalitet samt til den anførte tidsfrist, som Sortsmyndigheden anfører. Alternativt kan anmeldelsen afvises. I tilfælde af spørgsmål vedrørende andre sorter kan der rettes henvendelse til Sortsmyndigheden på adressen cpvo@cpvo.europa.eu.

- 1: Dyrkningsform
- 2: Gebyrgruppe
- 3: Forventet antal vækstperioder
- 4: Land
- 5: Prøvningsmyndighed
- 6: Frister
- 7: Påbegyndelse af indgivelsesperiode
- 8: Afslutning af indgivelsesperiode
- 9: Frø/plantemængde
- 10: Frø/plantekvalitet

Vigtigt:

— Ansøgeren skal kun indgive materialet efter skriftlig anmodning fra Sortsmyndigheden. Tilsidesættelse af ovenstående anvisninger kan bringe hele proceduren i fare.

— Det tilrådes kraftigt, at ansøgeren ikke venter til sidste øjeblik med at sende ansøgningen eller plantematerialet.

— Ansøgninger kan indgives på et hvilket som helst tidspunkt i løbet af året. Sortsmyndigheden har til hensigt at påbegynde den tekniske afprøvning i dyrkningsperioden efter ansøgningsfristens udløb, hvis der er modtaget en gyldig ansøgning inden fristens udløb.

— Anmeldelsesfristen bestemmer starten på den tekniske afprøvning. For anmeldelser med en anmeldelsesdato tidligere eller lig med anmeldelsesfristen vil den tekniske afprøvning starte i den kommende afprøvningsperiode. Falder fristen på en dag, hvor Sortsmyndigheden ikke har åbent, vil fristen blive fastsat til den første efterfølgende dag, hvor Sortsmyndigheden har åbent. For anmeldelser med en anmeldelsesdato efter anmeldelsesfristen vil den tekniske afprøvning starte i den efterfølgende afprøvningsperiode.

— Hvis plantematerialet indsendes efter den fastsatte indsendelsesfrist, kan ansøgningen afvises i henhold til artikel 61 i Rådets forordning (EF) nr. 2100/94 af 27. juli 1994.

— Udløber en frist på en dag, hvor Sortsmyndigheden har lukket for modtagelse af dokumenter, forlænges fristen til den nærmeste hverdag dag, hvor Sortsmyndigheden har åbent for modtagelse af dokumenter, og hvor almindelige postforsendelser udbringes, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17. september 2009 om gennemførelsesbestemmelser.

— Udløber en frist på en dag, hvor prøvningsmyndigheden har lukket for modtagelse af plantematerialer, forlænges fristen til den nærmeste hverdag dag, hvor prøvningsmyndigheden har åbent for modtagelse af plantematerialer, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17. september 2009 om gennemførelsesbestemmelser.

— Ethvert fytosanitært krav vil blive meddelt ansøgeren sammen med anmodningen om indgivelse af plantemateriale til den pågældende prøvningsmyndighed.

— Plantematerialet skal være sundt og frisk uden spor af skadedyr og sygdomme.

DE Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über Antragsfristen und über Bestimmungen zur Vorlage von Pflanzenmaterial (Seite 25)

Zweck des S2-Amtsblattes ist es, die Antragsteller in einer konsolidierten Fassung über Schlussdaten für die Anträge auf Sortenschutz sowie über die Anforderungen für die Einreichung von Pflanzenmaterial im Hinblick auf ihre technische Prüfung zu informieren.

Seit Oktober 2010 wird das S2-Amtsblatt sechsmal pro Jahr digital auf der Website des Amtes veröffentlicht. Änderungen im Vergleich zur vorher veröffentlichten Fassung des S2 werden hervorgehoben dargestellt.

Eine Suchfunktion zum Auffinden dieser Änderungen ist auf der Website des Amtes verfügbar.

Um frühere Einträge prüfen zu können, wird jede S2-Veröffentlichung als .pdf-Dokument gespeichert und den Webnutzern zur Einsichtnahme zur Verfügung stehen.

Bis zur Ausgabe 201601 hat das S2-Amtsblatt über Fristen und Anforderungen zur Vorlage von Pflanzenmaterial nur für Arten informiert, für die das Amt regelmäßig Anträge erhält. Ab Ausgabe 201602 des Amtsblattes wird das CPVO alle Arten im S2-Amtsblatt veröffentlichen. Einige Daten können jedoch fehlen. Bitte wenden Sie sich an das Amt, wenn die Informationen zu den betreffenden Arten nicht angegeben sind. Bitte beachten Sie, dass der Antragsteller dafür verantwortlich ist, sich hinreichend mit allen Schritten des Antragsverfahrens - einschließlich der Details zur Materialvorlage für die technische Prüfung - vertraut zu machen. Bei Antragstellung muss der Antragsteller in der Lage sein, Pflanzenmaterial in der ausgewiesenen Menge und Qualität und im vorgeschriebenen Zeitraum vorzulegen. Nichtbefolgung dieser Anforderung kann zur Zurückweisung des Antrages führen. Bei Fragen zu anderen Arten, senden Sie bitte eine E-Mail an cpvo@cpvo.europa.eu.

- 1: Anbauart
- 2: Gebührgruppe
- 3: Wachstumsperioden
- 4: Land
- 5: Prüfamt
- 6: Datum des Antragsschlusses
- 7: Vorlage Beginn
- 8: Vorlage Ende
- 9: Menge des Saatguts/der Pflanzen
- 10: Qualität des Saatguts/der Pflanzen

Wichtige Hinweise:

— Die Vorlage des Pflanzenmaterials durch den Antragsteller soll nur nach schriftlicher Aufforderung durch das CPVO erfolgen. Die Nichterfüllung dieser Vorgabe kann das gesamte Antragsverfahren gefährden.

— Den Antragstellern wird empfohlen, die Anträge bzw. das Pflanzenmaterial rechtzeitig im Vorfeld zu senden.

— Anträge können jederzeit eingereicht werden. Das CPVO sieht vor, die technische Prüfung in der dem Antragsdatum folgenden Wachstumsperiode zu beginnen, falls ein gültiger Antrag bis zum Antragsschluss des jeweiligen Jahres eingereicht wurde.

— Der Beginn der technischen Prüfung wird durch das Datum des Antragsschlusses bestimmt. Für Anträge mit einem Antragsdatum vor oder bis einschließlich dem Datum des Antragsschlusses beginnt die technische Prüfung in der folgenden Wachstumsperiode. Wenn das Datum des Antragsschlusses auf einen Tag fällt, an dem das Amt nicht geöffnet ist, so gilt der nächstfolgende Tag, an dem das Amt geöffnet ist, als Datum des Antragsschlusses. Für Anträge mit einem Antragsdatum nach dem Datum des Antragsschlusses beginnt die technische Prüfung im darauffolgenden Jahr.

— Wird Pflanzenmaterial nach dem festgelegten Vorlagezeitraum vorgelegt, kann der Antrag gemäß Artikel 61 der Verordnung (EG) Nr. 2100/94 des Rates vom 27. Juli 1994 abgelehnt werden.

— Läuft eine Frist an einem Tag ab, an dem das CPVO zur Entgegennahme von Schriftstücken nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das CPVO zur Entgegennahme von Schriftstücken geöffnet ist und an dem gewöhnliche Postsendungen zugestellt werden (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamt).

— Läuft eine Frist an einem Tag ab, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial geöffnet ist (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamt).

— Jegliche phytosanitären Anforderungen an das Pflanzenmaterial werden dem Antragsteller in der schriftlichen Aufforderung zur Vorlage des Pflanzenmaterials beim betreffenden Prüfamt mitgeteilt.

— Vorgelegtes Pflanzenmaterial muss augenscheinlich gesund sein, darf keinen Mangel an Wuchskraft aufweisen und muss frei von signifikanten Schädlingen oder Krankheiten sein.

ET Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta (Lehekülj 25)

Teataja eriväljaande (S2 Gazette) eesmärk on anda taotlejatele kokkuvõtlikku teavet taotluste esitamise tähtaegade ja taimse materjali registreerimiskatseteks esitamise nõuete kohta.

Alates oktoobrist 2010 ilmub eriväljaanne ameti veebilehel digitaalselt kuus korda aastas. Kõik eelmise versiooni muudatused märgistatakse. Otsinguvahendiga saab muudatusi leida ameti veebilehel.

Iga S2 väljaanne salvestatakse pdf-vormingus dokumendina, et saaks vaadata varasemaid salvestisi, ja see jääb veebikasutajaile otsinguis kättesaadavaks.

Kuni jaanuarini 2016 avaldati S2 väljaandes selliste sortide taimse materjali esitamise tähtajad ja nõuded, mille kohta esitati regulaarselt taotlusi. Amet otsustas hakata alates veebruarist 2016 avaldama S2 väljaandes kõikide sortide andmeid, kuid mõned andmed võivad puududa. Kui andmed asjakohase sordi kohta puuduvad, võtke ametiga ühendust. Tuletame Teile meelde, et taotleja peab olema teadlik taotlemise protseduurist, samuti taimse materjali registreerimiskatsesse saatmise üksikasjadest. Kui taotleja esitab taotluse, peab ta olema võimeline saatma oma sordi taimset materjali nõutud kvaliteediga ja nõutud koguses õigeks tähtajaks Ühenduse Sordiametile. Vastasel juhul võib Ühenduse Sordiamet taotluse tagasi lükata. Küsimused teiste liikide kohta saatke palun Ühenduse Sordiametile aadressil: cpvo@cpvo.europa.eu.

- 1: Alatüüp
- 2: Tasu rühm
- 3: Ettenähtud kasvutsükli arv
- 4: Riik
- 5: Katseasutus
- 6: Lõpptähtaeg
- 7: Saamise algus
- 8: Saamise lõpp
- 9: Seemnete/taimede kogus
- 10: Seemnete/taimede kvaliteet

Tähelepanu:

- Taotlejad saavad taimse materjali alles pärast Ühenduse Sordiametilt kirjaliku nõude saamist. Selle juhise eiramine võib kahjustada kogu menetlust.
- Soovitame tungivalt taotlejatele mitte jätta taotluste või taimse materjali saatmist viimasele hetkele.
- Taotlusi võib esitada igal ajal. Juhul kui kehtiv taotlus on laekunud tähtajaks, alustab Ühenduse Sordiamet registreerimiskatsetega tähtajale järgneval kasvuperioodil.
- Taotluste esitamise tähtaeg määrab registreerimiskatse alguse. Kui taotlus saabub mitte hiljem kui kehtestatud tähtajal, algab registreerimiskatse eelseisval kasvuperioodil. Kui lõpptähtaeg satub päevale, mil sordiamet on suletud, on taotluse esitamise tähtajaks sordiameti esimene lahtioleku päev. Kui taotlused saabuvad kehtestatud tähtajast hiljem, algab registreerimiskatse järgmisel aastal.
- Kui taimne materjal saadetakse pärast esitamise tähtaega, võidakse taotlus tagasi lükata, vastavalt nõukogu 27. Juuli 1994. aasta määruse (EÜ) nr 2100/94 artiklile 61.
- Kui tähtaeg lõpeb päeval, mil Ühenduse Sordiamet ei ole dokumentide vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil Ühenduse Sordiamet on dokumentide vastuvõtuks avatud ja mil kantakse laiali harilikku posti, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.
- Kui tähtaeg lõpeb päeval, mil kontrolliasutus ei ole taimse materjali vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil kontrolliasutus on taimse materjali vastuvõtuks avatud, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.
- Kõik fütosanitaarnõuded edastatakse taotlejale koos asjaomasele kontrolliasutusele taimse materjali esitamise nõudega.
- Esitatav taimne materjal peab olema nähtavalt terve, elujõuline ning olulistest kahjuritest ja haigustest puutumatu.

ΕΛ Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτησεων και υπαιτις απαιτησεις για την υποβολή φυτικού υλικού (Σελίδα 25)

Σκοπός της εφημερίδας S2 είναι η παροχή στους αιτούντες ενσποιημένης έκδοσης με τις προθεσμίες των αιτήσεων και τις απαιτήσεις υποβολής υλικού φυτών για τη διεξαγωγή της τεχνικής εξέτασης.

Από τον Οκτώβριο 2010 η εφημερίδα δημοσιεύεται στον δικτυακό τόπο του Γραφείου έξι φορές ετησίως. Ενώ όλες οι τροποποιήσεις σε σχέση με την προηγούμενη δημοσιευθείσα έκδοση της S2 εμφανίζονται επισημασμένες.

Υπάρχει διαθέσιμο στον δικτυακό τόπο του Γραφείου εργαλείο αναζήτησης για τον εντοπισμό των τροποποιήσεων αυτών.

Προκειμένου να είναι εφικτός ο έλεγχος του ιστορικού των αρχείων, κάθε δημοσίευση της S2 θα αποθηκεύεται υπό μορφή εγγράφου .pdf και θα παραμένει διαθέσιμη ώστε να μπορούν να τη συμβουλευθούν οι χρήστες του Ιστού.

Εως το τεύχος 201601 η εφημερίδα S2 κάλυπτε προθεσμίες για την υποβολή φυτικού υλικού και τις προϋποθέσεις υποβολής για είδη για τα οποία υποβάλλονται συχνά αιτήσεις. Αρχής γενομένης από το τεύχος 201602, το ΚΓΦΠ αποφάσισε να δημοσιεύει όλα τα είδη στην εφημερίδα S2, ωστόσο ορισμένα δεδομένα ενδέχεται να μην είναι διαθέσιμα. Εάν οι πληροφορίες για το εν λόγω είδος δεν είναι διαθέσιμες, παρακαλείστε να επικοινωνείτε με το Γραφείο. Παρακαλείστε να ενθυμείστε ότι είναι υποχρέωση του αιτούντος να είναι επαρκώς εξοικειωμένος με όλες τις πτυχές της διαδικασίας της αίτησης, συμπεριλαμβανομένων των λεπτομερειών της υποβολής φυτικού υλικού για τη διενέργεια του τεχνικού ελέγχου. Όταν μια αίτηση κατατίθεται, ο αιτών πρέπει να είναι σε θέση να υποβάλει το φυτικό υλικό της ποικιλίας του μέσα στην προθεσμία και με την ποιότητα και στην ποσότητα που περιγράφεται από το γραφείο. Ειδικά, διατρέχει τον κίνδυνο να απορριφθεί η αίτησή του. Για οποιαδήποτε ερώτησή σας σχετικά με άλλα είδη, επικοινωνήστε με το ΚΓΦΠ μέσω της ηλεκτρονικής διεύθυνσης cpvo@cpvo.europa.eu.

- 1: Είδος καλλιέργειας
- 2: Ομάδα τελών
- 3: Αριθμός προβλεπόμενων βλαστικών κύκλων
- 4: Χώρα
- 5: Γραφείο εξέτασης
- 6: Καταληκτική ημερομηνία
- 7: Εναρξη υποβολής
- 8: Λήξη υποβολής
- 9: Ποσότητα σπόρου φυτού
- 10: Ποιότητα σπόρου φυτού

Σημαντικές επισημάνσεις:

— Ο αιτών θα υποβάλει το φυτικό υλικό μόνο αφού λάβει σχετικό γραπτό αίτημα από το ΚΓΦΠ. Σε περίπτωση μη συμμόρφωσης με την ανωτέρω οδηγία ενδέχεται να ακυρωθεί ολόκληρη η διαδικασία.

— Συνιστάται ρητώς στους αιτούντες να αποφεύγουν την αποστολή των αιτήσεων και του φυτικού υλικού την τελευταία στιγμή

— Οι αιτήσεις μπορούν να υποβάλλονται οποτεδήποτε. Το ΚΓΦΠ θα ξεκινήσει την τεχνική εξέταση κατά την περίοδο καλλιέργειας μετά την ημερομηνία λήξης της προθεσμίας, εφόσον παραλάβει έγκυρη αίτηση εντός της συγκεκριμένης προθεσμίας

— Η ημερομηνία λήξης της προθεσμίας καθορίζει την έναρξη της τεχνικής εξέτασης. Για αιτήσεις ο οποίος πρέπει να υποβληθούν μέχρι την καταληκτική ημερομηνία η τεχνική εξέταση θα ξεκινήσει την επόμενη καλλιέργητική περίοδο. Εάν η καταληκτική ημερομηνία συμπίπτει με ημέρα που το Γραφείο είναι κλειστό, τότε αυτή μετατίθεται για την επόμενη ημέρα κατά την οποία το Γραφείο είναι ανοιχτό. Για αιτήσεις με μεταγενέστερη ημερομηνία προθεσμίας από την ημερομηνία λήξης, η τεχνική εξέταση θα ξεκινήσει το επόμενο έτος.

— Εάν το φυτικό υλικό υποβληθεί μετά τη λήξη της προθεσμίας υποβολής, η αίτηση απορρίπτεται, σύμφωνα με το άρθρο 61 του κανονισμού (ΕΚ) αριθ. 2100/94 του Συμβουλίου, της 27ης Ιουλίου 1994.

— Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το ΚΓΦΠ δεν είναι ανοικτό για τη παραλαβή εγγράφων, η προθεσμία παρατείνεται μέχρι την επόμενη ημέρα κατά την οποία το ΚΓΦΠ ανοίγει για τη παραλαβή εγγράφων και διεξάγεται η διανομή του κανονικού ταχυδρομείου, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.

— Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το γραφείο εξέτασης δεν είναι ανοικτό για τη λήψη φυτικού υλικού, η προθεσμία παρατείνεται μέχρι την επόμενη ημέρα κατά την οποία το γραφείο εξέτασης ανοίγει για τη λήψη φυτικού υλικού, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.

— Τυχόν φυτοϋγειονομικές απαιτήσεις θα γνωστοποιηθούν στον αιτούντα μαζί με το αίτημα υποβολής φυτικού υλικού στο σχετικό γραφείο εξέτασης

— Το φυτικό υλικό που υποβάλλεται πρέπει να είναι εμφανώς υγιές, εύρωστο και να μην έχει προσβληθεί από σημαντικούς επιβλαβείς οργανισμούς ή ασθένειες

EN Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material (Page 25)

The purpose of the S2 Gazette is to provide applicants with a consolidated version of the closing dates for applications and the submission requirements for plant material in view of their technical examination.

Since October 2010, it is digitally published on the website of the Office six times per year. Any modification with respect to the previously published version of the S2 appears highlighted.

A search tool is available to identify these modifications on the web site of the Office.

In order to allow for the checking of the history of records, each S2 publication will be saved as a .pdf document and will remain available for consultation to the web users.

Until 201601 gazette, the S2 covered deadlines for the submission of plant material and submission requirements of species for which applications are regularly filed. As from 201602 gazette, the CPVO decided to publish all species in the S2 gazette, but some data might stay empty. You are requested to contact the Office if the information for the species in question is not available. Please remember that it is the applicant's responsibility to familiarize himself sufficiently with all aspects of the application procedure including the details on the submission of plant material for the conduct of the technical examination. When filing an application, an applicant must be in a position to submit plant material of his variety by the deadline and in the quality and quantity prescribed by the Office. Otherwise, he runs the risk of his application being rejected. In case of questions about other species, please approach the CPVO at cpvo@cpvo.europa.eu.

- 1: Cultivation type
- 2: Fee group
- 3: Number of foreseen growing cycles
- 4: Country
- 5: Examination office
- 6: Closing date
- 7: Submission start
- 8: Submission end
- 9: Seed/plant quantity
- 10: Seed/plant quality

Important notes:

— *The applicant is expected to submit the plant material only after having received a request in writing from the CPVO. Failure to comply with the above instruction may jeopardise the whole procedure.*

— *Applicants are strongly advised not to leave the sending of applications or plant material to the last minute.*

— *Applications can be filed at any time. The CPVO envisages to start the technical examination in the growing period following the closing date if a valid application has been received by the closing date.*

— *The closing date determines the start of the technical examination. For applications with a date of application being no later than the closing date the technical examination will start in the coming growing period. If the closing date falls on a day on which the Office is not open, then the first day on which the Office is open shall become the closing date. For applications with a date of application posterior to the closing date the technical examination will start in the subsequent year.*

— *If plant material is submitted after the set submission date, the application could be refused pursuant to Article 61 Council Regulation (EC) No 2100/94 of 27 July 1994.*

— *If a time limit expires on a day on which the CPVO is not open for receipt of documents, the time limit shall extend until the first day thereafter on which the CPVO is open for receipt of documents and on which ordinary mail is delivered, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *If a time limit expires on a day on which the examination office is not open for receipt of plant material, the time limit shall extend until the first day thereafter on which the examination office is open for receipt of plant material, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *Any phytosanitary requirements will be communicated to the applicant with the request for the submission of plant material to the relevant examination office.*

— *The plant material supplied should be visibly healthy, not lacking in vigour or affected by any significant pest or disease.*

FR Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal (Page 25)

La Gazette S2 fournit aux demandeurs une version consolidée des dates de clôture des demandes et des conditions requises pour la soumission du matériel végétal en vue de son examen technique.

Depuis octobre 2010, elle est publiée six fois par an au format numérique sur le site web de l'Office. Toute modification par rapport à la version précédemment publiée est surlignée.

Un outil de recherche est disponible pour identifier ces modifications sur le site web de l'Office.

Afin de permettre la consultation des archives, chaque publication S2 sera sauvegardée dans un document au format .pdf auquel les internautes auront accès.

Jusqu'au numéro 201601, le bulletin officiel S2 contenait les dates de soumission du matériel végétal et les quantité et qualité du matériel demandé pour les espèces pour lesquelles des demandes étaient régulièrement déposées. A partir du numéro 201602, l'OCVV a décidé de publier la liste complète des espèces dans le bulletin officiel S2, mais certaines données pourront rester non renseignées. Veuillez contacter directement l'Office si les informations concernant l'espèce qui vous intéresse ne sont pas disponibles. N'oubliez pas qu'il est de la responsabilité du demandeur de se familiariser suffisamment avec tous les aspects de la procédure de demande, y compris les détails sur la soumission du matériel végétal pour la conduite de l'examen technique. Lors du dépôt d'une demande, le demandeur doit être en mesure de soumettre le matériel végétal de sa variété dans les délais, la qualité et la quantité prescrits par l'Office. Sinon, il court le risque du rejet de sa demande. Pour toutes questions concernant les autres espèces, veuillez prendre contact avec l'OCVV à l'adresse: cpvo@cpvo.europa.eu

- 1: Type de culture
- 2: Groupe de taxes
- 3: Nombre de cycles de culture prévus
- 4: Pays
- 5: Office d'examen
- 6: Date de clôture
- 7: Début de présentation
- 8: Fin de présentation
- 9: Quantité de graines/plants
- 10: Qualité de graines/plants

Remarques importantes:

— Le demandeur ne peut présenter le matériel végétal qu'après réception d'une demande écrite de l'OCVV. Le non-respect de l'instruction susmentionnée peut compromettre l'ensemble de la procédure.

— Il est fortement recommandé aux demandeurs de ne pas introduire des demandes ou de ne pas envoyer du matériel végétal à la dernière minute.

— Les demandes peuvent être déposées à tout moment. L'OCVV envisage de débiter l'examen technique lors de la saison de culture suivant la date de clôture, si une demande valide a été reçue avant la date de clôture.

— La date de clôture fixée pour chaque espèce détermine la date de début de l'examen technique des nouvelles demandes reçues pour cette espèce. Pour les demandes ayant une date de demande antérieure ou égale à la date de clôture fixée, l'examen technique débutera lors de la période de culture de l'espèce à venir. Si la date de clôture tombe un jour où l'Office est fermé, le premier jour où l'Office est ouvert devient alors la date de clôture. Pour les demandes ayant une date de demande postérieure à la date de clôture, l'examen technique débutera l'année suivante.

— Si du matériel végétal est présenté après la date de fin de présentation, la demande pourrait être rejetée conformément à l'article 61 du règlement (CE) n° 2100/94 du Conseil du 27 juillet 1994 instituant un régime de protection communautaire des obtentions végétales.

— Si un délai expire un jour où l'OCVV n'est pas ouvert pour recevoir des documents, le délai est prorogé jusqu'au premier jour suivant où les documents peuvent être déposés et où le courrier normal est distribué, conformément à l'article 71 du règlement d'application, Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.

— Si un délai expire un jour où on ne peut présenter de matériel végétal auprès de l'office d'examen, le délai est prorogé jusqu'au premier jour suivant celui où l'office d'examen est ouvert pour le dépôt de matériel végétal, conformément à l'article 71 du Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.

— Toute condition phytosanitaire sera communiquée au demandeur avec la demande de présentation de matériel végétal à l'office d'examen concerné.

— Le matériel végétal fourni doit être visiblement sain, vigoureux et exempt d'organismes nuisibles ou de maladies.

HR Posebno izdanje Službenog lista Ureda Zajednice za zaštitu biljnih sorti obavješćuje o datumima zatvaranja predaje zahtjeva te preduvjetima za prijavu biljnog materijala (Stranica 25)

Svrha Lista S2 jest podnositeljima zahtjeva osigurati konsolidiranu verziju datuma zatvaranja predaje zahtjeva te preduvjete za prijavu biljnog materijala radi tehničkog ispitivanja.

Od listopada 2010. objavljuje se u digitalnom obliku na internetskim stranicama Ureda šest puta godišnje. Sve izmjene i dopune prethodno objavljenoga izdanja Lista S2 posebno su označene.

Dostupan je i alat za pretraživanje kako bi se navedene izmjene i dopune mogle naći na internetskim stranicama Ureda.

Kako bi se omogućila provjera povijesti zapisa, svako izdanje lista S2 sprema se kao dokument u PDF formatu da bi ga poslije internetski korisnici mogli konzultirati.

List S2 je do Službenog lista br. 201601 obuhvaćao rokove za dostavu biljnog materijala i uvjete dostave za vrste za koje se redovito podnose prijave. Počevši od Službenog lista br. 201602 Ured Zajednice za zaštitu biljnih sorti (CPVO) odlučio je objavljivati sve vrste u Listu S2, ali polja za neke podatke mogu ostati prazna. Obratite se Uredu ako informacije za određenu vrstu nisu dostupne. Napominjemo da je odgovornost podnositelja prijave da se dobro obavijesti o svim aspektima postupka prijave, uključujući detalje dostave biljnog materijala radi provođenja tehničkog ispitivanja. Prilikom ispunjavanja prijave podnositelj mora biti u mogućnosti da do isteka roka dostavi biljni materijal za svoju sortu u količini i kvaliteti koje propisuje Ured. U suprotnom izlaže se riziku da će zahtjev biti odbijen. U slučaju pitanja o drugim vrstama, molimo vas da kontaktirate Ured Zajednice za zaštitu biljnih sorti (CPVO) na cpvo@cpvo.europa.eu.

- 1: Vrsta uzgoja
- 2: Skupina naknada
- 3: Broj predviđenih ciklusa rasta
- 4: Država
- 5: Ispitivački ured
- 6: Rok za dostavu
- 7: Početak podnošenja
- 8: Kraj podnošenja
- 9: Količina biljke/sjemena
- 10: Kvaliteta biljke/sjemena

Važne napomene:

— *Od podnositelja zahtjeva očekuje se da biljni materijal dostavi tek nakon primitka pisanoga zahtjeva Ureda Zajednice za zaštitu biljnih sorti (CPVO). Nepridržavanje gornjih uputa može ugroziti cijeli postupak.*

— *Podnositeljima zahtjeva savjetuje se da slanje zahtjeva ili biljnog materijala ne ostavljaju za posljednji trenutak.*

— *Zahtjevi se mogu podnijeti bilo kada. Ured Zajednice za zaštitu biljnih sorti predviđa početak tehničkog ispitivanja u razdoblju rasta nakon datuma zatvaranja postupka podnošenja zahtjeva ako je važeći zahtjev zaprimljen prije isteka roka za podnošenje zahtjeva.*

— *Rok za dostavu određuje početak tehničkog ispitivanja. Za zahtjeve sa datumom podnošenja zahtjeva ne kasnijim od roka za dostavu, tehničko ispitivanje će započeti u nadolazećoj vegetacijskoj sezoni. Ako rok za dostavu pada na dan na koji Ured nije otvoren, tada se prvi dan na koji je Ured otvoren smatra rokom za dostavu. Za zahtjeve sa datumom podnošenja zahtjeva kasnijim od roka za dostavu tehničko ispitivanje će započeti u sljedećoj godini.*

— *Ako je biljni materijal dostavljen nakon utvrđenoga roka za dostavu, zahtjev se može odbiti u skladu s odredbama članka 61. Uredbe Vijeća (EZ) br. 2100/94 od 27. srpnja 1994.*

— *Ako rok istječe na dan kada Ured Zajednice za zaštitu biljnih sorti (CPVO) nije otvoren za zaprimanje dokumenata i kada se dostavlja obična pošta, vremenski rok produljuje se na prvi slijedeći dan kada je Ured (CPVO) otvoren, u skladu s odredbama članka 71. Provedbenih pravila, Uredba Europske komisije br. 874/2009 od 17. rujna 2009.*

— *Ako rok istječe na dan kada Ured Zajednice za zaštitu biljnih sorti (CPVO) nije otvoren za zaprimanje dokumenata i kada se dostavlja obična pošta, vremenski rok produljuje se na prvi slijedeći dan kada je Ured (CPVO) otvoren, u skladu s odredbama članka 71. Provedbenih pravila, Uredba Europske komisije br. 874/2009 od 17. rujna 2009.*

— *Podnositelj zahtjeva dobiva sve fitosanitarne zahtjeve zajedno sa zahtjevom za dostavu biljnog materijala nadležnom ispitivačkom uredu.*

— *Dostavljeni biljni materijal trebao bi biti vidljivo zdrav, čvrst i slobodan od utjecaja važnijih štetočina ili bolesti.*

IT Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale (Pagina 25)

La finalità della Gazzetta S2 è fornire ai richiedenti una versione consolidata delle date di chiusura per la presentazione delle domande e i requisiti per la presentazione di materiale vegetale, in vista del loro esame tecnico.

Dal mese di ottobre 2010, la Gazzetta S2 viene pubblicata in formato digitale sul sito Internet dell'Ufficio sei volte all'anno. In cui qualsiasi modifica delle versioni della Gazzetta S2 precedentemente pubblicate appare evidenziata.

Per identificare queste modifiche, è inoltre disponibile uno strumento di ricerca sul sito Internet dell'Ufficio.

Per consentire il controllo dello storico della documentazione, ciascuna pubblicazione S2 sarà salvata in formato .pdf e rimarrà disponibile per poter essere consultata da parte degli utenti Web.

Fino alla Gazzetta 201601, la Gazzetta S2 ha informato sulle scadenze relative alla presentazione di materiale vegetale e sui requisiti in materia di presentazione di specie per le quali periodicamente sono presentate domande. A partire dalla Gazzetta 201602, l'UCVV ha deciso di pubblicare tutte le specie nella Gazzetta S2, ma alcuni dati potrebbero non figurare. Si prega di rivolgersi all'Ufficio se le informazioni per la specie in questione non sono disponibili. Si ricorda inoltre che è compito del richiedente di studiare tutti gli aspetti della procedura della richiesta, compresi i dettagli relativi alla presentazione di materiale vegetale per la realizzazione dell'esame tecnico. Al momento della compilazione della richiesta, il richiedente deve essere in grado di presentare del materiale vegetale della varietà in questione entro la scadenza, e nella quantità e nella qualità prescritta dall'Ufficio. In caso contrario la richiesta può essere respinta. Per eventuali quesiti inerenti ulteriori specie, si prega di contattare l'UCVV al seguente indirizzo di posta elettronica: cpvo@cpvo.europa.eu.

- 1: Tipo di coltivazione
- 2: Categoria delle tasse
- 3: Numero di cicli vegetativi previsti
- 4: Paese/Nazione
- 5: Ufficio di esame
- 6: Termine ultimo
- 7: Inizio presentazione
- 8: Fine presentazione
- 9: Quantità semi/piante
- 10: Qualità semi/piante

Note importanti:

— *Il richiedente è tenuto a presentare il materiale vegetale solo dopo averne ricevuto richiesta scritta da parte dell'U.C.V.V. L'inosservanza di quanto sopra può compromettere l'intera procedura.*

— *Si raccomanda imperativamente ai richiedenti di non inviare le domande, o il materiale vegetale, all'ultimo momento.*

— *Le domande possono essere depositate in qualsiasi momento. L'UCVV prevede di iniziare gli esami tecnici nel periodo di crescita successivo al termine ultimo per la presentazione, qualora la domanda sia valida, e pervenuta entro il termine ultimo previsto.*

— *La data di chiusura determina l'inizio dell'esame tecnico. Per domande con una data entro e non oltre la data di chiusura, l'esame tecnico avrà inizio nel periodo di crescita a venire. Se cade in un giorno in cui l'Ufficio non è aperto, il termine ultimo diventa il primo giorno in cui l'Ufficio è aperto. Per domande con una data posteriore alla data di chiusura, l'esame tecnico avrà inizio l'anno successivo.*

— *Se il materiale vegetale viene presentato successivamente al termine ultimo di presentazione, la domanda può essere respinta ai sensi dell'articolo 61 del regolamento (CE) n. 2100/94 del Consiglio del 27 luglio 1994.*

— *Ove il termine ultimo dovesse scadere un giorno festivo, esso sarà prorogato sino al primo giorno successivo in cui l'U.C.V.V. può ricevere i documenti e nel quale la distribuzione della corrispondenza avviene normalmente, ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.*

— *Ove il termine ultimo dovesse scadere un giorno in cui l'ufficio d'esame non è in grado di ricevere il materiale vegetale, il richiedente dovrà considerare come termine ultimo il primo giorno successivo in cui l'ufficio d'esame è aperto per la ricezione del materiale vegetale ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.*

— *Qualsiasi particolare concernente i requisiti fitosanitari sarà comunicato al richiedente insieme alla richiesta di presentazione del materiale vegetale all'ufficio d'esame competente.*

— *Il materiale vegetale fornito deve godere visibilmente di buon stato di salute, non mancare di vigore e non essere affetto da alcun parassita o malattia importante.*

LV Kopienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām (Lappuse 25)

S2 Gazette mērķis ir sniegt pieteikuma iesniedzējiem konsolidētā versijā pieteikumu iesniegšanas beigu datumus un iesniegšanas prasības attiecībā uz augu materiāliem, ņemot vērā to tehnisko pārbaudi.

Kopš 2010. gada oktobra to digitāli publicē Biroja tīmekļa vietnē sešas reizes gadā. Jebkuras izmaiņas, salīdzinot ar iepriekš publicēto S2 versiju, tiek izceltas.

Lai identificētu šīs izmaiņas, Biroja tīmekļa vietnē ir pieejams meklēšanas rīks.

Lai varētu pārbaudīt ierakstu vēsturi, katra S2 publikācija tiks saglabāta pdf formāta dokumentā un būs pieejama tīmekļa lietotājiem.

S2 līdz izdevumam Nr. 201601 ietvēra augu materiāla iesniegšanas termiņus un to sugu iesniegšanas prasības, par kurām regulāri tiek iesniegti pieteikumi. CPVO nolēma visas sugas publicēt S2 vēstnesī, sākot ar izdevumu Nr. 201602, tomēr daži dati var nebūt norādīti. Jūs esat aicināts sazināties ar Biroju, ja informācija par sugu, kuru vēlaties pieteikt, nav pieejama. Lūdzu, ņemiet vērā, ka tā ir pieteicēja atbildība pieteikami iepazīties ar visiem pieteikšanās procedūras aspektiem tai skaitā ar nosacījumiem iesniedzot augu materiālu tehniskās pārbaudes veikšanai. Iesniedzot pieteikumu, iesniedzējam jāspēj nodrošināt savas šķirnes augu materiāla iesniegšana līdz norādītajam termiņam tādā daudzumā un kvalitātē, kā noteicis Birojs. Pretējā gadījumā viņš riskē, ka viņa iesniegums tiks noraidīts. Ja Jums ir jautājumi par citām šķirnēm, lūdzu, sazinieties ar Kopienas Augu šķirņu biroju cpvo@cpvo.europa.eu.

- 1: Augsnes apstrādes tips
- 2: Maksas grupa
- 3: Paredzēto audzēšanas ciklu skaits
- 4: Valsts
- 5: Pārbaudes iestāde
- 6: Termiņš
- 7: Iesniegšanas sākums
- 8: Iesniegšanas beigas
- 9: Sēklu/augu daudzums
- 10: Sēklu/augu kvalitāte

Svarīgas piezīmes:

— Iesniedzējs iesniedz augu materiālu tikai pēc CPVO rakstiska pieprasījuma saņemšanas. Minētā noteikuma neievērošana var apdraudēt visu procedūru.

— Pieteikumu iesniedzējiem neiesaka kavēties ar pieteikumu vai augu materiāla nosūtīšanu līdz pēdējam brīdim.

— Pieteikumus var iesniegt jebkurā laikā. KAŠB paredz sākt tehnisko pārbaudi nākamajā veģetācijas periodā pēc iesniegšanas termiņa, ja derīgs pieteikums ir saņemts pirms attiecīgā iesniegšanas termiņa beigām.

— Pieteikuma iesniegšanas beigu datums nosaka, tehniskās pārbaudes sākumu. Pieteikumiem, kuri iesniegti līdz noteiktajam beigu datumam tehniskā pārbaude sākas tekošajā veģetācijas periodā. Ja termiņš sakrīt ar dienu, kad Birojs nestrādā, tad par termiņu tiek noteikta Biroja pirmā darbdiena. Pieteikumiem, kuri iesniegti pēc beigu datuma, tehnisko pārbaudi sāk nākamajā gadā.

— Ja augu materiāls iesniegts pēc noteiktā iesniegšanas termiņa, pieteikumu var noraidīt saskaņā ar 1994. gada 27. jūlija Padomes Regulas (EK) Nr. 2100/94 61. pantu.

— Ja termiņš izbeidzas dienā, kad CPVO dokumentus nepieņem, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad CPVO pieņem dokumentus un kad saņem parasto pastu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 īstenošanas noteikumu 71.pantu.

— Ja termiņš izbeidzas dienā, kad pārbaudes iestāde nepieņem augu materiālu, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad pārbaudes iestāde pieņem augu materiālu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 īstenošanas noteikumu 71.pantu.

— Visas nepieciešamās fitosanitārās prasības pieteikuma iesniedzējam paziņo, izsūtot pieprasījumu augu materiāla iesniegšanai atbilstīgajai pārbaudes iestādei

— Iesniedzamajam materiālam jābūt vizuāli veselam, spēcīgam, bez būtiskiem kaitēkļu vai slimību izraisītiem bojājumiem.

LT Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus (Puslapis 25)

S2 biuletenyje pareiškėjams pateikiama apibendrinta informacija apie galutines paraiškų pateikimo datas ir techninei ekspertizei skirtos augalinės medžiagos pateikimo reikalavimus.

Nuo 2010 m. spalio mėn. jo elektroninė redakcija skelbiama tarnybos svetainėje šešis kartus per metus. Visi anksčiau paskelbtų S2 redakcijų pakeitimai pateikiami paryškintu šriftu.

Paieškos priemonė padės nustatyti šiuos pakeitimus Tarnybos svetainėje.

Kad būtų galima peržiūrėti įrašų žurnalą, visi S2 leidiniai bus įrašomi PDF formatu, ir su jais galės susipažinti interneto svetainės lankytojai.

Iki 201601 leidinio S2 apėmė augalinės medžiagos pateikimo ir reikalavimų rūšims, dėl kurių reguliariai pateikiamos paraiškos, pateikimo terminus. Nuo 201602 leidinio BAVT nusprendė paskelbti visas rūšis S2 leidinyje, tačiau kai kurie duomenys gali likti neįrašyti. Jei informacijos apie atitinkamą rūšį nėra, prašome susisiekti su tarnyba. Prašome prisiminti, kad pareiškėjo pareiga yra pakankamai žinoti visus paraiškų teikimo aspektus, įskaitant augalo medžiagos pateikimo techninės ekspertizės atlikimui. Pateikęs paraišką pareiškėjas turi laiku pateikti jo veislės augalo medžiagą, kuri atitiktų Tarnybos nurodytą kokybę ir kiekį. Priešingu atveju jis rizikuoja, kad jo paraiška bus atmesta. Klausimus dėl kitų rūšių prašome pateikti Augalų veislių tarnybai el. paštu cpvo@cpvo.europa.eu.

- 1: Auginimo tipas
- 2: Mokesčio grupė
- 3: Numatomas auginimo ciklo skaičius
- 4: Šalis
- 5: Ekspertizės tarnyba
- 6: Galutinė data
- 7: Pateikimo pradžia
- 8: Pateikimo pabaiga
- 9: Sėklų (augalų) kiekis
- 10: Sėklų (augalų) kokybė

Svarbi informacija:

— Pareiškėjas augalinę medžiagą gali pateikti tik tuomet, kai BAVT to pareikalauja raštu. Nesilaikant šio reikalavimo, procedūra gali būti nutraukta.

— Rekomenduojama paraiškas ir augalinę medžiagą pateikti laiku (nelaukiant iki paskutinės dienos).

— Paraiškas galima užpildyti bet kuriuo metu. BAVT numato pradėti techninę ekspertizę auginimo laikotarpiu po galutinės paraiškų pateikimo dienos, jei ji galiojančią paraišką gavo iki galutinės paraiškų pateikimo datos.

— Pasibaigus paraiškų pateikimo terminui prasideda techninė ekspertizė. Paraišką pateikus ne vėliau nei galutinis paraiškos pateikimo terminas, ekspertizė prasidės iškart prasidėjus auginimo laikotarpiui. Jei galutinė paraiškos pateikimo diena yra tarnybos nedarbo diena, tuomet galutinė data bus kita pirma tarnybos darbo diena. Jei paraiškos pateiktos pasibaigus terminui, tuomet techninė ekspertizė prasidės kitais auginimo metais.

— Jei augalinė medžiaga pateikiama po galutinės jos pateikimo datos, paraiška gali būti atmesta pagal 1994 m. liepos 27 d. Tarybos reglamento (EB) Nr. 2100/94 61 straipsnį.

— Jei nustatytas terminas yra tokia diena, kurią BAVT nepriima dokumentų, jis pratęsiamas iki kitos dienos, kurią BAVT priima dokumentus ir kurią teikiamos įprastinės pašto paslaugos, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.

— Jei nustatytas terminas yra tokia diena, kurią ekspertizės tarnyba nepriima augalinės medžiagos, jis pratęsiamas iki kitos dienos, kurią ekspertizės tarnyba priima augalinę medžiagą, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.

— Apie visus fitosanitarinius reikalavimus pareiškėjui bus pranešta, kai iš jo bus pareikalauta pateikti augalinę medžiagą atitinkamai ekspertizės tarnybai.

— Pateikiama augalinė medžiaga iš pažiūros turi atrodyti sveika, nesuglebusi ir negali būti sugadinta kenkėjų ar ligų.

HU A CPVO Hivatalos Közlönyének speciális kiadványa-tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről (Oldal 25)

Az S2 Gazette célja az, hogy a kérelmezők rendelkezésére bocsássa a kérelmek beadására vonatkozó egységesített határidőket, valamint a növény minta beküldésére vonatkozó előírásokat szakmai szempontok szerint.

2010 októbere óta a közlőnyt digitálisan teszik közzé a Hivatal weboldalán évente hat alkalommal. Az S2 kiadvány bármely, előzőleg közzétett változatához képest megjelenő módosítás kiemelve szerepel.

Egy kereső segítségével ezek a módosítások azonosíthatók a Hivatal weboldalán.

Annak érdekében, hogy a nyilvántartások előzményeit ellenőrizni lehessen, minden S2 kiadványt el fognak menteni pdf. dokumentumként, amely betekintés céljából a webes felhasználók rendelkezésére fog állni.

A 201601. sz. kiadvány előtt az S2 tartalmazta a növényi anyagok beküldésének határidejét és az olyan fajokra vonatkozó beküldési követelményeket, amelyekre rendszeresen bejelentést nyújtanak be. A CPVO úgy határozott, hogy a 201602. sz. kiadványtól kezdve az S2 közlőnyben az összes növényfajt közzéteszi, ennek ellenére néhány adatmező üresen maradhat. Ha a kérdéses növényfajokkal kapcsolatban nem érhető el információ, közvetlenül a Hivatalhoz kell fordulni. A bejelentési dokumentum kitöltése során a bejelentőnek tekintetbe kell vennie a fajta szaporítóanyagának beküldési határidejét és a Hivatal által meghatározott mennyiségi és minőségi követelményrendszerét. Ellenkező esetben a bejelentő kockáztatja a bejelentésének visszautasítását. Amennyiben egyéb fajtákkal kapcsolatban kérdése merülne fel, kérjük, keresse meg a CPVO-t a : cpvo@cpvo.europa.eu címen.

- 1: Termesztés típusa
- 2: Díj csoport
- 3: A tervezett termesztési ciklusok száma
- 4: Ország
- 5: Ellenőrző Hivatal
- 6: Benyújtási határidő
- 7: A szaporítóanyag beküldés kezdeti időpontja
- 8: A szaporítóanyag beküldés végső időpontja
- 9: Mag/Növény mennyiség
- 10: Mag/Növény minőség

Fontos megjegyzés:

— A kérelmet benyújtónak csak akkor kell elküldenie a szaporítóanyag mintát, miután a CPVO-tól írásos nyilatkozatot átvette. Az említett utasítás be nem tartása az egész eljárást veszélyezteti.

— A kérelmezőknek nem tanácsos a kérelmek vagy a növényi szaporítóanyag minták benyújtásnak elküldését az utolsó pillanatra halasztaniuk.

— Kérelmet bármikor be lehet nyújtani. A CPVO a technikai vizsgálat megkezdését a benyújtási határidőt követő termesztési időszakra irányozza elő, ha az érvényes kérelem a benyújtási határidő lejártá előtt beérkezett.

— A bejelentési határidő meghatározza a technikai vizsgálatok kezdetét. A bejelentési határidő előtti bejelentések esetében a technikai vizsgálatok a következő vizsgálati ciklusban megkezdődnek. Amennyiben a benyújtási határidő olyan napra esik, amikor a Hivatal zárva van, a benyújtási határidő a következő olyan nap lesz, amikor a Hivatal nyitva van. A bejelentési határidő utáni bejelentések esetében a technikai vizsgálatok a következő utáni vizsgálati ciklusban kezdődnek meg.

— A beküldési határidő lejártát követően beküldött növényi szaporítóanyag minták esetében a kérelmet az 1994. július 27-i, 2100/94/EK tanácsi rendelet 61. cikke alapján vissza lehet utasítani.

— Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem fogad dokumentumokat, a határidőt -a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint az első olyan napig hosszabbítják meg, amelyen a CPVO fogad dokumentumokat, és amelyen a szokványos postai küldemények érkeznek.

— Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem vesz át szaporítóanyag mintákat, a határidőt -a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint - az első olyan napig hosszabbítják meg, amelyen a hivatal átvesz növényi mintákat.

— A kérelmet benyújtó tájékoztatást kap a növény-egészségügyi követelményekről, amikor megkapja a növényi minta illetékes vizsgáló hivatalhoz való benyújtásáról szóló nyilatkozatot.

— A benyújtott növénymintának láthatóan egészségesnek, életerőnek kell lennie, illetve nem szenvedhet jelentős kártevő vagy kórokozó fertőzéstől.

MT Hargha Speċjali tal-Gazzetta Uffiċjali ta' ĊPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti għallprezentazzjoni ta' materjali tal-pjanti (Pagna 25)

L-għan tal gazzeta S2 huwa li jipprovdi lill-applikanti b'verzjoni konsolidata tad-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti ta' prezentazzjoni għal materjal tal-pjanti fid-dawl tal-eżami tekniku tagħhom.

Minn Ottubru 2010, il-hargha ta' S2 qed tiġi ppublikata digitalment fuq is-sit web tal-Uffiċċju sitt darbiet fis-sena. Kull modifika għal verżjoni ppublikata qabel fl-S2 tidher immarkata.

Għodda ta' tfittxija hija disponibbli b'x tidentifika dawn il-modifiki fuq is-sit elettroniku tal-Uffiċċju.

Sabier ikun eħfef it-tiftix fir-rekords tal-passat, kull hargha ta' S2 ser tkun issejvjata bħal dokument .pdf u tibqa' disponibbli għall-konsultazzjoni mill-utenti as-sit elettroniku.

Sal-gazzetta 201601, l-S2 kopra dati ta' skadenza għas-sottomissjoni ta' materjal tal-qasrija u r-rekwiżiti tas-sottomissjoni ta' speċi li għalihom regolarment jimtlew applikazzjonijiet. Mill-gazzetta 201602 'il quddiem, is-CPVO ddecieda li jippubblika l-ispeċi kollha fil-gazzetta S2, iżda xi data tista' tiġi barra. Int mitlub tikkuntattja l-Uffiċċju jekk l-informazzjoni għall-ispeċi inkwistjoni mhix disponibbli. Jekk jogħġbok ftakar li din hija r-responsabbiltà ta' l-applikant li jiffamiljarizza ruħu biżżejjed mal-aspetti kollha tal-proċedura ta' applikazzjoni li tinkludi d-dettalji fuq il-provvista ta' materjal ta' pjanti għat-tmejxija tal-eżami tekniku. Meta tidhol applikazzjoni, l-applikant għandu jkun f'pożizzjoni li jibgħat materjal tal-pjanti tal-varjetà tiegħu sal-iskadenza u fil-kwalità u l-kwantità preskritti mill-Uffiċċju. Inkella, ikun qed jittiehed ir-riskju li l-applikazzjoni tiġi miċhuda. F'każ ta' mistoqsijiet dwar speċi oħra, ikkuntattja ċ-CPVO fuq cpvo@cpvo.europa.eu.

- 1: Tip ta' kultivazzjoni
- 2: Grupp ta' miżata
- 3: Għadd ta' ċikli ta' tkabbir previst
- 4: Pajjiż
- 5: Uffiċċju ta' l-eżami
- 6: Data tal-għeluq
- 7: Bidu tal-perjodu ta' prezentazzjoni
- 8: Tmien tal-perjodu ta' prezentazzjoni
- 9: Kwantità ta' żrieragħ/pjanti
- 10: Kwalità ta' żrieragħ/pjanti

Noti importanti:

— *L-applikant huwa mistenni jipprezenta l-materjal tal-pjanti biss wara li jkun irċieva talba bil-miktub miċ-CPVO. Jekk ma jsirx dan ta' hawn fuq, il-proċedura sħiħa tista' tiġi perikolata.*

— *Applikanti huma mwissija sew li ma jdumux sa l-aħħar ma jibagħtu l-applikazzjonijiet jew il-materjal tal-pjanti.*

— *L-applikazzjonijiet jistgħu jiġu ddepożitati fi kwalunkwe mument. I ċ-CPVO jipprevedi li jibda l-eżamijiet tekniċi fil-perjodu tat-tkabbir wara d-data ta' skadenza, f'każ li tasal applikazzjoni valida sad-data ta' skadenza.*

— *Id-data tal-għeluq tiddetermina l-bidu tal-eżami tekniku. Għal applikazzjonijiet li d-data tagħhom ma tkunx aktar tard mid-data tal-għeluq, l-eżami tekniku jibda fil-perjodu ta' tkabbir li jkun jmiss. Jekk id-data tal-għeluq taħbat f'jum li l-Uffiċċju ma jkunx miftuħ, allura, l-ewwel jum li fih l-Uffiċċju jkun miftuħ jiġi d-data tal-għeluq. Għal applikazzjonijiet datati wara d-data tal-għeluq tal-eżami tekniku, l-eżami tekniku jibda fis-sena segwenti.*

— *Jekk il-materjal tal-pjanti jiġi pprezentat wara d-data ta' prezentazzjoni stabbilita, l-applikazzjoni tista' tiġi rifjutata skond l-Artikolu 61 tar-Regolament tal-Kunsill (KE) Nru 2100/94 tas-27 ta' Lulju 1994.*

— *Jekk jiskadi limitu ta' żmien f'gurnata meta ċ-CPVO ma jkunx jopera għar-riċeviment ta' dokumenti, il-limitu ta' żmien għandu jiġi estiż sa l-ewwel gurnata wara din, meta ċ-CPVO jkun miftuħ għall-wasla ta' dokumenti u meta posta ġenerali tkun taslilhom, skont l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Jekk jiskadi limitu ta' żmien f'gurnata meta l-uffiċċju ta' l-eżami ma jkunx jopera għar-riċeviment ta' materjal tal-pjanti, il-limitu ta' żmien għandu jiġi estiż sa l-ewwel gurnata wara din, meta l-uffiċċju ta' l-eżami jkun miftuħ għall-wasla ta' materjal tal-pjanti skont l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Kwalunkwe rekwiżiti fitosanitarji jintbagħtu lill-applikant flimkien mat-talba tal-prezentazzjoni tal-materjal tal-pjanti lill-uffiċċju ta' l-eżami rilevanti.*

— *Il-materjal tal-pjanti fornut għandu jkun vizibbilment b'saħħtu, ma jonqsux il-vitalità jew ibati minn parassita jew marda importanti.*

NL Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informatieve betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plantmateriaal (Bladzijde 25)

Het S2-Mededelingenblad is bedoeld om aanvragers een geconsolideerde versie ter beschikking te stellen van informatie betreffende de afsluitdata voor aanvragen en de vereisten voor inlevering van plantmateriaal met het oog op het technisch onderzoek ervan.

Sinds oktober 2010 wordt de S2 via de website van het Bureau digitaal gepubliceerd, zes maal per jaar. Alle wijzigingen ten opzichte van het vorige gepubliceerde S2 nummer zijn gemarkeerd.

Op de website van het Bureau is een zoektool beschikbaar om deze wijzigingen gemakkelijk terug te vinden.

Elk S2-nummer zal worden opgeslagen als .pdf-document en ter raadpleging voor de webgebruikers beschikbaar blijven, zodat de document-geschiedenis kan worden nagegaan.

Tot het nummer 201601 behandelde de S2 sluitingsdatums voor het inleveren van plantmateriaal en de voorwaarden voor het inleveren van soorten waarvoor regelmatig aanvragen worden ingediend. Het CPVO heeft beslist om vanaf het nummer 201602 alle soorten in de S2-publicatie openbaar te maken, maar het kan zijn dat sommige gegevens oningevuld blijven. U wordt verzocht met het Bureau contact op te nemen indien de informatie voor de desbetreffende soort niet beschikbaar is. Gelieve te noteren dat het tot de verantwoordelijkheid van de aanvrager behoort om zich voldoende te informeren over de aspecten van de aanvraagprocedure, inbegrepen de bijzonderheden over de inlevering van plantmateriaal voor het technische onderzoek. Wanneer U een aanvraag indient, dient de aanvrager in de mogelijkheid te zijn om plantmateriaal van dit ras voor het einde van de tijdslimiet en in de door het Bureau voorgeschreven hoeveelheden en kwaliteit in te leveren. Anders loopt hij het risico dat zijn aanvraag wordt verworpen. In geval van vragen over andere soorten kunt u met het CPVO contact opnemen via cpvo@cpvo.europa.eu.

- 1: Teelt type
- 2: Kostengroep
- 3: Aantal voorziene groeicycli
- 4: Land
- 5: Onderzoekstation
- 6: Sluitingsdatum
- 7: Aanvang van inleveringsperiode
- 8: Sluiting van inleveringsperiode
- 9: Zaad-/planthoeveelheid
- 10: Zaad-/plantkwaliteit

Belangrijke opmerkingen:

— *De aanvrager dient het plantmateriaal uitsluitend in te leveren nadat hij daartoe een schriftelijk verzoek heeft ontvangen van het Communautair Bureau voor Plantenrassen. Het niet-voldoen aan deze vereiste kan de gehele procedure in gevaar brengen.*

— *Aanvragers wordt ten zeerste aanbevolen niet tot het laatste moment te wachten met het insturen van aanvragen of het ter beschikking stellen van plantmateriaal.*

— *Aanvragen kunnen op ieder moment worden ingediend. Indien het Communautair Bureau voor Plantenrassen een geldige en volledige aanvraag ontvangt vóór de sluitingsdatum, zal het het technisch onderzoek in de meeste gevallen starten in het groeiseizoen dat volgt op de sluitingsdatum.*

— *De richtdatum van de sluitingstermijn bepaalt de start van het technische onderzoek. Voor aanvragen met een aanvraagdatum die niet later is dan de richtdatum zal het technische onderzoek tijdens de komende groeiperiode aanvangen. Valt de sluitingsdatum op een dag waarop het Bureau niet open is, dan zal de eerste dag waarop het Bureau open is de sluitingsdatum worden. Voor aanvragen met een aanvraagdatum later dan de richtdatum zal het technische onderzoek tijdens het daaropvolgende jaar aanvangen.*

— *Indien plantmateriaal na de uiterste inleverdatum wordt ingeleverd, kan de aanvraag worden afgewezen krachtens artikel 61 van Verordening (EG) nr. 2100/94 van de Raad van 27 juli 1994.*

— *Wanneer een termijn verstrijkt op een dag waarop het Communautair Bureau voor Plantenrassen niet open is voor ontvangst van documenten, wordt de termijn verlengd tot de eerstvolgende dag waarop het Communautair Bureau voor Plantenrassen wel open is voor ontvangst van documenten en waarop gewone post wordt bezorgd, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.*

— *Wanneer een termijn verstrijkt op een dag waarop het onderzoekstation niet open is voor ontvangst van plantmateriaal, wordt de termijn verlengd tot de eerstvolgende dag waarop het onderzoekstation wel open is voor ontvangst van plantmateriaal, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.*

— *Bijzondere fytosanitaire voorwaarden zullen samen met het verzoek tot inlevering van plantmateriaal bij het relevante onderzoekstation aan de aanvrager worden meegedeeld.*

— *Het aangeleverde plantmateriaal dient zichtbaar in gezonde staat te verkeren en mag geen gebrek aan groeikracht of aantasting vertonen van een belangrijke plaag of ziekte.*

PL Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przysyłania materiału roślinnego (Strona 25)

Celem publikacji Urzędowej Gazety S2 jest przekazanie wnioskodawcom skonsolidowanych informacji o ostatecznych terminach składania wniosków oraz o wymogach dotyczących składania materiału roślinnego w związku z jego badaniem technicznym.

Od października 2010 r. Urzędowa Gazeta S2 jest publikowana na stronie internetowej Urzędu sześć razy w roku. Wszelka zmiana względem wcześniej opublikowanych wersji jest zaznaczona.

Na stronie internetowej Urzędu jest dostępne narzędzie wyszukiwania w celu zidentyfikowania tych zmian.

Aby umożliwić sprawdzenie wcześniejszych dokumentów, każda publikacja Urzędowej Gazety S2 zostanie zachowana jako dokument .pdf i będzie dostępna do konsultacji dla użytkowników internetowych.

Do stycznia 2016 r. Gazeta S2 zawierała terminy dostarczania materiału roślinnego i inne wymagania w zakresie dostarczania dla gatunków, w odniesieniu do których regularnie składane są wnioski. Od lutego 2016 r. CPVO zdecydowała o publikacji wszystkich gatunków w Gazecie S2, ale niektóre dane mogą pozostać niewypełnione. Prosimy o kontakt z Urzędem, jeżeli informacje na temat danych gatunków nie są dostępne. Proszę pamiętać, że wnioskodawca ma obowiązek zapoznać się wystarczająco z wszystkimi aspektami procedury, w tym ze szczegółami dotyczącymi dostarczania materiału roślinnego do przeprowadzenia badania technicznego. Składając wniosek, wnioskodawca musi być w stanie przedłożyć materiał roślinny swojej odmiany w terminie, o jakości i w ilości wyznaczonych przez Urząd. W przeciwnym razie podejmuje ryzyko odrzucenia wniosku. W przypadku pytań dotyczących innych gatunków prosimy o kontakt z CPVO pod adresem cpvo@cpvo.europa.eu.

- 1: Typ uprawy
- 2: Grupa opłat
- 3: Liczba przewidzianych cykli wzrostu
- 4: Kraj
- 5: Urząd badawczy
- 6: Termin zamknięcia
- 7: Data rozpoczęcia dostarczania materiału
- 8: Data zamknięcia dostarczania materiału
- 9: Ilość materiału siewnego/ liczba roślin
- 10: Jakość materiału siewnego/ roślin

Ważne uwagi:

- Wnioskodawca winien wysłać materiał roślinny jedynie na pisemne żądanie WUOR. Niezastosowanie się do powyższych zaleceń może negatywnie wpłynąć na przebieg postępowania.
- Wnioskodawcy nie zaleca się wysyłanie wniosków lub materiału roślinnego w ostatnim momencie.
- Zgłoszenia może składać w każdym czasie. CPVO zamierza rozpocząć badanie techniczne w okresie wzrostu przypadającym po dacie zamknięcia, pod warunkiem, że ważny wniosek został złożony przed upływem ostatecznego terminu.
- Data zamknięcia determinuje rozpoczęcie badania technicznego. Dla podań z datą wniosku nie późniejszą od daty zamknięcia, badanie techniczne rozpocznie się w nadchodzącym okresie wegetacyjnym. Jeśli data zamknięcia przypada na dzień, w którym Urząd nie pracuje, wtedy pierwszy dzień pracy Urzędu zostaje uznany za datę zamknięcia. Dla podań z datą wniosku po dacie zamknięcia, badanie techniczne rozpocznie się w następnym roku.
- Jeżeli materiał roślinny zostanie złożony po ustalonej dacie składania materiału, wniosek może zostać odrzucony na mocy art. 61 rozporządzenia Rady (WE) nr 2100/94 z dnia 27 lipca 1994 r.
- Jeżeli dany termin upływa w dniu, w którym WUOR nie przyjmuje dokumentów, termin ten zostaje przedłużony do pierwszego kolejnego dnia, w którym WUOR jest otwarty do celów przyjmowania dokumentów oraz w którym dostarczana jest zwyczajna poczta, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Jeżeli dany termin upływa w dniu, w którym urząd badawczy nie przyjmuje materiałów roślinnych, termin ten zostaje przedłużony do pierwszego dnia, w którym urząd badawczy jest otwarty do celów przyjmowania materiału roślinnego, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Wszelkie wymogi fitosanitarne zostaną przekazane wnioskodawcy wraz z wnioskiem o przedstawienie materiału roślinnego odpowiedniemu urzędowi badawczemu.
- Dostarczony materiał roślinny powinien charakteryzować się wyraźnie zdrowym wyglądem i żywotnością, nie powinien też być poważnie zaatakowany przez szkodniki ani dotknięty istotnymi chorobami.

PT Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal (Página 25)

A Edição Especial do Boletim Oficial (S2) destina-se a fornecer aos requerentes uma versão consolidada com informações relativas às datas limite e aos requisitos de apresentação de material vegetal com vista ao seu exame técnico.

A partir de Outubro de 2010, será publicado no sítio Web do ICVV, em versão digital, seis vezes por ano. Todas as modificações à versão do Boletim S2 previamente publicadas serão destacadas.

No website do ICVV está disponível uma ferramenta de pesquisa que permite identificar estas alterações.

Com vista a permitir a consulta do historial de registos, cada publicação do Boletim S2 será guardada em formato .pdf e disponibilizada para consulta aos utilizadores do website.

Até à gazeta 201601, o Boletim S2 continha os prazos de apresentação de material vegetal e dos requisitos de apresentação relativos a espécies para as quais um pedido é regularmente processado. A partir da gazeta 201602, o ICVV decidiu publicar todas as espécies no Boletim S2, mas alguns dados poderão não ser incluídos. O requerente é convidado a contactar o ICVV caso a informação sobre a espécie em questão não esteja disponível. Chama-se a atenção do requerente sobre o facto de que é da sua responsabilidade de se familiarizar com todos os aspectos do processamento de um pedido, incluindo os detalhes relativos à apresentação de material vegetal para a realização de exames técnicos. Aquando do depósito de um pedido, o requerente deve estar em condições de enviar o material vegetal relativo à sua variedade nos prazos, na qualidade e na quantidade tais que exigidos pelo ICVV. Caso contrário, corre o risco de ver o seu pedido invalidado. Para qualquer questão relacionada com outras espécies, contacte o ICVV através do seguinte endereço de correio electrónico: cpvo@cpvo.europa.eu.

- 1: Tipo de cultivo
- 2: Grupo de taxas
- 3: Número de ciclos vegetativos previstos
- 4: País
- 5: Organismo de exame
- 6: Datas-limites
- 7: Início do prazo de envio do material vegetal
- 8: Fim do prazo de envio do material vegetal
- 9: Quantidade de sementes/plantas
- 10: Qualidade das sementes/plantas

Notas importantes:

— *O requerente só deve apresentar o material vegetal depois de ter recebido um pedido por escrito do ICVV. O incumprimento desta instrução pode comprometer todo o processo.*

— *Os requerentes são vivamente aconselhados a não deixarem para a última hora o envio dos pedidos ou do material vegetal.*

— *Os pedidos podem ser apresentados em qualquer altura. O ICVV prevê iniciar o exame técnico no ciclo de cultivo seguinte a data limite para pedidos, sempre que o pedido seja válido e tenha sido recebido dentro do prazo.*

— *A data-limite determina o início do exame técnico. Para pedidos com data de pedido anterior à data-limite, o exame técnico será iniciado no ciclo de cultivo seguinte. Se a data-limite coincidir com um dia em que o ICVV estiver fechado, então a data limite transita para o primeiro dia o ICVV estiver aberto. Para os pedidos com data de pedido posterior à data-limite, o exame técnico será iniciado no ano seguinte.*

— *Se o material vegetal for apresentado após a data de apresentação fixada, o pedido poderá ser recusado, nos termos do artigo 61º do Regulamento (CE) nº 2100/94 do Conselho, de 27 de Julho de 1994.*

— *Se um prazo expirar num dia em que o ICVV não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o ICVV esteja aberto para recepção de documentos e em que o correio normal seja distribuído, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Se um prazo expirar num dia em que o organismo de exame não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o organismo de exame esteja aberto para recepção de documentos, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Quaisquer requisitos fitossanitários serão comunicados ao requerente, juntamente com o pedido de apresentação do material vegetal ao organismo de exame pertinente.*

— *O material vegetal apresentado deve estar em perfeitas condições sanitárias, apresentar-se viçoso e não estar afectado por qualquer praga ou doença, nomeadamente vírus.*

RO Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal (Pagina 25)

Scopul Buletinului S2 este de a oferi solicitanților o versiune consolidată a datelor de închidere a depunerii candidaturilor și a cerințelor pentru depunerea materialului vegetal în vederea examinării tehnice.

Începând cu luna octombrie 2010, Buletinul S2 este publicat în format electronic pe situl Oficiului, de șase ori pe an. Toate modificările față de versiunea publicată anterior a Buletinului S2 sînt puse în evidență.

Pe situl internet al oficiului, este disponibil un instrument de căutare pentru identificarea acestor modificări.

Pentru a permite verificarea înregistrărilor anterioare, fiecare publicație S2 va fi salvată ca document în format .pdf și va putea fi consultată de utilizatorii sitului.

Până la numărul 1 din 2016, Buletinul S2 a conținut termenele de depunere a materialului vegetal și condițiile de depunere pentru speciile pentru care există cereri în mod regulat. Începând cu numărul 2 din 2016, OCSP a decis să publice în Buletinul S2 toate speciile, însă este posibil ca unele date să nu fie disponibile. Vă rugăm să luați legătura cu Oficiul dacă informațiile referitoare la speciile în cauză nu sunt disponibile. Reamintim că este de responsabilitatea solicitantului să se familiarizeze cu aspectele procedurii, inclusiv să cunoască termenele de depunere a cererilor și condițiile de depunere a materialului vegetal în oficiul de examinare unde se va efectua examenul tehnic. Depunerea materialului vegetal trebuie să respecte termenele de depunere, cantitatea și calitatea prescrisă de OCSP. Altfel solicitantul riscă respingerea cererii. Pentru întrebări legate de alte specii, vă puteți adresa la OCSP la cpvo@cpvo.europa.eu.

- 1: Tipul cultivării
- 2: Grupul de taxe
- 3: Numărul prevăzut al perioadelor de cultură
- 4: Țara
- 5: Oficiul de examinare
- 6: Termenul de depunere
- 7: Începutul perioadei de depunere
- 8: Încheierea perioadei de depunere
- 9: Cantitatea de semințe/plante
- 10: Calitatea semințelor/plantelor

Observații importante:

— Solicitantul nu trebuie să depună materialul vegetal decît după primirea unei invitații în scris în acest sens de la OCSP. Nerespectarea acestei instrucțiuni poate compromite întreaga procedură.

— Se recomandă în mod expres solicitanților să nu amâne expedierea cererilor sau a materialului vegetal până în ultima clipă.

— Cererile pot fi depuse în orice moment. OCSP preconizează să înceapă examinarea tehnică în perioada de cultură care urmează după termenul de depunere, dacă a fost primită o cerere valabilă până la termenul de depunere.

— Data de închidere determină începutul examinării tehnice. Pentru dosarele cu o data de aplicare înainte de data de închidere, examinarea tehnică va începe în perioada următoare de creștere. Dacă termenul cade într-o zi în care Oficiul este închis, atunci va fi considerată ca termen prima zi în care Oficiul este deschis. Pentru dosarele care au o dată de aplicare după data de închidere, examinarea tehnică va începe în perioada de creștere, anul următor.

— În cazul în care materialul vegetal este depus după termenul de depunere fixat, cererea poate fi refuzată în conformitate cu articolul 61 din Regulamentul (CE) nr. 2100/94 al Consiliului din 27 iulie 1994.

— În cazul în care termenul de depunere expiră într-o zi în care nu se primesc documente la OCSP, termenul se prelungește pînă în prima zi imediat următoare în care se primesc documente la OCSP și în care se distribuie corespondența obișnuită, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.

— În cazul în care un termen de depunere expiră într-o zi în care nu se primește material vegetal la oficiul de examinare, perioada de depunere se prelungește până în prima zi imediat următoare în care oficiul de examinare primește material vegetal, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.

— Toate cerințele fitosanitare se vor comunica solicitantului împreună cu invitația de depunere a materialului vegetal la oficiul de examinare în cauză.

— Materialul vegetal depus trebuie să fie în mod vizibil sănătos, viguros și neafectat de dăunători sau de boli semnificative.

SK Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu (Strana 25)

Účelom vestníka S2 je poskytovať žiadateľom konsolidovanú verziu dátumov uzávierok prijímania žiadostí a požiadaviek na predloženie rastlinného materiálu v súvislosti s odborným preskúmaním.

Od októbra 2010 je vestník šesťkrát ročne uverejňovaný v digitálnej podobe na webovej stránke Úradu Spoločenstva pre odrody rastlín. Pričom všetky zmeny oproti pôvodne uverejnenej verzii vestníka S2 sú zvýraznené.

Na zistenie týchto zmien je na webovej stránke Úradu Spoločenstva pre odrody rastlín k dispozícii nástroj na vyhľadávanie.

Každé vydanie vestníka S2 bude uložené ako dokument vo formáte .pdf, aby sa zabezpečila možnosť prezerania predošlých vydaní, a bude naďalej k dispozícii na konzultáciu pre návštevníkov webovej stránky.

Do januárového vydania (201601) vestník S2 informoval o lehotách na predloženie rastlinného materiálu a o požiadavkách na dodávku druhov, u ktorých sú žiadosti pravidelne podávané. Úrad CPVO sa rozhodol, že od februárového vydania (201602) bude vo vestníku S2 uverejňovať všetky druhy, pričom nemusia byť vyplnené všetky údaje. V prípade, že informácie týkajúce sa určitého druhu nie sú k dispozícii, žiadame Vás, aby ste sa obrátili na úrad CPVO. Majte prosím na pamäti, že je povinnosťou žiadateľa oboznámiť sa dostatočne so všetkými aspektmi procesu podávania žiadostí, vrátane informácií o predložení rastlinného materiálu pre odborné preskúmanie. Pri podaní žiadosti musí byť žiadateľ schopný predložiť rastlinný materiál jeho odrody v požadovanom termíne, v kvalite a množstve stanovenom úradom CPVO. V opačnom prípade sa vystavuje riziku, že jeho žiadosť bude zamietnutá. Pokiaľ máte otázky týkajúce sa iných druhov, obráťte sa na úrad CPVO prostredníctvom emailovej adresy cpvo@cpvo.europa.eu.

- 1: Druh pestovania
- 2: Skupina poplatku
- 3: Predpokladaný počet rastových cyklov
- 4: Krajina
- 5: Skúšobný úrad
- 6: Dátum uzávierky
- 7: Začiatok dodania materiálu
- 8: Koniec dodania materiálu
- 9: Množstvo osiva /počet rastlín
- 10: Kvalita osiva a sadby

Dôležité upozornenia:

— Prihlasovateľ dodá množiteľský materiál len vtedy, keď ho o to písomnou formou požiada CPVO. Nesplnenie tohto pokynu môže ohroziť celkový priebeh konania.

— Prihlasovateľom odporúčame, aby si zasielanie prihlášok alebo rastlinného materiálu nenechávali na poslednú chvíľu.

— Prihlášky možno predložiť kedykoľvek. CPVO plánuje začať technické preskúmanie v rastovom období po uzávierke, ak bola do uzávierky prijatá platná prihláška.

— Záverečný termín uzávierky určuje začiatok technického skúšania. Pre žiadosti s dátumom podania najneskôr v deň uzávierky začne technické skúšanie v nadchádzajúcom vegetačnom období. V prípade, že dátum uzávierky pripadá na deň, keď úrad nie je otvorený, potom sa za dátum uzávierky bude považovať prvý deň, keď je úrad otvorený. Pre žiadosti s dátumom podania po dátume uzávierky, technické skúšanie začne v nasledujúcom roku.

— Ak sa rastlinný materiál predloží po stanovenom dátume na predkladanie, prihláška môže byť zamietnutá v súlade s článkom 61 nariadenia Rady (ES) č. 2100/94 z 27. júla 1994.

— Ak stanovená lehota uplynie v deň, kedy CPVO dokumenty neprijíma, stanovená lehota sa predĺži do najbližšieho ďalšieho dňa, kedy CPVO prijíma dokumenty a kedy sa prijíma bežná pošta, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.

— Ak stanovená lehota uplynie v deň, kedy skúšobný úrad neprijíma rastlinný materiál, stanovená lehota sa predĺži do najbližšieho ďalšieho dňa, kedy skúšobný úrad prijíma rastlinný materiál, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.

— Všetky fytoosanitárne požiadavky sa oznámia prihlasovateľovi so žiadosťou o predloženie rastlinného materiálu príslušnému skúšobnému úradu.

— Dodaný rastlinný materiál by mal byť viditeľne zdravý, čerstvý a nemal by byť napadnutý žiadnymi chorobami alebo škodcami.

SL Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala (Stran 25)

Namen Glasila S2 je prijavitelje seznaniti s konsolidirano različico rokov za oddajo prijav in zahtevami v zvezi s predložitvijo rastlinskega materiala za preskušanje.

Od oktobra 2010 se je glasilo šestkrat letno v digitalni obliki objavilo na spletišču Urada. Kar pomeni, da so vse spremembe podatkov iz predhodno objavljenih različic glasila S2 vidno označene.

Na spletni strani urada je na voljo orodje za iskanje omenjenih sprememb.

Da bi omogočili vpogled v zgodovino zapisov, bodo vsa glasila S2 shranjena v formatu .pdf in bodo še nadalje ostala na voljo uporabnikom spletne strani urada.

Glasilo S2 je do številke 201601 vključevalo roke za predložitev rastlinskega materiala in zahteve v zvezi s predložitvijo vrst, za katere so prijave redno vlagajo. Urad CPVO se je odločil, da bo od številke 201602 v glasilu S2 objavil vse vrste, vendar pa utegnejo nekatere rubrike s podatki ostati prazne. Če informacije za zadevno vrsto niso na voljo, se obrnite na Urad. Opozoriti vas moramo, da se je prijavitelj dolžan v zadostni meri seznaniti z vsemi vidiki postopka prijave, vključno s podrobnostmi o predložitvi rastlinskega materiala za izvedbo preizkušanja. Ob vložitvi prijave mora biti prijavitelj sposoben zagotoviti in predložiti rastlinski material svoje sorte do roka in v količini ter kakovosti, kot jih predpiše Urad. V nasprotnem primeru tvega, da se njegova prijava zavrne. Če imate kakršnakoli vprašanja o drugih vrstah, se obrnite na Urad Skupnosti za rastlinske sorte na naslov cpvo@cpvo.europa.eu.

- 1: Vrsta pridelave
- 2: Razred za plačilo pristojbin
- 3: Število predvidenih rastnih ciklusov
- 4: Država
- 5: Urad za preskušanje sort
- 6: Rok za oddajo
- 7: Predložitev se začne
- 8: Predložitev se konča
- 9: Količina semena/rastlin
- 10: Kakovost semena/rastlin

Pomembno:

— Od prijavitelja se pričakuje, da predloži rastlinski material šele, ko od CPVO prejme pisno zahtevo. Neizpolnjevanje zgoraj navedenega navodila lahko ogrozi celoten postopek.

— Prijaviteljem svetujemo, da s pošiljanjem prijav ali rastlinskega materiala ne čakajo na zadnji trenutek.

— Prijave se lahko vložijo kadar koli. CPVO predvideva začetek preskušanja v obdobju rasti po roku za oddajo prijav, če je bila veljavna prijava prejeta do tega roka.

— Rok za oddajo prijav določa začetek preizkušanja. Za prijave z datumom, ki ni poznejši kot je rok za oddajo prijave, se preizkušanje začne v tej rastni dobi. Če rok za oddajo prijav poteče na dan, ko Urad ni odprt, se kot rok za oddajo prijav šteje prvi dan, ko je Urad odprt. Za prijave z datumom, ki je poznejši kot je rok za oddajo prijave, se preizkušanje začne naslednje leto.

— Če je rastlinski material predložen po roku za predložitev, se lahko prijava zavrne v skladu s členom 61 Uredbe Sveta (ES) št. 2100/94 z dne 27. julija 1994.

— Če rok poteče na dan, ko CPVO ni odprt za sprejem dokumentov, se rok podaljša do prvega dne, ko je CPVO odprt za prejem dokumentov in na katerega se opravlja dostava navadne pošte, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009.

— Če rok poteče na dan, ko urad za preskušanje sort ni odprt za sprejem rastlinskega materiala, se rok podaljša do prvega dne, ko je urad za preskušanje sort odprt za prejem rastlinskega materiala, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009 o uvedbi izvedbenih pravil.

— V primeru fitosanitarnih zahtev se obvesti prijavitelja in se od njega zahteva, da zadevnemu uradu za preskušanje sort predloži rastlinski material.

— Predloženi rastlinski material mora izkazovati zdravje, vitalnost ter ne sme biti prizadet zaradi škodljivcev ali bolezni.

FI Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määräajoista hakemuksen jättämiseksi ja vaatimuksista kasvimateriaalin toimittamiselle (Sivu 25)

Kasvilajikeviraston virallisen lehden S2:n tarkoituksena on tarjota hakijoille konsolidoidun version muodossa tietoa määräajoista hakemusten jättämiseksi ja vaatimuksista kasvimateriaalin toimittamiselle niiden teknisen tutkimuksen yhteydessä.

Lokakuusta 2010 alkaen lehti on ilmestynyt digitaalisena kasvilajikeviraston verkkosivustolla kuusi kertaa vuodessa. Ja mahdolliset muutokset suhteessa S2:n edelliseen numeroon on merkitty näkyviin.

Muutosten havaitsemiseksi viraston sivustolla on myös käytettävissä hakuväline.

Vanhoiden tietojen tarkistamisen helpottamiseksi jokainen S2-julkaisu tallennetaan verkkosivustolle pdf-asiakirjana, johon sivuston käyttäjät voivat tutustua.

Vuoden 2016 tammikuun numeroon asti S2:ssa julkaistiin määräajat ja toimitettavia kasvimateriaaleja koskevat vaatimukset niiden lajien osalta, joista tehdään säännöllisesti hakemuksia. Kasvilajikevirasto on nyt päättänyt, että vuoden 2016 helmikuusta alkaen S2-lehdessä julkaistaan kaikki kasvilajikkeet, vaikka osa niiden tiedoista voi puuttua. Pyydämme ottamaan yhteyttä kasvilajikevirastoon, jos kyseistä kasvilajiketta koskevaa tietoa ei ole saatavilla. Hakijalla on velvollisuus perehtyä riittävissä määrin kaikkiin hakemusmenettelyn osiin, tekniseen tutkimukseen tarvittavan kasvimateriaalin toimittamisen yksityiskohdat mukaan luettuna. Hakemusta tehdessään hakijan on kyettävä toimittamaan määräaikaan mennessä lajikkeestaan niin paljon ja sen laatuista kasvimateriaalia kuin mitä kasvilajikevirasto määrää. Muussa tapauksessa on vaara, että hakemus tulee hylätyksi. Muita lajeja koskevien kysymysten osalta pyydämme ottamaan yhteyttä kasvilajikevirastoon cpvo@cpvo.europa.eu.

- 1: Viljelytyyppi
- 2: Maksuryhmä
- 3: Kasvukausien ennakoitu lukumäärä
- 4: Maa
- 5: Tutkimuslaitos
- 6: Määräpäivä
- 7: Toimittaminen alkaa
- 8: Toimittaminen päättyy
- 9: Siementen/kasvien määrä
- 10: Siementen/kasvien laatu

Tärkeä huomautus:

— *Hakijan odotetaan toimittavan kasvimateriaalia vasta vastaanotettuaan kasvilajikevirastolta kirjallisen pyynnön asiasta. Kyseisen ohjeen noudattamatta jättäminen saattaa vaarantaa koko menettelyn.*

— *Hakijaa kehoitetaan lähettämään hakemus tai kasvimateriaali hyvissä ajoin ennen määräaika.*

— *Hakemuksen voi lähettää koska tahansa. CPVO:n tarkoituksena on aloittaa tekninen tutkimus määräpäivää seuraavana kasvukautena, jos virasto on saanut virallisen hakemuksen määräpäivään mennessä.*

— *Hakemuksen määräaika ratkaisee teknisen tutkimuksen aloittamisen. Jos virasto on saanut hakemuksen määräpäivään mennessä, tekninen tutkimus aloitetaan seuraavana kasvukautena. Jos määräaika päättyy päivänä, jona kasvilajikevirasto ei ole avoinna määräaika jatketaan lähimpään päivään, jona kasvilajikevirasto on auki. Jos hakemus toimitetaan annetun määräpäivän jälkeen, tekninen tutkimus aloitetaan vasta seuraavan määräpäivän jälkeisenä kasvukautena.*

— *Jos kasvimateriaali toimitetaan annetun määräpäivän jälkeen, hakemus voidaan hylätä 27 päivänä heinäkuuta 1994 annetun neuvoston asetuksen (EY) N:o 2100/94 61 artiklan mukaan.*

— *Jos määräaika päättyy päivänä, jona kasvilajikevirasto ei ole avoinna asiakirjojen vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona kasvilajikevirasto on auki asiakirjojen vastaanottamiseksi ja jona tavanomainen postinjakelu toimii, 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Jos määräaika päättyy päivänä, jona tutkimusvirasto ei ole avoinna kasvimateriaalin vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona tutkimusvirasto on auki kasvimateriaalin vastaanottamiseksi ja jona tavanomainen postinjakelu toimii 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Kasvien terveydentilaa koskevat vaatimukset esitetään hakijalle kasvimateriaalin toimittamista asianomaiselle tutkimusvirastolle koskevan pyynnön yhteydessä.*

— *Toimitetun kasvimateriaalin on oltava silmin nähtävää tervettä ja elinvoimaista eikä siinä saa olla minkäänlaisia merkkejä tuholaista tai sairauksista.*

SV Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial (Sida 25)

Syftet med specialutgåvan (S2) av den officiella tidskriften är att i en konsoliderad version informera de sökande om tidsfrister för ansökningar och krav på inlämning av växtmaterial för den tekniska provningen.

Sedan oktober 2010 offentliggörs specialutgåvan digitalt på myndighetens webbplats sex gånger om året. Och eventuella ändringar jämfört med föregående version är markerade.

Ett sökverktyg för att identifiera dessa ändringar finns på myndighetens webbplats.

För att tillåta kontroll av tidigare publicerade dokument så kommer alla specialutgåvor sparas som pdf-dokument och dessa kommer att finnas tillgängliga för konsultation för webbanvändare.

Fram till 201601 innehöll specialutgåvan information om tidsfrister för inlämnande av växtmaterial och villkor för inlämnande av arter för vilka ansökningar regelbundet skickas in. Sedan 201602 offentliggör myndigheten alla arter i specialutgåvan, men vissa uppgifter kan vara utelämnade. Kontakta myndigheten om du saknar information om arten i fråga. Var vänlig kom ihåg att det är den sökandes ansvar att bekanta sig tillräckligt med alla aspekter av ansökningsförfarandet inklusive detaljerna om inlämning av växtmaterial för genomförandet av den tekniska undersökningen. När en ansökan inlämnas måste den sökande vara i stånd att lämna växtmaterial av sin sort i tid, samt i den kvalitet och kvantitet som myndigheten föreskriver. Annars finns det risk för att hans ansökan avslås. Kontakta CPVO på cpvo@cpvo.europa.eu om det finns frågor om andra arter.

- 1: Typ av odling
- 2: Avgiftsgrupp
- 3: Antal planerade växtcykler
- 4: Land
- 5: Provningsmyndighet
- 6: Slutdatum
- 7: Början för inlämnade
- 8: Slut för inlämnade
- 9: Säd-/plantkvantitet
- 10: Säd-/plantkvalitet

Observera:

— Den sökande förväntas lämna in växtmaterialet endast efter det att denne mottagit en skriftlig begäran från växtsortsmyndigheten. Underlåtenhet att rätta sig efter instruktionerna ovan kan äventyra hela förfarandet.

— De sökande uppmanas att inte vänta till sista stund med att lämna ansökningar eller växtmaterial.

— Ansökningar kan lämnas in när som helst. CPVO räknar med att påbörja den tekniska provningen under växtperioden efter sista ansökningsdatum om en giltig ansökan har inkommit senast detta datum.

— Slutdatumet anger början av den tekniska provningen. För ansökningar med ett ansökningsdatum som infaller senast på slutdatumet, så kommer den tekniska provningen att starta i den kommande växtperioden. Om slutdatumet infaller på en dag då myndigheten håller stängt kommer slutdatumet att bli den första dagen då myndigheten är öppen igen. För ansökningar med ett ansökningsdatum senare än slutdatumet så kommer den tekniska provningen att inledas under efterföljande år.

— Om materialet lämnas in efter fastställd tidsfrist för inlämnande kan ansökan avslås enligt artikel 61 i rådets förordning (EG) nr 2100/94 av den 27 juli 1994.

— Om en tidsfrist löper ut på en dag då växtsortsmyndigheten inte är öppen för mottagande av handlingar ska tidsfristen förlängas till första dagen därefter då växtsortsmyndigheten är öppen för mottagande av handlingar och då vanlig post delas ut, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.

— Om en tidsfrist löper ut på en dag då provningsmyndigheten inte är öppen för mottagande av växtmaterial, ska tidsfristen förlängas till första dagen därefter då provningsmyndigheten är öppen för mottagande av växtmaterial, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.

— Eventuella fytosanitära villkor kommer att meddelas den sökande tillsammans med begäran att lämna in växtmaterial till berörd provningsmyndighet.

— Det inlämnade växtmaterialet ska vara synbarligen friskt och inte sakna livskraft eller vara drabbat av några skadedjur eller någon sjukdom.

1	2	3	4	5	6	7	8	9	10
<i>Abelia</i> R. Br.									
vegetative	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Abelia chinensis</i> R. Br.									
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled
	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Abelia engleriana</i> (Graebn.) Rehder									
vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
<i>Abelia floribunda</i> Decne.									
vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder									
vegetative	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
vegetative; variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder × <i>A. parvifolia</i> Hemsl. (syn. <i>A. schumannii</i> (Graebn.) Rehder)									
vegetative	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
<i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder × <i>A. schumannii</i> Rehd.									
vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
<i>Abelia parvifolia</i> Hemsl. (syn. <i>Abelia schumannii</i> (Graebn.) Rehder)									
vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
<i>Abelia triflora</i> R. Br. ex Wallich.									
vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	all plants should be individually labelled.
<i>Abies koreana</i> E. H. Wilson									
	11	2	DE	Bundessortenamt	*	*	*	*	*
<i>Abutilon darwinii</i> Hook. f.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Abutilon</i> × <i>hybridum</i> hort. ex Voss									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Abutilon megapotamicum</i> (spreng.) A. St.-Hill. et Naudin									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Acacia</i> Mill.									
	11	2	FR	GEVES	01/03	01/05	31/05	6 plants, 18 months old	each plant should be labelled individually
	10	1	FR	GEVES	*	*	*	*	*
<i>Acacia baileyana</i> F. Muell.									
greenhouse	10	2	FR	GEVES	01/03	01/05	31/05	6 plants, 18 months old	each plant should be labelled individually
outdoor	11	2	FR	GEVES	01/03	01/05	31/05	6 plants, 18 months old	each plant should be labelled individually
<i>Acacia floribunda</i> (Vent.) Willd.									
greenhouse	10	2	FR	GEVES	01/03	01/05	31/05	6 plants, 18 months old	each plant should be labelled individually

1	2	3	4	5	6	7	8	9	10
<i>Acacia floribunda</i> (Vent.) Willd.									
outdoor	11	2	FR	GEVES	01/03	01/05	31/05	6 plants, 18 months old	each plant should be labelled individually
<i>Acacia leprosa</i> Sieber ex DC.									
greenhouse	10	2	FR	GEVES	01/03	01/05	31/05	6 plants, 18 months old	each plant should be labelled individually
outdoor	11	2	FR	GEVES	01/03	01/05	31/05	6 plants, 18 months old	each plant should be labelled individually
<i>Acalypha godseffiana</i> hort. Sander ex Mast.									
	11	*	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Acanthus</i> L.									
vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Acer campestre</i> L.									
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, at least 3 years old	in container.
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 trees, able to show all their characteristics during the first year of examination.	2-3 years old in container
<i>Acer longipes</i> Franch. ex Rehder subsp. <i>amplum</i> (Rehder) P.C.de Jong × <i>A. platanoides</i> L.									
vegetative	11	2	DE	Bundessortenamt	01/12	*	15/03	10 potted plants	2 years old with well developed side shoots, 120 to 150 cm in height
<i>Acer palmatum</i> Thunb.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 trees, able to show all their characteristics during the first year of examination.	2 - 3 years old, in container.
<i>Acer palmatum</i> subsp. <i>amoenum</i> (Carrière) H. Hara									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 trees, able to show all their characteristics during the first year of examination.	2 - 3 years old, in container.
<i>Acer platanoides</i> L.									
vegetative	11	2	DE	Bundessortenamt	01/12	*	15/03	10 potted plants at least two years old, free of important diseases and pests.	2 years old with well developed side shoots, 120 to 150 cm in height
<i>Acer pseudoplatanus</i> L.									
vegetative	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 plants, container-grown, grafted	150 -175 cm in height, 2 - 3 years old
<i>Acer rubrum</i> L.									
vegetative	11	2	PL	COBORU	15/01	01/04	15/04	8 container grown plants, 3-4 years old	*
	11	2	DE	Bundessortenamt	*	*	*	*	*
<i>Acer shirasawanum</i> Koidz.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 trees, 2 to 3 years old, in pot, able to show all their characteristics in the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Acer tataricum</i> L.									
tree	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 trees, able to show all their characteristics during the first year of examination.	2 - 3 years old, in container
<i>Achillea millefolium</i> × <i>A. tomentosa</i>									
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/03	25 young plants	commercial standard
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Achillea millefolium</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination	*
<i>Achillea ptarmica</i> L.									
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/03	25 young plants of commercial standard	*
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Aconitum</i> L.									
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Aconitum carmichaelii</i> Debeaux - <i>Arendsii</i> Grp.									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination.	appropriate to be grown in the open
<i>Aconitum carmichaelii</i> Debeaux									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination.	appropriate to be grown in the open.
<i>Actaea pachypoda</i> Elliott									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Actaea racemosa</i> L.									
	14	1	DE	Bundessortenamt	15/12	01/03	20/03	60 well rooted young plants	No chemical or physical treatment, without harmful organisms
<i>Actaea racemosa</i> L. (syn. <i>Cimicifuga racemosa</i> (L.) Nutt.) × <i>A. simplex</i> (DC.) Wormsk. ex Prantl (syn. <i>Cimicifuga simplex</i> (DC.) Wormsk. ex Turcz.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	NL	NAKTUINBOUW	01/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Actinidia* Lindl.**

7	4	IT	CREA-FRU (EO)	15/12	01/03	30/04	8 one-year-old plants grafted on 'Hayward' or on their own roots	Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognized certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
---	---	----	---------------	-------	-------	-------	--	---

***Actinidia arguta* (Siebold & Zucc.) Planch. ex Miq.**

7	4	IT	CREA-FRU (EO)	15/12	01/03	30/04	8 one-year-old plants grafted on 'Hayward' or on their own roots	Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognized certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
---	---	----	---------------	-------	-------	-------	--	---

***Actinidia chinensis* Planch.**

7	4	IT	CREA-FRU (EO)	15/12	01/03	30/04	8 one-year-old plants grafted on 'Hayward' or on their own roots	Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognized certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i> .
---	---	----	---------------	-------	-------	-------	--	---

***Actinidia chinensis* Planch. × *A. deliciosa* (A. Chev.) C. F. Liang & A. R. Ferguson**

7	4	IT	CREA-FRU (EO)	15/12	01/03	30/04	8 one-year-old plants grafted on 'Hayward' or on their own roots	Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognized certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
---	---	----	---------------	-------	-------	-------	--	---

***Actinidia chinensis* Planch. × *A. eriantha* Benth.**

7	4	IT	CREA-FRU (EO)	15/12	01/03	30/04	8 one-year-old plants grafted on 'Hayward' or on their own roots	Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognized certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
---	---	----	---------------	-------	-------	-------	--	---

1	2	3	4	5	6	7	8	9	10
<i>Actinidia deliciosa</i> (A. Chev.) C. F. Liang & A. R. Ferguson									
	7	4	IT	CREA-FRU (EO)	15/12	01/03	30/04	8 one-year-old plants grafted on 'Hayward' or on their own roots	Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognized certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
<i>Actinidia</i> × <i>fairchildii</i> Rehder (<i>A. arguta</i> (Siebold & Zucc.) Planch. ex Miq. × <i>A. chinensis</i> Planch.)									
	7	4	IT	CREA-FRU (EO)	*	01/03	30/04	8 one-year old plants grafted on 'Hayward' or on their own roots	Plants should be accompanied by a recognized certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
<i>Actinidia kolomikta</i> (Maxim. & Rupr.) Maxim.									
	7	3	PL	COBORU	15/01	15/05	31/05	9 plants	well rooted one-year old potted plants
<i>Adenium</i> Roem. et Schult									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Adenium obesum</i> (Forssk.) Roem. et Schult.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Adenophora pereskiifolia</i> (Fisch.) Fisch. ex G. Don (syn. <i>Adenophora latifolia</i> Fisch.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Aechmea</i> Ruiz & Pav.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 young plants, able to show all their characteristics during the first year of examination.	age: approximately 1 months before flower induction treatment
<i>Aechmea fasciata</i> (Lindl.) Baker									
	10	1	NL	NAKTUINBOUW	01/12	*	01/03	50 young plants	approx 1 month before the flower induction treatment
<i>Aeonium decorum</i> Webb ex Bolle									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Aeschynanthus</i> Jack									
vegetative	10	1	DE	Bundessortenamt	15/11	01/04	05/04	10 pots with 2 to 3 young plants per pot; not treated with growth regulators. The plants must be 8 to 10 weeks old.	*

1	2	3	4	5	6	7	8	9	10
<i>Aeschynanthus evrardii</i> Pellegr.									
	10	1	DE	Bundessortenamt	15/11	*	01/04	*	*
<i>Aeschynanthus parvifolius</i> R. Br. (syn <i>Aeschynanthus lobbianus</i> Hook.)									
vegetative	10	1	DE	Bundessortenamt	15/11	02/04	06/04	10 pots with 2 to 3 young plants per pot; not treated with growth regulators. The plants must be 8 to 10 weeks old.	*
<i>Aeschynanthus speciosus</i> Hook.									
	10	1	DE	Bundessortenamt	15/11	*	01/04	*	*
<i>Agapanthus</i> L'Hér.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	12 young plants, able to show all their characteristics during the first year of examination.	*
<i>Agapanthus africanus</i> (L.) Hoffmanns.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	12 young plants able to show all their characteristics in the first year of examination	*
<i>Agapanthus campanulatus</i> F. M. Leight × <i>A. praecox</i> Willd. subsp. <i>orientalis</i> (F. M. Leight.) F. M. Leight.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	15/03	12 young plants able to show all their characteristics in the first year of examination	*
<i>Agapanthus praecox</i> Willd. subsp. <i>orientalis</i> (F. M. Leight.) F. M. Leight.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	12 young plants, able to show all their characteristics during the first year of examination.	*
<i>Agaricus bisporus</i> (Lange) Imbach									
	13	2	HU	National Food Chain Safety Office (NÉBIH)	31/03	01/09	15/09	9 litres of spawn	*
<i>Agaricus subrufescens</i> Peck									
	13	2	HU	National Food Chain Safety Office (NÉBIH)	31/03	01/09	15/09	9 litres of spawn	*
<i>Agastache</i> J. Clayton ex Gronov.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Agastache aurantiaca</i> (A.Gray) Lint & Epling									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Agastache cana</i> (Hook.) Wooton et Standl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Agastache cana* (Hook.) Wooton et Standl. × *A. pallidiflora* Rydb.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	---

***Agastache foeniculum* (Pursh) Kuntze**

seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity and must not be treated in any way that will affect subsequent development
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Agastache mexicana* (H. B. K.) Lint. et Epling**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	---

***Agastache pallida* (Lindl.) Cory (syn. *A. barberi* (B. L. Rob.) Epling)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Agastache pallidiflora* Rydb.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Agastache rugosa* (Fisch. & C. A. Mey.) Kuntze**

seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity and must not be treated in any way that will affect subsequent development
------	----	---	----	------	-------	-------	-------	-----------	--

***Agave attenuata* Salm-Dyck**

vegetative	10	1	DE	Bundessortenamt	01/12	05/05	09/05	25 well established young plants	as in commerce.
------------	----	---	----	-----------------	-------	-------	-------	----------------------------------	-----------------

***Agave marmorata* Roezl**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
------------	----	---	----	-------------	-------	-------	-------	-----------------	---

1	2	3	4	5	6	7	8	9	10
<i>Agave univitatta</i> Haw.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ageratina altissima</i> (L.) R. M. King et H. Rob.									
vegetative	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ageratum</i> L.									
vegetative	11	1	DE	Bundessortenamt	15/11	15/03	21/03	25 rooted cuttings	not pinched
<i>Ageratum houstonianum</i> Mill.									
vegetative	11	1	DE	Bundessortenamt	15/11	15/03	21/03	25 rooted cuttings	not pinched
<i>Aglaonema</i> Schott									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema commutatum</i> Schott									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema commutatum</i> Schott × <i>Aglaonema philippinense</i> Engl. var. <i>stenophyllum</i> (Merr.) R. N. Jervis (syn. <i>Aglaonema stenophyllum</i> Merr.)									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema commutatum</i> Schott × <i>Aglaonema rotundum</i> N. E. Br.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema commutatum</i> Schott var. <i>elegans</i> (Engl.) Nicolson × <i>Aglaonema crispum</i> (Pitcher & R. F. Manda) Nicolson									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema costatum</i> N.E.Br.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema rotundum</i> N. E. Br.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema rotundum</i> N. E. Br. × <i>A. philippinense</i> Engl. var. <i>stenophyllum</i> (Merr.) R. N. Jervis									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aglaonema rotundum</i> N. E. Br. × <i>A. simplex</i> (Blume) Blume									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Aglaonema rotundum</i> N. E. Br. × <i>A. simplex</i> (Blume) Blume									
	8	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Aglaonema simplex</i> (Blume) Blume × <i>A. brevispathum</i> (Engl.) Engl.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Agonis flexuosa</i> (Willd.) Sweet									
	10	2	DE	Bundessortenamt	15/12	*	01/05	*	*
<i>Agrimonia procera</i>									
	14	2	DE	Bundessortenamt	01/08	15/09	15/10	4 800	seeds
<i>Agrostis capillaris</i> L.									
	3	3	NL	NAKTUINBOUW	15/01	*	01/02	400 g	*
<i>Agrostis stolonifera</i> L.									
ornamental, vegetative	11	3	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
vegetative	3	3	NL	NAKTUINBOUW	15/01	*	01/02	400 g	*
<i>Agrostis tenuis</i> L.									
	3	3	NL	NAKTUINBOUW	15/01	*	01/02	400 gr	*
<i>Ajuga reptans</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Albizia julibrissin</i> Durazz.									
vegetative	9	3	FR	GEVES	01/10	01/02	28/02	8 well-rooted container-grown plants, container, 1.5 to 2 meters high	each plant should be labelled individually
<i>Allamanda</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Allamanda cathartica</i> L.									
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Allium</i> L.									
ornamental	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size	*
<i>Allium amethystinum</i> Tausch									
seed-propagated	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	50 bulbs of flowering size and able to show all their characteristics in the first year of examination	*
<i>Allium cepa</i> (Aggregatum Group)									
seed	14	2	FR	GEVES	01/01	01/01	31/01	100 g seed	*
seed, semi-long & long day	14	2	NL	NAKTUINBOUW	15/02	*	01/03	15,000 seeds	*
seed, short & semi-short day	14	2	NL	NAKTUINBOUW	01/01	*	15/01	15,000 seeds	*
vegetative	14	2	FR	GEVES	01/02	01/02	15/02	150 bulblets	*
vegetative semi-long & long day	14	2	NL	NAKTUINBOUW	15/02	01/02	01/03	300 bulblets	*

1	2	3	4	5			6	7	8	9		10		
<i>Allium cepa</i> (Aggregatum Group)														
vegetative, short & semi-short	14	2	NL	NAKTUINBOUW			01/01	15/12	15/01	300 bulblets			*	
	14	2	GB	Animal Health (APHA)	&	Plant Agency	*	*	*	*			*	
	14	2	GB	Animal Health (APHA)	&	Plant Agency	*	*	*	*			*	
<i>Allium cepa</i> (Cepa group)														
long day	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)			10/01	*	31/01	30,000 seeds			germination rate 75%	
long day	14	2	FR	GEVES			01/01	*	01/02	100 g seed			Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.	
over wintered	14	2	GB	Animal Health (APHA)	&	Plant Agency	15/06	*	15/07	16,000 seeds			*	
semi-long & long day	14	2	NL	NAKTUINBOUW			15/02	*	01/03	15,000 seeds			*	
short days	14	2	FR	GEVES			01/07	*	01/08	100 g seed			Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.	
short, semishort, overwinter	14	2	NL	NAKTUINBOUW			01/01	*	15/01	15,000 seeds			*	
spring	14	2	GB	Animal Health (APHA)	&	Plant Agency	31/12	*	31/01	16,000 seeds			*	
spring	14	2	DE	Bundessortenamt			01/12	*	15/01	18,000 seeds			minimum germination capacity 85%	
spring	14	2	PL	COBORU			20/12	01/02	28/02	150 g seed			*	
spring	14	2	HU	National Food Chain Safety Office (NÉBIH)			15/01	*	15/02	20,000 seeds			85% min. germination	
winter	14	2	PL	COBORU			30/06	30/06	31/07	150 g seed			*	
winter	14	2	DE	Bundessortenamt			01/07	*	15/07	18,000 seeds			minimum germination capacity 85%	
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)			31/05	*	30/06	100 g			*	
<i>Allium fistulosum</i> L.														
	14	2	FR	GEVES			01/01	*	01/02	100 g seed			Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.	

1	2	3	4	5	6	7	8	9	10
<i>Allium fistulosum</i> L.									
	14	2	DE	Bundessortenamt	01/12	*	15/01	18,000 seeds	minimum germination capacity 85%
	14	2	NL	NAKTUINBOUW	15/02	*	01/03	13,000 seeds	*
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	31/01	30,000 seeds	*
<i>Allium jesdianum</i> Boiss. & Buhse									
ornamental	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size	*
<i>Allium oschaninii</i> O. Fedtsch.									
	14	2	FR	GEVES	01/02	01/02	15/02	*	*
<i>Allium porrum</i> L.									
seed	14	2	NL	NAKTUINBOUW	15/02	*	01/03	13,000 seeds	*
seed	14	2	FR	GEVES	01/02	*	01/03	13,000 seeds (150 g)	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
seed	14	2	GB	Animal & Plant Health Agency (APHA)	31/12	*	31/01	13,000 seeds	*
seed	14	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	150 g	*
seed	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	13,000 seeds	*
seed	14	2	DE	Bundessortenamt	15/01	*	15/02	12,000 seeds	minimum germination capacity 80%
vegetative	14	2	FR	GEVES	01/02	01/05	15/05	200 plants rooted and acclimated	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
vegetative	14	1	NL	NAKTUINBOUW	07/07	15/08	31/08	75 plants	4-6 mm diameter, about 15-20 cm long, either in modules or single plants ready for transplanting
vegetative	14	2	DE	Bundessortenamt	*	*	*	*	*
vegetative	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	01/06	30/06	75 plants	*
vegetative	14	2	GB	Animal & Plant Health Agency (APHA)	31/12	01/01	31/01	75 plants	*
<i>Allium sativum</i> L.									
autumn (v. early & in-termed.)	14	2	FR	GEVES	01/09	*	01/10	120 bulbs per growing period	bulbs must be free of nematodes, white rot, mites and Onion Yellow Dwarf Virus
plantation, spring	14	2	FR	GEVES	01/09	*	15/12	120 bulbs per growing period	bulbs must be free from nematodes, white rot, mites and Onion Yellow Dwarf Virus

1	2	3	4	5	6	7	8	9	10
<i>Allium sativum</i> L.									
vegetative	14	2	NL	NAKTUINBOUW	15/08	01/08	01/09	120 cloves from virus free bulbs	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	30/01	*	15/10	50 virus free bulbs	*
<i>Allium schoenoprasum</i> L.									
	14	2	NL	NAKTUINBOUW	15/02	*	01/03	5,000 seeds	*
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	31/01	20,000 seeds	germination rate 75%
	14	2	FR	GEVES	01/02	*	01/03	*	*
	14	2	DE	Bundessortenamt	01/12	*	01/02	7,200 seeds	minimum germination capacity of 80%
<i>Allium tuncelianum</i> (Kollmann) Özhatay et al.									
	14	2	NL	NAKTUINBOUW	15/08	*	01/09	120 virus free bulbs	*
	14	2	FR	GEVES	01/09	01/10	15/12	120 virus free bulbs per growing period	virus free
<i>Alloplectus capitatus</i> Hook.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Alocasia × amazonica</i> André									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Alocasia infernalis</i> P. C. Boyce									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Alocasia wentii</i> Engl. & K.Krause									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Aloe</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Aloe aristata</i> Haw.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard, able to show all its characteristics in the first year of examination.	*
<i>Aloe aristata</i> Haw. × <i>Haworthia limifolia</i> Marloth									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination	*
<i>Aloe aristata</i> Haw. × <i>Haworthia margaritifera</i> (L.) Haw									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	Able to show all their characteristics in the First year of examination
<i>Aloe melanacantha</i> A. Berger									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Aloe rauhii* Reynolds**

	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
--	----	---	----	-------------	-------	-------	-------	-----------------	--

***Aloe variegata* L.**

	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
--	----	---	----	-------------	-------	-------	-------	---	---

***Aloe vera* (L.) Burm. f.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard, able to show all its characteristics in the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	--	---

***Aloe vera* (L.) Burm. f. × *Haworthia limifolia* Marloth**

ornamentals; indoor, no living ref. coll.	10	1	NL	NAKTUINBOUW	*	*	*	*	*
---	----	---	----	-------------	---	---	---	---	---

***Alonsoa meridionalis* (L. f.) Kuntze**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------------	--

***Alpinia officinarum* Hance**

	13	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
--	----	---	----	-------------	-------	-------	-------	-----------------	---

***Alstroemeria* L.**

seed	10	1	NL	NAKTUINBOUW	01/09	01/10	31/10	10 gr seed and 24 young plants being able to show all their characteristics in the first year of examination	*
vegetative	10	1	NL	NAKTUINBOUW	01/09	01/10	31/10	10 young plants being able to show all their characteristics in the first year of examination.	*

***Alternanthera ficoidea* (L.) R. Br. ex Roem. et Schult.**

vegetative	10	1	DE	Bundessortenamt	15/11	*	01/04	*	*
------------	----	---	----	-----------------	-------	---	-------	---	---

***Alternanthera philoxeroides* (Mart.) Griseb.**

vegetative	10	1	NL	NAKTUINBOUW	01/01	01/04	15/04	25 plants	25 young plants able to show all their characteristics in the first year of examination.
------------	----	---	----	-------------	-------	-------	-------	-----------	--

***Althaea officinalis* L.**

	4	1	NL	NAKTUINBOUW	*	01/04	30/04	24 young plants able to show all their characteristics in the first year of examination	*
	4	1	DE	Bundessortenamt	*	*	*	*	*
	4	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Alyogyne hakeifolia* (Giord.) Alef.**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Alyogyne hakeifolia* (Giord.) Alef. × *A. huegelii* (Endl.) Fryxell**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Alyogyne huegelii* (Endl.) Fryxell**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Alyssum wulfenianum* Willd.**

	11	1	DE	Bundessortenamt	15/11	12/03	16/03	25 well rooted young plants	*
--	----	---	----	-----------------	-------	-------	-------	-----------------------------	---

***Amaranthus* L.**

seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	5 gram seeds, germination capacity 50%.	*
------	----	---	----	-------------	-------	---	-------	---	---

***Amaranthus caudatus* L.**

	10	1	NL	NAKTUINBOUW	*	*	*	*	*
--	----	---	----	-------------	---	---	---	---	---

× *Amarine tubergenii* Sealy

	10	1	NL	NAKTUINBOUW	01/12	01/04	30/04	30 bulbs	able to show their characteristics in the first year of examination
--	----	---	----	-------------	-------	-------	-------	----------	---

***Amaryllis* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	11/12	15/12	20 bulbs	of flowering size, induced for flowering
------------	----	---	----	-------------	-------	-------	-------	----------	--

***Anagallis monellii* L.**

	10	1	NL	NAKTUINBOUW	*	*	*	*	*
--	----	---	----	-------------	---	---	---	---	---

***Ananas comosus* (L.) Merr.**

ornamental	10	1	NL	NAKTUINBOUW	*	01/03	31/03	15 well rooted cuttings, in 10cm pots, able to show all their characteristics during the first testing period	*
	7	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/01	01/03	15/04	30 in-vitro plants of the candidate material in aseptic agar conditions	Plant material coming from areas prone to Pineapple mealybug wilt-associated virus (Amelovirus) and Badnavirus, must be accompanied by a formal certificate from a recognised laboratory attesting to the fact that the plant material is free from the aforesaid diseases.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Ananas lucidus Mill.

ornamental	10	1	NL	NAKTUINBOUW	01/12	15/05	15/06	15 well rooted cuttings in 10 cm container, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	--	---

Andromeda L.

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Andromeda polifolia L.

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Andromeda polifolia L. var. *latifolia* Aiton (syn. *A. glaucophylla* Link.)

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Andropogon gerardi Vitman

	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
--	----	---	----	-------------	-------	-------	-------	-----------------	--

Anemone L.

vegetative	11	1	DK	University of Aarhus - Aarslev	01/02	15/04	30/04	20 young plants	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	-----------------	---

Anemone hupehensis Lemoine

	11	1	DK	University of Aarhus - Aarslev	01/02	15/04	30/04	20 young plants	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
--	----	---	----	--------------------------------	-------	-------	-------	-----------------	---

Anemone hupehensis (Lemoine) Lemoine var. *japonica* (Thunb.) Bowles & Stearn

vegetative	11	1	DK	University of Aarhus - Aarslev	01/02	15/04	30/04	20 young plants	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	-----------------	---

1	2	3	4	5	6	7	8	9	10
<i>Anemone</i> × <i>hybrida</i> Paxton									
	11	1	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Anethum graveolens</i> L.									
	14	2	DE	Bundessortenamt	01/02	*	01/03	8,400 seeds	minimum germination capacity 80%
<i>Angelica keiskei koidzumi</i>									
	14	2	FR	GEVES	01/07	*	01/08	10 g untreated seed fpr each growing period (ephemeral germination)	*
<i>Angelonia</i> Bonpl.									
vegetative	10	1	DE	Bundessortenamt	01/12	01/04	06/04	25 rooted cuttings	not pinched
<i>Angelonia angustifolia</i> Benth.									
vegetative	10	1	DE	Bundessortenamt	01/12	02/04	06/04	25 rooted cuttings,	not pinched.
<i>Anigozanthos</i> Labill.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Anigozanthos bicolor</i> Endl.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Anigozanthos bicolor</i> Endl. × <i>A. humilis</i>									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Anigozanthos flavidus</i> DC.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Anigozanthos humilis</i> Lindl.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Anigozanthos manglesii</i> D. Don									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Anigozanthos pulcherrimus* Hook.**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Anigozanthos rufus* Labill.**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Anigozanthos viridis* Endl.**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Anisodonteia capensis* (L.) D. M. Bates**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Anisodonteia elegans* (Cav.) D. M. Bates**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Anisodonteia scabrosa* (L.) Bates**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Annona cherimola* Mill.**

7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	30/01	01/03	31/05	20 varetas para injertar, de madera de 1 a 2 años, de 15 cm. De largo y 1 cm de diámetro.	Visiblemente sanas y libres de enfermedades transmisibles y en especial de ácaros, nematodos y hongos en todas sus fases de desarrollo, acompañado de certificado fitosanitario exigido por las autoridades sanitarias.
---	---	----	---	-------	-------	-------	---	---

***Anthemis* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Anthemis tinctoria* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Anthriscus cerefolium</i> (L.) Hoffm.									
	14	1	DE	Bundessortenamt	*	*	*	*	*
	14	2	FR	GEVES	01/03	*	01/04	100 g seed	*
	14	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Anthurium</i> Schott									
cutflower	10	2	NL	NAKTUINBOUW	01/07	01/02	15/02	6 young plants, able to flower and to show all their characteristics during the second year of examination. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	grown up in Oasis and to be delivered in 21 cm pots
pot plant	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants, able to flower and to show all their characteristics during the examination period. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	*
<i>Anthurium andraeanum</i> Linden ex Andre									
cutflower	10	2	NL	NAKTUINBOUW	01/07	01/02	15/02	6 young plants, able to flower and to show all their characteristics during the second year of examination. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	grown up in Oasis and to be delivered in 21 cm pots
pot plant	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants, able to flower and to show all their characteristics during the examination period. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	*
<i>Anthurium scherzerianum</i> Schott									
pot plant	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants, able to flower and to show all their characteristics during the examination period. Not yet flowering or have flowered before. Only some premature flowers on the plant are allowed.	*
<i>Antirrhinum</i> L.									
vegetative	10	1	DE	Bundessortenamt	01/12	01/04	06/04	25 well rooted cuttings	not pinched
<i>Antirrhinum majus</i> L.									
vegetative	10	1	DE	Bundessortenamt	01/12	07/04	10/04	25 well rooted cuttings	not pinched
<i>Antirrhinum majus</i> L. × <i>A. molle</i> L. × <i>A. hispanicum</i> Chav.									
	10	1	DE	Bundessortenamt	01/12	*	01/04	*	*
<i>Aphelandra squarrosa</i> Nees									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
<i>Apium graveolens</i> L. var. <i>dulce</i> (Mill.) Pers									
	14	2	NL	NAKTUINBOUW	15/02	*	01/03	15,000 seeds	*
	14	2	GB	Animal & Plant Health Agency (APHA)	28/02	*	31/03	15 000 untreated seed	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	15 g untreated seed	*
	14	2	FR	GEVES	01/02	*	01/03	20 g seed	*
<i>Apium graveolens</i> L. var. <i>rapaceum</i> (Mill.) Gaud									
	14	2	GB	Animal & Plant Health Agency (APHA)	31/10	*	30/11	15,000 seeds	*
	14	2	NL	NAKTUINBOUW	15/02	*	01/03	15,000 seeds	*
	14	2	DE	Bundessortenamt	15/01	*	01/02	5000 seeds	minimum germination capacity 70%
<i>Arabis alpina</i> L. subsp. <i>caucasica</i> (Willd.) Briq. (syn. <i>Arabis caucasica</i> Willd.)									
vegetative	11	1	DE	Bundessortenamt	01/06	01/09	05/09	25 well rooted cuttings	*
<i>Arachis hypogaea</i> L.									
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	28/02	7 kg of seeds with min. germination capacity of 70%	*
<i>Arctium lappa</i> L.									
	14	2	DE	Bundessortenamt	*	*	*	*	*
<i>Arctotis</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Arctotis breviscapa</i> Thunb.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Arctotis</i> × <i>hybrida</i> hort (<i>A. venusta</i> × <i>A. fastuosa</i>)									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Arctotis venusta</i> Norl.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Ardisia crenata</i> Sims									
seed-propagated	10	1	NL	NAKTUINBOUW	01/09	01/03	31/03	48 young plants, able to show all their characteristics during the first year of examination.	*
vegetative	10	1	NL	NAKTUINBOUW	01/09	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ardisia pusilla</i> A. DC.									
vegetative	10	1	NL	NAKTUINBOUW	01/09	01/10	31/10	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Arenaria montana</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Arenaria montana</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Argyranthemum</i> Webb ex Schultz Bip.									
vegetative	11	1	DE	Bundessortenamt	15/11	26/02	02/03	25 well-rooted cuttings	not pinched
<i>Argyranthemum frutescens</i> (L.) Sch. Bip.									
vegetative	11	1	DE	Bundessortenamt	15/11	26/02	02/03	25 well-rooted cuttings	not pinched
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. × <i>Argyranthemum tenerifae</i> Humphries									
vegetative	11	1	DE	Bundessortenamt	15/11	26/02	02/03	25 well-rooted cuttings	not pinched
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. × <i>Ismelia carinata</i> (Schousb.) Sch. Bip.									
	11	1	DE	Bundessortenamt	15/11	27/02	03/04	25	well rooted cuttings, not pinches
<i>Artemisia absinthium</i> L.									
	14	2	DE	Bundessortenamt	15/02	01/03	31/03	21,600 untreated seed (approx. 2.4 grams) with 80% minimum germination capacity	*
<i>Artemisia annua</i> L.									
	14	2	DE	Bundessortenamt	15/12	15/01	15/02	3 g seed	85% minimum germination capacity
<i>Arthropodium candidum</i> Raoul									
vegetative	10	1	DE	Bundessortenamt	01/12	31/03	04/04	25 young plants as in commerce	*
<i>Arundinaria variegata</i> (Siebold ex Miq.) Makino									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	Preferably in pots with 1 plant per pot
<i>Arundo donax</i>									
	4	2	FR	GEVES	14/10	14/10	15/10	not known exactly	not known exactly
<i>Asarina</i> Mill.									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Asclepias</i> L.									
seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	5 gam seeds	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Asclepias curassavica</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Asclepias tuberosa</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Asparagus</i> L.									
ornamental, vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Asparagus madagascariensis</i> Baker									
ornamental, vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Asparagus officinalis</i> L.									
seed	14	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	*	31/01	3000 seed	*
seed	14	4	FR	GEVES	01/01	*	01/03	3000 seed (50 g)	*
seed	14	4	NL	NAKTUINBOUW	15/12	*	01/01	3,000 (50 g) seeds	*
vegetative	14	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	*	31/01	80 rhizomes	*
vegetative	14	4	NL	NAKTUINBOUW	15/12	*	01/05	80 well developed young plants	*
<i>Aspidistra elatior</i> Blume									
pot plant	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants able to show all their characteristics in the first year of examination	*
<i>Aspidistra montevidensis</i> (Spreng.) Kuntze									
	11	1	DE	Bundessortenamt	01/11	*	01/03	*	*
<i>Asplenium antiquum</i> Makino									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Asplenium ebenoides</i> R. R. Scott									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Asplenium nidus</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Astelia chathamica</i> (Skottsb.) L. B. Moore × <i>Astelia nervosa</i> Hook. f.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Astelia nervosa</i> Hook. f. × <i>Astelia nivicola</i> Cockayne ex Cheeseman									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Aster</i> L.									
cutflower/ pot-plant - indoor	10	1	NL	NAKTUINBOUW	15/02	01/05	31/05	24 rooted cuttings; plants must be able to show all their characteristics in the first year of examination	*
<i>Aster ageratoides</i> Turcz.									
vegetative	10	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Aster alpinus</i> L.									
indoor	10	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
<i>Aster alpinus</i> L.									
outdoor	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants	able to show all their characteristics in the first year of examination
<i>Asteriscus maritimus</i> (L.) Less.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings	*
<i>Astilbe</i> Buch.-Ham. ex D. Don									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<i>Astilbe</i> × <i>arendsii</i> Arends									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<i>Astilbe</i> × <i>arendsii</i> Arends × <i>A. japonica</i> (C. Morren et Decne.) A. Gray									
	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants, appropriate to be grown in the open and able to show all their characteristics in the first year of the examination.	*
<i>Astilbe chinensis</i> (Maxim.) Franch. & Sav.									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<i>Astilbe simplicifolia</i> Makino									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<i>Astragalus boeticus</i> L.									
	13	2	NL	NAKTUINBOUW	01/12	*	15/12	2000 seeds	*
<i>Astrantia</i> L.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Astrantia carniolica</i> Jacq.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Astrantia major</i> L.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Astrantia major* ssp. *involucrata* W. D. J. Koch.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Astrantia maxima* Pall.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Astrantia minor* L.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Astroloba spiralis* (L.) Uitewaal (syn. *Haworthia spiralis* (L.) Duval; *Haworthia pentagona* (Aiton) Haw.)**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Athyrium niponicum* (Mett.) Hance**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Aubrieta* Adans.**

vegetative	11	1	DE	Bundessortenamt	01/06	18/09	22/09	20 well rooted plants, grown in 9 cm pots	*
------------	----	---	----	-----------------	-------	-------	-------	---	---

***Aubrieta deltoidea* (L.) DC.**

vegetative	11	1	DE	Bundessortenamt	01/06	18/09	22/09	20 well rooted plants, grown in 9 cm pots	*
------------	----	---	----	-----------------	-------	-------	-------	---	---

***Avena nuda* L.**

spring	4	2	PL	COBORU	30/11	*	25/02	6.0 kg	240 panicles
spring	4	2	FR	GEVES	15/01	*	25/01	*	*
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	*	*
spring	4	2	DK	TystofteFoundation	20/01	*	10/02	3.0 kg	*
spring	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	*	15/02	3, 0 kg + 150 panicles	*
spring	4	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	*	*
spring	4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	15/01	*	*
spring	4	2	AT	Bundesamt für Ernährungssicherheit	25/01	*	29/01	*	*

1	2	3	4	5	6	7	8	9	10
<i>Avena nuda</i> L.									
spring	4	2	DE	Bundessortenamt	15/08	*	01/09	*	*
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	3,0 kg	150 ears
winter	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	14/09	*	*
<i>Avena sativa</i> L.									
spring	4	2	AT	Bundesamt für Ernährungssicherheit	25/01	*	29/01	3,0 kg	120 panicles
spring	4	2	DE	Bundessortenamt	01/12	*	15/12	5,0 kg	minimum germination capacity 94%; on request: 120 panicles
spring	4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	15/01	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	*
spring	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	*	15/02	3,0 kg	150 panicles
spring	4	2	FR	GEVES	15/01	*	25/01	5,0 kg	*
spring	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	3,0 kg	*
spring	4	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	3,0 kg	120 panicles
spring	4	2	EE	Agricultural Research Center	01/03	*	01/04	*	*
spring	4	2	PL	COBORU	30/11	*	25/02	6,0 kg	240 panicles
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3,0 kg	150 ears
spring	4	2	DK	TystofteFoundation	20/01	*	10/02	3,0 kg	*
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	3,0 kg	150 ears
winter	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
winter	4	2	AT	Bundesamt für Ernährungssicherheit	29/08	*	14/09	3,0 kg	120 panicles
winter	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/08	*	10/09	3,0 kg	150 panicles
winter	4	2	DE	Bundessortenamt	15/08	*	01/09	5,0 kg	minimum germination capacity 94%; on request: 170 panicles
winter	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	14/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	*
<i>Avena strigosa</i> Schreb.									
spring	4	2	DE	Bundessortenamt	01/12	*	15/12	2,0 kg	minimum germination capacity 94%
winter	4	2	DE	Bundessortenamt	15/08	*	01/09	*	*
<i>Azolla caroliniana</i> Willd.									
	4	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination. To be delivered in water.	*

1	2	3	4	5	6	7	8	9	10
<i>Baccharis halimifolia</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes, able to show all their characteristics in the first year of examination	*
<i>Baptisia tinctoria</i> (L.) R. Br.									
	14	3	DE	Bundessortenamt	*	01/04	15/05	60 well developped young plants each year of testing	*
<i>Barleria obtusa</i> Nees									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Beaucarnea</i> Lem.									
vegetative	10	1	DE	Bundessortenamt	*	14/06	18/06	30 well-established, potted plants; 18 month old.	*
<i>Beaucarnea recurvata</i> Lem.									
vegetative	10	1	DE	Bundessortenamt	*	14/06	18/06	15 well-established, potted plants; 18 month old.	*
<i>Begonia</i> L.									
leaf begonia	10	1	DE	Bundessortenamt	15/03	03/07	07/07	20 well rooted young plants	*
tuberous begonia hybrids	10	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	15/01	15/03	15/04	60 tubers diameter 4 cm or 60 well rooted cuttings (young plants)	*
	10	1	DE	Bundessortenamt	01/12	07/04	10/04	25 rooted cuttings	*
<i>Begonia boliviensis</i> A. DC.									
vegetative	10	1	DE	Bundessortenamt	01/12	02/04	06/04	25 rooted cuttings	*
<i>Begonia boliviensis</i> A. DC. × <i>B. pendula</i> Ridl.									
	10	1	DE	Bundessortenamt	01/12	02/04	05/04	25 rooted cuttings	*
<i>Begonia boliviensis</i> A. DC. × <i>B. tuberhybrida</i> Voss									
	10	1	DE	Bundessortenamt	01/12	02/04	06/04	25 rooted cuttings	*
<i>Begonia coccinea</i> Hook.									
	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*
<i>Begonia conchifolia</i> A. Dietr.									
	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*
<i>Begonia corallina</i> Carrière									
	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*
<i>Begonia hatacoa</i> Buch.-Ham. ex. D. Don									
	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*
<i>Begonia hatacoa</i> Buch.-Ham. ex. D. Don × <i>B. deliciosa</i> Linden ex Fotsch									
	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*
<i>Begonia</i> × <i>hiemalis</i> Fotsch (<i>Begonia xelatioides</i> hort.)									
vegetative	10	1	DE	Bundessortenamt	01/12	16/04	20/04	25 young plants form not induced top cuttings	*
<i>Begonia imperialis</i> Lem.									
vegetative	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*

1	2	3	4	5	6	7	8	9	10
<i>Begonia parviflora</i> Poepp. & Endl. × <i>B. æsemperflorens-cultorum</i> hort.									
	10	1	DE	Bundessortenamt	01/12	*	01/04	*	*
<i>Begonia pedatifida</i> Lev. × <i>B. taliensis</i> Gagnep.									
	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*
<i>Begonia pendula</i> Ridl.									
vegetative	10	1	DE	Bundessortenamt	01/12	30/03	03/04	25 well rooted cuttings	*
<i>Begonia rex</i> Putz.									
vegetative	10	1	DE	Bundessortenamt	15/03	03/07	07/07	20 well rooted young plants	*
<i>Begonia rex</i> Putz. × <i>B. hatacoa</i> Buch. Ham. ex. D. Don									
vegetative	10	1	DE	Bundessortenamt	15/03	29/06	03/07	20 well rooted young plants	*
<i>Begonia rex</i> Putz. × <i>B. hatacoa</i> Buch. Ham. ex. D. Don × <i>B. deliciosa</i> Linden ex Fotsch									
vegetative	10	1	DE	Bundessortenamt	15/03	29/06	03/07	20 well rooted young plants	*
<i>Begonia rex-cultorum</i> L. H. Bailey									
vegetative	10	1	DE	Bundessortenamt	15/03	03/07	07/07	20 well rooted young plants	*
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort.									
seed	10	1	DE	Bundessortenamt	01/10	*	15/12	1500 seeds	*
vegetative	10	1	DE	Bundessortenamt	01/12	07/04	10/04	25 rooted cuttings	*
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort. × <i>B. foliosa</i> var. <i>miniata</i> Planch. & Linden L. B. Sm & B. G. Schub.									
	10	1	DE	Bundessortenamt	01/12	*	01/04	*	*
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort. × <i>B. obliqua</i> L.									
	10	1	DE	Bundessortenamt	01/12	*	01/04	*	*
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort. × <i>B. venosa</i> Skan ex Hook. f.									
	10	1	DE	Bundessortenamt	01/12	*	01/04	*	*
<i>Begonia soli-mutata</i> L.B. Sm. & Wassh.									
vegetative	10	1	DE	Bundessortenamt	15/03	*	01/07	*	*
<i>Begonia</i> × <i>tuberhybrida</i> Voss									
vegetative	10	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	15/01	15/03	15/04	50 tubers, diameter 4 cm or 50 well rooted cuttings (young plants)	*
<i>Bellis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Bellis perennis</i> L.									
seed	11	2	GB	NIAB	31/07	18/09	22/09	250 seeds	Seed must be of high germination capacity.
<i>Benincasa hispida</i> (Thumb.) Cogn.									
	13	2	FR	GEVES	01/01	*	01/03	200 g seed	*
	13	2	NL	NAKTUINBOUW	*	*	*	*	*
<i>Berberis</i> L.									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old	each plant should be labelled individually.
vegetative	9	2	PL	COBORU	15/01	15/03	15/04	8 plants	2 years old, vegetatively propagated, on thier own roots

1	2	3	4	5	6	7	8	9	10
<i>Berberis brachypoda</i> Maxim.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis candidula</i> (C. K. Schneid.) C. K. Schneid.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year-old	each plant should be labelled individually
<i>Berberis chinensis</i> Poir.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis darwinii</i> Hook.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis eurybracteata</i> (Fedde) Laferr. (syn. <i>Mahonia eurybracteata</i> Fedde)									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old	Each plant should be labelled individually.
<i>Berberis gagnepainii</i> C. K. Schneid.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis julianae</i> C. K. Schneid.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis koreana</i> Palib.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis</i> × <i>media</i> Groot.									
vegetative	11	2	FR	GEVES	01/12	15/02	15/03	8 plants grown in container, 2 years old	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	2 years old, vegetatively propagated on their own roots
<i>Berberis nitens</i> (C. K. Schneid.) Laferr. (syn. <i>Mahonia nitens</i> C. K. Schneid.)									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	*
<i>Berberis</i> × <i>ottawensis</i> C. K. Schneid.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis</i> × <i>rubrostilla</i> Chitt.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis</i> × <i>stenophylla</i> Lindl.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Berberis thunbergii</i> DC.									
vegetative	9	2	PL	COBORU	15/01	15/03	15/04	8 plants	2 years old, vegetatively propagated, on their own roots,
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants with roots, 2 years old, in container.	*
<i>Berberis wilsoniae</i> Hemsl.									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Bergenia Moench

vegetative, non variegated	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, variegated	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

Bergenia ciliata (Haw.) Sternb.

vegetative	11	1	GB	NIAB	31/07	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Bergenia crassifolia (L.) Fritsch (syn *Bergenia cordifolia* (Haw.) Sternb)

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Bergenia purpurascens (Hook. f. et Thomas) Engl.

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Beschornieria yuccoides K. Koch

	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show al their characteristics in the first year of examination
	10	1	DE	Bundessortenamt	01/12	04/05	08/05	25 well established young plants as in commerce	*

Beta vulgaris L. ssp. vulgaris var. alba DC. (syn. *Beta vulgaris* L. ssp. vulgaris var. crassa (Alef.) Wittm)

hybrid	4	2	DK	TystofteFoundation	20/01	*	10/02	0.3 units of naked and untreated seed	*
hybrid	4	2	FR	GEVES	05/01	05/01	15/01	1 kg of seeds, naked and non-treated	naked, non-treated seeds
parent line	4	2	FR	GEVES	05/01	05/01	15/01	500 g of seeds	naked, non-treated seeds
	4	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*

Beta vulgaris L. ssp. vulgaris var. cicla (L.) Ulrich

	14	2	FR	GEVES	01/01	*	01/04	100 g seed	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*

1	2	3	4	5	6	7	8	9	10
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>cicla</i> (L.) Ulrich									
	14	2	NL	NAKTUINBOUW	01/04	*	15/04	9,000 seed clusters	*
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>saccharifera</i> Alef. (syn. <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>altissima</i> Döll)									
component	4	2	SE	Swedish Board of Agriculture	01/02	*	15/02	500 g for a TSW of 10 g	Minimum germination capacity 80%
hybrid	4	2	DK	TystofteFoundation	20/01	*	10/02	*	*
<i>Beta vulgaris</i> L. var. <i>conditiva</i> Alef.									
	14	*	PL	COBORU	*	*	*	*	*
	14	2	FR	GEVES	01/01	*	01/02	100 g seed	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*
	14	2	NL	NAKTUINBOUW	01/04	*	15/04	9,000 seed clusters	*
	14	2	DE	Bundessortenamt	01/02	*	01/03	40,000 seeds	minimum germination capacity 80%
<i>Betula</i> L.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Betula albosinensis</i> Burkill									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Betula ermanii</i> Cham.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Betula nana</i> L.									
	11	*	GB	NIAB	*	*	*	*	*
<i>Betula nigra</i> L.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Betula papyrifera* Marshall**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Betula pendula* Roth**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Betula* × *pletkei* Junge (*Betula nana* × *B. pendula*)**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Betula utilis* D. Don.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Bidens* L.**

vegetative	11	1	DE	Bundessortenamt	15/11	22/02	26/02	25 well-rooted cuttings	not pinched
------------	----	---	----	-----------------	-------	-------	-------	-------------------------	-------------

***Bidens alba* (L.) DC. × *B. triplinervia* Kunth var. *macrantha* (Wedd.) Sherff**

	11	1	DE	Bundessortenamt	*	*	*	*	*
--	----	---	----	-----------------	---	---	---	---	---

***Bidens ferulifolia* (Jacq.) DC.**

vegetative	11	1	DE	Bundessortenamt	15/11	12/02	16/02	25 well-rooted cuttings,	not pinched.
------------	----	---	----	-----------------	-------	-------	-------	--------------------------	--------------

***Bidens pilosa* L.**

	11	1	DE	Bundessortenamt	15/11	13/02	17/02	25	well rooted cuttings, not pinched
--	----	---	----	-----------------	-------	-------	-------	----	-----------------------------------

***Bidens triplinervia* Kunth var. *macrantha* (Wedd.) Sherff**

vegetative	11	1	DE	Bundessortenamt	15/11	16/02	20/02	25 well-rooted cuttings,	not pinched.
------------	----	---	----	-----------------	-------	-------	-------	--------------------------	--------------

***Bistorta* (L.) Adans.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Bistorta affinis* (D. Don.) Greene (syn. *Persicaria affinis* (D. Don.) Ronse Decreane)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Bistorta amplexicaulis* (D. Don) Greene (syn. *Persicaria amplexicaulis* (D. Don) Ronse Decr., *Polygonum amplexicaule* D. Don)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Bistorta officinalis* Delarbre (syn. *Persicaria bistorta* (L.) Samp.; *Polygonum bistorta* L.)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Blechnum* L.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Boltonia* L'Hérit.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Boltonia asteroides* (L.) L'Hér. var. *latisquama* (A. Gray) Cronquist**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Boltonia decurrens

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Borago officinalis* L.**

	14	2	GB	NIAB	30/11	*	31/01	20g seed	Seed must be free from any serious pest and diseases, with a purity of at least 98% and free from any chemical treatment. Germination rate to be stated by the applicant on submission and to be at least 75%.
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*

***Bougainvillea* Comm. ex Juss.**

vegetative	10	1	DK	University of Aarhus - Aarslev	01/12	20/02	01/03	15 plantlets propagated by nodal cuttings	main shoot 4 - 7cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Bougainvillea glabra* Choisy**

vegetative	10	1	DK	University of Aarhus - Aarslev	01/12	20/02	01/03	15 plantlets propagated by nodal cuttings	main shoot 4 - 7 cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	---	--

***Bougainvillea spectabilis* Willd.**

vegetative	10	1	DK	University of Aarhus - Aarslev	01/12	20/02	01/03	15 plantlets propagated by nodal cuttings	main shoot 4 - 7cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	---	---

***Bouvardia* Salisb.**

vegetative	10	1	NL	NAKTUINBOUW	15/03	01/06	15/06	24 young plants being able to show all their characteristics in the first year of examination	Plants have to be submitted in 9 - 12 cm pots.
------------	----	---	----	-------------	-------	-------	-------	---	--

***Brachyglottis* J. R. Forst. et G. Forst.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Brachyglottis bidwillii* (Hook. f.) R. Nordenstam.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Brachyglottis buchananii* (J. B. Armstr.) R. Nordenstam.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Brachyglottis monroi* (Hook. f.) R. Nordenstam.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Brachyglottis rotundifolia* J. R. Forst. & G. Forst.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Brachypodium distachyon</i> (L.) P. Beauv.									
seed	3	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/07	*	31/08	500 g seeds	*
<i>Brachyscome</i> Cass.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plug plants	Plants must be vegetatively propagated.
<i>Brachyscome angustifolia</i> A. Cunn. ex DC.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 Plug plants	Plants must be vegetatively propagated.
<i>Brachyscome formosa</i> P. S. Short									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 Plug plants	Plants must be vegetatively propagated.
<i>Brachyscome iberidifolia</i> Benth.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 Plug plants	Plants must be vegetatively propagated.
<i>Brachyscome melanocarpa</i> Sond. et F.Muell.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 Plug plants	Plants must be vegetatively propagated.
<i>Brachyscome multifida</i> DC.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 Plug plants	Plants must be vegetatively propagated.
<i>Brachyscome segmentosa</i> F. Muell.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 Plug plants	Plants must be vegetatively propagated.
<i>Brassica carinata</i> A. Braun									
	14	2	DE	Bundessortenamt	31/12	*	01/02	500 g or 60.000 seed	minimum germination capacity of 80%
<i>Brassica juncea</i> L.									
agricultural	14	2	DE	Bundessortenamt	*	*	*	*	*
agricultural	14	2	NL	NAKTUINBOUW	15/01	*	01/02	20,000 seeds for drilled plants	*
vegetable	14	2	NL	NAKTUINBOUW	15/01	*	01/02	5,000 seeds	*
<i>Brassica napus</i> L. emend. Metzg.									
forage	2	2	GB	Animal & Plant Health Agency (APHA)	15/01	*	15/02	1000 g	*
spring	2	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A,B,R)
spring	2	2	DK	TystofteFoundation	20/01	*	10/02	700 g seeds of hybrid varieties or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
spring	2	2	PL	COBORU	20/12	01/02	28/02	0,15 kg seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 0,08 kg seeds of each component (A, B, R)
spring	2	2	FR	GEVES	15/01	*	01/02	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties. 350 g for line varieties used as components (A,B,R) 100 g for the A line in case of GMS system	*

1	2	3	4	5	6	7	8	9	10
<i>Brassica napus</i> L. emend. Metzg.									
spring	2	2	DE	Bundessortenamt	15/12	*	01/02	35000 seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94%	For hybrids: in addition 35000 germinable seeds of each component (A, B, R); minimum germination capacity 94%
spring	2	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	2	2	DE	Bundessortenamt	05/08	*	10/08	60000 seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94%	For hybrids: in addition 60000 seeds of each component (A, B, R); minimum germination capacity 94%
winter	2	2	DK	TystofteFoundation	08/08	*	08/08	700 g seeds of hybrid varieties or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	2	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	30/07	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	2	2	PL	COBORU	10/08	01/08	10/08	0,3 kg seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 0,15 kg seeds of each component (A, B, R)
winter	2	2	FR	GEVES	01/08	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties. 350 g for line varieties used as components (A,B,R) 100 g for the A line in case of GMS system	*
winter	2	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/07	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter	2	2	GB	Animal & Plant Health Agency (APHA)	10/08	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties	For hybrids: in addition 350 g seeds of each component (A, B, R)
winter & spring	&	2	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties
<i>Brassica napus</i> L. var. <i>Pabularia</i> (DC.) Rchb									
	14	1	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*
<i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Rchb.									
swede	14	2	NL	NAKTUINBOUW	01/04	*	01/05	5.000 seeds	*
	14	2	FR	GEVES	01/01	*	01/02	20 g seed	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef.									
forage kale	4	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*

1	2	3	4	5	6	7	8	9	10
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef.									
	4	2	FR	GEVES	*	*	*	*	*
	4	2	PT	Direção Geral de Alimentação e Veterinária	*	*	*	*	*
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>viridis</i> L.									
	14	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i>									
seed	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/03	*	01/04	10,000 seeds	*
seed, autumn & winter	14	2	NL	NAKTUINBOUW	15/04	*	01/05	5 000 seeds	*
seed, overwintering	14	2	NL	NAKTUINBOUW	15/05	*	15/06	5 000 seeds	*
seed, spring & summer	14	2	NL	NAKTUINBOUW	01/01	*	15/01	5,000 seeds	*
seed: autumn/winter early type	14	2	FR	GEVES	01/04	*	01/05	10,000 seeds (50 g)	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
seed: late winter & spring	14	2	FR	GEVES	01/04	*	01/05	10,000 seeds (50 g)	*
vegetative	14	2	FR	GEVES	01/04	*	01/07	80 rooted plants	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
vegetative, autumn & winter	14	2	NL	NAKTUINBOUW	15/04	15/06	30/06	125 plants of commercial standard	*
vegetative, overwintering	14	2	NL	NAKTUINBOUW	15/05	01/08	15/08	125 plants of commercial standard	*
vegetative, spring & summer	14	2	NL	NAKTUINBOUW	01/01	15/04	30/04	125 plants of commercial standard	*
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duch.									
early & medium early	14	2	PL	COBORU	20/12	15/01	15/02	40 g seed	*
medium late & late	14	2	PL	COBORU	20/12	01/03	31/03	40 g seed	*
	14	2	NL	NAKTUINBOUW	01/04	*	15/04	5,000 seeds	*
	14	2	FR	GEVES	01/01	*	01/03	15,000 seeds (50 g)	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.

1	2	3	4	5	6	7	8	9	10
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duch.									
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/05	*	01/06	20,000 seeds	*
	14	2	GB	Animal & Plant Health Agency (APHA)	15/02	*	15/03	6,000 seeds	*
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC.									
early & medium early	14	2	PL	COBORU	20/12	15/01	15/02	40 g seed	*
medium late & late	14	2	PL	COBORU	20/12	01/03	31/03	40 g seed	*
not point, early round, spring	14	2	NL	NAKTUINBOUW	01/02	*	15/02	5,000 seeds	*
pointed, early round, spring	14	2	NL	NAKTUINBOUW	01/01	*	15/01	5 000 seeds	*
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	*	10/01	10,000 seeds	germination rate 85%
	14	2	DE	Bundessortenamt	01/01	*	01/02	5,000 seeds	minimum germination capacity 85%
	14	2	FR	GEVES	01/03	*	01/04	10,000 seeds (50 g)	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC. × <i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>rubra</i> (L.) Thell.									
	14	2	FR	GEVES	*	*	*	*	*
	14	2	NL	NAKTUINBOUW	*	*	*	*	*
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	*	*	*	*	*
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>rubra</i> (L.) Thell.									
	14	2	NL	NAKTUINBOUW	01/02	*	15/02	5,000 seeds	*
	14	2	FR	GEVES	01/03	*	01/04	15,000 seeds	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	*	10/01	10,000 seeds	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Brassica oleracea* L. convar. *capitata* (L.) Alef. var. *sabauda* L.**

14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	28/02	*	31/03	15,000 seeds	*
14	2	NL	NAKTUINBOUW	01/05	*	15/05	5,000 seeds.	*
14	2	FR	GEVES	01/03	*	01/04	15,000 seeds	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	*	10/01	10,000 seeds	germination rate 85%

***Brassica oleracea* L. var. *sabellica* L.**

14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	28/02	*	31/03	15,000 seeds	*
14	2	NL	NAKTUINBOUW	15/05	*	01/06	5,000 seeds	*
14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*

***Brassica oleracea* L. var. *costata* DC**

14	2	FR	GEVES	01/02	01/03	31/03	50 gr seeds	sufficient germination rate
14	2	NL	NAKTUINBOUW	01/05	01/05	15/05	5000 seeds	-

***Brassica oleracea* L. var. *gemmifera* Zenker**

early & medium early	14	2	PL	COBORU	20/12	15/01	15/02	40 g seed	*
medium late & late	14	2	PL	COBORU	20/12	01/03	31/03	40 g seed	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	28/02	*	31/03	15,000 seeds	*
	14	2	GB	Animal & Plant Health Agency (APHA)	31/01	*	28/02	6,000 seeds	*
	14	2	FR	GEVES	01/01	*	01/03	15,000 seeds (50 g)	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
	14	2	NL	NAKTUINBOUW	01/03	*	15/03	5,000 seeds	*

***Brassica oleracea* L. var. *gongylodes* L.**

	14	2	DE	Bundessortenamt	15/12	*	15/01	5000 seeds	minimum germination rate 85%
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	*	10/01	10,000 seeds	germination rate 85%

1	2	3	4	5	6	7	8	9	10
<i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.									
	14	2	NL	NAKTUINBOUW	01/06	*	15/06	5,000 seeds	*
<i>Brassica rapa</i> L. subsp. <i>Campestris</i> (L.) A. R. Clapham									
spring	4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	08/01	*	*
	4	2	FI	Finnish Food Safety Authority Evira	*	*	*	*	*
<i>Brassica rapa</i> L. subsp. <i>Nipposinica</i> (L. H. Bailey) Hanelt									
	14	2	FR	GEVES	*	*	*	*	*
<i>Brassica rapa</i> L. var. <i>pekinensis</i> (Lour.) Kitam.									
	14	2	NL	NAKTUINBOUW	01/06	*	15/06	5,000 seeds	*
	14	2	FR	GEVES	01/01	*	01/03	50 g seed	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
<i>Brassica rapa</i> L. var. <i>rapa</i> L.									
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
	14	*	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*
<i>Brassica rapa</i> L. var. <i>silvestris</i> (Lam.) Briggs									
	4	2	FR	GEVES	01/08	01/08	10/08	1 kg seeds	sufficient germination rate
× <i>Bratonia</i> Moir									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Brighamia insignis</i> A. Gray									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Bromus catharticus</i> Vahl var. <i>elatus</i> (E. Desv.) Planchelo (syn. <i>B. stamineus</i>; <i>B. valdivianus</i>)									
	3	2	IT	CREA-SCS	30/06	30/06	15/08	1000 g seed	Not treated seed. Minimum germinability capacity and purity as for basic seed.
	3	3	FR	GEVES	15/12	15/12	10/01	1 kg of seeds	with good germination capacity
<i>Bromus catharticus</i> var. <i>catharticus</i>									
	3	3	FR	GEVES	15/12	*	10/01	3,0 kg	*
<i>Bromus sitchensis</i>									
	3	3	FR	GEVES	*	*	*	*	*
<i>Brugmansia</i> Pers.									
vegetative	10	1	DE	Bundessortenamt	15/05	11/09	15/09	15 plants in a 20 cm pot, virus-free	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Brunnera* Steven.**

vegetative	11	2	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Brunnera macrophylla* (Adams) I. M. Johnst.**

vegetative	11	2	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Brunnera sibirica* Steven**

vegetative	11	2	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Buddleja* L.**

	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old	each plant should be labelled individually.
--	---	---	----	-------	-------	-------	-------	-------------------------------------	---

***Buddleja alternifolia* Maxim.**

	9	2	FR	GEVES	01/12	15/02	15/03	*	*
--	---	---	----	-------	-------	-------	-------	---	---

***Buddleja alternifolia* Maxim. × *Buddleja crispa* Benth. (syn *B. caryopteridifolia* W. W. Sm)**

	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old.	each plant should be labelled individually
--	---	---	----	-------	-------	-------	-------	--------------------------------------	--

***Buddleja alternifolia* Maxim. × *Buddleja davidii* Franch.**

vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 years old	each plant should be labelled individually.
------------	---	---	----	-------	-------	-------	-------	------------------------------------	---

***Buddleja alternifolia* Maxim. × *Buddleja marrubiiifolia* Benth.**

vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 years old	each plant should be labelled individually.
------------	---	---	----	-------	-------	-------	-------	------------------------------------	---

***Buddleja crispa* Benth. × *Buddleja marrubiiifolia* Benth.**

vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 years old	each plant should be labelled individually.
------------	---	---	----	-------	-------	-------	-------	------------------------------------	---

***Buddleja davidii* Franch.**

vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 years old	each plant should be labelled individually.
------------	---	---	----	-------	-------	-------	-------	------------------------------------	---

***Buddleja davidii* Franch. × *Buddleja* × *weyeriana* Weyer**

	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old	each plant should be labelled individually
--	---	---	----	-------	-------	-------	-------	-------------------------------------	--

***Buddleja fallowiana* Balf. f. & W. W. Sm.**

	9	2	FR	GEVES	01/12	15/02	15/03	*	*
--	---	---	----	-------	-------	-------	-------	---	---

***Buddleja globosa* Hope**

	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old	each plant should be labelled individually
--	---	---	----	-------	-------	-------	-------	-------------------------------------	--

1	2	3	4	5	6	7	8	9	10
<i>Buddleja lindleyana</i> Fortune									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old	each plant should be labelled individually
<i>Buddleja</i> × <i>luteolufaucia</i> W. Elliott & Fantz (<i>B. davidii</i> Franch. × <i>B. lindleyana</i> Fortune)									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants	in container, two years old
<i>Buddleja</i> × <i>weyeriana</i> Weyer (<i>Buddleja davidii</i> × <i>B. globosa</i>)									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 years old	each plant should be individually labelled
<i>Buddleja loricata</i>									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 years old	each plant should be labelled individually
<i>Buglossoides arvensis</i> (L.) I. M. Johnst									
	4	2	NL	NAKTUINBOUW	01/12	*	01/04	5000 seeds	*
× <i>Burrageara</i> hort.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants, able to show all their characteristics in the first year of examination	*
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants, able to show all their characteristics in the first year of examination	*
<i>Buxus microphylla</i> Siebold & Zucc.									
vegetative	11	1	DE	Bundessortenamt	01/02	01/03	15/03	10 plants	in pots, 20-25 cm high
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Buxus sempervirens</i> L.									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 plants	in pots, 20-25 cm diameter
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Caladium humboldtii</i> (Raf.) Schott									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Calathea</i> G. Mey.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Calathea crocata</i> E. Morren & Joriss.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Calathea loeseneri</i> J.F. Macbr. × <i>C. roseopicta</i> (Linden) Regel									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Calathea makoyana</i> E. Morren (syn. <i>Goepfertia makoyana</i> (E. Morren) Borchs. & S. Suárez)									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Calathea roseopicta</i> (Linden) Regel									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Calathea warscewiczii</i> (L. Mathieu) Planch. & Linden									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Calceolaria</i> L.									
	10	1	DE	Bundessortenamt	01/10	12/01	16/01	25 well rooted cuttings,	not treated with growth regulators
<i>Calendula</i> L.									
seed	14	2	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Calendula officinalis</i> L.									
seed	14	2	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
seed-propagated	14	2	DE	Bundessortenamt	15/02	*	15/03	2400 seeds	minimum germination capacity 80%;
vegetative	14	2	DE	Bundessortenamt	15/01	23/04	04/05	60 well rooted cuttings	not pinched
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Calendula officinalis</i> L. × <i>C. suffruticosa</i> Vahl									
vegetative	11	1	GB	NIAB	*	*	*	*	*
<i>Calendula suffruticosa</i> Vahl. subsp. <i>maritima</i> (Guss.) Meikle									
ornamental	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Calibrachoa</i> Cerv.									
Seed propagated	11	1	DE	Bundessortenamt	15/11	05/01	16/01	900 seeds	minimum germination capacity 75%
vegetative	11	1	DE	Bundessortenamt	15/11	12/03	16/03	30 well-rooted cuttings.	not pinched
<i>Calibrachoa parviflora</i> (Juss.) D'Arcy & Wijsman									
vegetative	11	1	DE	Bundessortenamt	15/11	12/03	16/03	30 well rooted cuttings	not pinched
<i>Callicarpa bodinieri</i> H. Lev.									
	11	2	GB	NIAB	01/12	13/03	24/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Callisia</i> Loeffl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
<i>Callisia repens</i> (Jacq.) L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Callistemon</i> R. Br.									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, 2 years old, in container	each plant should be labelled individually.
<i>Callistemon citrinus</i> (Curtis) Skeels									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually

1	2	3	4	5	6	7	8	9	10
<i>Callistemon salignus</i> (Sm.) Sweet									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, 2 years old, in container	each plant should be labelled individually
<i>Callistemon viminalis</i> (Sol. ex Geartn.) G. Don									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, 2 years old, in container	each plant should be labelled individually.
<i>Callistephus chinensis</i> (L.) Nees									
seed propagated; green-house	10	1	DE	Bundessortenamt	01/12	*	15/03	6 gr. of seeds	*
<i>Calluna vulgaris</i> (L.) Hull									
vegetative	9	1	DE	Bundessortenamt	01/02	01/03	15/03	25 well-rooted young plants out of the quick-pot propagation tray	root ball diameter 4-6 cm, at least 6 month old plants
<i>Calochortus</i> Pursh									
vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	200 bulbs of flowering size	*
<i>Calycanthus</i> × <i>raulstonii</i> (F. T. Lass. & Fantz) F. T. Lass. & Fantz ex Bernd Schulz									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Camelina sativa</i> (L.) Crantz									
	2	2	FR	GEVES	15/01	*	01/02	1 kg seeds	*
	4	2	DE	Bundessortenamt	15/12	*	01/02	0.25 kg	minimum germination capacity of 80%
<i>Camellia</i> L.									
autumn & winter flowering	11	1	GB	NIAB	01/12	12/03	23/03	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
spring flowering	11	1	GB	NIAB	31/07	18/09	22/09	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Camellia japonica</i> L.									
autumn & winter flowering	11	1	GB	NIAB	01/12	12/03	23/03	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
spring flowering	11	1	GB	NIAB	31/07	18/09	22/09	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Camellia reticulata</i> Lindl.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Camellia rosthorniana* Hand.-Mazz.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Camellia saluenensis* Stapf ex Bean**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Camellia sasanqua* Thunb.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Camellia* × *williamsii* W. W. Sm.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	12 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Campanula* L.**

greenhouse	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
greenhouse	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
outdoor	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

***Campanula carpatha* Halacsy**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

***Campanula carpatica* Jacq.**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------------	--

1	2	3	4	5	6	7	8	9	10
<i>Campanula carpatica</i> Jacq.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Campanula carpatica</i> Jacq. × <i>Campanula isophylla</i> Moretti									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Campanula cochlearifolia</i> Lam.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Campanula formanekiana</i> Degen & Dörf.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Campanula garganica</i> Ten.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
<i>Campanula glomerata</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Campanula glomerata</i> L. × <i>C. punctata</i> Lam.									
	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Campanula</i> × <i>haylodgensis</i> hort.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Campanula isophylla</i> Moretti									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Campanula lactiflora</i> M. Bieb.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Campanula lasiocarpa</i> Cham.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Campanula latifolia</i> L.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Campanula latiloba</i> A. DC.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Campanula medium</i> L.									
greenhouse	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9	10
<i>Campanula medium</i> L.									
seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity and must not be treated in any way that will affect subsequent development
<i>Campanula persicifolia</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Campanula portenschlagiana</i> Schult.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
	10	1	GB	NIAB	01/12	12/03	16/03	20 rooted cuttings, 8 weeks old	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Campanula poscharskyana</i> Degen									
Greenhouse cultivation; vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor cultivation	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor cultivation	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	*	*
<i>Campanula</i> × <i>pulloides</i> hort.									
vegetative - outdoor cultivation	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Campanula punctata Lam.

	11	1	GB	NIAB		01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW		01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

Campanula punctata Lam. × *C. takesimana* Nakai

Outdoor cultivation; vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW		01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

Campanula takesimana Nakai

indoor cultivation	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*	
outdoor cultivation	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*	
outdoor cultivation	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.	
vegetative indoor cultivation	-	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year.

Campanula trachelium L.

vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW		01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

Campanula tubulosa Lam.

Greenhouse cultivation; vegetative	10	1	GB	NIAB		01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------------------------------	----	---	----	------	--	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Campanula tubulosa</i> Lam.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Campsis grandiflora</i> (Thunb.) K. Schum. × <i>C. × tagliabuana</i> (Vis.) Rehder									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants	able to show all their characteristics in the first year of examination
<i>Campsis radicans</i> (L.) Seem. ex Bureau									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants, able to show all their characteristics in the first year of examination.	*
<i>Campsis</i> × <i>tagliabuana</i> (Vis.) Rehder (<i>C. grandiflora</i> × <i>C. radicans</i>)									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants, able to show all their characteristics in the first year of examination.	*
<i>Canna</i> × <i>generalis</i> L. H. Bailey									
seed-propagated	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 plants, able to show all their characteristics during the first year of examination.	*
<i>Canna indica</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Cannabis sativa</i> L.									
fibre	4	2	FR	GEVES	15/01	15/01	15/02	1 kg seeds	minimum germination capacity of 80%
seed	4	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	*	20/02	2,0 kg for hybrids and open pollinated varieties; 1,0 kg for line applications	In case of hybrids: in addition 1,0 kg of each component (lines and parental crosses)
seed	4	2	NL	NAKTUINBOUW	15/01	*	01/02	500 g	*
vegetative	4	1	NL	NAKTUINBOUW	15/01	*	*	-Per variety 50 rooted cuttings in plug, length of cuttings: 10-15 cm -The material must be clearly and properly labelled -The material must be free of visible pests and diseases and arrive in good condition -All shipments must be accompanied by an official document allowing transport of medicinal cannabis (Please inquire at local authority)	*
<i>Capparis spinosa</i> L.									
vegetative	10	1	DE	Bundessortenamt	01/12	15/04	21/04	20 rooted cuttings	not pinched
<i>Capsicum annuum</i> L.									
autumn	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/06	*	01/07	3,000 seeds	*
except lamuyo types	13	2	NL	NAKTUINBOUW	15/12	*	31/12	1500 seeds	*
field, summer (triangle fruit)	14	2	FR	GEVES	01/02	*	01/03	2,000 seeds (15 g)	*
greenhouse	13	2	HU	National Food Chain Safety Office (NÉBIH)	15/01	*	15/02	2,000 seeds	92% min. germination

1	2	3	4	5	6	7	8	9	10
<i>Capsicum annuum</i> L.									
greenhouse, autumn	13	2	FR	GEVES	01/05	*	01/06	2,000 seeds (15 g)	*
greenhouse, spring	13	2	FR	GEVES	15/12	*	01/01	2,000 seeds (15 g)	*
lamuyo type	13	2	NL	NAKTUINBOUW	15/01	*	01/02	1 500 seeds	*
open field	14	2	PT	Direção Geral de Alimentação e Veterinária	15/12	*	10/02	3.000 seeds	*
ornamental fr	10	2	FR	GEVES	15/12	15/12	31/12	10 g seed	*
ornamental nl	10	2	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
spring	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	3,000 seeds	*
vegetatively propagated	13	2	NL	NAKTUINBOUW	15/12	01/03	15/03	25 non-grafted plants of commercial standard, plant height 20 - 40 cm	*
<i>Capsicum baccatum</i> L.									
	13	2	FR	GEVES	15/12	*	01/01	10 g seed	*
<i>Capsicum chinense</i> Jacq.									
	13	2	FR	GEVES	15/12	*	01/01	10 g seed	*
<i>Capsicum frutescens</i> L.									
	13	2	FR	GEVES	15/12	*	01/01	10 g seed	*
<i>Capsicum pubescens</i> Ruiz & Pav.									
	13	2	FR	GEVES	15/12	*	01/01	10 g seed	*
<i>Carex</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants,	able to show all their characteristics in the first year of flowering
<i>Carex brunnea</i> Thunb.									
vegetative	11	1	NL	NAKTUINBOUW	15/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Carex comans</i> Berggr.									
ornamental, vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Carex laxiculmis</i> Schwein.									
vegetative	11	1	GB	NIAB	01/02	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants able to show all their characteristics in the first year of examination	*
	11	1	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Carex morrowii</i> Boott									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
<i>Carex oshimensis</i> Nakai									
vegetative	11	1	DK	University of Aarhus - Aarslev	01/12	15/04	30/04	20 small plants ready for potting. Phytosanitary certificate from countries outside EU, or plant passport for EU countries.	Please note that Denmark is a protected zone for Bremisia Tabaci and Tomato spotted wilt virus. Please advise the test station about the arrival of the plant material
<i>Carex phyllocephala</i> T. Koyama									
vegetative	11	1	NL	NAKTUINBOUW	*	*	*	*	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	DK	University of Aarhus - Aarslev	01/01	15/04	30/04	20 small plants ready for potting	*
<i>Carex siderosticha</i> Hance									
ornamental	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Carex trifida</i> Cav.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Carpinus betulus</i> L.									
tree, ornamental	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 plants, potted or bare-rooted, at least two years old, size 150-200 cm.	*
<i>Carpinus caroliniana</i> Walter									
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10	potted or bare rooted plants, at least 2 years old, 125-150 cm high
<i>Carthamus tinctorius</i> L.									
	4	2	DE	Bundessortenamt	15/01	*	15/02	4.200 seeds	minimum germination capacity 80%
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	01/12	31/12	1 kg	The minimum requirements for germination capacity and analytical purity should not be less than the standards for certified seeds.
<i>Carum carvi</i> L.									
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1.0 kg of seed	*
<i>Caryopteris</i> Bunge									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Caryopteris</i> × <i>clandonensis</i> A. Simmonds ex C. H. Curtis									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Caryopteris divaricata</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Castanea</i> Mill.									
	7	6	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	31/03	8 grafted plants of the candidate variety plus 8 grafted plants of the most similar variety	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cryphonectria parasitica Apple mosaic virus (ApMV) [PCR]
<i>Castanea</i> × <i>coudercii</i> A. Camus (<i>C. crenata</i> Siebold et Zucc. × <i>C. sativa</i> Mill.)									
	7	6	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	31/03	8 grafted plants of the candidate variety plus 8 grafted plants of the most similar variety	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cryphonectria parasitica Apple mosaic virus (ApMV) [PCR]
<i>Castanea crenata</i> Siebold & Zucc.									
	7	4	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	31/03	8 grafted plants of the candidate variety plus 8 grafted plants of the most similar variety	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cryphonectria parasitica Apple mosaic virus (ApMV) [PCR]
<i>Catharanthus</i> G. Don									
vegetative	10	1	DE	Bundessortenamt	01/02	15/06	19/06	25 well rooted cuttings	not pinched
<i>Catharanthus roseus</i> (L.) G. Don									
vegetative	10	1	DE	Bundessortenamt	01/02	15/06	19/06	25 well-rooted cuttings	not pinched
<i>Ceanothus</i> L.									
vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Ceanothus</i> L.									
vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceanothus</i> × <i>delilianus</i> Spach.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceanothus gloriosus</i> J. T. Howell									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceanothus griseus</i> (Trel.) McMinn									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceanothus impressus</i> Trel.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceanothus</i> × <i>palidus</i> Lindl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceanothus prostratus</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceanothus thyrsiflorus</i> Eschw.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Celosia</i> L.									
seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	5 gram seeds, germination capacity 50%.	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	09/04	13/04	75 well rooted cuttings, able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Celosia argentea</i> L.									
seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	5 gram seeds, germination capacity 50%.	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	21/04	25/04	75 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
<i>Celosia argentea</i> var. <i>cristata</i> (L.) Kuntze									
seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	5 gram seeds, germination capacity 50%.	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	21/04	25/04	75 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
<i>Centaurea montana</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard	appropriat to be grown in the open
<i>Centradenia</i> G. Don									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Centranthus ruber</i> (L.) DC									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination.	appropriate to be grown in the open
<i>Centratherum</i> Cass.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
<i>Cephalanthus occidentalis</i> L.									
	11	1	GB	NIAB	01/12	13/03	24/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceratostigma</i> Bunge.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceratostigma abyssinicum</i> (Hochst.) Schwein. & Asch.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceratostigma griffithii</i> C. B. Clarke									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Ceratostigma plumbaginoides</i> Bunge.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ceratostigma willmottianum</i> Stapf									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cercidiphyllum japonicum</i> Siebold & Zucc.									
	11	2	NL	NAKTUINBOUW	01/06	01/11	30/11	8 trees four-year old with root balls, able to show all their characteristics in the second year of examination	*
<i>Cercis canadensis</i> L.									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, at least 3 years old	*
<i>Cereus hildmannianus</i> K. Schum. subsp. <i>uruguayanus</i> (R. Kiesling) N. P. Taylor (synonym <i>Cereus peruvianus</i> auct. pl)									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
<i>Chaenomeles japonica</i> (Thunb.) Lindl. ex Spach.									
	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	15/03	30/04	8 plants / variety	2 years old in pot
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	2-3 years old plants, container grown
<i>Chaenomeles speciosa</i> (Sweet) Nakai									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 potted plants, at least 3 years old	virus free
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	2-3 years old plants, container grown	8 plants
	11	2	FR	GEVES	01/09	15/02	15/03	8 plants, two years old	each plant should be individually labelled
<i>Chamaecyparis lawsoniana</i> (A. Murray) Parl.									
vegetative	9	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl.									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown
<i>Chamaecyparis pisifera</i> (Siebold & Zucc.) Endl.									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Chamaecyparis thyoides</i> (L.) Britton et al.									
vegetative	11	2	DE	Bundessortenamt	15/01	01/03	15/03	10 potted plants, 40 - 60 cm high	*

1	2	3	4	5	6	7	8	9	10
<i>Chamaerops L.</i>									
vegetative	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Chamelaucium megalopetalum Benth. × C. uncinatum Schauert</i>									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	20 potted plants	20 - 60 in height
<i>Chasmanthe floribunda var. duckittii G. Lewis ex L. Bol.</i>									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 bulbs of flowering size, able to show all their characteristics during the first year of examination.	
<i>Chasmanthium latifolium (Michx.) H. O. Yates</i>									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	25 young plants	*
<i>Chelone obliqua L.</i>									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Chenopodium L.</i>									
	4	2	NL	NAKTUINBOUW	15/01	*	01/02	300 g	*
<i>Chenopodium quinoa</i>									
	4	2	FR	GEVES	15/02	*	01/03	150 g of seeds	*
	4	2	DK	TystofteFoundation	20/01	*	10/02	200 g, indicate TSW and germination capacity	*
<i>Chenopodium quinoa Willd.</i>									
	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination	*
<i>Chirita tamiana B.L.Burt</i>									
	10	1	DE	Bundessortenamt	01/12	03/03	07/03	20 young plants as in commerce	not flowering
<i>Chlorophytum comosum (Thunb.) Jacques</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Chlorophytum laxum R. Br.</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Chlorophytum orchidastrum Lindl.</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Chlorophytum saundersiae (Baker) Nordal (syn. Anthericum saundersiae Baker)</i>									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9	10
<i>Choisya</i> Kunth									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Choisya arizonica</i> Standl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Choisya</i> × <i>dewitteana</i> Geerinck (<i>Choisya dumosa</i> (Torr.) A. Gray. × <i>Choisya ternata</i> Kunth)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Choisya dumosa</i> (Torr.) A. Gray.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Choisya ternata</i> Kunth									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Christia vespertilionis</i> (L.f.) Backh. f.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Chrysanthemum</i> L.									
ayr crop 1	8	1	GB	NIAB	14/07	08/01	12/01	25 unrooted cuttings	Cuttings must be of commercial standard,
ayr crop 2	8	1	GB	NIAB	30/10	12/03	16/03	25 unrooted cuttings	Cuttings must be of commercial standard
ayr crop 3	8	1	GB	NIAB	17/02	03/07	07/07	25 unrooted cuttings	Cuttings must be of commercial standard.
cut flowers ayr	8	1	PL	COBORU	15/01	09/04	15/04	40 unrooted cuttings	*
natural season	9	1	GB	NIAB	01/12	16/04	20/04	25 unrooted cuttings	Cuttings must be of commercial standard.
natural season	9	1	PL	COBORU	15/01	09/04	15/04	25 unrooted cuttings	*
pot plant ayr	8	1	PL	COBORU	15/01	09/04	15/04	25 unrooted cuttings	*
<i>Chrysanthemum dichrum</i> (C. Shih) H. Ohashi & Yonek. × <i>Opisthopappus taihangensis</i> (Y. Ling) C. Shih									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 well rooted cuttings	Plants must be vegetatively propagated.
	11	1	NL	NAKTUINBOUW	*	01/03	31/03	*	*
<i>Chrysanthemum indicum</i> L.									
AYR crop 1	8	1	GB	NIAB	14/07	08/01	12/01	25 unrooted cuttings	Cuttings must be of commercial standard.

1	2	3	4	5	6	7	8	9	10
<i>Chrysanthemum indicum</i> L.									
Natural Season	9	1	GB	NIAB	01/12	16/04	20/04	25 unrooted cuttings	Cuttings must be of commercial standard.
<i>Chrysanthemum</i> × <i>morifolium</i> Ramat. (syn <i>C.</i> × <i>grandiflorum</i>)									
AYR crop 1	8	1	GB	NIAB	14/07	08/01	12/01	25 unrooted cuttings	Cuttings must be of commercial standard.
Natural Season	9	1	GB	NIAB	01/12	16/04	20/04	25 unrooted cuttings	Cuttings must be of commercial standard.
<i>Chrysanthemum pacificum</i> Nakai									
AYR crop 1	8	1	GB	NIAB	14/07	08/01	12/01	25 unrooted cuttings	Cuttings must be of commercial standard.
AYR crop 3	8	1	GB	NIAB	17/02	03/07	07/07	25 unrooted cuttings.	Cuttings must be of commercial standard.
Natural Season	8	1	GB	NIAB	01/12	16/04	20/04	25 unrooted cuttings.	Cuttings must be of commercial standard.
ayr crop 2	8	1	GB	NIAB	30/10	12/03	16/03	25 unrooted cuttings.	Cuttings must be of commercial standard.
	9	*	GB	NIAB	*	*	*	*	*
<i>Chrysocephalum apiculatum</i> (Labill.) Steetz (Syn. <i>Helichrysum apiculatum</i> (Labill.) D. Don come)									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 well rooted cuttings	being able to show all their characteristics during the first year of examination.
<i>Cicer arietinum</i> L.									
	14	2	FR	GEVES	01/12	*	01/01	1,0 kg seed	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	*	31/01	1,0 kg seed	*
	14	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	28/01	*	28/02	2,0 kg seed	minimum 85% germination
<i>Cichorium endivia</i> L.									
autumn	14	2	FR	GEVES	01/05	*	01/05	5,000 seeds (20 g)	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
spring	14	2	FR	GEVES	01/01	*	01/02	5,000 seeds (20 g)	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
	14	2	NL	NAKTUINBOUW	01/01	*	15/01	5,000 seeds	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/05	*	01/06	25,000 seeds	*
<i>Cichorium intybus</i> L. partim									
industrial	13	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	31/01	*	01/03	300 g seed	same category as certified seed

1	2	3	4	5	6	7	8	9	10
<i>Cichorium intybus</i> L. partim									
industrial	14	2	NL	NAKTUINBOUW	01/04	*	15/04	15,000 seeds	*
leaf	14	2	NL	NAKTUINBOUW	15/05	*	01/06	5,000 seeds	*
seed, witloof	14	2	NL	NAKTUINBOUW	15/04	*	01/05	25,000 seeds	*
chicory									
vegetative	14	2	NL	NAKTUINBOUW	15/01	*	*	100 plants	*
witloof	13	2	FR	GEVES	01/02	*	01/03	50 g seed	*
	13	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	*	*	*	*	*
<i>Cirsium rivulare</i> (Jacq.) All.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cissus adenopoda</i> Sprague									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Cistus</i> × <i>argenteus</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus creticus</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus</i> × <i>danseae</i> Pinto da Silva									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus</i> × <i>florentinus</i> Lam.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus</i> × <i>hybridus</i> Pourr.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus</i> × <i>incanus</i> L.									
	14	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Cistus ladanifer</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus</i> × <i>laevis</i> Ait. f.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus monspeliensis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus populifolius</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
<i>Cistus</i> × <i>pulverulentus</i> Pourr.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cistus</i> × <i>purpureus</i> Lam.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
<i>Cistus salviifolius</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
× <i>Citroncirus webberi</i> J. W. Ingram & H. E. Moore (<i>Citrus sinensis</i> × <i>Poncirus trifoliata</i>)									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Citrullus lanatus</i> (Thunb.) Matsum et. Nakai									
field	14	2	HU	National Food Chain Safety Office (NÉBIH)	15/01	*	15/02	3000 seeds	94% min. germination
greenhouse	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	1800 untreated seeds	*

1	2	3	4	5	6	7	8	9	10
<i>Citrullus lanatus</i> (Thunb.) Matsum et. Nakai									
outdoor	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	1800 untreated seeds	*
	14	2	FR	GEVES	01/02	*	01/03	100 g	*
	13	2	FR	GEVES	01/02	*	01/03	100 g seed	*
	13	2	NL	NAKTUINBOUW	01/03	*	15/03	1,200 seeds	*
	14	2	PT	Direção Geral de Alimentação e Veterinária	15/12	*	10/02	*	*
<i>Citrus</i> L.									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis,
<i>Citrus aurantiifolia</i> (Christm.) Swingle									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Citrus aurantium</i> L.									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Citrus clementina</i> hort. ex Tan.									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis,
<i>Citrus clementina</i> hort. ex Tan. × <i>Citrus sinensis</i> (L.) Osbeck									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis,

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Citrus clementina* hort. ex Tan. × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*		*
---	---	----	---	---	---	---	---	--	---

***Citrus deliciosa* Ten.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis,
---	---	----	---	-------	-------	-------	---	--

***Citrus jambhiri* Lush.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*		*
---	---	----	---	---	---	---	---	--	---

***Citrus latifolia* (Yu. Tanaka) Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*		*
---	---	----	---	---	---	---	---	--	---

***Citrus latipes* (Swingle) Tanaka × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*		*
---	---	----	---	---	---	---	---	--	---

***Citrus limettioides* Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*		*
---	---	----	---	---	---	---	---	--	---

***Citrus limon* (L.) Burm. × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*		*
---	---	----	---	---	---	---	---	--	---

***Citrus limon* (L.) Burm. f.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis,
---	---	----	---	-------	-------	-------	---	--

1	2	3	4	5		6	7	8	9		10
<i>Citrus mazima</i> (Burm.) Merr. (syn. <i>C. grandis</i> (L.) Osbeck)											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,	
<i>Citrus nobilis</i> Lour.											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus nobilis</i> Lour. × <i>Citrus temple</i> hort. ex Y. Tan.											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus paradisi</i> Macf. × <i>Poncirus trifoliata</i> (L.) Raf.											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus paradisi</i> Macfad.											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,	
<i>Citrus reshni</i> hort. ex Tanaka											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus reshni</i> hort. ex Tanaka × <i>Poncirus trifoliata</i> (L.) Raf.											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus reticulata</i> Blanco											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,	

1	2	3	4	5		6	7	8	9		10
<i>Citrus reticulata</i> Blanco × <i>C.āsinensis</i> (L.) Osb.											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,	
<i>Citrus reticulata</i> Blanco × <i>Citrus deliciosa</i> Ten											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus reticulata</i> Blanco × <i>Fortunella hindsii</i> (Champ.) Swing											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus reticulata</i> Blanco × <i>Poncirus trifoliata</i> (L.) Raf.											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	*	
<i>Citrus sinensis</i> (L.) Osbeck											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,	
<i>Citrus</i> × <i>tangelo</i> J. W. Ingram & H. E. Moore (<i>C. paradisi</i> × <i>C. reticulata</i>)											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,	
<i>Citrus tangerina</i> hort. ex Tanaka											
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)			15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,	

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Citrus unshiu* Marcow.**

	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis,
--	---	---	----	---	-------	-------	-------	---	--

***Clematis* L.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	10 young plants being able to show all their representative characteristics during the first year of examination	appropriate to be grown in the open
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Clematis alpina* (L.) Mill.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
------------	----	---	----	------	-------	-------	-------	-----------	---

***Clematis armandii* Franch.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
------------	----	---	----	------	-------	-------	-------	-----------	---

***Clematis cadmia* Buch.-Ham. ex Hook. f. & Thomson**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.

1	2	3	4	5	6	7	8	9	10
<i>Clematis cadmia</i> Buch.-Ham. ex Hook. f. & Thomson									
vegetative	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Clematis</i> × <i>cartmanii</i> hort.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
	11	2	NL	NAKTUINBOUW	*	*	*	*	*
<i>Clematis chrysocoma</i> Franch.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis cirrhosa</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis courtoisii</i> Hand.-Mazz.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	10 young plants being able to show all their representative characteristics during the first year of examination	appropriate to be grown in the open
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
<i>Clematis</i> × <i>diversifolia</i> DC.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.

1	2	3	4	5	6	7	8	9	10
<i>Clematis</i> × <i>diversifolia</i> DC.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	10 young plants being able to show all their representative characteristics during the first year of the examination.	Plants must be appropriate to be grown in the open.
<i>Clematis</i> × <i>durandii</i> T. Durand ex Kuntze.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis florida</i> Thunb.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis heracleifolia</i> DC.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis koreana</i> Kom.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis koreana</i> var. <i>carunculosa</i> (Gagnep.) Tamura (syn. <i>Clematis chiisanensis</i> Nakai)									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	10 young plants	able to show all their characteristics in the first year of examination
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis lanuginosa</i> Lindl. & Paxton									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Clematis lanuginosa</i> Lindl. & Paxton									
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Clematis macropetala</i> Ledeb.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis montana</i> Buch.-Ham. ex. DC.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Clematis orientalis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis patens</i> C. Morren & Decne.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Clematis recta</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Clematis texensis</i> Buckley									
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Clematis tibetana</i> Kuntze.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis tubulosa</i> Turcz.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Clematis viticella</i> L.									
vegetative	11	1	PL	COBORU	15/01	15/03	15/04	10 young plants	Plants should be container grown and of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cleome spinosa</i> Jacq.									
vegetative	10	1	DE	Bundessortenamt	01/11	13/04	17/04	25 well rooted cuttings	not pinched
<i>Clerodendrum</i> L.									
pot plant	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Clerodendrum bungei</i> Steud.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Clivia</i> Lindl.									
	10	1	DE	Bundessortenamt	01/11	*	01/02	*	*
<i>Clusia rosea</i> Jacq.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Cnidioscolus</i> Pohl									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Codiaeum variegatum</i> (L.) A. Juss.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics during the first year of examination.
× <i>Colmanara</i> hort.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Columnnea</i> L.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Columnnea hirta</i> Klotzsch et Hanst.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Consolida</i> (DC.) S. F. Gray.									
seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Consolida ajacis</i> (L.) Schur (syn. <i>C. ambiguum</i> auct.; <i>Delphinium ajacis</i> L.; <i>Delphinium ambiguum</i> auct.)									
seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Consolida regalis</i> Gray (syn. <i>Delphinium consolida</i> L.)									
seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Convallaria majalis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 Plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	DE	Bundessortenamt	01/04	15/09	30/09	35 rhizomes with flower buds	2 years old
<i>Convolvulus cneorum</i> L.									
vegetative	10	1	DE	Bundessortenamt	01/08	01/11	06/11	25 well-rooted cuttings	not pinched
<i>Convolvulus sabatius</i> Viv.									
vegetative	10	1	DE	Bundessortenamt	01/08	01/11	06/11	25 well-rooted cuttings,	not pinched.
<i>Coprosma</i> J. R. Forst. & G. Forst.									
	10	1	DK	University of Aarhus - Aarslev	01/01	01/04	30/04	15 plants, 1 - 2 years old.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Coprosma propinqua* A. Cunn.**

10	1	DK	University of Aarhus - Aarslev	01/01	01/04	30/04	15 plants, 1 - 2 years old	Phytosanitary certificate from countries outside EU. Plant passport from EU countries. DK VAT number 57 60 75 56. Please note that Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
----	---	----	--------------------------------	-------	-------	-------	----------------------------	--

***Coprosma repens* A. Rich.**

10	1	DK	University of Aarhus - Aarslev	01/01	01/04	30/04	15 plants, 1-2 years old	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
----	---	----	--------------------------------	-------	-------	-------	--------------------------	---

***Cordyline* Comm. ex R. Br.**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	---	---	----	-------------	-------	-------	-------	---	---

***Cordyline australis* (G. Forst.) Endl.**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	---	---	----	-------------	-------	-------	-------	---	---

***Cordyline australis* (G. Forst.) Endl. × *Cordyline banksii* Hook. f.**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	---	---	----	-------------	-------	-------	-------	---	---

***Cordyline banksii* Hook. f.**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	---	---	----	-------------	-------	-------	-------	---	---

***Cordyline banksii* Hook. f. × *Cordyline pumilio* Hook. f.**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Cordyline brasiliensis* Planch.**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	---	---	----	-------------	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
<i>Cordyline fruticosa</i> (L.) A. Chev. (syn. <i>Cordyline terminalis</i> Knuth)									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Coreopsis</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis auriculata</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis auriculata</i> L. × <i>C. lanceolata</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis grandiflora</i> Hogg ex Sweet									
Seed propagated	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis lanceolata</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis rosea</i> Nutt.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis rosea</i> Nutt. × <i>C. tinctoria</i> Nutt.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis rosea</i> Nutt. × <i>C. verticillata</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Coreopsis tinctoria* Nutt.**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Coreopsis verticillata* L.**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Coriandrum sativum* L.**

	14	2	HU	National Food Chain Safety Office (NÉBIH)	15/01	16/01	31/01	200 g seeds	*
--	----	---	----	---	-------	-------	-------	-------------	---

***Coridothymus capitatus* (L.) Rchb. f. (syn. *Thymus capitatus*)**

	11	2	FR	GEVES	31/10	01/01	31/01	20 plants, able to flower during the first cycle of observations	each plant should be labelled individually
--	----	---	----	-------	-------	-------	-------	--	--

***Cornus* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Cornus alba* L.**

vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------	----	---	----	------	-------	-------	-------	-----------	--

vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------------------	----	---	----	------	-------	-------	-------	-----------	--

***Cornus alternifolia* L.f.**

vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 container grown plants	minimal 3 year old stock
------------	----	---	----	---	-------	-------	-------	--------------------------	--------------------------

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Cornus amomum* Mill.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Cornus controversa* Hemsl. ex Prain**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Cornus hongkongensis* Hemsl. × *C. kousa* Burger ex Hance**

	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young bushes	able to show all their characteristics during the second year of examination.
--	----	---	----	-------------	-------	-------	-------	-----------------	---

***Cornus kousa* Burger ex Hance**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young bushes/trees of commercial standard	2-3 years old
------------	----	---	----	-------------	-------	-------	-------	--	---------------

***Cornus mas* L.**

vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 container grown plants	of commercial size, grown in containers, to be submitted before they are in flower.
------------	----	---	----	---	-------	-------	-------	--------------------------	---

***Cornus sanguinea* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Cornus sericea* L. subsp. *sericea* (syn. *C. stolonifera* Michx.)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Corokia* × *virgata* Turrill (*C. buddleioides* × *C. cotoneaster*)**

	10	1	GB	NIAB	01/12	12/03	23/03	10	Plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
--	----	---	----	------	-------	-------	-------	----	---

***Correa* Andrews**

vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	DE	Bundessortenamt	01/12	02/04	06/04	25 young plants	Young plants of sufficient size to flower in the first season

***Cortaderia selloana* (Schult. et Schult. f.) Asch. & Graebn.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Corydalis elata* Bureau et Franch. × *C. flexuosa* Franch.**

	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics in the first year of examination	*
--	----	---	----	-------------	-------	-------	-------	--	---

***Corydalis flexuosa* Franch.**

vegetative	10	1	DK	University of Aarhus - Aarslev	15/12	01/04	15/04	15 young plants of commercial standard	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	--	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Corydalis moorcroftiana* Wall. ex Hook. f. & Thomson × *C. wilsonii* N. E. Br.**

11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	25 young plants	of commercial standard
----	---	----	---	-------	-------	-------	-----------------	------------------------

***Corydalis shimienensis* C. Y. Wu & Z. Y. Su**

11	1	DK	University of Aarhus - Aarslev	01/02	01/04	15/04	15 young plants	Phytosanitary certificate from countries outside EU, plant passport from EU countries. DK VAT number 57 60 75 56; Please note that Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
----	---	----	--------------------------------	-------	-------	-------	-----------------	--

***Corylus avellana* L.**

fruit	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	01/01	31/01	8 one year-old plants on their own roots	The material must be accompanied by a certificate from authorised laboratory of ELISA analysis showing that the material is free from Apple mosaic virus (ApMV) The material should be free from pests and diseases, in particular from the following: Epidiaspis leperii; Phytoptus avellanae; Pseudaulacaspis pentagona; Quadraspidiotus perniciosus; Agrobacterium tumefaciens; Xanthomonas campestris pv. corylina; Armillariella mellea; Chondrostereum purpureum; Nectria galligena; Phyllactinia guttata; Verticillium spp.; Apple mosaic virus; Hazel maculatura lingare MLO
vegetative, ornamental	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 container grown plants	potted, at least 3 years old

***Corynocarpus* J.R.Frost & G. Forst.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Cosmos* Cav.**

seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Cosmos atrosanguineus* (Hook.) Voss**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Cosmos bipinnatus</i> Cav.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Cosmos sulphureus</i> Cav.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Costus curvibracteatus</i> Maas									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Costus erythrophyllus</i> Loes.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Costus pulverulentus</i> C. Presl									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Cotinus</i> Mill.									
vegetative	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes, able to show all their characteristics in the first year of examination	*
<i>Cotinus coggygia</i> Scop.									
vegetative	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes, able to show all their characteristics in the first year of examination	*
<i>Cotoneaster</i> Medik.									
vegetative	11	1	DK	University of Aarhus - Aarslev	01/12	01/04	30/04	8 plants, 2 years old, cultivated in pots	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Cotoneaster dammeri</i> C. K. Schneid.									
vegetative	11	2	PL	COBORU	15/01	01/04	07/04	8 plants	3-4 years old, container grown
<i>Cotoneaster dammeri</i> C. K. Schneid. var. <i>radicans</i> Dammer ex C. K. Schneid.									
vegetative	11	2	PL	COBORU	15/01	01/04	07/04	8 plants	3-4 years old, container grown
<i>Cotoneaster franchetii</i> Bois									
	11	1	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Cotoneaster horizontalis</i> Decne.									
vegetative	11	2	PL	COBORU	15/01	01/04	07/04	8 plants	3-4 years old
<i>Crambe abyssinica</i> Hochst ex. R. E. Fr.									
	4	2	NL	NAKTUINBOUW	15/01	*	15/02	300 g	*
<i>Craspedia globosa</i> (F. L. Bauer ex Benth.) Benth. (syn. <i>Pycnosorus globosus</i> F. L. Bauer ex Benth.)									
vegetative	10	1	GB	NIAB	01/12	23/04	27/04	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Crassula</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Crassula arborescens</i> (Mill.) Willd.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Crassula mesembryanthoides</i> (Haw.) D. Dietr									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Crassula muscosa</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	*	01/03	24 young plants	being able to show all their characteristics in the first year of examination
<i>Crassula nudicaulis</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Crassula ovata</i> (Mill.) Druce									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Crassula ovata</i> (Mill.) Druce × <i>Kalanchoe thyrsiflora</i> Harv.									
	10	1	DE	Bundessortenamt	01/06	31/08	01/09	20 rooted cuttings	*
<i>Crassula schmidtii</i> Regel									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Crassula swaziensis</i> Schönland									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Crataegus succulenta</i> Schrad. ex Link									
vegetative	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 plants, one year old and bud-ded or grafter on <i>C. monogyna</i> .	*
<i>Crinum bulbispermum</i> (Burm. f.) Milne-Redh. & Schweick.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	20 psedobulbs	*
<i>Crocoshia</i> Planch.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	15/03	31/03	30 corms,	able to show all their characteristics during the first year of examination
<i>Crossandra infundibuliformis</i> (L.) Nees									
vegetative	10	1	DE	Bundessortenamt	15/12	05/04	09/04	25 well rooted cuttings	not treated with growth regulators
<i>Cryptocoryne wendtii</i> de Wit									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ctenanthe oppenheimiana</i> (E. Morr.) K. Schum									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial size	*
<i>Cucumis africanus</i> L. f.									
	10	1	DE	Bundessortenamt	15/11	*	15/03	*	*
<i>Cucumis hirsutus</i> Sond.									
	10	1	DE	Bundessortenamt	15/11	*	15/03	*	*
<i>Cucumis melo</i> L.									
field	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	2500 untreated seeds	*
greenhouse	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	2500 untreated seeds	*
	14	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	2.000 seeds /40 g	*
	14	2	PT	Direção Geral de Alimentação e Veterinária	15/12	*	10/02	*	*
	13	2	FR	GEVES	01/01	*	15/01	50 g seed	*
	13	2	NL	NAKTUINBOUW	01/03	*	15/03	1,500 seeds	*
	13	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	2.000 seeds /40 g	*
<i>Cucumis sativus</i> L.									
cucumber	13	2	FR	GEVES	01/12	*	01/01	1,500 seeds(50 g)	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.

1	2	3	4	5	6	7	8	9	10
<i>Cucumis sativus</i> L.									
gherkin	14	2	HU	National Food Chain Safety Office (NÉBIH)	15/12	*	15/01	2,000 seeds	94% min. germination
gherkin	13	2	FR	GEVES	01/03	*	01/04	1,500 seeds (50 g)	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
gherkin	13	2	NL	NAKTUINBOUW	01/02	*	15/02	1,500 seeds	*
greenhouse	13	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/01	*	01/02	1,500 seeds	minimum germination rate 80% after 4 days
heated covers	13	2	PL	COBORU	30/11	*	31/12	600 seeds	*
open field	14	2	PL	COBORU	20/12	*	31/03	200 g seeds	*
open field	14	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	15/03	1,500 seed	minimum 80% germination rate after 4 days
seed autumn	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/06	*	01/07	1,800 seeds	*
seed spring	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	1,800 seeds	*
seed, European type	13	2	NL	NAKTUINBOUW	15/12	*	01/01	1,500 seeds	*
seed, all except European type	13	2	NL	NAKTUINBOUW	01/02	*	15/02	1 500 seeds	*
unheated covers	13	2	PL	COBORU	30/11	*	31/01	600 seeds	*
vegetative	13	2	NL	NAKTUINBOUW	01/01	01/03	15/03	25 plants of commercial standard, non-grafted	*
vegetative	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	15/03	15/04	50 plants	*
	13	2	FR	GEVES	*	*	*	*	*
	14	2	DE	Bundessortenamt	01/03	*	01/04	3,000 seeds	minimum germination capacity 90%
<i>Cucurbita maxima</i> Duchesne									
	13	2	FR	GEVES	01/01	*	01/03	200 g seed	*
	13	2	HU	National Food Chain Safety Office (NÉBIH)	15/01	16/01	28/02	3000 seeds	*
	13	2	NL	NAKTUINBOUW	15/03	*	01/04	1,000 seeds	*
<i>Cucurbita maxima</i> Duchesne × <i>Cucurbita moschata</i> Duchesne									
	14	2	NL	NAKTUINBOUW	15/03	*	01/04	1000 seeds	*
<i>Cucurbita moschata</i> Duchesne									
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	200 g seed	*
	14	2	FR	GEVES	01/01	*	01/03	200 g seed	*
	14	2	NL	NAKTUINBOUW	28/02	01/03	31/03	1,000 seeds	*
<i>Cucurbita pepo</i> L.									
courgette	13	2	FR	GEVES	01/01	*	01/03	150 g seed	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9	10
<i>Cucurbita pepo</i> L.									
field	14	2	HU	National Food Chain Safety Office (NÉBIH)	15/01	16/01	15/03	3,000 seeds	88% min. germination
halloween, field	14	2	FR	GEVES	01/02	*	01/03	150 g seed	*
non trailing type	14	2	NL	NAKTUINBOUW	15/04	*	01/05	1,000 seeds	*
trailing type	14	2	NL	NAKTUINBOUW	15/03	*	01/04	1,000 seeds	*
	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	200 g seed	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	200 g seed	*
<i>Cucurbita pepo</i> var. <i>styriaca</i> Greb.									
oil	14	2	DE	Bundessortenamt	15/12	*	01/02	2000 seeds	Minimum germination capacity 80%
oil, field growth	14	2	AT	Bundesamt für Ernährungssicherheit	01/03	*	01/03	500 seeds	Minimum germination capacity 80%
<i>Cuphea</i> P. Browne									
	11	1	DE	Bundessortenamt	15/11	*	01/03	*	*
<i>Cuphea cyanea</i> D.C.									
vegetative	11	1	DE	Bundessortenamt	15/11	05/03	09/03	25 well rooted cuttings	not pinched
<i>Cuphea hyssopifolia</i> Kunth									
vegetative	10	1	DE	Bundessortenamt	15/11	26/02	02/03	25 well rooted cuttings	not pinched
<i>Cuphea ignea</i> A. DC.									
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Cuphea llavea</i> Lex.									
vegetative	11	1	DE	Bundessortenamt	15/11	01/03	06/03	25 well rooted cuttings	not pinched
<i>Cuphea procumbens</i> Ortega									
vegetative	11	1	DE	Bundessortenamt	15/11	01/03	07/03	25 well rooted cuttings	not pinched
<i>Cuphea ramosissima</i> Pohl ex Koehne									
vegetative	11	1	DE	Bundessortenamt	15/11	01/03	05/03	*	*
<i>Cupressus</i> L.									
tree	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes, able to show all their characteristics in the first year of examination	*
<i>Cupressus macrocarpa</i> Hartw.									
vegetative, tree	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes, container grown; able to show all their characteristics in the first year of examination	2 years old, 50 - 75 cm high.
× <i>Cuprocyparis leylandii</i> (A. B. Jacks. & Dallim.) Farjon									
vegetative, non variegated	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	5 young bushes, able to show all their characteristics in the first year of examination	*
vegetative, non variegated	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

1	2	3	4	5	6	7	8	9	10
× <i>Cuprocyparis leylandii</i> (A. B. Jacks. & Dallim.) Farjon									
vegetative, variegated	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
vegetative, variegated	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	5 young bushes, able to show all their characteristics in the first year of examination	*
<i>Curcuma</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	15/04	15/05	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Curcuma alismatifolia</i> Gagnep.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	15/04	15/05	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Curio ficoides</i> (L.) P. V. Heath (syn. <i>Senecio ficoides</i> (L.) Sch. Bip.)									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings or young plants	*
<i>Curio herreanus</i> (Dinter) P. V. Heath (syn. <i>Senecio herreanus</i> Dinter)									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Cyclamen hederifolium</i> Aiton									
seed	11	1	NL	NAKTUINBOUW	01/12	*	15/12	2500 seeds (germination capacity >50%) or 1000 seeds (germination capacity >85%)	*
<i>Cyclamen persicum</i> Mill.									
seed	10	1	NL	NAKTUINBOUW	01/12	*	15/12	2500 seeds	germination capacity 50%
vegetative	10	1	NL	NAKTUINBOUW	01/03	01/05	31/05	24 young plants able to show all characteristics in the first year of examination	*
<i>Cyclamen persicum</i> Mill. × <i>C. purpurascens</i> Mill.									
vegetative	10	1	NL	NAKTUINBOUW	*	*	*	*	*
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Cydonia oblonga</i> Mill.									
fruit	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 virus tested one year-old trees grafted on virus free 'Quince EM A' rootstock	The plants should be accompanied by a Plant Passport or a Phytosanitary certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ASGV) [PCR] Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR] Pear decline phytoplasma (PD) [PCR]

1	2	3	4	5	6	7	8	9	10
<i>Cydonia oblonga</i> Mill.									
rootstock	7	4	DE	Bundessortenamt	31/01	01/03	31/03	15 virus tested one year old well rooted plants	The plants should be accompanied by a Plant Passport or a Phytosanitary certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ASGV) [PCR] Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR] Pear decline phytoplasma (PD) [PCR]
rootstock	7	*	FR	GEVES	*	*	*	*	*
<i>Cymbidium</i> Sw.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Cynara cardunculus</i> L.									
seed	14	2	NL	NAKTUINBOUW	01/02	*	15/02	1,400 seeds	*
seed	14	2	IT	CREA-SCS	15/12	*	01/05	50 g seed	*
seed	14	2	FR	GEVES	01/04	*	01/07	50 g seed	*
seed	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/05	*	01/07	50 g untreated seed	*
vegetative	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/05	15/05	15/10	60 plants	*
vegetative	14	2	IT	CREA-SCS	15/12	*	01/05	60 plants	*
vegetative	14	2	FR	GEVES	01/04	01/09	15/09	60 rooted plants	Healthy and virus-free
<i>Cyperus alternifolius</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Cyperus diffusus</i> Vahl									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Cyperus papyrus</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Cypripedium</i> L.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants, able to show all their characteristics during the first year of examination.	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants, able to show all their characteristics during the first year of examination.	preferably budded but not yet flowering
<i>Cyrtanthus</i> Aiton									
vegetative	10	1	NL	NAKTUINBOUW	01/09	05/01	31/01	30 bulbs	of flowering size

1	2	3	4	5	6	7	8	9	10
<i>Cytisus</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cytisus</i> × <i>praecox</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cytisus scoparius</i> (L.) Link									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Daboecia cantabrica</i> (Huds.) K. Koch									
vegetative	11	1	DE	Bundessortenamt	01/02	15/03	22/03	25 well rooted young plants out of the quick-pot propagation tray	root ball diameter 4-6 cm, at least 6 month old plants
<i>Dactylis glomerata</i> L.									
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
	3	3	PL	COBORU	20/12	*	15/03	0,75 kg seed	*
	3	3	FR	GEVES	15/12	*	10/01	1,0 kg	*
<i>Dahlia</i> Cav.									
greenhouse	10	1	GB	NIAB	01/12	07/05	11/05	20 well rooted cuttings	Rooted cuttings must be of commercial standard.
outdoor	11	1	GB	NIAB	01/12	07/05	11/05	20 well rooted cuttings	Rooted cuttings must be of commercial standard.
<i>Dalechampia</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Daphne</i> L.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Daphne bholua</i> Buch.-Ham. ex D. Don									
	11	*	GB	NIAB	*	*	*	*	*
<i>Daphne bholua</i> Buch.-Ham. ex D. Don × <i>Daphne odora</i> Thunb.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Daphne* × *burkwoodii* Turill**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Daphne odora* Thunb.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Daphne* × *transatlantica* C. D. Brickell & A. R. White**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dasiphora fruticosa* (L.) Rydb. subsp. *fruticosa* (syn. *Potentilla fruticosa* L.)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Daucus carota* L.**

autumn	14	2	FR	GEVES	01/04	*	01/05	90,000 seeds (150 g)	*
spring	14	2	FR	GEVES	01/01	*	01/02	90,000 seeds (150 g)	*
	14	2	NL	NAKTUINBOUW	15/03	*	15/04	30,000 seeds	*
	14	2	PL	COBORU	20/12	*	01/03	200 g seed	*
	14	2	GB	Animal & Plant Health Agency (APHA)	28/02	*	31/03	35,000 seeds	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	90,000 seeds	*

***Delosperma cooperi* (Hook. f.) L. Bolus**

	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
--	----	---	----	-------------	-------	-------	-------	---	---

***Delosperma nubigenum* (Schltr.) L. Bolus**

	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants able to show all their characteristics in the first year of examination	*
--	----	---	----	-------------	-------	-------	-------	---	---

***Delphinium* L.**

seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
vegetative, bare roots	10	1	GB	NIAB	01/12	19/02	23/02	25 dormant plants	Bare roots of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Delphinium</i> L.									
vegetative, plants	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated (either from micropropagation or cuttings), visually healthy and not treated in any way that would affect subsequent development. Plants should be well established in 9 cm containers. A second alternative is offered : 25 dormant plants; Bare roots that are visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year. To be delivered between 20/02/2017 and 24/02/2017.
<i>Delphinium</i> × <i>belladonna</i> hort. ex Bergmans									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated and well established in containers approximately 9cm in size.
<i>Delphinium elatum</i> L.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated and well established in containers approximately 9cm in size.
<i>Delphinium grandiflorum</i> L.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated and well established in containers approximately 9cm in size.
<i>Delphinium nudicaule</i> Torr. & A. Gray									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated and well established in containers approximately 9cm in size.
<i>Dendrobium</i> Sw.									
august crop	8	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	8	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Dendrobium kingianum</i> Bidwill ex. Lindl.									
	8	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants, able to show all their characteristics during the first year of examination	preferably budded but not yet flowering
<i>Deutzia</i> Thunb									
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 year-old	Each plants should be labelled individually

1	2	3	4	5	6	7	8	9	10
<i>Deutzia gracilis</i> Siebold & Zucc.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	FR	GEVES	30/06	01/10	15/10	8 plants, in container, 2 years-old	each plant should be labelled individually
	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	*
<i>Deutzia</i> × <i>rosea</i> (Lemoine) Rehder									
	11	2	FR	GEVES	30/06	01/10	15/10	8 plants, two-year old, in container	each plant should be individually labelled
<i>Dianella</i> Lam. ex Juss.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Dianella caerulea</i> Sims									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Dianella ensifolia</i> (L.) DC.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Dianella intermedia</i> Endl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Dianella nigra</i> Colenso									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Dianella prunina</i> R. J. F. Hend.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Dianella prunina* R. J. F. Hend. × *Dianella revoluta* R. Br.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dianella revoluta* R. Br.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dianella tasmanica* Hook. F.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dianthus* L.**

barbatus	10	1	NL	NAKTUINBOUW	15/12	*	*	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	85% without virus (carnation mottle virus and or carnation etched ring virus); appropriate to be planted immediately: after having undergone a cold treatment if necessary
vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	85% without virus (carnation mottle virus and or carnation etched ring virus)

***Dianthus* × *allwoodii* hort.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	85% without virus (carnation mottle virus and or carnation etched ring virus)
------------	----	---	----	-------------	-------	-------	-------	--	---

***Dianthus* × *allwoodii* hort. × *D. myrtinervius* Griseb.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	85% without virus (carnation mottle virus and or carnation etched ring virus)
------------	----	---	----	-------------	-------	-------	-------	--	---

***Dianthus barbatus* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings	85% without virus (carnation mottle virus and or carnation etched ring virus); plants should be able to show all their characteristics in the first year of the examination
------------	----	---	----	-------------	-------	-------	-------	--------------------	---

***Dianthus barbatus* L. × *D. chinensis* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings;	85% without virus (carnation mottle virus and or carnation etched ring virus); plants should be able to show all their characteristics in the first year of examination.
------------	----	---	----	-------------	-------	-------	-------	---------------------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Dianthus caryophyllus* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	85% without virus (carnation mottle virus and or carnation etched ring virus)
------------	----	---	----	-------------	-------	-------	-------	--	---

***Dianthus chinensis* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination;	85% without virus (carnation mottle virus and or carnation etched ring virus)
------------	----	---	----	-------------	-------	-------	-------	---	---

***Dianthus chinensis* L. × *D. superbus* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings;	85% without virus (carnation mottle virus and or carnation etched ring virus); plants should be able to show all their characteristics in the first year of examination.
------------	----	---	----	-------------	-------	-------	-------	---------------------	--

***Dianthus gratianopolitanus* Vill.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	85% without virus (carnation mottle virus and/or carnation etched ring virus)
------------	----	---	----	-------------	-------	-------	-------	--	---

***Dianthus plumarius* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings; plants should be able to show all their characteristics in the first year of examination	85% without virus (carnation mottle virus and or carnation etched ring virus)
------------	----	---	----	-------------	-------	-------	-------	--	---

***Dianthus superbus* L.**

	10	1	NL	NAKTUINBOUW	01/11	05/02	09/02	60 rooted cuttings	85% without virus (carnation mottle virus and or carnation etched ring virus); plants should be able to show all their characteristics in the first year of examination.
--	----	---	----	-------------	-------	-------	-------	--------------------	--

***Diascia* Link et Otto**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	----------------	---

***Diascia barberae* Hook. f.**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	----------------	---

***Diascia fetcaniensis* Hilliard & B. L. Burt.**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	----------------	---

***Diascia intergerrima* Benth.**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	----------------	---

Diascia personata

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	----------------	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Diascia rigescens* Hilliard & B. L. Burt.**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	----------------	---

***Diascia vigilis* Hilliard & B. L. Burt.**

vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	----------------	---

***Dicentra* Bernh.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dicentra cucullaria* Bernh.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dicentra eximia* (Ker Gawl.) Torr. × *D. peregrina* (Rudolphi) Makino**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dicentra eximia* Torr**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dicentra formosa* (Andrews) Walp.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dicentra formosa* (Andrews) Walp. subsp. *oregana* (Eastw.) Munz × *D. peregrina* (Rudolphi) Makino**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dicentra peregrina* Mak.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dicentra scandens* (D. Don) Walp.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Dieffenbachia* Schott**

vegetative	8	2	DK	University of Aarhus - Aarslev	15/11	01/03	15/03	20 plants, 12-15 weeks old.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	---	---	----	--------------------------------	-------	-------	-------	-----------------------------	---

***Dierama* K. Koch**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

***Dierama pulcherrimum* (Hook. f.) Baker**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Diervilla rivularis* Gatt.**

vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	virusfree, ready for DUS test
------------	----	---	----	---	-------	-------	-------	--	-------------------------------

***Diervilla sessilifolia* Buckley**

vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	*
------------	----	---	----	---	-------	-------	-------	--	---

***Diervilla* × *splendens* (Carrière) G. Kirchn. (syn. *Weigela splendens* Carrière)**

vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test	virusfree, ready for DUS test
------------	----	---	----	---	-------	-------	-------	--	-------------------------------

***Digitalis* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis chalcantha* (Svent. & O'Shan.) Albach et al. × *D. purpurea* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Digitalis dubia* Rodr.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis ferruginea* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis fontanesii* Steud.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis fulva* Lindl. (syn. *Digitalis mertonensis* B. H. Buxton & C. D. Darl.)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Digitalis grandiflora

11	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis lanata* Ehrh.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis lutea* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis parviflora* Jacq.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Digitalis purpurea* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Digitalis purpurea</i> L. × <i>Isoplexis canariensis</i> (L.) Lindl. (syn. <i>Digitalis canariensis</i> L.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Digitalis</i> × <i>sibirica</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Digitalis thapsi</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Dionaea muscipula</i> Ellis									
seed-propagated	10	2	NL	NAKTUINBOUW	*	*	*	*	*
<i>Diospyros kaki</i> Thunb.									
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	01/12	31/01	9 one-year old trees grafted on to one of the following rootstocks according to the type of candidate variety: * Non-astringent kaki varieties (PCNA): Diospyros kaki * Astringent kaki varieties (PCA, PVA, PVNA): Diospyros lotus	Plant material must be accompanied by a recognised certificate indicating that the material came from mother plants free from Acremonium diospyri (sin. Cephalosporium diospyri), Pellicularia koleroga (Corticium stevensii), Mycosphaerella brassicicola, virus, symptoms of speckled leaves, necrosis of nerves, malformations of leaves, defoliation prematurely and drop flowers, necrosis in wood, necrotic spots on the inside of the fruit.
<i>Diplotaxis erucoides</i> (L.) DC.									
	13	2	NL	NAKTUINBOUW	15/01	*	01/02	5,000 seeds	minimum germination rate 80% after 4 days
	13	2	FR	GEVES	01/01	*	15/02	15,000 seeds	minimum germination rate 80% after 4 days
<i>Diplotaxis tenuifolia</i> (L.) DC.									
	13	2	NL	NAKTUINBOUW	15/01	*	01/02	5,000 seeds	*
	13	2	FR	GEVES	01/01	*	15/02	15,000 seeds	minimum germination rate 80% after 4 days
<i>Dischidia</i> R. Br.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
<i>Dischidia nummularia</i> R. Br.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, being able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Dischidia ruscifolia* Warb ex K.Schum. & Lauterb.**

vegetative	10	1	DK	University of Aarhus - Aarslev	01/02	15/04	30/04	20 plants of commercial size, ca. 6 months old.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	---	---

***Disporum cantoniense* (Lour.) Merr.**

outdoor	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants able to show all their characteristics in the first year of examination	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

Distichlis spicata

	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
--	---	---	----	---	---	---	---	---	---

***Distylium* Siebold & Zucc.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 Plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Dodecatheon* L.**

vegetative	11	1	NL	NAKTUINBOUW	15/09	01/11	30/11	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

× *Doritaenopsis* hort.

august crop	8	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
january crop	8	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)

***Dorotheanthus bellidiformis* (Burm. f.) N. E. Br.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Dorycnium hirsutum* (L.) Ser.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Doryopteris pedata</i> (L.) Fée									
seed, spores	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Draba aizoides</i> L.									
seed	11	1	NL	NAKTUINBOUW	01/12	*	01/07	0.5 gram seeds	*
<i>Dracaena</i> Vand. ex L.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Dracaena concinna</i> Kunth.									
pot plant	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants able to show all their characteristics in the first year of examination	*
<i>Dracaena fragrans</i> (L.) Ker-Gawl. (syn. <i>Dracaena deremensis</i> Engl.)									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Dracaena marginata</i> Lam.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Dracaena reflexa</i> Lam.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Dracaena steudneri</i> Schweinf. ex Engl.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Dracaena surculosa</i> Lindl.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination.	*
<i>Dracaena surculosa</i> Lindl. var. <i>surculosa</i> (syn. <i>Dracaena godseffiana</i> hort. Sander ex Mast.) × <i>Sansevieria parva</i> N. E. Br.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Echeveria</i> DC.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics during the first year of examination.
<i>Echeveria agavoides</i> Lem.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Echeveria agavoides</i> Lem. × <i>Echeveria nodulosa</i> (Baker) Ed. Otto									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, being able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Echeveria agavoides</i> Lem. × <i>Echeveria pulidonis</i> E. Walther									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, being able to show all their characteristics during the first year of examination.	*
<i>Echeveria elegans</i> Rose × <i>E. pulidonis</i> E. Walther									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Echeveria gigantea</i> Rose and Purpus × <i>Echeveria pulidonis</i> E. Walther									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Echeveria gilva</i> E. Walther (syn. <i>Echeveria agavoides</i> Lem. × <i>Echeveria elegans</i> Rose)									
	10	1	NL	NAKTUINBOUW	*	01/03	31/03	24 young plants	being able to show all their characteristics during the first year of examination
<i>Echeveria lilacina</i> Kimmach & R. C. Moran × <i>E. pulidonis</i> E. Walther									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Echeveria lilacina</i> Kimmach & R. C. Moran × <i>Pachyphytum oviferum</i> J. A. Purpus									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Echeveria pulidonis</i> E. Walther									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
<i>Echinacea</i> Moench									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Echinacea angustifolia</i> DC. × <i>E. purpurea</i> (L.) Moench									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Echinacea pallida</i> (Nutt.) Nutt.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

1	2	3	4	5	6	7	8	9	10
<i>Echinacea paradoxa</i> (Norton) Britton									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Echinacea paradoxa</i> (Norton) Britton × <i>E. purpurea</i> (L.) Moench									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Echinacea purpurea</i> (L.) Moench									
seed-propagated	11	2	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Echinacea purpurea</i> (L.) Moench × <i>E. tenesseeensis</i> (Beadle) Small									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Echinacea purpurea</i> (L.) Moench × <i>Rudbeckia hirta</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Echinacea tenesseeensis</i> (Beadle) Small									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	25 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Echinodorus</i> L.C. Rich. ex Engelm.									
vegetative	10	1	DE	Bundessortenamt	01/03	*	15/06	*	*
<i>Echinodorus angustifolius</i> Rataj									
vegetative	10	1	DE	Bundessortenamt	01/03	*	15/06	*	*
<i>Echinodorus cordifolius</i> (L.) Griseb.									
	10	1	DE	Bundessortenamt	01/03	*	15/06	*	*
<i>Eichhornia crassipes</i> (Mart.) Solms									
	4	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Elaeagnus</i> L.									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 years old	each plant should be labelled individually.
<i>Elaeagnus</i> × <i>ebbingei</i> Boom									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants in container, 2 years old	each plant should be labelled individually.
<i>Elettaria cardamomum</i> (L.) Maton									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	Able to show all their characteristics in the first year of examination
<i>Elytrigia elongata</i> (Host) Nevski									
	3	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	*	10/02	2 kg	*
<i>Epimedium</i> L.									
vegetative	11	1	GB	NIAB	31/07	13/09	17/09	15 container grown plants	Plants should be container grown and of sufficient size and maturity to flower and/or show their other representative characteristics the first season.
<i>Epimedium grandiflorum</i> C. Morren									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Epimedium</i> × <i>perralchicum</i> Stearn.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Epimedium</i> × <i>versicolor</i> Morr.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Epimedium</i> × <i>warleyense</i> Stearn.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Epimedium wushanense</i> T. S. Ying									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Epimedium</i> × <i>youngianum</i> Fisch. & C.A. Mey.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Epiphyllum anguligerum</i> (Lem.) G. Don									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings	*
<i>Epipremnum pinnatum</i> (L.) Engl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
<i>Episcia cupreata</i> (Hook.) Hanst.									
vegetative	10	1	DE	Bundessortenamt	01/04	03/07	07/07	25 plants with flower buds	*
<i>Eragrostis tef</i>									
spring	4	2	NL	NAKTUINBOUW	15/01	*	01/02	400 gram seeds	Minimum germination capacity 75% after 14 days
<i>Eremurus</i> M. Bieb.									
vegetative	11	1	NL	NAKTUINBOUW	31/07	01/10	31/10	30 rhizomes of flowering size	*
<i>Erica</i> L.									
vegetative	9	1	DE	Bundessortenamt	01/02	01/03	15/03	30 plants	one year old
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Erica carnea</i> L.									
	9	1	DE	Bundessortenamt	01/02	01/03	15/03	25 well-rooted young plants out of the quick-pot propagation tray	root ball diameter 4-6 cm, at least 6 month old plants
<i>Erica</i> × <i>darleyensis</i> Bean									
vegetative	9	1	DE	Bundessortenamt	01/02	01/03	15/03	25 well-rooted young plants out of the quick-pot propagation tray	root ball diameter 4-6 cm, at least 6 month old plants
<i>Erica gracilis</i> J. C. Wendl.									
vegetative	11	1	DE	Bundessortenamt	01/02	*	15/03	30 young well rooted plants	out of quick-pot propagation tray
<i>Eriobotrya japonica</i> (Thunb.) Lindl.									
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	15/12	15/01	28/02	9 plants one-year old, grafted onto the rootstock <i>Eriobotrya japonica</i>	Plants must be visibly healthy and free of transmissible diseases. The plant material must comply with the requirements of R.D. 58/2005 regarding the introduction and movement of plants and plant products, hosts of <i>Erwinia amylovora</i> . The plant material must be accompanied by a recognised certificate of ELISA analysis from an authorised official laboratory showing the the material was lab-tested and gave a negative result for "fireblight" <i>Erwinia amylovora</i> .

1	2	3	4	5	6	7	8	9	10
<i>Eriocaulon</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Eruca sativa</i> Mill.									
	13	2	NL	NAKTUINBOUW	15/01	*	01/02	5,000 seeds	*
	13	2	FR	GEVES	01/01	*	15/02	15,000 seeds	Minimum germination rate 80% after 4 days.
<i>Eryngium</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Eryngium alpinum</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Eryngium planum</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Eryngium</i> × <i>zabelii</i> H.Christ ex Bergmans (<i>E. alpinum</i> × <i>E. bourgatii</i>)									
vegetative	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Erysimum</i> L.									
seed-propagated	10	1	DE	Bundessortenamt	01/04	*	01/07	6 gram of seeds	*
vegetative	10	1	DE	Bundessortenamt	15/06	18/09	22/09	20 well rooted cuttings	*
<i>Erysimum</i> × <i>allionii</i> hort.									
	11	1	DE	Bundessortenamt	15/06	18/09	22/09	*	*
<i>Erysimum cheiri</i> (L.) Crantz.									
vegetative	10	1	DE	Bundessortenamt	15/06	18/09	22/09	20 well rooted cuttings	*
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Erysimum hieracifolium</i> L.									
seed-propagated	11	1	DE	Bundessortenamt	01/04	*	01/07	6 grams of seeds	*
vegetative	11	1	DE	Bundessortenamt	15/06	18/09	22/09	*	*
<i>Erysimum linifolium</i> (Pers.) J. Gay									
seed-propagated	11	1	DE	Bundessortenamt	01/04	*	01/07	6 grams of seeds	*
vegetative, greenhouse	10	1	DE	Bundessortenamt	15/06	18/09	22/09	20 well rooted cuttings	*
<i>Escallonia</i> Mutis ex L. f.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Escallonia laevis* (Vell.)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Escallonia rubra* (Ruiz & Pav.) Pers.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Eucalyptus* L'Hér.**

	11	4	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted young plants, 4-6 months old	Plants should be accompanied by the European Phytosanitary Passport indicating that the material is not affected by any important pest or disease.
--	----	---	----	---------------	-------	-------	-------	--	--

***Eucalyptus benthamii* Maiden & Cambage**

	11	4	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted young plants, 4-6 months old	Plants should be accompanied by the European Phytosanitary Passport indicating that the material is not affected by any important pest or disease.
--	----	---	----	---------------	-------	-------	-------	--	--

***Eucalyptus camaldulensis* Dehnh.**

	11	4	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted young plants, 4-6 months old	Plants should be accompanied by the European Phytosanitary Passport indicating that the material is not affected by any important pest or disease.
--	----	---	----	---------------	-------	-------	-------	--	--

***Eucalyptus camaldulensis* Dehnh. × *Eucalyptus globulus* Labill. subsp. *bicostata* (Maiden et al.) J. B.**

vegetative	11	1	IT	CREA-FRU (EO)	*	*	*	*	*
------------	----	---	----	---------------	---	---	---	---	---

***Eucalyptus dunnii* Maiden**

	11	4	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted young plants, 4-6 months old	Plants should be accompanied by the European Phytosanitary Passport indicating that the material is not affected by any important pest or disease.
--	----	---	----	---------------	-------	-------	-------	--	--

***Eucalyptus globulus* Labill.**

seed-propagated	11	1	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	15/11	10 plants between 20 cm and 40 cm high	*
vegetative	11	1	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*

***Eucalyptus grandis* W. Hill ex Maiden × *E. urophylla* S. T. Blake**

	11	4	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted young plants, 4-6 months old	Plants should be accompanied by the European Phytosanitary Passport indicating that the material is not affected by any important pest or disease.
--	----	---	----	---------------	-------	-------	-------	--	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Eucalyptus gunnii* Hook. f.**

cut foliage varieties	11	1	NL	NAKTUINBOUW	*	01/03	31/03	8 trees	2 years old, grown in containers
-----------------------	----	---	----	-------------	---	-------	-------	---------	----------------------------------

***Eucalyptus gunnii* Hook. f.**

tree	11	4	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted young plants, 4-6 months old	Plants should be accompanied by the European Phytosanitary Passport indicating that the material is not affected by any important pest or disease.
------	----	---	----	---------------	-------	-------	-------	--	--

***Eucalyptus urophylla* S. T. Blake × *E. viminalis* Labill.**

	11	4	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted young plants, 4-6 months old	Plants should be accompanied by the European Phytosanitary Passport indicating that the material is not affected by any important pest or disease.
--	----	---	----	---------------	-------	-------	-------	--	--

***Eucomis* L'Hér.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 bulbs of flowering size	being able to show all their characteristics during the first year of examination
------------	----	---	----	-------------	-------	-------	-------	----------------------------	---

***Eucomis comosa* (Houtt.) Wehrh**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 bulbs of flowering size, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	--	---

***Eugenia uniflora* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Euonymus fortunei* (Turcz.) Hand.-Mazz.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	15 bushes 2 years old (varieties for outdoor cultivation) or 24 young plants (varieties for greenhouse cultivation); plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Euonymus japonicus* Thunb.**

vegetative, greenhouse	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
vegetative, outdoor	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	15 young bushes being able to show all their characteristics in the first year of examination	*

***Eupatorium* L.**

vegetative	11	1	NL	NAKTUINBOUW	*	15/08	15/09	24 young plants of commercial standard, of sufficient size that they will show full plant development/flowering during the first year of examination.	*
------------	----	---	----	-------------	---	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
<i>Euphorbia</i> L.									
vegetative, non variegated	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, pot plants	10	1	DK	University of Aarhus - Aarslev	01/01	01/03	07/03	10 well rooted cuttings	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative, variegated	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	DE	Bundessortenamt	15/11	12/03	16/03	25 young plants	well rooted, not flowering
<i>Euphorbia amygdaloides</i> L.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Euphorbia characias</i> L.									
vegetative, non variegated	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, variegated	11	1	GB	NIAB	31/07	18/09	22/09	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Euphorbia cyathophora</i> Murray (syn. <i>Euphorbia heterophylla</i> auct. N. Amer.)									
	10	1	DK	University of Aarhus - Aarslev	01/01	01/06	15/06	20 rooted cuttings	20 rooted cuttings
<i>Euphorbia epithymoides</i> L.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Euphorbia erytrea</i> (A. Berger) N. E. Br.									
vegetative	10	1	DE	Bundessortenamt	15/11	*	15/03	*	*

1	2	3	4	5	6	7	8	9	10
<i>Euphorbia fulgens</i> Karw. ex Klotzsch									
vegetative	10	1	DK	University of Aarhus - Aarslev	01/04	10/08	20/08	20 rooted cuttings	The material should be free of phytoplasma infection. Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 57 60 75 56. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Euphorbia griffithii</i> Hook. f.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Euphorbia hypericifolia</i> L. (syn. <i>Chamaesyce hypericifolia</i> (L.) Millsp.)									
	10	1	DE	Bundessortenamt	01/11	03/03	07/03	25 well-rooted cuttings,	not pinched.
<i>Euphorbia lactea</i> Haw.									
vegetative	10	1	DE	Bundessortenamt	15/11	21/01	21/01	20 young plants	fresh grafted plants. Rootstock : <i>Euphorbia ligularia</i>
<i>Euphorbia</i> × <i>lomi</i> Rauh									
	10	1	DE	Bundessortenamt	15/11	*	15/03	*	*
<i>Euphorbia lophogona</i> Lam.									
vegetative	10	1	DE	Bundessortenamt	15/11	15/03	21/03	25 young plants	well rooted, not flowering
<i>Euphorbia</i> × <i>martinii</i> Rouy									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Euphorbia militi</i> Des Moul.									
vegetative	10	1	DE	Bundessortenamt	15/11	12/03	16/03	25 young plants	well rooted, not flowering
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch									
vegetative	12	1	DK	University of Aarhus - Aarslev	10/01	01/03	07/03	10 well rooted cuttings	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 57 60 75 66. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch									
vegetative	12	1	PL	COBORU	10/01	01/03	07/03	16 rooted cuttings	*
<i>Euryops pectinatus</i> (L.) Cass.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	15/02	15/03	24 young plants of commercial standard being able to show all their characteristics during the first year of examination	flowering must be induced but plants must not yet flower
<i>Euryops speciosissimus</i> DC. (syn. <i>Euryops athenasiae</i> (L. f.) Less. ex Harv.)									
vegetative	11	1	NL	NAKTUINBOUW	01/12	15/02	15/03	24 young plants of commercial standard being able to show all their characteristics during the first year of examination	flowering must be induced but plants must not yet flower
<i>Eustoma exaltatum</i> (L.) Salisb. ex G. Don subsp. <i>russellianum</i> (Hook.) Kartesz									
seed	10	1	DE	Bundessortenamt	01/12	13/04	17/04	80 young plants from seed, ready to be potted into 10 cm pots	*
vegetative	10	1	DE	Bundessortenamt	01/12	13/04	17/04	40 well rooted cuttings, ready to be potted into 10 cm pots	*
<i>Eutrochium maculatum</i> (L.) E. E. Lamont var. <i>maculatum</i> (syn. <i>Eupatorium maculatum</i> L.)									
	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants of commercial standard able to show all their characteristics in the first year of examination.	*
<i>Evolvulus</i> L.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Evolvulus glomeratus</i> Nees et Mart.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Evolvulus nuttallianus</i> Roem. & Schult. (syn. <i>Evolvulus pilosus</i> Nutt.)									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Exacum</i> L.									
seed	10	1	DK	University of Aarhus - Aarslev	15/11	01/02	15/02	1000 seeds	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Exacum</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
<i>Exacum affine</i> Balf. f.									
seed	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
seed	10	1	DK	University of Aarhus - Aarslev	15/11	01/02	15/02	1000 seeds	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination	*
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Exacum trinervium</i> (L.) Druce									
	10	1	DK	University of Aarhus - Aarslev	15/01	01/04	15/04	25 plantlets in normal market size for potting	25 plantlets in normal market size for potting HANDLING INFORMATION: Please advice Department of Ornamentals about arrival of the plant material, tel. +45 871 56000 fax +45 871 54812
<i>Exacum trinervium</i> (L.) Druce subsp. <i>macranthum</i> (Arn.) L. H. Cramer (syn. <i>Exacum zeylanicum</i> Wall. ex Roxb. var. <i>macranthum</i> (Arn.) C. B. Clarke									
seed	10	1	DK	University of Aarhus - Aarslev	15/11	01/02	15/02	20 plantlets in normal size for potting Phytosanitary certificate from countries outside the EU, plant passport from EU countries DK VAT number 57 60 75 56	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
	10	1	DK	University of Aarhus - Aarslev	*	01/04	15/04	20 plantlets in normal size for potting Phytosanitary certificate from countries outside the EU, plant passport from EU countries DK VAT number 57 60 75 56	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. Denmark is a protected zone for Bemisia tabaci and Tomato spotted wilt virus

1	2	3	4	5	6	7	8	9	10
<i>Ezochorda racemosa</i> (Lindl.) Rehder									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants, able to show all their characteristics during the first year of examination.	*
<i>Fagopyrum esculentum</i> Moench									
	4	2	PL	COBORU	30/11	01/02	31/03	3,0 kg	*
<i>Fagopyrum tataricum</i> (L.) Gaertn.									
	4	2	PL	COBORU	30/11	*	31/03	3.0 kg	*
<i>Fagus sylvatica</i> L.									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants	being able to show all their characteristics in the first year of examination
<i>Fallopia baldschuanica</i> (Regel) Holub									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Fallopia sachalinensis</i> (F. Schmidt) Ronse Decr.									
	4	2	NL	NAKTUINBOUW	*	15/04	15/05	24 young plants or rooted cuttings, able to show all their characteristics in the first year of examination.	*
<i>Farfugium hiberniflorum</i> × <i>F. japonicum</i>									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Fargesia</i> Franch.									
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	6 potted plants	80-120 cm
<i>Fargesia murielae</i> (Gamble) T. P. Yi × <i>F. nitida</i> (Mitford) Keng f. ex T. P. Yi									
vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	6 potted plants	two years old, size 80-120 cm
<i>Fargesia murielae</i> (Gamble) T. P. Yi									
vegetative	11	2	DK	University of Aarhus - Aarslev	15/01	01/04	15/04	12 plants, 2 years old, preferably grown in containers.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Fargesia murielae</i> (Gamble) T. P. Yi									
vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	6 container-grown plants	size 80-150 cm
<i>Felicia</i> Cass.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Felicia amelloides</i> (L.) Voss									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Festuca arundinacea</i> Schreb.									
	3	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	1,5 kg	*
	3	3	PL	COBORU	20/12	*	15/03	0,75 kg seed	*
	3	2	FR	GEVES	15/12	*	10/01	1,0 kg	of the generation for commercialisation
<i>Festuca filiformis</i> Pourr.									
	3	3	PL	COBORU	20/12	*	15/03	0,75 kg	*
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
	3	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 86%
<i>Festuca glauca</i> Vill.									
ornamental	11	2	DE	Bundessortenamt	01/02	01/03	15/03	15 well developed potted plants in container, size 30-50 cms	*
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Festuca ovina</i> L.									
	3	3	PL	COBORU	20/12	*	15/03	0,75 kg seed	*
	3	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 86%
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
<i>Festuca pratensis</i> Huds.									
	3	2	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 86%
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
	3	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	1,5 kg	*
<i>Festuca rubra</i> L.									
	3	3	NL	NAKTUINBOUW	15/01	*	01/02	1,2 kg	*
	3	3	PL	COBORU	20/12	*	15/03	1,5 kg seed	*
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
	3	2	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 86%
<i>Festuca trachyphylla</i> (Hack.) Krajina (syn. <i>F. brevipila</i> R. Tracey)									
	3	3	PL	COBORU	20/12	*	15/03	0,75 kg seed	*

1	2	3	4	5	6	7	8	9	10
<i>Festuca trachyphylla</i> (Hack.) Krajina (syn. <i>F. brevipila</i> R. Tracey)									
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
	3	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 86%
× <i>Festulolium</i> Asch. & Graebn									
	3	3	PL	COBORU	20/12	*	15/03	1,5 kg seed	*
	3	3	FR	GEVES	*	*	*	*	*
	3	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1,0 kg	*
	3	3	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*
	3	3	DE	Bundessortenamt	*	*	*	*	*
	3	2	DK	TystofteFoundation	20/01	*	10/02	1.5 kg	*
<i>Ficinia truncata</i> (Thunb.) Schrad.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard being able to show all their characteristics in the first year of examination	*
<i>Ficus</i> L.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus americana</i> Aubl. subsp. <i>guianensis</i> (Ham.) C. C. Berg									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Ficus benghalensis</i> L.									
	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Ficus benjamina</i> L.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus binnendijkii</i> Miq.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus bussei</i> Warb. ex Mildbr. & Burret									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
<i>Ficus carica</i> L.									
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/03	01/04	15/05	7 well rooted plants, preferably in containers	Healthy plants, free from Armillaria medea and nematods.

1	2	3	4	5	6	7	8	9	10
<i>Ficus elastica</i> Roxb.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus lyrata</i> Warb.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus microcarpa</i> L. f.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus natalensis</i> Hochst.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Ficus natalensis</i> Hochst. subsp. <i>leprieurii</i> (Miq.) C. C. Berg (syn. <i>Ficus triangularis</i> Warb.)									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus pumila</i> L.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus punctata</i> Thunb.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Ficus religiosa</i> L.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus sagittata</i> Vahl									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus stricta</i> Miq.									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Ficus umbellata</i> Vahl									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Fittonia albivenis</i> (Lindl. ex hort. Veitch) Brummitt (syn. <i>Fittonia verschaffeltii</i>)									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
<i>Foeniculum vulgare</i> P. Mill.									
pharmaceutic	14	2	DE	Bundessortenamt	15/01	*	15/02	5,400 seeds	minimum germination capacity 80%

1	2	3	4	5	6	7	8	9	10
<i>Foeniculum vulgare</i> P. Mill.									
	14	2	NL	NAKTUINBOUW	01/04	*	15/04	4,000 seeds	*
	14	2	FR	GEVES	01/03	*	01/04	35 g untreated seed	Technical examination carried out in unison at GEVES Cavaillon and GEVES Brion test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
<i>Forsythia</i> Vahl									
vegetative	9	2	FR	GEVES	01/08	01/10	15/10	8 plants in container, 2 years old	each plant should be labelled individually.
<i>Forsythia europaea</i> Degen & Bald.									
	9	2	FR	GEVES	01/08	01/10	15/10	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Forsythia</i> × <i>intermedia</i> Zabel									
vegetative	9	2	FR	GEVES	01/08	01/10	15/10	8 plants, 2 years old, in container.	each plant should be labelled individually
<i>Forsythia ovata</i> Nakai									
	9	2	FR	GEVES	01/08	01/10	15/10	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Forsythia suspensa</i> (Thunb.) Vahl									
	9	2	FR	GEVES	01/08	01/10	15/10	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Forsythia viridissima</i> Lindl.									
vegetative	9	2	FR	GEVES	01/08	01/10	15/10	8 plants, 2 years old, in container	each plant should be labelled individually
<i>Fortunella</i> × <i>crassifolia</i> Swingle									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis. If the material comes from the UE, it must be accompanied by a plant passport and fulfilling the requirements of Directive 2000/29/CE. If the material comes from importation outside the UE, it must fulfill the requirements of directive 95/44/EC and their subsequent modifications.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Fortunella hindsii* (Champ. ex Benth.) Swingle var. *chintou* Swingle**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis. If the material comes from the UE, it must be accompanied by a plant passport and fulfilling the requirements of Directive 2000/29/CE. If the material comes from importation outside the UE, it must fulfill the requirements of directive 95/44/EC and their subsequent modifications.
---	---	----	---	-------	-------	-------	---	---

***Fortunella japonica* (Thunb.) Swingle**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis. If the material comes from the UE, it must be accompanied by a plant passport and fulfilling the requirements of Directive 2000/29/CE. If the material comes from importation outside the UE, it must fulfill the requirements of directive 95/44/EC and their subsequent modifications.
---	---	----	---	-------	-------	-------	---	---

***Fortunella japonica* (Thunb.) Swingle (syn. *Citrus madurensis* Lour.)**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
---	---	----	---	---	---	---	---	---

***Fortunella margarita* (Lour.) Swingle**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	30/06	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis. If the material comes from the UE, it must be accompanied by a plant passport and fulfilling the requirements of Directive 2000/29/CE. If the material comes from importation outside the UE, it must fulfill the requirements of directive 95/44/EC and their subsequent modifications.
---	---	----	---	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Fortunella* × *obovata* hort. ex Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	30/06	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis. If the material comes from the UE, it must be accompanied by a plant passport and fulfilling the requirements of Directive 2000/29/CE. If the material comes from importation outside the UE, it must fulfill the requirements of directive 95/44/EC and their subsequent modifications.
---	---	----	---	-------	-------	-------	---	---

***Fortunella polyandra* (Ridl.) Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis. If the material comes from the UE, it must be accompanied by a plant passport and fulfilling the requirements of Directive 2000/29/CE. If the material comes from importation outside the UE, it must fulfill the requirements of directive 95/44/EC and their subsequent modifications.
---	---	----	---	-------	-------	-------	---	---

***Fortunella* sp. × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and psoriasis. If the material comes from the UE, it must be accompanied by a plant passport and fulfilling the requirements of Directive 2000/29/CE. If the material comes from importation outside the UE, it must fulfill the requirements of directive 95/44/EC and their subsequent modifications.
---	---	----	---	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Fragaria* × *ananassa* Duchesne ex Rozier**

fully remon- tant, day neutral	6	2	PT	Direção Geral de Alimentação e Veter- inária	31/12	01/02	28/02	40 virus-tested plants packed in such a way as to prevent dehy- dration, and free from viruses, root rot or nematodes.	Plant material should be accom- panied by a Plant Passport or a Phytosanitary Certificate.
non, partial, fully remon- tant	6	2	PT	Direção Geral de Alimentação e Veter- inária	31/08	01/11	30/11	40 virus-tested plants packed in such a way as to prevent dehy- dration, and free from viruses, root rot and nematodes.	Plant material should be accom- panied by a Plant Passport or a Phytosanitary Certificate.
seed	6	2	DE	Bundessortenamt	15/10	*	15/12	1.5 g seed	Minimum germination capacity 60%
vegetative	6	2	PL	COBORU	31/05	01/09	15/09	30 well-rooted, virus-tested plants	The plant material of the candi- date and the reference varieties should be accompanied by a Plant Passport or a Phytosanitary Cer- tificate and a recognised certifi- cate dating less than two months before the delivery of the plant material, indicating that the plant material has been lab-tested to give a negative result for : Strawberry mottle virus (SMV) [Biological Testing] Strawberry green petal (SGP-MLO) [PCR]
vegetative	6	2	DE	Bundessortenamt	31/05	01/07	31/07	30 vigorous, well rooted, potted fresh plants, free from viruses, root rots and nematodes.	The plants should be accompa- nied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate dating less than two months before the de- livery of the plant material, indi- cating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) [ELISA] Strawberry crin- kle virus (SCV) [PCR] Strawberry mild yellow edge virus (SMYEV) [PCR] Strawberry mottle virus (SMoV) [PCR] Strawberry vein- banding virus (SVBV) [PCR]
	6	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/08	10/10	25/10	40 well-rooted, vigorous, fresh plants.	The quality of plants should not be less than the standards laid down in Council Directive 2000/29/EEC and 92/34/EEC and implementing measures

***Fragaria iinumae* Makino × *F. vesca* L.**

	6	2	DE	Bundessortenamt	31/05	01/07	31/07	30 vigorous, well rooted, potted fresh plants, free from viruses, root rots and nematodes.	The plants should be accompa- nied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate dating less than two months before the de- livery of the plant material, indi- cating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) [ELISA] Strawberry crin- kle virus (SCV) [PCR] Strawberry mild yellow edge virus (SMYEV) [PCR] Strawberry mottle virus (SMoV) [PCR] Strawberry vein- banding virus (SVBV) [PCR]
--	---	---	----	-----------------	-------	-------	-------	--	--

1	2	3	4	5	6	7	8	9	10
<i>Fragaria vesca</i> L.									
	6	2	DE	Bundessortenamt	01/05	01/07	31/07	30 vigorous, well rooted, virus-tested potted fresh plants, free from viruses, root rots and nematodes.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) [ELISA] Strawberry crinkle virus (SCV) [PCR] Strawberry mild yellow edge virus (SMYEV) [PCR] Strawberry mottle virus (SMoV) [PCR] Strawberry veinbanding virus (SVBV) [PCR]
× <i>Fragotentilla ined.</i>									
vegetative	6	1	DE	Bundessortenamt	31/05	*	31/07	*	*
<i>Freesia</i> Eckl. ex Klatt									
vegetative	8	1	NL	NAKTUINBOUW	15/05	15/06	15/07	30 corms; plants must show all their characteristics in the first year of examination	over sieve size 5, without having undergone any treatment
<i>Fritillaria</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/08	01/09	30/09	30 bulbs of flowering size; plants must be able to show all their characteristics in the first year of examination	*
<i>Fritillaria imperialis</i> L.									
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Fuchsia</i> L.									
vegetative	11	1	DE	Bundessortenamt	01/11	12/02	16/02	25 well rooted cuttings	not pinched
<i>Fuchsia paniculata</i> Lindl.									
	11	1	DE	Bundessortenamt	01/11	01/02	15/02	25 well rooted top cuttings	*
<i>Gaillardia</i> Foug.									
seed	11	1	HU	National Food Chain Safety Office (NÉBIH)	01/12	*	31/01	2000 seeds	germination capacity 70%
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Gaillardia aristata</i> Pursh									
seed	11	1	HU	National Food Chain Safety Office (NÉBIH)	01/12	*	31/01	2000 seeds	germination capacity 70%
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Gaillardia</i> × <i>grandiflora</i> hort. ex Van Houtte									
seed	11	1	HU	National Food Chain Safety Office (NÉBIH)	01/12	*	31/01	2000 seeds	germination capacity 70%

1	2	3	4	5	6	7	8	9	10
<i>Gaillardia</i> × <i>grandiflora</i> hort. ex Van Houtte									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Gaillardia pulchella</i> Foug.									
seed	11	1	HU	National Food Chain Safety Office (NÉBIH)	15/01	*	31/01	2000 seeds	germination capacity 70%
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Galega officinalis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Galega orientalis</i> Lam.									
agricultural	4	2	EE	Agricultural Research Center	*	*	01/04	1000 g	*
<i>Gardenia jasminoides</i> J. Ellis									
vegetative	10	1	DE	Bundessortenamt	01/12	01/04	06/04	20 well-rooted cuttings	*
× <i>Gasteraloe</i> Guillaumin (<i>Aloe</i> L. × <i>Gasteria</i> Duval)									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard, able to show all its characteristics in the first year of examination.	*
× <i>Gasteraloe beguinii</i> (Radl) Guill.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
<i>Gasteria</i> Duval									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard, able to show all its characteristics in the first year of examination.	*
<i>Gaultheria Kalm</i> ex L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	able to show all their characteristics in the first year of examination
<i>Gaultheria procumbens</i> L.									
seed	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	a tray of unselected seedlings containing at least 150 plants ready for potting	*
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	able to show all their characteristics in the first year of examination
<i>Gaura</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.

1	2	3	4	5	6	7	8	9	10
<i>Gaura coccinea</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Gaura lindheimeri</i> Engelm. et A. Gray									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Gaura sinuata</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Gazania</i> Gaertn.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Gazania linearis</i> Druce.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Gazania maritima</i> Levyns									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Gazania maritima</i> Levyns × <i>Gazania rigens</i> (L.) Gaertn.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
vegetative	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Gazania rigens</i> (L.) Gaertn. (syn. <i>Gazania splendens</i> hort. ex Hend. & A. A. Hend.)									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Genista stenopetala</i> Webb & Berthel. (syn. <i>Cytisus racemosus</i> Marnock)									
vegetative	11	2	FR	GEVES	15/07	01/10	15/10	10 rooted, two-year old plants, grown in container, to be sent in container	each plant should be labelled individually
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	2-3 years old plants, container grown
<i>Gentiana</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Gentiana acaulis</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Gentiana asclepiadea</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Gentiana makinoi</i> Kusn.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Gentiana makinoi</i> Kusn. × <i>G. scabra</i> Bunge									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Gentiana pneumonanthe</i> L. × <i>Gentiana scabra</i> Bunge									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
<i>Gentiana scabra</i> Bunge									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Gentiana scabra</i> Bunge × <i>G. triflora</i> Pall.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
<i>Gentiana sino-ornata</i> Balf. f.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Gentiana triflora</i> Pall.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Geranium</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium</i> × <i>antipodeum</i> Yeo									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium</i> × <i>cantabrigiense</i> Yeo									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium cinereum</i> Cav.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium clarkei</i> Yeo									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Geranium dalmaticum</i> (Beck) Rech. f.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium endressii</i> J. Gay									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium erianthum</i> DC.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium himalayense</i> Klotzsch									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium ibericum</i> Cav.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.	*
<i>Geranium incanum</i> Burm. f.									
vegetative	11	1	GB	NIAB	01/02	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium macrorrhizum</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium macrostylum</i> Boiss.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geranium maculatum</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Geranium* × *magnificum* Hyl.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium nodosum* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium* × *ozonianum* Yeo**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium phaeum* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium pratense* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium psilostemon* Ledeb.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium renardii* Trautv.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium robertianum* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium sanguineum* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Geranium sessiliflorum* Cav.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium subcaulescens* L'Hér. ex DC.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium sylvaticum* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium thunbergii* Siebold ex Lindl. & Paxton**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium versicolor* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Geranium wallichianum* D. Don ex Sweet**

seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Geranium wlassovianum* Fisch. ex Link**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Gerbera* L.**

cut flower varieties	10	1	NL	NAKTUINBOUW	31/03	01/05	05/05	12 young plants being able to show all their characteristics in the first year of examination	not grown on rockwool
garden varieties	10	1	NL	NAKTUINBOUW	31/10	01/03	31/03	12 container-grown plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Gerbera</i> L.									
pot varieties	10	1	NL	NAKTUINBOUW	31/10	01/03	31/03	12 container-grown plants being able to show all their characteristics in the first year of examination	*
vegetative	10	1	PL	COBORU	01/02	01/06	10/06	12 young plants	commercial standard
<i>Geum</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geum chilense</i> Balb. ex Ser									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geum coccineum</i> Sibth. & Sm.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geum</i> × <i>intermedium</i> Ehrh.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geum</i> × <i>jankae</i> Beck.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geum quellyon</i> Sweet × <i>G. rivale</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geum quellyon</i> Sweet.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Geum rivale</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Ginkgo biloba</i> L.									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown,
vegetative, shrubs	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown,
<i>Gladiolus</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 corms of flowering size; plants must be able to show all their characteristics in the first year of examination	*
<i>Gleditsia triacanthos</i> L.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Globba winitii</i> C. H. Wright									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Gloxinia</i> L'Hérit.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Glycine max</i> (L.) Merrill									
	4	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	*	28/02	3,0 kg untreated seeds	minimum germination capacity 80%
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5,0 kg	*
	4	2	FR	GEVES	01/03	*	31/03	3,0 kg of non treated seeds with a good germination rate	*
<i>Gomphrena globosa</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
× <i>Goodaleara hort.</i>									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Gossypium barbardense</i> L.									
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	*	*	*	*	*
	4	2	GR	Ministry of Rural Development and Food	01/01	01/02	28/02	5.0kg	delinted seed
<i>Gossypium hirsutum</i> L.									
agricultural	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5,0 kg	delinted seed

1	2	3	4	5	6	7	8	9	10
<i>Gossypium hirsutum</i> L.									
ornamental (seed-propagated)	11	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	15/02	1 kg of seeds	*
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	28/02	3 kg	delinted seed
	4	2	GR	Ministry of Rural Development and Food	01/01	01/02	28/02	5,0 kg	delinted seed
<i>Graptopetalum bellum</i> (Moran & J. Meyran) D. R. Hunt (syn. <i>Tacitus bellus</i> Moran & J. Meyran)									
	10	1	DK	University of Aarhus - Aarslev	15/01	01/03	15/03	20 cold treated plants of commercial size with one to two rosettes and small flower buds present.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
× <i>Graptoveria</i> G. D. Rowley (<i>Echeveria</i> × <i>Graptopetalum</i>)									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants able to show all their characteristics in the first year of examination	*
<i>Grevillea juniperina</i> R. Br. × <i>G. rhyolitica</i> Makinson									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants	able to show all their characteristics in the first year of examination
<i>Grevillea robusta</i> A. Cunn. ex R. Br.									
tree	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
<i>Griselinia</i> Forst.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Griselinia littoralis</i> (Raoul) Raoul									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants.	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Griselinia lucida</i> (J. R. Forst. & G. Forst.) G. Forst.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Guzmania Ruiz & Pav.</i>									
seed	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 young plants age: approximately 1 months before flower induction treatment	Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, age: approximately 1 month before flower induction treatment	Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
<i>Guzmania Ruiz & Pav. × Tillandsia L.</i>									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 young plants	1 month before flower induction treatment, able to show all their characteristics in the first year of examination
<i>Guzmania blassii</i> Rauh × <i>Tillandsia leiboldiana</i> Schltdl.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	Seed propagated varieiteis: 48 young plantsplants Vegetative propagated plants: 24 young plants	ca. 1 month before flower induction treatment, able to show all their characteristics in the first year of examination
<i>Guzmania conifera</i> (André) Mez									
seed	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 young plants age: approximately 1 months before flower induction treatment	Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants age: approximately 1 months before flower induction treatment	Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
<i>Guzmania conifera</i> (André) Mez. × <i>Guzmania lingulata</i> (L.) Mez									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 young plants, ca. 1 month before flower induction treatment, able to show all their characteristics in the first year of examination	*
<i>Guzmania lingulata</i> (L.) Mez									
seed	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 young plants age: approximately 1 months before flower induction treatment	Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants age: approximately 1 months before flower induction treatment	Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
<i>Guzmania lingulata</i> (L.) Mez × <i>Guzmania wittmackii</i> Andre ex Mez									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 young plants, ca. 1 month before flower induction treatment, able to show all their characteristics in the first year of examination	*
<i>Gymnocalycium mihanovichii</i> (Fric et Gürke) Britton et Rose									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Gymnosporia diversifolia</i> Maxim.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Gypsophila</i> L.									
vegetative	8	1	NL	NAKTUINBOUW	01/10	01/02	28/02	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
<i>Gypsophila muralis</i> L.									
	8	1	NL	NAKTUINBOUW	01/02	01/03	31/03	50 young plants	able to show all their characteristics in the first year of flowering
<i>Gypsophila paniculata</i> L.									
vegetative	8	1	NL	NAKTUINBOUW	01/10	01/02	28/02	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
<i>Gypsophila paniculata</i> L. × <i>Gypsophila porrigens</i> (Gouan ex L.) Boiss. (syn. <i>Gypsophila pilosa</i> Huds.)									
	8	1	NL	NAKTUINBOUW	01/10	01/02	28/02	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
<i>Hakonechloa macra</i> (Munro) Makino									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
× <i>Halimicistus</i> Janch.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
× <i>Halimicistus sahucii</i> (H. J. Coste et Soulié) Janch.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
× <i>Halimicistus wintonensis</i> Warb. & E. F. Warb.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hardenbergia violacea</i> (Schneev.) Stearn									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 container-grown young plants of commercial standard	*
<i>Haworthia fasciata</i> (Willd.) Haw.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	being able to show all their characteristics during the first year of examination.
<i>Haworthia limifolia</i> Marloth									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	being able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Haworthia mazima* (Haw.) Duval**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
------------	----	---	----	-------------	-------	-------	-------	-----------------	---

***Hebe* Comm. ex. Juss.**

vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------	----	---	----	------	-------	-------	-------	-----------	--

vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe albicans* (Petrie) Cockayne (syn. *Veronica albicans* Petrie; *Hebe recurva* G. Simpson & J. S. Thomson)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe* × *andersonii* (Lindl. & Paxton) Cockayne**

vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe diosmifolia* (R. Cunn ex A. Cunn.) Cockayne & Allan**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe elliptica* (G. Forst.) Pennell**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe* × *franciscana* (Eastw.) Souster**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe matthewsii* (Cheeseman) Cockayne**

vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Hebe odora* (Hook. f.) Cockayne**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe parviflora* (Vahl) Cockayne & Allan**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe pimeleoides* (Hook. f.) Cockayne & Allan**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe pinguifolia* (Hook. f.) Cockayne & Allan**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hebe salicifolia* (G. Forst.) Pennell**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hedera* L.**

vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	*
vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Hedera helix* L.**

vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	*
vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Hedera helix</i> L.									
vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hedera helix</i> L. subsp. <i>hibernica</i> (G. Kirchn.) D. C. McClint. (syn. <i>Hedera hibernica</i> (Kirchn.) Bean)									
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hedera rhombea</i> (Miq.) Bean									
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to show all representative characteristics during the first examination year	*
<i>Helenium</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Helenium autumnale</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Helenium bigelovii</i> Torr. & A. Gray									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Helianthemum</i> Mill.									
vegetative	11	1	FR	GEVES	01/12	10/03	20/03	10 young container grown plants	Plants must be vegetatively propagated, visually healthy and not treated in any way that will affect subsequent development. Plants should be of sufficient size to flower and/or show their other representative characteristics in the first year.
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Helianthemum</i> Mill.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 plants of commercial standard, of sufficient size to express all their characteristics in the first year of examination, and ready to be planted in the open.	*
<i>Helianthus annuus</i> L.									
hybrid	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	1,0 kg of the hybrid	and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)
hybrid	4	2	FR	GEVES	01/02	*	01/03	1,0 kg of the hybrid	and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)
hybrid	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	28/02	*	10/03	800 g seed	*
hybrid	4	2	HU	National Food Chain Safety Office (NÉBIH)	20/02	*	20/03	1,0 kg of the hybrid	and 500 g per each component (male sterile line, maintainer line, restorer line and parental cross with its components)
line	4	2	FR	GEVES	01/02	*	01/03	5000 grains	*
line	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	28/02	*	10/03	500 g seed	*
line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	*	01/01	500 g	*
line	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	5000 grains	*
line	4	2	HU	National Food Chain Safety Office (NÉBIH)	20/02	*	20/03	1 kg	*
male sterile line	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	5000 grains of male sterile line	and 1000 grains of maintainer line
male sterile line	4	2	HU	National Food Chain Safety Office (NÉBIH)	20/02	*	20/03	1 kg	and 500 g of the maintainer line
male sterile line	4	2	FR	GEVES	01/02	*	01/03	5000 grains of male sterile line	and 5000 grains of maintainer line
male sterile line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	*	01/01	500 g of male sterile line	and 100 g of maintainer
male sterile line	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	28/02	*	10/03	500 g	and 500 g of its maintainer line
<i>Helianthus annuus</i> L.									
ornamental, seed	11	2	FR	GEVES	01/02	*	01/03	1.0 kg untreated seeds	*
<i>Helianthus annuus</i> L.									
single hybrid	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	*	01/01	2,0 kg of the hybrid	and 500 grams of each component (A,C and R), 300 grams of B

1	2	3	4	5	6	7	8	9	10
single hybrid as parent	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	5000 grains	and 5000 grains of the male ster- ile line, maintainer line and male maintainer line (if material un- known)
single hybrid as parent	4	2	SK	Central Controlling and Testing Insti- tute in Agriculture (UKSUP)	28/02	*	10/03	500 g seed	*
single hybrid as parent	4	2	FR	GEVES	01/02	*	01/03	5000 grains	and 5000 grains of the male ster- ile line, maintainer line, and male maintainer line (if material un- known)

***Helianthus decapetalus* L.**

11	*	DE	Bundessortenamt	*	*	*	*	*
----	---	----	-----------------	---	---	---	---	---

***Helianthus salicifolius* A. Dietr.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively prop- agated, container grown and of sufficient size to flower and/or show their representative charac- teristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Helianthus tuberosus* L.**

4	2	DE	Bundessortenamt	*	*	*	*	*
4	2	NL	NAKTUINBOUW	*	*	*	*	*

***Helichrysum amorginum* Boiss. & Orph.**

vegetative	10	1	DE	Bundessortenamt	15/11	26/02	02/03	30 plants in 9 cm pots ready to show their characteristics in the first year	*
------------	----	---	----	-----------------	-------	-------	-------	--	---

***Helichrysum italicum* (Roth) G. Don**

vegetative	10	1	DE	Bundessortenamt	15/11	26/02	02/03	30 plants in 9 cm pots ready to show their characteristics in the first year	*
------------	----	---	----	-----------------	-------	-------	-------	--	---

***Helichrysum petiolare* Hilliard et B.L. Burt**

10	1	DE	Bundessortenamt	15/11	26/02	02/03	30 plants in 9 cm pots ready to show their characteristics in the first year	*
----	---	----	-----------------	-------	-------	-------	--	---

***Heliconia psittacorum* L. f.**

10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
----	---	----	-------------	-------	-------	-------	--	---

***Heliconia stricta* Huber**

10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rhizomes	of a flowering size, being able to show all their characteristics dur- ing the first year of examination
----	---	----	-------------	-------	-------	-------	-------------	--

Heliosis Pers.

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively prop- agated, container grown and of sufficient size to flower and/or show their representative charac- teristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Heliopsis helianthoides* (L.) Sweet**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively prop- agated, container grown and of sufficient size to flower and/or show their representative charac- teristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Heliotropium</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Heliotropium arborescens</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Helleborus</i> L.									
seed	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	30 young plants being able to show all their characteristics in the first year of examination	*
vegetative -cuttings, in vitro	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants being able to show all their characteristics in the first year of examination	*
vegetative -division of plants	9	1	NL	NAKTUINBOUW	01/12	01/10	31/10	15 young plants being able to show all their characteristics in the first year of examination	*
<i>Helleborus argutifolius</i> Viv.									
	9	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Helleborus atrorubens</i> Waldst. & Kit × <i>Helleborus niger</i> L.									
	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young plants able to show all their characteristics in the first year of technical examination	able to show all their characteristics in the first year of technical examination
<i>Helleborus</i> × <i>ballardiae</i> B.Mathew									
vegetative- cuttings	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants being able to show all their characteristics in the first year of examination	*
<i>Helleborus</i> × <i>ericsmithii</i> B.Mathew (synonyme <i>H. niger</i> L. × <i>H. × sternii</i> Turrill)									
vegetative- cuttings	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants being able to show all their characteristics in the first year of examination	*
<i>Helleborus</i> × <i>hybridus</i> hort. ex Voss									
	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants able to show all their characteristics in the first year of the technical examination	*
<i>Helleborus niger</i> L.									
seed	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	30 young plants being able to show all their characteristics in the first year of examination.	
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants of commercial standard	*
<i>Helleborus</i> × <i>nigercors</i> J. T. Wall									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants of commercial standard	*
<i>Helleborus orientalis</i> Lam.									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants of commercial standard	*
<i>Helleborus orientalis</i> Lam. × <i>H. ericsmithii</i> B. Mathew									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Helleborus</i> × <i>sternii</i> Turrill									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	15 young plants being able to show all their characteristics in the first year of examination	*
<i>Hemerocallis</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Hemigraphis repanda</i> (L.) Hallier f.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
<i>Hemizygia</i> (Benth.) Briq.									
	10	1	DE	Bundessortenamt	01/11	*	15/04	*	*
<i>Heptacodium miconioides</i> Rehder									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants grown in container, 2 years-old	each plant should be labelled individually
<i>Hesperaloe parviflora</i> (Torr.) J. M. Coul.									
vegetative	10	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants approximately 4 years old being able to show all their characteristics in the first year of examination	plants must neither be flowering nor have flowered before
<i>Hesperozygis myrtoides</i> (A. St.-Hil.) Epling									
vegetative	10	1	DE	Bundessortenamt	01/12	05/03	09/03	25 rooted cuttings	not pinched
<i>Heuchera</i> L.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Heuchera americana</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Heuchera</i> × <i>brizoides</i> hort. ex Lemoine.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Heuchera cylindrica</i> Douglas									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Heuchera micrantha* Douglas ex Lindl.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Heuchera sanguinea* Engelm.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Heuchera villosa* Michx.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

× *Heucherella* H. R. Wehrh.

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

× *Heucherella tiarelloides*

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hibiscus* L.**

vegetative greenhouse test	-	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------------	---	----	---	----	------	-------	-------	-------	-----------	--

vegetative outdoor test	-	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------	---	----	---	----	------	-------	-------	-------	-----------	--

***Hibiscus acetosella* Welw. ex Hiern**

vegetative greenhouse test	-	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------------	---	----	---	----	------	-------	-------	-------	-----------	--

vegetative outdoor test	-	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------	---	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Hibiscus coccineus* Walter**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Hibiscus coccineus* Walter × *Hibiscus moscheutos* L.**

vegetative	-	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
greenhouse										

***Hibiscus moscheutos* L.**

vegetative	-	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
greenhouse										
test										

vegetative	-	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor test										

***Hibiscus mutabilis* L.**

vegetative	-	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
greenhouse										
test										

vegetative	-	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor test										

***Hibiscus paramutabilis* L.H.Bailey × *H. syriacus* L.**

vegetative	-	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
greenhouse										
test										

vegetative	-	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor test										

***Hibiscus rosa-sinensis* L.**

vegetative	10	1	DE	Bundessortenamt	01/11	26/02	02/03	20 rooted top cuttings	not pinched and not treated with growth regulators
------------	----	---	----	-----------------	-------	-------	-------	------------------------	--

vegetative	10	1	GB	NIAB	01/11	09/03	20/03	20 young plants	plants must be vegetatively propagated, visually healthy and not treated in any way that would affect subsequent development. Plants should be of sufficient size to flower and/or show their representative characteristics in the first year
------------	----	---	----	------	-------	-------	-------	-----------------	--

1	2	3	4	5	6	7	8	9	10
<i>Hibiscus schizopetalus</i> (Mast.) Hook.f.									
vegetative	10	1	DE	Bundessortenamt	01/11	16/02	01/03	20 rooted top cuttings	not pinched and not treated with growth regulators
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hibiscus sinosyriacus</i> L. H. Bail.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hibiscus syriacus</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hippeastrum</i> Herb.									
vegetative	10	1	NL	NAKTUINBOUW	01/11	11/12	15/12	20 bulbs	of flowerable size of which at least 18 should flower; bulbs should have been treated so that they will flower under greenhouse conditions in the Northern hemisphere in January.
<i>Hippeastrum yungacense</i> (Cardenas & I. S. Nelson) Meerow									
	10	1	NL	NAKTUINBOUW	01/11	11/12	15/12	20 bulbs of flowering size, induced for flowering	*
<i>Hippophae rhamnoides</i> L.									
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 one-year-old, potted plants with a good root development	*
	7	4	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	01/02	01/03	31/03	6 one-year-old, potted plants with a good root development	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Holarrhena pubescens</i> Wall. ex G.Don									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Homalocladium platycladum</i> (F. Muell.) L. H. Bailey									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
<i>Homalonema</i> Schott									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Hordeum chilense</i> × <i>Triticum turgidum</i>.									
	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	4.0 kg	150 unbeaten ears for the second growing cycle

1	2	3	4	5	6	7	8	9	10
<i>Hordeum vulgare</i> L. sensu lato									
alternative	4	2	GB	Animal & Plant Health Agency (APHA)	24/08	*	08/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
alternative	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
hybrid cms, winter	4	2	FR	GEVES	10/09	*	20/09	hybrid: 5,0 kg	2,5 kg of male sterile line and 5,0 kg of maintainer and restorer line
spring	4	2	DK	Tystofte Foundation	20/01	*	10/02	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line
spring	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	3,0 kg	120 ears
spring	4	2	PL	COBORU	30/11	*	25/02	6,0 kg seed	240 ears. In case of hybrid: in addition 3 kg and 240 ears for each component of the hybrid.
spring	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/12	*	20/01	5,0 kg	and 130 unthreshed ears
spring	4	2	FR	GEVES	15/01	*	25/01	5,0 kg	*
spring	4	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	3,0 kg	120 ears
spring	4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	08/01	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
spring	4	2	EE	Agricultural Research Center	01/02	*	01/04	3,0 kg	and unbeaten 150 ears
spring	4	2	DE	Bundessortenamt	05/01	*	20/01	5,0 kg	on request: 120 ears and minimum germination capacity 94%
spring	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	3,0 kg	*
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3,0 kg	150 ears
winter	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/09	*	20/09	5,0 kg	and 220 ears
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	3,0 kg	150 ears
winter	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	25/08	*	10/09	5,0 kg	and 180 unthreshed ears
winter	4	2	BE	Centre Wallon de Recherches Agronomiques	25/08	*	05/09	3,0 kg	The minimum requirements for germination capacity, analytical purity and seed purity
winter	4	2	DE	Bundessortenamt	15/08	*	01/09	5,0 kg	for hybrids in addition: 4,0 kg of each of the components including single cross; on request: 170 ears and minimum germination capacity 94%
winter	4	2	GB	Animal & Plant Health Agency (APHA)	24/08	*	08/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
winter	4	2	AT	Bundesamt für Ernährungssicherheit	29/08	*	14/09	3,0 kg	120 ears

1	2	3	4	5	6	7	8	9	10
<i>Hordeum vulgare</i> L. sensu lato									
winter	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
winter	4	2	PL	COBORU	20/08	*	31/08	6,0 kg seed	240 ears. In case of hybrid: in addition 3 kg and 240 ears for each component of the hybrid.
winter	4	2	DK	TystofteFoundation	01/09	*	01/09	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line
winter	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	20/08	*	05/09	3,0 kg	*
<i>Hosta</i> Tratt.									
vegetative	11	2	NL	NAKTUINBOUW	01/12	01/04	15/04	24 plants of two years old, able to show all their representative characteristics	*
<i>Hosta sieboldiana</i> (Hook.) Engl.									
vegetative	11	2	NL	NAKTUINBOUW	01/12	01/04	15/04	24 plants of two years old, able to show all their representative characteristics	*
<i>Humulus lupulus</i> L.									
	7	3	DE	Bundessortenamt	15/01	01/03	15/03	18 dormant roots	Healthy, without mildew and verticillium. Plant material must be accompanied by a certificate proving that each plant is free of the hop stunt viroid.
<i>Hyacinthus orientalis</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size; plants must be able to show all their characteristics in the first year of examination	*
<i>Hydrangea</i> L.									
vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, with 4 - 5 shoots and no foliage, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
<i>Hydrangea anomala</i> D. Don subsp. <i>petiolaris</i> (Siebold & Zucc.) E. M. McClint.									
vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
<i>Hydrangea anomala</i> D. Don subsp. <i>petiolaris</i> (Siebold & Zucc.) E.M. McClint. × <i>H. seemannii</i> L. Riley									
vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
<i>Hydrangea arborescens</i> L.									
vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Hydrangea aspera* Buch.-Ham. ex D. Don**

vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	---	---	----	-------	-------	-------	-------	---	--

***Hydrangea aspera* Buch.-Ham. ex D. Don × *H. integrifolia* Hayata**

vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 month old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	---	---	----	-------	-------	-------	-------	--	--

***Hydrangea macrophylla* (Thunb.) Ser.**

red/pink-white bi-colored varieties	9	2	DE	Bundessortenamt	15/09	13/01	17/01	10 rooted plants (ready chilled commodities) .	in 13 to 15 cm pots, 8 to 10 months old, pinched at least once and not treated with chemicals that influence the colour (blueing)
---	---	---	----	-----------------	-------	-------	-------	--	---

vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, with 4 - 5 shoots and no foliage, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	---	---	----	-------	-------	-------	-------	---	--

***Hydrangea macrophylla* subsp. *serrata* (Thunb.) Makino**

red/pink-white bi-colored varieties	9	2	DE	Bundessortenamt	15/09	13/01	17/01	10 rooted plants (ready chilled commodities)	in 13 to 15 cm pots, 8 to 10 months old, pinched at least once and not treated with chemicals that influence the colour (blueing)
---	---	---	----	-----------------	-------	-------	-------	--	---

vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, with 4 - 5 shoots and no foliage, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	---	---	----	-------	-------	-------	-------	---	--

***Hydrangea paniculata* Siebold**

vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, with 4 - 5 shoots and no foliage, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	---	---	----	-------	-------	-------	-------	---	--

***Hydrangea quercifolia* W. Bartram**

vegetative	9	2	FR	GEVES	15/11	15/01	31/01	10 rooted, container-grown plants, 6 to 8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing)	each plant should be labelled individually
------------	---	---	----	-------	-------	-------	-------	---	--

***Hydrocotyle* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Hylotelephium* H. Ohba × *Orostachys malacophylla* (Pall.) Fisch.**

	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	able to show all their characteristics in the first year of examination.
--	----	---	----	-------------	-------	-------	-------	-----------------	--

1	2	3	4	5	6	7	8	9	10
<i>Hylotelephium</i> L. × <i>Sedum</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	able to show all their characteristics in the first year of examination
<i>Hylotelephium spectabile</i> (Boreau) H. Ohba (syn. <i>Sedum spectabile</i> Boreau)									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	appropriate to be grown in the open
<i>Hylotelephium tatarinowii</i> (Maxim.) H. Ohba (syn. <i>Sedum tatarinowii</i> Maxim.)									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	able to show all their characteristics in the first year of examination
<i>Hylotelephium telephium</i> (L.) H. Ohba × <i>H. spectabile</i> (Boreau) H. Ohba (syn. <i>Sedum telephium</i> L. × <i>S. spectabile</i> Boreau)									
vegetative, outdoor	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<i>Hylotelephium telephium</i> (L.) H. Ohba (syn. <i>Sedum telephium</i> L.)									
vegetative, garden	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
vegetative, greenhouse	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Hypericum</i> L.									
vegetative	9	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	*
<i>Hypericum androsaemum</i> L.									
vegetative	9	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	*
<i>Hypericum calycinum</i> L.									
vegetative	9	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	*
<i>Hypericum</i> × <i>inodorum</i> Mill.									
vegetative	9	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	*
<i>Hypericum kalmianum</i> L.									
	9	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes; plants must be able to show all their characteristics during the examination period	*
<i>Hypericum</i> × <i>moserianum</i> André									
	9	2	NL	NAKTUINBOUW	01/12	01/04	30/04	12 young bushes, able to show all their characteristics in the First year of examination	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Hypericum perforatum* L.**

pharmaceutical	14	2	DE	Bundessortenamt	*	*	*	*	*
----------------	----	---	----	-----------------	---	---	---	---	---

***Iberis* L.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Iberis amara* L.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Iberis gibraltarica* L.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Iberis sempervirens* L.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Ilex* L.**

vegetative, non variegated	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
----------------------------	----	---	----	------	-------	-------	-------	-----------	--

vegetative, variegated	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------------------	----	---	----	------	-------	-------	-------	-----------	--

***Ilex* × *altaclerensis* (Loudon) Dallim.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Ilex aquifolium* L.**

vegetative, non-variegated	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
----------------------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Ilex aquifolium</i> L.									
vegetative, variegated	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Ilex cornuta</i> Lindl. & Paxton									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Ilex crenata</i> Thunb.									
vegetative, non variegated	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Ilex dimorphophylla</i> Koidz.									
vegetative, non variegated	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Ilex</i> × <i>koehneana</i> Loes.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Ilex</i> × <i>meserveae</i> S.-Y. Hu									
vegetative, non variegated	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
vegetative, variegated	11	2	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Ilex mitis</i> (L.) Radlk.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

1	2	3	4	5	6	7	8	9	10
<i>Ilex verticillata</i> (L.) A. Gray									
vegetative, non variegated	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Impatiens</i> L.									
vegetative	10	1	DE	Bundessortenamt	15/11	12/03	16/03	20 young plants	as in commerce, not pinched
<i>Impatiens New Guinea Group</i>									
vegetative	10	1	DE	Bundessortenamt	15/11	12/03	16/03	20 young plants	as in commerce, not pinched
<i>Impatiens New Guinea Group</i> × <i>Impatiens auricoma</i> Baill.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Impatiens flaccida</i> Arn. × <i>Impatiens hawkeri</i> W. Bull									
	10	1	DE	Bundessortenamt	15/11	12/03	16/03	20 young plants	as in commerce, not pinched
<i>Impatiens hawkeri</i> W. Bull × <i>I. platypetala</i> Lindl.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Impatiens namchabarwensis</i> R. J. Morgan et al.									
vegetative	10	1	DE	Bundessortenamt	15/11	12/03	16/03	25 well rooted cuttings	*
<i>Impatiens niamniamnensis</i> Gilg									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Impatiens walleriana</i> Hook. f.									
vegetative	10	1	DE	Bundessortenamt	15/11	12/03	16/03	20 young plants	as in commerce, not pinched
<i>Impatiens walleriana</i> Hook. f. × <i>I. auricoma</i> Baill.									
	10	1	DE	Bundessortenamt	15/11	12/03	16/03	20 young plants	as in commerce, not pinched
<i>Impatiens walleriana</i> Hook. f. × <i>I. pseudoviola</i> Gilg									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Impatiens walleriana</i> Hook. f. × <i>I. repens</i> Moon									
	10	1	DE	Bundessortenamt	*	*	*	*	*
× <i>Ionocidium</i> hort.									
vegetative	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Ipheion uniflorum</i> (Lindl.) Raf.									
	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size; plants must be able to show all their characteristics during the first year of examination	*
<i>Ipomoea</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Ipomoea batatas</i> (L.) Lam.									
agricultural	1	1	IE	Department of Agriculture Food and the Marine	31/03	15/04	30/04	60 Plantlets / cuttings 15 - 20 cms. in length	Visibly healthy plantlets not having undergone any treatment which would affect the expression of the characteristics of the variety.

1	2	3	4	5	6	7	8	9	10
<i>Ipomoea batatas</i> (L.) Lam.									
ornamental, vegetative	10	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Ipomoea indica</i> Merrill.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Ipomoea purpurea</i> (L.) Roth.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Ipomoea tricolor</i> Cav.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Iris</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/04	15/07	15/08	30 corms of flowering size; plants must be able to show all their characteristics during the first year of examination	*
<i>Iris</i> × <i>germanica</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/04	15/07	15/08	30 corms of flowering size; plants must be able to show all their characteristics during the first year of examination	*
<i>Iris</i> × <i>hollandica</i> hort.									
vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 corms of flowering size; plants must be able to show all their characteristics during the first year of examination	*
<i>Iris</i> × <i>iphium</i> L.									
vegetative	11	2	NL	NAKTUINBOUW	01/09	01/10	31/10	30 corms of flowering size; plants must be able to show all their characteristics during the first year of examination	*
<i>Isopogon formosus</i> R. Br.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants ready to be grown in the open.	Plants should be of sufficient size to show all their representative characteristics in the first year of examination
<i>Isotoma</i> (R. Br.) Lindley									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Isotoma axillaris</i> Lindl. (syn: <i>Laurentia axillaris</i> (Lindl.) E. Wimm.)									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	able to show all their characteristics in the first year of examination
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Isotoma fluviatilis</i>									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.

1	2	3	4	5	6	7	8	9	10
<i>Itea virginica</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes; plants must be able to show all their characteristics during the first year of examination	*
× <i>Iwanagara</i> hort.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Ixora</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	*
<i>Jamesbrittenia</i> Kuntze									
vegetative	11	1	DE	Bundessortenamt	15/11	15/02	19/02	25 well-rooted cuttings	not pinched
<i>Jamesbrittenia breviflora</i> (Schltr.) Hilliard									
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Jamesbrittenia carvalhoi</i> (Engl.) Hilliard									
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Jamesbrittenia grandiflora</i> (Galpin) Hilliard (syn. <i>Sutera grandiflora</i> (Galpin) Hiern)									
vegetative	11	1	DE	Bundessortenamt	15/11	16/02	20/02	25 well-rooted cuttings	not pinched
<i>Jasminum</i> L.									
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Jasminum multiflorum</i> (Burm. f.) Andrews									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	10	1	DK	University of Aarhus - Aarslev	01/01	15/04	30/04	20 rooted cuttings ready for potting	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
<i>Jasminum officinale</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	*
vegetative, outdoor	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative; greenhouse	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Jasminum polyanthum</i> Franch.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	*
<i>Jatropha curcas</i> L.									
	4	2	MX	Servicio Nacional de Inspeccion y Certificacion de Semillas (SNICS)	*	*	*	12 plants	*
<i>Jatropha podagrica</i> Hook.									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Juglans nigra</i> L.									
ornamental	11	4	ES	Oficina Española de Variedades Vegetales (OEVV)	15/01	15/02	15/03	8 one year old plants grafted on hybrid rootstock Juglans x intermedia , preferably MJ209xRA	Visually healthy and vigorous and free from pests and diseases. The material will be accompanied by: o Phytosanitary Passport o Official certificate of a laboratory analysis indicating that the material is free from Cherry leaf roll virus (CLRV)
<i>Juglans regia</i> L.									
fruit	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/01	15/02	15/03	8 one-year old grafted plants on hybrid rootstock MJ209xRA.	Healthy plants according to the standards laid down in the Council Directive 92/34/CE and accompanied by an official certificate of laboratory analysis indicating that the material is free from Cherry leaf roll virus (CLRV)
<i>Juncus</i> L.									
seed	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Juncus effusus</i> L.									
vegetative	10	1	DK	University of Aarhus - Aarslev	30/04	15/06	20/06	20 well-rooted young plants	Phytosanitary certificate from countries outside EU. Plant passport from EU Countries. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Juncus inflexus</i> L.									
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Juniperus</i> L.									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3 to 4 years old, container grown
	11	2	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Juniperus communis</i> L.									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Juniperus pingii</i> W. C. Cheng									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test	*
<i>Juniperus squamata</i> Buch.-Ham. ex D. Don									
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Juniperus virginiana</i> L.									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Justicia candicans</i> (Nees) L. Benson									
seed	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Justicia candicans</i> (Nees) L. Benson									
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Justicia carnea</i> Lindl.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	able to show all their representative characteristics in the first year of the examination
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Justicia nodosa</i> Hook.									
seed	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Justicia pictifolia</i> Standl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	of commercial standard
<i>Kalanchoe</i> Adans.									
seed	12	1	DE	Bundessortenamt	15/11	*	15/04	50 seedlings ready to be transplanted into 10 cm pots	*
vegetative	10	1	DE	Bundessortenamt	15/11	16/04	20/04	30 unrooted cuttings.	*
vegetative, parent in fee gr12	12	1	DE	Bundessortenamt	15/11	16/04	20/04	30 unrooted cuttings	*
<i>Kalanchoe blossfeldiana</i> × <i>K. guignardii</i>									
vegetative	12	1	DE	Bundessortenamt	15/11	02/04	06/04	30 unrooted cuttings	*
<i>Kalanchoe blossfeldiana</i> Poelln.									
vegetative	12	1	DE	Bundessortenamt	15/11	16/04	20/04	30 unrooted cuttings	*
<i>Kalanchoe blossfeldiana</i> Poelln. × <i>K. laciniata</i> (L.) DC.									
vegetative	12	1	DE	Bundessortenamt	15/11	02/04	06/04	30 unrooted cuttings	*
<i>Kalanchoe humilis</i> Britten									
seed	10	1	DE	Bundessortenamt	15/12	28/05	01/06	50 seedlings	ready to be transplanted into 10 cm pots
<i>Kalanchoe manginii</i> Raym.-Hamet & H. Perrier									
vegetative	12	1	DE	Bundessortenamt	15/11	18/04	21/04	30 unrooted cuttings	*

1	2	3	4	5	6	7	8	9	10
<i>Kalanchoe marmorata</i> Baker									
vegetative	10	1	DE	Bundessortenamt	15/12	28/05	01/06	30 unrooted cuttings	*
<i>Kalanchoe thyrsiflora</i> Harv.									
	10	1	DE	Bundessortenamt	01/06	05/09	05/09	20 rooted cuttings	*
<i>Kalanchoe uniflora</i> (Stapf) Raym.-Hamet									
	10	1	DE	Bundessortenamt	15/11	09/04	13/04	30 unrooted cuttings	*
<i>Kerria japonica</i> (L.) DC.									
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	01/12	15/02	28/02	8 container grown plants	Plants should be of sufficient size to flower and/or show their other representative characteristics during the first season
<i>Kleinia cephalophora</i> Compton (syn. <i>Senecio cephalophorus</i> (Compton) H. Jacobsen)									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Knautia macedonica</i> Griseb.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Kniphofia</i> Moench									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Kniphofia galpinii</i> Bak.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Kniphofia pauciflora</i> Baker									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Kniphofia rooperi</i> (T. Moore) Lem.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Kniphofia triangularis</i> Kunth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Kniphofia uvaria</i> (L.) Oken									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Koeleria</i> Pers.									
	3	3	NL	NAKTUINBOUW	15/01	*	01/02	600 g	*
<i>Koeleria glauca</i> DC.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Koeleria paniculata</i> Laxm.									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.	container grown, 3 years old
<i>Koeleria</i> Regel									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Lachenalia</i> J. Jacq. ex Murray									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 corms	being able to show all their characteristics during the first year of examination.
<i>Lachenalia aloides</i> (L. f.) Pers. ex Engl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 corms	able to show all their characteristics in the first year of examination
<i>Lactuca sativa</i> L.									
greenhouse autumn	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/06	*	01/07	14,000 seeds	*
greenhouse	13	2	NL	NAKTUINBOUW	15/12	*	01/01	14,000 seeds	*
greenhouse	13	2	FR	GEVES	15/08	*	01/09	14,000 seeds (30 g)	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
greenhouse spring	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	14,000 seeds	*
outdoor	14	2	NL	NAKTUINBOUW	01/02	*	01/03	14,000 seeds	*
outdoor	14	2	DE	Bundessortenamt	15/01	*	15/02	25,000 seeds	minimum germination capacity 90%
outdoor	14	2	FR	GEVES	01/01	*	01/03	14,000 seeds (30 g)	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.

1	2	3	4	5	6	7	8	9	10
<i>Lactuca sativa</i> L.									
outdoor autumn	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/06	*	01/07	14,000 seeds	*
outdoor spring	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	14,000 seeds	*
<i>Lagenaria siceraria</i> (Molina) Standl.									
	14	2	FR	GEVES	*	*	*	*	*
	13	2	FR	GEVES	01/01	*	01/03	200 g seed	*
	14	2	NL	NAKTUINBOUW	*	*	*	*	*
	13	2	NL	NAKTUINBOUW	*	*	*	*	*
<i>Lagerstroemia</i> L.									
	9	2	FR	GEVES	01/12	15/02	15/03	6 plants, well rooted, in container, 2 years old	each plant should be labelled individually.
<i>Lagerstroemia</i> × <i>amabilis</i> Makino (<i>Lagerstroemia indica</i> L. × <i>Lagerstroemia subcostata</i> Koehne)									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, well rooted, in container, 2 years old	each plant should be labelled individually
<i>Lagerstroemia indica</i> L.									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	6 plants, well rooted, in container, 2 years old.	each plant should be labelled individually.
<i>Lamium</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lamium maculatum</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lampranthus bicolor</i> (L.) N. E. Br. × <i>L. pocockiae</i> N. E. Br.									
	10	1	DE	Bundessortenamt	01/12	*	15/04	*	*
<i>Lamprocapnos spectabilis</i> (L.) Fukuhara (syn. <i>Dicentra spectabilis</i> (L.) Lem.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Landoltia punctata</i> (G. Mey.) Les & D. J. Crawford × <i>Lemna minor</i> L.									
	4	*	NL	NAKTUINBOUW	*	*	*	*	*
<i>Lantana</i> L.									
vegetative	11	1	DE	Bundessortenamt	15/11	02/03	06/03	25 rooted cuttings	not pinched
<i>Lantana camara</i> L.									
vegetative	11	1	DE	Bundessortenamt	15/11	26/02	02/03	25 rooted cuttings	not pinched
<i>Lantana montevidensis</i> (Spreng.) Briq.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Lantana montevidensis</i> (Spreng.) Briq.									
	11	1	DE	Bundessortenamt	*	*	*	*	*
<i>Larix decidua</i> Mill.									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Larix kaempferi</i> (Lamb.) Carrière									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Lathyrus cicera</i> L.									
	4	2	FR	GEVES	15/12	15/12	15/02	1 kilogram of seeds or more	sufficient germination rate
<i>Lathyrus cicera</i> L. × <i>Lathyrus sativus</i> L.									
	4	2	FR	GEVES	15/12	15/12	15/02	1 kilograms of seeds or more	with sufficient germination rate
<i>Lathyrus sativus</i> L.									
spring	4	2	FR	GEVES	15/12	*	15/02	1kg of seeds	*
	4	*	NL	NAKTUINBOUW	*	*	*	*	*
<i>Laurus Nobilis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lavandula</i> L.									
seed	9	2	FR	GEVES	31/10	15/01	15/02	30 young and well rooted plants	plants should be of sufficient size to flower and/or show their other representative characteristics
vegetative	9	2	FR	GEVES	31/10	01/02	28/02	15 plants well rooted,	Plants should be of sufficient size to flower and/or show their other representative characteristics
<i>Lavandula angustifolia</i> Mill.									
seed	9	2	FR	GEVES	31/10	15/01	28/02	30 young and well rooted plants	plants should be of sufficient size to flower and/or show their other representative characteristics
vegetative	9	2	FR	GEVES	30/10	15/01	28/02	15 plants well rooted,	Plants should be of sufficient size to flower and/or show their other representative characteristics
	9	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	15/03	10 well rooted plants for vegetatively propagated varieties; 20 well rooted plants for seed propagated varieties	*
<i>Lavandula angustifolia</i> Mill. × <i>L. latifolia</i> Medik.									
	9	2	FR	GEVES	31/10	01/02	28/02	15 plants well rooted	*
<i>Lavandula angustifolia</i> Mill. subsp. <i>angustifolia</i>									
	9	2	FR	GEVES	31/10	01/02	28/02	15 plants well rooted	*
<i>Lavandula</i> × <i>chaytoriae</i> Upson et S. Andrews									
vegetative	9	2	FR	GEVES	31/10	01/02	28/02	15 plants well rooted,	Plants should be of sufficient size to flower and/or show their other representative characteristics
<i>Lavandula dentata</i> L.									
seed	9	2	FR	GEVES	31/10	15/01	15/02	30 young and well rooted plants	plants should be of sufficient size to flower and/or show their other representative characteristics

1	2	3	4	5	6	7	8	9	10
<i>Lavandula dentata</i> L.									
vegetative	9	2	FR	GEVES	31/10	15/01	15/02	15 plants well rooted,	Plants should be of sufficient size to flower and/or show their other representative characteristics
<i>Lavandula</i> × <i>heterophylla</i> Viv.									
	11	2	FR	GEVES	30/10	15/01	28/02	15 plants well rooted	Plants should be labelled individually
<i>Lavandula</i> × <i>intermedia</i> Emeric ex Loisel.									
vegetative	9	2	FR	GEVES	31/10	01/02	28/02	15 plants well rooted	Plants should be of sufficient size to flower and/or show their other representative characteristics
<i>Lavandula stoechas</i> L.									
seed	9	2	FR	GEVES	31/10	15/01	15/02	30 young and well rooted plants	plants should be of sufficient size to flower and/or show their other representative characteristics
vegetative	9	2	FR	GEVES	31/10	15/01	15/02	15 plants well rooted,	Plants should be of sufficient size to flower and/or show their other representative characteristics
<i>Lavatera</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lavatera thuringiaca</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lechenaultia biloba</i> Lindl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Leea D. Royen ex L.</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	*
<i>Lemna minor</i> L.									
	4	1	NL	NAKTUINBOUW	01/05	01/09	30/09	200 young plants of commercial standard able to show all their characteristics in the first year of examination. To be delivered in water.	*
<i>Lens culinaris</i> Medik.									
	14	2	FR	GEVES	01/01	*	01/02	*	*
<i>Leontopodium nivale</i> (Ten.) Hand.-Mazz. (syn. <i>L. alpinum</i> Cass.)									
	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
<i>Lepidium ruderales</i> L.									
seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	3 gram seeds	*
<i>Lepidium sativum</i> L.									
	14	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Leptospermum</i> J. R. Forst. et G. Forst.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Leptospermum scoparium</i> J. R. Forst. et G. Forst.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Leucadendron</i> R. Br.									
vegetative	9	2	PT	Direção Geral de Alimentação e Veterinária	01/05	01/09	30/09	12 well rooted plants	Only for import into EU: the consignment must be accompanied by a Phytosanitary Certificate. The cuttings must be free from any harmful organism listed in Annex I and II of the Directive n° 2000/29/CE and from any other harmful organism not established in Portuguese territory. The consignment must also comply with the specific requirement listed in Annex IV part A section I points 36.1, 39 and 46 of the Directive n° 2000/29/CE. Where alternatives are mention it must be indicate.
<i>Leucadendron discolor</i> E. Phillips & Hutch. × <i>L. laureolum</i> (Lam.) Fourc.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	10	2	PT	Direção Geral de Alimentação e Veterinária	01/05	01/09	30/09	12 plants	container grown, one year old
<i>Leucadendron laureolum</i> (Lam.) Fourc.									
vegative	10	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Leucadendron laureolum</i> (Lam.) Fourc. × <i>L. salignum</i> P. J. Bergius									
vegetative	10	2	PT	Direção Geral de Alimentação e Veterinária	01/05	01/09	30/09	12 plants	Container grown, one year old
<i>Leucanthemum</i> Mill.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Leucanthemum maximum* (Ramond) DC.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Leucanthemum* × *superbum* (Bergmans ex J. W. Ingram) D. H. Kent**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Leucanthemum vulgare* Lam.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Leucophyta brownii* Cass. (syn. *Calocephalus brownii* (Cass.) F. Muell.)**

10	1	DE	Bundessortenamt	01/12	15/03	31/03	20	well developed plants in 9 cm pots
----	---	----	-----------------	-------	-------	-------	----	------------------------------------

***Leucospermum* R. Br.**

vegetatively propagated varieties	10	1	DE	Bundessortenamt	01/11	26/02	02/03	20 container grown plants of sufficient size to flower during the first season	*
-----------------------------------	----	---	----	-----------------	-------	-------	-------	--	---

***Leucothoe axillaris* (Lam.) D. Don**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown

***Leucothoe axillaris* (Lam.) D. Don × *Leucothoe fontanesiana* (Steud.) Sleumer**

vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard	*

***Leucothoe fontanesiana* (Steud.) Sleumer**

vegetative	11	2	PL	COBORU	15/01	10/03	15/04	8 plants	3-4 years old plants, container grown
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard	plants must be able to show all their characteristics in the first year of examination

***Leucothoe keiskei* Miq.**

11	2	PL	COBORU	15/01	15/03	15/04	8 plants 3-4 years old plants, container grown	Plant material supplied should be visibly healthy, not lacking in vigour, nor affected by any important pests or disease; it should not have undergone any treatment which would affect the expression of the characteristics of the variety.
----	---	----	--------	-------	-------	-------	--	---

1	2	3	4	5	6	7	8	9	10
<i>Leucothoe keiskei</i> Miq.									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Lewisia cotyledon</i> (S. Watson) B. L. Rob.									
seed-propagated	10	2	DE	Bundessortenamt	01/06	*	01/09	*	*
vegetative	10	1	DE	Bundessortenamt	01/12	*	15/04	25 plants of sufficient size to flower in the first season	*
<i>Leycesteria</i> Wall.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	10 young plants able to show all their characteristics in the first year of examination.	*
<i>Leycesteria formosa</i> Wall.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	10 young plants	able to show all their characteristics in the first year of examination
<i>Libertia</i> Spreng.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Libertia grandiflora</i> (R. Br.) Sweet									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Libertia ixioides</i> (G. Forst.) Spreng.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Libertia peregrinans</i> Ckn. & Allan									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ligularia</i> Cass.									
vegetative	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Ligularia dentata</i> (A. Gray) H. Hara									
vegetative	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open

1	2	3	4	5	6	7	8	9	10
<i>Ligustrum delavayanum</i> Har.									
vegetative	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Ligustrum ibota</i> Siebold									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants	able to show all thier characteristics in the firts year of examination
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ligustrum japonicum</i> Thunb.									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 plants with at least 3 shoots	container grown, 2 year old
<i>Ligustrum lucidum</i> W. T. Aiton									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants	two years old, size 60-80 cm
<i>Ligustrum obtusifolium</i> Siebold & Zucc.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Ligustrum ovalifolium</i> Hassk.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	01/03	31/03	8 young bushes able to show all their characteristics in the first year of examination	*
<i>Ligustrum sinense</i> Lour.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes able to show all their characteristics in the first year of examination	*
<i>Lilium</i> L.									
l-a hybriden	10	1	NL	NAKTUINBOUW	01/11	04/01	15/01	30 bulbs,without having undergone any treatment. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size. Bulbs with 1 vegetation point only.	Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognized certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMoV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.

1	2	3	4	5	6	7	8	9	10
<i>Lilium L.</i>									
l-o hybriden	10	1	NL	NAKTUINBOUW	01/11	04/01	15/01	30 bulbs, without having undergone any treatment. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size. Bulbs with 1 vegetation point only.	Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognized certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
longiflorum	10	1	NL	NAKTUINBOUW	01/11	04/01	15/01	30 bulbs. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size.	Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognized certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
oriental hybrid	10	1	NL	NAKTUINBOUW	01/11	04/01	15/01	30 bulbs. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size. Bulbs with 1 vegetation point only.	Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognized certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
other types	10	1	NL	NAKTUINBOUW	01/11	04/01	15/01	30 bulbs. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size. Bulbs with 1 vegetation point only.	Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognized certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
vegetative	10	1	NL	NAKTUINBOUW	01/11	04/01	15/01	30 bulbs. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18; Other: of commercial bulb size.	Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognized certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.

1	2	3	4	5	6	7	8	9	10
<i>Limonium</i> Mill.									
vegetative, greenhouse	10	1	NL	NAKTUINBOUW	01/12	01/03	15/03	24 young plants being able to show all their characteristics during the first year of examination	after cold treatment
vegetative, outdoor	10	1	NL	NAKTUINBOUW	01/12	01/05	15/05	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Limonium altaica</i>									
	10	1	NL	NAKTUINBOUW	01/12	01/03	15/03	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Limonium gmelinii</i> (Willd.) Kuntze									
vegetative, greenhouse	10	1	NL	NAKTUINBOUW	01/12	01/03	15/03	24 young plants being able to show all their characteristics during the first year of examination	after cold treatment
<i>Limonium perezii</i> (Stapf) F. T. Hubb.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	15/03	24 young plants, after cold treatment,	able to show all their characteristics in the first year of examination
<i>Limonium puberulum</i> (Webb) Kuntze × <i>L. perezii</i> (Stapf) F. T. Hubb.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	15/03	24 young plants, able to show all their characteristics during the first year of examination.	after cold treatment
<i>Limonium sinense</i> (Girard) Kuntze									
vegetative, greenhouse	10	1	NL	NAKTUINBOUW	01/12	01/03	15/03	24 young plants being able to show all their characteristics during the first year of examination	after cold treatment
<i>Limonium sinense</i> (Girard) Kuntze × <i>L. sinuatum</i> (L.) Mill.									
	10	1	NL	NAKTUINBOUW	01/12	01/05	15/05	24 young plants, appropriate to grow in the open, able to show all their characteristics in the first year of examination	*
<i>Limonium sinuatum</i> (L.) Mill.									
vegetative, outdoor	10	1	NL	NAKTUINBOUW	01/12	01/05	15/05	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Linaria</i> Mill.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Linaria maroccana</i> Hook. f.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Linaria purpurea</i> (L.) Mill.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Linaria purpurea</i> (L.) Mill.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Linum usitatissimum</i> L.									
spring	4	2	FR	GEVES	01/01	*	15/01	1,0 kg	germination rate of 85%
winter	4	2	FR	GEVES	15/08	*	10/09	1,0 kg	germination rate of 85%
	4	2	PL	COBORU	20/12	01/02	28/02	1.5 kg	*
<i>Liriodendron tulipifera</i> L.									
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Liriope</i> Lour.									
greenhouse cultivation	10	1	GB	NIAB	01/12	12/03	23/03	10 plant	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor cultivation	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	*
<i>Liriope exiflora</i> (L. H. Bail.) H. Hume.									
greenhouse cultivation	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor cultivation	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Liriope minor</i> (Maxim.) Mak.									
greenhouse cultivation	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
outdoor cultivation	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Liriope muscari</i> (Decne.) L. H. Bailly									
greenhouse cultivation	10	1	GB	NIAB	01/12	12/03	23/03	10 Plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Liriope muscari</i> (Decne.) L. H. Bailly									
outdoor	culti- vation	11	1	GB NIAB		01/12	12/03	23/03	10 Plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									
		10	1	DK University of Aarhus - Aarslev		*	*	*	*
<i>Liriope spicata</i> (Thunb.) Lour.									
greenhouse	cultivation	10	1	GB NIAB		01/12	12/03	23/03	10 plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									
outdoor	culti- vation	11	1	GB NIAB		01/12	12/03	23/03	10 plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									
		10	1	DK University of Aarhus - Aarslev		*	*	*	*
<i>Lithodora</i> Griseb.									
vegetative		11	1	GB NIAB		01/12	12/03	23/03	10 plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									
<i>Lithodora diffusa</i> (Lag.) I. M. Johnst.									
vegetative		11	1	GB NIAB		01/12	12/03	23/03	10 plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									
<i>Lithodora zahnii</i> Johnst.									
vegetative		11	1	GB NIAB		01/12	12/03	23/03	10 plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									
<i>Lobelia</i> L.									
seed- propagated		11	1	DE Bundessortenamt		01/11	*	15/01	0,75 g seed
minimum germination capacity 80%									
vegetative		11	1	DE Bundessortenamt		01/11	26/02	02/03	25 rooted cuttings
not pinched									
vegetative; garden plants		11	1	GB NIAB		01/12	12/03	23/03	10 plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									
<i>Lobelia alsinoides</i> Lam. (syn. <i>Lobelia trigona</i> Roxb.) × <i>Lobelia erinus</i> L.									
vegetative		11	1	NL NAKTUINBOUW		01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination
*									
vegetative		11	1	DE Bundessortenamt		01/11	26/02	02/03	25 rooted cuttings
not pinched									
<i>Lobelia cardinalis</i> L. (syn. <i>L. splendens</i> Willd.)									
vegetative		11	1	GB NIAB		01/12	12/03	23/03	10 plants
Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.									

1	2	3	4	5	6	7	8	9	10
<i>Lobelia erinus</i> L.									
vegetative	11	1	DE	Bundessortenamt	01/11	26/02	02/03	25 rooted cuttings	not pinched
<i>Lobelia erinus</i> L. × <i>Lobelia valida</i> L. Bolus									
vegetative	11	1	DE	Bundessortenamt	01/11	26/02	02/03	25 rooted cuttings	not pinched
<i>Lobelia siphilitica</i> L.									
vegetative; garden plants	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lobelia</i> × <i>speciosa</i> Sweet. (syn. <i>L.</i> × <i>gerardi</i> Sauv.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lobularia</i> Desv.									
vegetative, in-door	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, outdoor	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Lobularia maritima</i> (L.) Desv.									
seed propagated	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
vegetative, Glasshouse	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, outdoor	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetatively propagated	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Lolium</i> × <i>hybridum</i> Hausskn. (syn. <i>Lolium</i> × <i>boucheanum</i> Kunth)									
	3	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 90%
	3	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	1,5 kg diploids, 2,0 kg teraploids	*
<i>Lolium multiflorum</i> Lam.									
	3	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	*	*	*	*	*

1	2	3	4	5	6	7	8	9	10
<i>Lolium multiflorum</i> Lam.									
	3	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	1,5 kg diploids; 2,0 kg tetraploids	*
	3	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 90%
<i>Lolium perenne</i> L.									
	3	3	NL	NAKTUINBOUW	15/01	*	01/02	1, 5 kg	*
	3	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	1,5 kg diploids; 2,0 kg tetraploids	*
	3	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 90%
	3	3	PL	COBORU	20/12	*	15/03	0,75 kg seed	*
<i>Lomandra</i> Labill.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants.	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lomandra confertifolia</i> (F. M. Bailey) Fahn									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lomandra filiformis</i> (Thunb.) Britten									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants.	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lomandra hystrix</i> (R. Br.) L. R. Fraser & Vickery									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants.	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lomandra longifolia</i> Labill.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants.	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lomelosia caucasica</i> (M. Bieb.) Greuter & Burdet (syn.: <i>Scabiosa caucasica</i> M.Bieb.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lonicera</i> L.									
vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Lonicera</i> L.									
vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lonicera acuminata</i> Wall. (syn. <i>L. giraldii</i> Rehder, <i>L. henryi</i> Hemsl.)									
	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lonicera</i> × <i>brownii</i> (Regel) Carrière									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lonicera</i> × <i>brownii</i> (Regel) Carrière × <i>L. periclymenum</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lonicera caerulea</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lonicera caerulea</i> L. var. <i>emphylocalyx</i> (Maxim.) Nakai									
	7	3	FR	GEVES	30/11	01/02	01/03	7 one-year-old plants	each tree should be labelled individually
<i>Lonicera caerulea</i> L. var. <i>kamtschatica</i> Sevest.									
	7	3	PL	COBORU	31/12	01/03	31/03	9 plants	well rooted one-year old potted plants
	7	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	01/03	31/03	6 plants, well rooted two-year-old potted plants	*
<i>Lonicera caprifolium</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lonicera etrusca</i> Santi									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Lonicera* × *italica* Tausch**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera japonica* Thunb.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera nitida* E. H. Wilson**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera periclymenum* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera pileata* Oliv.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera* × *purpusii* Rehd.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera sempervirens* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera tatarica* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Lonicera tragophylla* Hemsl.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Lophomyrtus</i> Burret									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lophomyrtus bullata</i> Burret									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lophomyrtus obcordata</i> (Raoul) Burret									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lophomyrtus</i> × <i>ralphii</i> (Hook. f.) Burret									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Lophospermum erubescens</i> D. Don (syn. <i>Asarina erubescens</i> (D. Don) Pennell) × <i>Maurandya barclayana</i> Lindl. (syn. <i>Asarina barclayana</i>)									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Loropetalum</i> R. Br. ex Rchb.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Loropetalum chinense</i> (R. Br.) Oliv.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	12 young shrubs of commercial standard	being able to show all their characteristics in the first year of examination
<i>Lotus corniculatus</i> L.									
	4	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 80%
	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Ludisia discolor* (Ker-Gawl.) A. Rich.**

vegetative, autumn crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants	Plants should be able to flower and to show all their characteristics in the first year of examination. Plants must not be flowering and must not have flowered before.
vegetative, January crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants	Plants should be able to flower and to show all their characteristics in the first year of examination. Plants must not be flowering and must not have flowered before.

Lupinus L.

ornamental	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics during the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

Lupinus albus L.

spring and winter type	4	2	FR	GEVES	*	*	*	*	*
	4	2	DE	Bundessortenamt	15/12	*	01/02	6,0 kg	minimum germination capacity 85%
	4	2	PL	COBORU	15/12	01/02	28/02	3,0 kg	*

Lupinus angustifolius L.

spring and winter type	4	2	FR	GEVES	*	*	*	*	*
	4	2	DE	Bundessortenamt	15/12	*	01/02	4,0 kg	minimum germination capacity 85%
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
	4	2	PL	COBORU	15/12	01/02	28/02	3,0 kg	*

Lupinus luteus L.

	4	2	DE	Bundessortenamt	15/12	*	01/02	4,0 kg	minimum germination capacity 85%
	4	2	PL	COBORU	15/12	01/02	28/02	3,0 kg	*

***Lupinus polyphyllus* Lindl.**

	4	2	EE	Agricultural Research Center	*	*	01/04	1000 g	*
--	---	---	----	------------------------------	---	---	-------	--------	---

Lychnis L.

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Lychnis chalcidonica L.

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Lychnis coronaria</i> Desr.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Lycianthes rantonnetii</i> (Carrière) Bitter									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	*
<i>Lycium barbarum</i> L.									
	7	3	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed, well rooted potted plants with at least 3 shoots	*
<i>Lysimachia</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Lysimachia barystachys</i> Bunge									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	appropriate to be grown in the open
<i>Lysimachia barystachys</i> Bunge × <i>L. clethroides</i> Duby									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	appropriate to be grown in the open
<i>Lysimachia clethroides</i> Duby									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Lysimachia congestiflora</i> Hemsl.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Lysimachia fortunei</i> Maxim.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Lysimachia fortunei</i> Maxim. × <i>L. clethroides</i> Duby									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics during the first year of examination	appropriate to be grown in the open
<i>Lysimachia nemorum</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	appropriate to be grown in the open
<i>Lysimachia punctata</i> L.									
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Lythrum</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standards	*
<i>Magnolia</i> L.									
vegetative	11	3	FR	GEVES	30/06	01/10	15/10	8 well-rooted plants, grown in container, 1.50 - 2.00 m in height	each plant must be labelled individually

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Magnolia grandiflora* L.**

vegetative	11	3	FR	GEVES	30/06	01/10	15/10	8 well-rooted plants, grown in container , 1.50 - 2.00 m in height;	each plant must be labelled individually
------------	----	---	----	-------	-------	-------	-------	---	--

***Magnolia kobus* DC.**

vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3 to 4 years old; grafted, container grown

***Magnolia laevifolia* (Y. W. Law & Y. F. Wu) Noot. (syn.: *Michelia yunnanensis* Franch. ex Finet & Gagnep.)**

vegetative	11	3	FR	GEVES	30/06	01/10	15/10	8 well-rooted plants, grown in container , 1.50 - 2.00 m in height	each plant must be labelled individually
------------	----	---	----	-------	-------	-------	-------	--	--

***Mahonia* Nutt.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants being able to show all their characteristics in the first year of examination	container grown
------------	----	---	----	-------------	-------	-------	-------	--	-----------------

***Mahonia aquifolium* (Pursh) Nutt.**

vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	of commercial size, container grown.
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young plants being able to show all their characteristics in the first year of examination	*

***Malpighia* L.**

	10	1	DE	Bundessortenamt	15/12	*	15/04	*	*
--	----	---	----	-----------------	-------	---	-------	---	---

***Malus* Mill.**

ornamental	11	2	GB	NIAB	01/12	13/03	24/03	10 trees.	The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.
rootstock	5	4	FR	GEVES	31/12	01/01	28/02	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Apple Stem Grooving Virus (ASGV) [ELISA] Apple Mosaic Virus (ApMV) [ELISA] Apple Stem Pitting Virus (ASPV) Apple rubbery wood

1	2	3	4	5	6	7	8	9	10
<i>Malus</i> Mill.									
rootstock	5	4	PL	COBORU	31/12	01/03	31/03	15 well rooted one year old plants from stoolbed - vegetative rootstocks or 9 one year old trees + 150 seeds - generative rootstocks	*
rootstock	5	4	DE	Bundessortenamt	31/12	01/03	31/03	15 one-year-old rooted shoots emanating from vegetative propagation or 15 young plants emanating from seed propagation + 300 seed	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [PCR] Apple mosaic virus (ApMV) [PCR] Apple proliferation phytoplasma (AP) [PCR] Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR]
<i>Malus</i> × <i>adstringens</i> Zabel									
Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	10 trees	The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.
<i>Malus</i> × <i>atrosaguniea</i> (hort. ex Spath) C. K. Schneid.									
Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	10 trees	The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.
<i>Malus baccata</i> (L.) Borkh.									
Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	10 trees	The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.
<i>Malus baccata</i> (L.) Borkh.									
	5	*	FR	GEVES	*	*	*	*	*
<i>Malus domestica</i> Borkh.									
fruit	5	4	FR	GEVES	31/12	01/01	28/02	8, or in case of mutation varieties 12, virus-free one year-old trees grafted on virus-free 'M9' rootstock, preferably 'M9 T337'. In any case, the M9 clone must be specified.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised document certifying that they have been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Apple Stem Grooving Virus (ASGV) [ELISA] Apple Mosaic Virus (ApMV) [ELISA] Apple Stem Pitting Virus (ASPV) Apple rubbery wood

1	2	3	4	5	6	7	8	9	10
<i>Malus domestica</i> Borkh.									
5	4	DE	Bundessortenamt	31/12	01/03	31/03	6, or in case of mutant varieties, 11 one year-old trees grafted on virus-free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [PCR] Apple mosaic virus (ApMV) [PCR] Apple proliferation phytoplasma (AP) [PCR] Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR]	
5	4	HU	National Food Chain Safety Office (NÉBIH)	31/12	01/03	31/03	6, or in case of mutant varieties, 12 virus-tested one-year-old trees grafted on virus-free 'M9' rootstock.	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR] Apple chlorotic leaf spot virus (ACLSV) [PCR] Apple mosaic virus (ApMV) [PCR] ŠCandidatusŠ phytoplasma mali [PCR]	
5	4	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	01/03	31/03	7, or in case of mutant varieties, 12 virus-tested one year-old trees grafted on virus-free 'M9' rootstock, in case of columnar apple trees the required rootstock is 'MM111' vf.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate and has been lab-tested (please specify a detection method for each organism) to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) Apple mosaic virus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving virus (ASGV) Apple stem-pitting virus (ASPV)	
5	4	PL	COBORU	31/12	01/03	31/03	9, or in case of mutant varieties, 13 virus-tested one year-old trees grafted on virus-free 'M9' rootstock.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate, and has been lab-tested to give a negative result for: Apple proliferation phytoplasma (AP) [PCR]	
5	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	10/01	28/02	10, or in case of mutant varieties, 15 virus-tested one year-old trees grafted on virus-free 'M9' rootstock.	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple chlorotic leaf spot trichovirus (ASGV) Apple mosaic ilarvirus (ApMV) Apple proliferation phytoplasma (AP) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV)	

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Malus floribunda* Siebold ex Van Houtte**

ornamental 11 2 GB NIAB 01/12 13/03 24/03 10 trees

The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.

***Malus floribunda* Siebold ex Van Houtte**

5 * FR GEVES

* * * *

*

***Malus* × *gloriosa* Lemoine.**

Ornamental 11 2 GB NIAB 01/12 13/03 24/03 10 trees

The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.

***Malus* × *purpurea* (A. Barbier) Rehder**

Ornamental 11 2 GB NIAB 01/12 13/03 24/03 10 Trees

The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.

***Malus* × *purpurea* (A. Barbier) Rehder**

rootstock 5 * FR GEVES

* * * *

*

***Malus* × *purpurea* (A. Barbier) Rehder × *M. transitoria* (Batalin) C. K. Schneid.**

Ornamental 11 2 GB NIAB 01/12 13/03 24/03 10 trees

The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.

***Malus* × *robusta* (Carrière) Rehder**

Ornamental 11 2 GB NIAB 01/12 13/03 24/03 10 trees

The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.

***Malus* × *robusta* (Carrière) Rehder**

rootstock 5 * FR GEVES

* * * *

*

***Malus sieboldii* (Regel) Rehd.**

ornamental 11 2 GB NIAB 01/12 13/03 24/03 10 trees

The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Malus sieboldii* (Regel) Rehd.**

rootstock	5	*	FR	GEVES	*	*	*	*	*
-----------	---	---	----	-------	---	---	---	---	---

***Malus toringo* (Siebold) de Vriese**

ornamental	11	2	GB	NIAB	01/12	13/03	24/03	10 trees	The material is to be supplied in the form of container grown three-year-old trees grafted on a rootstock. The rootstock should be identified when the plant material is supplied.
------------	----	---	----	------	-------	-------	-------	----------	--

***Malus toringo* (Siebold) de Vriese**

rootstock	5	*	FR	GEVES	*	*	*	*	*
-----------	---	---	----	-------	---	---	---	---	---

***Malus toringo* (Siebold) de Vriese**

	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	container grown
--	----	---	----	--------	-------	-------	-------	----------	-----------------

***Malus transitoria* (Batalin) C. K. Schneid.**

rootstock	5	*	FR	GEVES	*	*	*	*	*
-----------	---	---	----	-------	---	---	---	---	---

***Malva sylvestris* L.**

	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
--	----	---	----	-------------	-------	-------	-------	---	---

***Mammillaria elongata* DC.**

	10	2	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants	two years old, able to show all their characteristics in the second year of examination
--	----	---	----	-------------	-------	-------	-------	-----------	---

***Mandevilla* Lindl.**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
------------	---	---	----	-------------	-------	-------	-------	-----------------	---

***Mandevilla* × *amabilis* (Backh. & Backh. f.) Dress**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
------------	---	---	----	-------------	-------	-------	-------	-----------------	---

***Mandevilla* × *amabilis* (Backh. & Backh. f.) Dress × *M. boliviensis* (Hook. f.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
------------	---	---	----	-------------	-------	-------	-------	-----------------	---

***Mandevilla boliviensis* (Hook. f.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
------------	---	---	----	-------------	-------	-------	-------	-----------------	---

***Mandevilla boliviensis* (Hook. f.) Woodson × *M. sanderi* (Hemsl.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
------------	---	---	----	-------------	-------	-------	-------	-----------------	---

***Mandevilla sanderi* (Hemsl.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
------------	---	---	----	-------------	-------	-------	-------	-----------------	---

1	2	3	4	5	6	7	8	9	10
<i>Mandevilla splendens</i> (Hook. f.) Woodson									
vegetative	8	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
<i>Masdevallia</i> Ruiz & Pav.									
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants	preferably budded but not yet flowering
<i>Matricaria recutita</i> L.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
	11	2	PL	COBORU	20/12	01/02	28/02	10 g	germination 80%, purity 97%
<i>Matthiola</i> W. T. Aiton									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Matthiola incana</i> (L.) R. Br.									
seed-propagated	10	1	DE	Bundessortenamt	15/08	*	15/11	6 gramm of seeds	*
<i>Mecardonia</i> Ruiz & Pav.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Mecardonia acuminata</i> (Walter) Small									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Mecardonia procumbens</i> (Mill.) Small									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Medicago sativa</i> L.									
	4	2	FR	GEVES	15/12	*	10/01	1,0 kg	*
<i>Medinilla</i> Gaudich.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants, being able to show all their characteristics in the first year of examination	*
<i>Medinilla magnifica</i> Lindl.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants	able to show all the representative characteristics in the first year of the technical examination
<i>Melittis</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Mentha aquatica</i> L.									
	13	2	FR	GEVES	01/01	15/03	15/04	30 rooted plants	*
<i>Mentha arvensis</i> L.									
	13	2	FR	GEVES	01/01	15/03	15/03	30 rooted plants	*
<i>Mentha australis</i> R. Br.									
	13	2	FR	GEVES	01/01	15/03	15/04	30 rooted plants	*

1	2	3	4	5	6	7	8	9	10
<i>Mentha canadensis</i> L.									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha cervina</i> L.									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha gattefossei</i> Maire									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha grandifolia</i> Benth.									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha japonica</i> (Miq.) Makino									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha laxiflora</i> Benth.									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha longiflora</i> (L.) Huds.									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha longifolia</i> (L.) Huds. var. <i>asiatica</i> (Boriss.) Rech. f.									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mentha</i> × <i>piperita</i> L.									
vegetative	13	2	FR	GEVES	01/01	15/03	15/04	30 rooted plants	*
vegetative	13	1	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	15/03	50 stolons	Plants must be visibly free of pests and diseases
	13	2	DE	Bundessortenamt	*	*	*	*	*
<i>Mentha</i> × <i>rotundifolia</i> (L.) Huds.									
13	2	FR	GEVES		01/01	15/03	15/04	30 rooted plants	*
<i>Mespilus germanica</i> L.									
7	4	HU	National Food Chain Safety Office (NÉBIH)		31/01	01/03	31/03	6, or in case of mutant varieties, 12 virus-tested one-year-old trees grafted on virus-free quince root-stock (please specify).	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [PCR] Apple mosaic virus (ApMV) [PCR] ŠCandidatusŠ phytoplasma pyri [PCR] Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR]

1	2	3	4	5	6	7	8	9	10
<i>Metasequoia glyptostroboides</i> Hu & W. C. Cheng									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants of commercial standard, able to show all its characteristics in the first year of examination.	PS: 30/4 is a national holiday in the Netherlands.
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Microbiota decussata</i> Kom.									
	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Microsorium musifolium</i> (Blume) Ching									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Microsorium punctatum</i> (L.) Copel.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Microsorium scolopendria</i> (Burm. f.) Copel.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Miltonia</i> Lindl.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering and which have never flowered before
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering and which have never flowered before
× <i>Miltonidium</i> hort.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Mimulus</i> L.									
vegetative	11	1	GB	NIAB	01/12	03/05	*	15 young plants	plants must be vegetatively propagated.
<i>Mimulus</i> × <i>hybridus</i> hort. ex Voss (syn: <i>Mimulus tigrinus</i> hort. <i>M. guttatus</i> × <i>M. luteus</i>)									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Miscanthus</i> Andersson									
seed-propagated	11	2	DE	Bundessortenamt	01/12	*	15/03	1 gram seed divided into 5 portions	use no packages preventing germination
vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	15 container-grown plants, one year old	*

1	2	3	4	5	6	7	8	9	10
<i>Miscanthus</i> × <i>giganteus</i> J. M. Greef & Deuter ex Hodk. & Renvoize									
vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	15 container grown plants, one year old	*
<i>Miscanthus sinensis</i> (Thunb.) Andersson									
seed	11	2	DE	Bundessortenamt	01/12	*	15/03	*	*
vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	15 container grown plants, one year old	*
<i>Molinia arundinacea</i> Schrank									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Molinia arundinacea</i> Schrank × <i>Molinia caerulea</i> (L.) Moench									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Molinia caerulea</i> (L.) Moench									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Momordica charantia</i> L.									
	13	2	FR	GEVES	01/01	01/01	31/01	150 gr seeds	sufficient germination rate
	13	2	NL	NAKTUINBOUW	01/03	01/03	15/03	1500 seeds	-
<i>Monarda</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Monarda didyma</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Monopsis</i> Salisb.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	plants must be vegetatively propagated.
<i>Monopsis lutea</i> Urb.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	plants must be vegetatively propagated
<i>Monopsis unidentata</i> (W. T. Aiton) E. Wimm.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 young plants	plants must be vegetatively propagated.
<i>Monstera obliqua</i> Miq.									
	10	2	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Morus alba</i> L.									
ornamental	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 container grown plants of commercial size	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Morus rotundiloba* Koidz.**

11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	15/03	30/04	8 plants / variety	2 years old in pot
----	---	----	---	-------	-------	-------	--------------------	--------------------

***Muehlenbeckia complexa* (A. Cunn.) Meisn.**

10	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
----	---	----	--------------------------------	---	---	---	---	---

***Musa acuminata* Colla**

at breeders premises (fruit)	7	3	FR	GEVES	30/06	15/07	31/07	25 vitro plants	*
ornamental, pot	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*

***Muscari macrocarpum* Sweet**

vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size; plants must be able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	--	---

***Muscari massayanum* Grunert**

vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size; plants must be able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	--	---

***Myosotis* L.**

seed	11	1	GB	NIAB	31/05	21/08	25/08	250 seed	Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 young plants	Plants must be vegetatively propagated.

***Myosotis alpestris* F. W. Schmidt**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 young plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	-----------------	---

***Myosotis palustris* (L.) Nath.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 young plants	Plants must be vegetatively propagated
------------	----	---	----	------	-------	-------	-------	-----------------	--

***Myriophyllum aquaticum* (Vell.) Verdc.**

4	1	NL	NAKTUINBOUW	*	01/04	15/04	25 young plants able to show all their characteristics in the first year of examination.	*
---	---	----	-------------	---	-------	-------	--	---

***Myrtus communis* L.**

10	1	DE	Bundessortenamt	01/04	*	01/07	*	*
----	---	----	-----------------	-------	---	-------	---	---

***Nandina domestica* Thunb.**

11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	10 young plants of commercial standard	*
----	---	----	-------------	-------	-------	-------	--	---

***Narcissus* L.**

vegetative	11	1	GB	NIAB	31/05	21/08	25/08	35 bulbs	Bulbs must flower in their first season.
------------	----	---	----	------	-------	-------	-------	----------	--

1	2	3	4	5			6	7	8	9		10	
<i>Narcissus bulbocodium</i> L.													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Narcissus cyclamineus</i> DC.													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Narcissus minor</i> L.													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Narcissus</i> × <i>odorus</i> L.													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Narcissus pseudonarcissus</i> L.													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Narcissus romieuzii</i> Braun-Blanq. & Maire													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Narcissus rupicola</i> Dufour													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Narcissus tazetta</i> L.													
vegetative	11	1	GB	NIAB			31/05	21/08	25/08	35 bulbs		Bulbs must flower in their first season.	
<i>Nasturtium microphyllum</i> Boenn. ex Rchb.													
seed	13	2	GB	Animal Health (APHA)	&	Plant Agency	28/02	01/03	31/03	10 g untreated seed		*	
vegetative	13	2	GB	Animal Health (APHA)	&	Plant Agency	28/02	01/03	31/03	70 rooted plants at the 4-7 node stage of development		Free from pests, disease and without fertiliser or chemical treatment	
<i>Nasturtium officinale</i> W. T. Aiton													
seed propagated	13	2	GB	Animal Health (APHA)	&	Plant Agency	28/02	01/03	31/03	10 g untreated seed		*	
vegetatively propagated	13	2	GB	Animal Health (APHA)	&	Plant Agency	28/02	01/03	31/03	70 rooted plants at the 4 to 7 node stage of development		Free from pests, disease and without fertiliser or chemical treatment	
	13	1	NL	NAKTUINBOUW			01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination		*	
<i>Nasturtium</i> × <i>sterile</i> (Airy Shaw) Oefelein.													
	13	1	GB	Animal Health (APHA)	&	Plant Agency	*	*	*	*	*		
<i>Nemesia</i> Vent.													
vegetative	11	1	GB	NIAB			01/12	23/04	27/04	20 plug plants		Plants must be vegetatively propagated.	
<i>Nemesia brevicalcarata</i>													
vegetative	11	1	GB	NIAB			01/12	23/04	27/04	20 plug plants		Plants must be vegetatively propagated.	

1	2	3	4	5	6	7	8	9	10
<i>Nemesia caerulea</i> Hiern									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia cherianthus</i>									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia denticulata</i>									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia foetens</i> Vent.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia frutescens</i> G. Don									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia fruticans</i> (Thunb.) Benth.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia silvatica</i> Hilliard									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia strumosa</i> Benth.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nemesia versicolor</i> E. Mey. ex Benth.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Neoregelia</i> L. B. Sm.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 young plants, able to show all their characteristics during the first year of examination.	age: approximately 1 months before flower induction treatment
<i>Nepenthes</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Nepenthes ampullaria</i> Jack × <i>Nepenthes ventricosa</i> Blanco									
vegetative	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Nepenthes rafflesiana</i> Jack ex Hook. f. × <i>N. sibuyanensis</i> Nerz									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to all their characteristics in the first year of examination
<i>Nepeta</i> × <i>faassenii</i> Bergmans ex Stearn									
	11	1	DE	Bundessortenamt	15/12	12/03	16/03	20 well developed young plants	*
<i>Nepeta govaniana</i> (Wall. ex Benth.) Benth. × <i>Nepeta tuberosa</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	15 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
<i>Nepeta grandiflora</i> M. Bieb.									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	Able to show all their characteristics in the first year of examination
<i>Nepeta subsessilis</i> Maxim.									
	11	1	DE	Bundessortenamt	15/12	*	15/03	*	*
<i>Nephrolepis</i> Schott									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.
<i>Nephrolepis cordifolia</i> (L.) C. Presl									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Nephrolepis exaltata</i> (L.) Schott									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.
<i>Nerine bowdenii</i> W. Watson									
vegetative	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Nerine bowdenii</i> W. Watson × <i>N. sarniensis</i> (L.) Herb.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/04	30/04	30 bulbs, appropriate to be planted immediately, plants should be able to show all the characteristics in the first year of the technical examination	*
<i>Nerium oleander</i> L.									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants well rooted, 2 years old.	each plant should be labelled individually.
<i>Nertera</i> Banks ex Gaertn.									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Nicotiana</i> L.									
ornamental seed propagated	10	1	FR	GEVES	01/02	*	01/03	0.5 g of seeds	*
ornamental vegetative	9	1	FR	GEVES	01/02	03/05	07/05	30 plants, well rooted, ready to be transplanted.	*
<i>Nicotiana tabacum</i> L.									
agricultural	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/12	*	15/01	0,002 kg	Min. 80% germination capacity
agricultural	4	2	FR	GEVES	01/03	*	15/03	*	*
agricultural	4	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	*	28/02	0,002 kg	germination rate 90 %

1	2	3	4	5	6	7	8	9	10
<i>Nierembergia Ruiz & Pav.</i>									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nierembergia repens Ruiz & Pav.</i>									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nierembergia scoparia Sendt.</i>									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	20 plug plants	Plants must be vegetatively propagated.
<i>Nigella L.</i>									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Nolana L. f.</i>									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plug plants	Plants must be vegetatively propagated.
<i>Nymphaea capensis Thunb.</i>									
seed (self-pollinated)	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Ocimum basilicum L.</i>									
	14	2	DE	Bundessortenamt	15/01	*	15/02	6,000 seeds	minimum germination capacity 80%
	14	2	DE	Bundessortenamt	15/01	*	30/04	40 well rooted young plants each year of testing	*
	14	2	FR	GEVES	15/01	*	15/02	6,000 seeds	*
	14	2	FR	GEVES	*	*	*	*	*
× <i>Odontocidium Hort.</i>									
january crop	10	1	NL	NAKTUINBOUW	*	*	*	*	*
vegetative, August crop	10	1	NL	NAKTUINBOUW	*	01/08	31/08	10 young plants of commercial standard. Preferably budded but not yet flowering	*
× <i>Odontonia Rolfe</i>									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
<i>Oenothera L.</i>									
seed	11	1	NL	NAKTUINBOUW	01/12	*	*	6 g of seeds	*
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Oenothera fruticosa L.</i>									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Oenothera fruticosa L.</i> × <i>O. macrocarpa</i> Nutt. (syn. <i>O. missouriensis</i> Sims)									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Oenothera gaura* W. L. Wagner & Hoch (syn. *Gaura biennis* L.)**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
------------	----	---	----	------	-------	-------	-------	-----------------	---

***Oenothera speciosa* Nutt.**

	11	1	NL	NAKTUINBOUW	*	*	*	*	*
--	----	---	----	-------------	---	---	---	---	---

***Olea europaea* L.**

	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	01/02	31/03	8 one year-old rooted plants	Healthy plants; the plants must be accompanied by an official certificate of laboratory analysis indicating that the material is free from <i>Verticillium dahliae</i> using the PDA method and is free from <i>Pseudomonas syringae</i> pv. <i>savastanoi</i> using the RT-PCR method. The plant material from in vitro cannot be accepted.
--	---	---	----	---	-------	-------	-------	------------------------------	--

***Oncidium* Sw.**

august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering

× *Oncidopsis* J. M. H. Shaw

august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering

***Ononis alopecuroides* L.**

	4	2	FR	GEVES	15/12	15/12	15/02	1 kg of seeds	good germination capacity
--	---	---	----	-------	-------	-------	-------	---------------	---------------------------

***Ophiopogon* Ker-Gawl.**

outdoor cultivation	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative greenhouse cultivation	-	10	1	GB	NIAB	01/12	12/03	23/03	10 plants
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*	*

***Ophiopogon intermedius* D. Don.**

vegetative greenhouse cultivation	-	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
-----------------------------------	---	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5		6	7	8	9		10
<i>Ophiopogon intermedius</i> D. Don.											
vegetative - outdoor cultivation	11	1	GB	NIAB		01/12	12/03	23/03	10 plants		Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ophiopogon jaburan</i> (Siebold) Lodd. et al.											
vegetative greenhouse cultivation	-	10	1	GB	NIAB		01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative - outdoor cultivation	11	1	GB	NIAB		01/12	12/03	23/03	10 plants		Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ophiopogon japonicus</i> (L. f.) Ker-Gawl.											
vegetative greenhouse cultivation	-	10	1	GB	NIAB		01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative - outdoor cultivation	11	1	GB	NIAB		01/12	12/03	23/03	10 plants		Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	DK	University of Aarhus - Aarslev		*	*	*	*		*
<i>Ophiopogon planiscapus</i> Nakai											
vegetative greenhouse cultivation	-	10	1	GB	NIAB		01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative - outdoor cultivation	11	1	GB	NIAB		01/12	12/03	23/03	10 plants		Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Origanum</i> L.											
vegetative, ornamental	11	1	NL	NAKTUINBOUW		01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination		appropriate to be grown in the open
<i>Origanum majorana</i> L.											
	14	2	NL	NAKTUINBOUW		*	*	*	*		*
<i>Origanum rotundifolium</i> Boiss. × <i>O. scabrum</i> Boiss. & Heldr. (syn. <i>Origanum tournefortii</i> Aiton)											
	11	1	NL	NAKTUINBOUW		01/12	01/03	31/03	24 young plants		able to show all their characteristics during the first year of examination
<i>Origanum vulgare</i> L.											
	14	2	DE	Bundessortenamt		*	*	*	*		*
	14	2	NL	NAKTUINBOUW		*	*	*	*		*

1	2	3	4	5	6	7	8	9	10
<i>Ornithogalum L.</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size	free of Poty-D (Ornithogalum mozaik virus), TNV (Tabak-snecrosevirus) en TRV (Tabak-sratelvirus).
<i>Ornithogalum dubium Houtt.</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size	free of Poty-D (Ornithogalum mozaik virus), TNV (Tabak-snecrosevirus) en TRV (Tabak-sratelvirus).
<i>Ornithogalum thyrsoides Jacq.</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 bulbs of flowering size	free of Poty-D (Ornithogalum mozaik virus), TNV (Tabak-snecrosevirus) en TRV (Tabak-sratelvirus).
<i>Ornithopus sativus Brot.</i>									
	4	2	PL	COBORU	20/12	*	15/03	2 kg seed	*
<i>Oryza sativa L.</i>									
hybrid (chemical, mediterranean type)	4	2	FR	GEVES	15/02	*	01/03	5,0 kg	*
hybrid cms (mediterranean type)	4	2	FR	GEVES	15/02	*	01/03	Hybrid: 5,0 kg Male sterile line: 2,5 kg Maintainer and Restorer: 5,0 kg	*
line (mediterranean type)	4	2	FR	GEVES	15/02	*	01/03	5,0 kg	*
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	28/01	*	28/02	3,0 kg	*
	4	2	IT	CREA-SCS	01/02	*	15/02	3,0 kg	*
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	3,0 kg	*
<i>Osmanthus fragrans Lour.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	FR	GEVES	15/11	15/02	15/03	8 plants, well rooted, 2 years old	each plant should be labelled individually
<i>Osteospermum L.</i>									
vegetative	11	1	DE	Bundessortenamt	01/10	15/01	19/01	25 well rooted cuttings	not pinched and not treated with growth regulators
<i>Osteospermum L. × Dimorphotheca Vaill.</i>									
	11	1	DE	Bundessortenamt	01/10	15/01	19/01	25 well rooted cuttings	not pinched and not treated with growth regulators
<i>Osteospermum ecklonis (DC.) Norl.</i>									
vegetative	11	1	DE	Bundessortenamt	01/10	15/01	19/01	25 well rooted cuttings	not pinched and not treated with growth regulators
<i>Ostrya carpinifolia Scop.</i>									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

1	2	3	4	5	6	7	8	9	10
<i>Ostrya carpinifolia</i> Scop.									
	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 two-years-old trees able to show their characteristics in the second year of examination.	*
<i>Otacanthus azureus</i> (Linden) Ronse									
vegetative	10	1	DE	Bundessortenamt	15/02	08/05	12/05	20 rooted cuttings	*
<i>Otacanthus caeruleus</i> Lindl.									
vegetative	10	1	DE	Bundessortenamt	15/02	08/05	12/05	20 rooted cuttings	*
<i>Otomeria oculata</i> S. Moore									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics in the First year of examination	*
<i>Oxalis</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Oxalis bowiei</i> Lindl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Oxalis dispar</i> N. E. Br.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Oxalis pes-caprae</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Oxalis regnellii</i> Miq.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Oxalis versicolor</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
<i>Ozothamnus diosmifolius</i> (Vent.) DC.									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	20 container grown plants	plant height 20 to 60 cm
<i>Pachyphytum bracteosum</i> Klotzsch × <i>P. hookeri</i> (Salm-Dyck) A. Berger									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants able to show all their characteristics in the first year of flowering	*
<i>Pachyphytum hookeri</i> (Salm-Dyck) A. Berger (syn. <i>Echeveria hookeri</i> (Salm-Dyck) Lem. × <i>P. oviferum</i> J. A. Purpus)									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Pachyphytum hookeri</i> (Salm-Dyck) A. Berger (syn. <i>Echeveria hookeri</i> (Salm-Dyck) Lem.) × <i>Echeveria agavoides</i> Lem.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Paeonia</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	15/08	15/09	15/10	10 young plants being able to show all their characteristics in the first year of examination	*
<i>Paeonia delavayi</i> Franch. (syn. <i>P. lutea</i> Delavay ex Franch.) × <i>P. lactiflora</i> Pall.									
vegetative	11	1	NL	NAKTUINBOUW	15/08	15/09	15/10	10 young plants being able to show all their characteristics in the first year of examination	*
<i>Paeonia lactiflora</i> Pall.									
vegetative	11	1	NL	NAKTUINBOUW	15/08	15/09	15/10	10 young plants being able to show all their characteristics in the first year of examination	*
<i>Panicum</i> L.									
seed	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	100 young plants being able to show all their characteristics in the first year of examination + 1000 seeds	*
<i>Panicum virgatum</i> L.									
agricultural	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
ornamental, veg. propagated	10	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	able to show all their characteristics in the first year of examination.
seed-propagated	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	100 young plants being able to show all their characteristics in the first year of examination + 1000 seeds	*
<i>Papaver</i> L.									
ornamental, vegetative	11	1	NL	NAKTUINBOUW	01/10	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Papaver orientale</i> L.									
seed	11	1	NL	NAKTUINBOUW	01/12	*	01/02	1 gram of seed.	*
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Papaver rhoeas</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Papaver somniferum</i> L.									
spring	4	2	HU	National Food Chain Safety Office (NÉBIH)	15/12	16/12	31/01	300 g non-treated seeds	germination capacity of 90% and seed purity of 99%
winter	4	2	HU	National Food Chain Safety Office (NÉBIH)	31/07	01/08	20/08	300 g	germination capacity of 90% and seed purity of 99%
<i>Paphiopedilum</i> Pfitzer									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants, able to show all their characteristics in the first year of examination	*
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants, able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Parahebe catarractae</i> (G. Forst.) W. R. B. Oliv.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	01/04	30/04	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Parrotia persica</i> (DC.) C. A. Mey.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the first examination year	virus free
<i>Parthenium hysterophorus</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/12	01/01	5 grams	seed
<i>Parthenocissus</i> Planch.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Parthenocissus henryana</i> (Hemsl.) Diels & Gilg									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Parthenocissus quinquefolia</i> (L.) Planch.									
	11	1	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Passiflora</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
	10	1	DE	Bundessortenamt	01/12	18/04	21/04	20 young plants as in commerce	not pinched
<i>Passiflora amethystina</i> J. C. Mikan × <i>P. caerulea</i> L.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Passiflora</i> × <i>belotii</i> hort. ex Pépin									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination.	*
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Passiflora caerulea</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
vegetative	10	1	DE	Bundessortenamt	01/12	15/04	18/04	20 young plants	as in commerce, not pinched

1	2	3	4	5	6	7	8	9	10	
<i>Passiflora incarnata</i> L.										
11	1	DE	Bundessortenamt		01/12	18/04	21/04	20 young plants as in commerce, not pinched	*	
<i>Passiflora</i> × <i>kewensis</i> Goldring										
vegetative	10	1	NL	NAKTUINBOUW		01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination.	*
10	1	DE	Bundessortenamt		*	*	*	*	*	
<i>Passiflora violacea</i> Vell. <i>Passiflora amethystina</i> J. C. Mikan (syn. <i>Passiflora violacea</i> Vell.)										
vegetative	10	1	DE	Bundessortenamt		01/12	15/04	18/04	20 young plants	as in commerce, not pinched
<i>Pastinaca sativa</i> L.										
14	2	NL	NAKTUINBOUW		01/04	*	15/04	25,000 seeds	*	
14	2	FR	GEVES		01/01	*	01/02	20 g seed	Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle. minimum germination rate 65%	
14	2	GB	Animal & Plant Health Agency (APHA)	31/01	*	28/02	10,000 seeds			
<i>Pedilanthus tithymaloides</i> (L.) Poit.										
vegetative	10	1	NL	NAKTUINBOUW		01/12	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination	*
<i>Pelargonium</i> L'Hér. ex Aiton										
hybrids of P. pelt. & P. zon.	12	1	DE	Bundessortenamt		15/06	09/10	13/10	20 young plants	as in commerce, not pinched
other than P. pelt & P. zonale	10	1	DE	Bundessortenamt		*	*	*	*	*
<i>Pelargonium crispum</i> (P. J. Bergius) L'Hér.										
vegetative	10	1	DE	Bundessortenamt		15/07	30/10	03/11	20 young plants	as in commerce, not pinched
<i>Pelargonium crispum</i> (P. J. Bergius) L'Hér. × <i>Pelargonium</i> × <i>domesticum</i> L. H. Bailey										
vegetative	10	1	DE	Bundessortenamt		15/07	30/10	03/11	20 young plants	as in commerce, not pinched
<i>Pelargonium</i> × <i>domesticum</i> L. H. Bailey										
10	1	DE	Bundessortenamt		15/07	15/10	31/10	20 young plants	as in commerce, not pinched	
<i>Pelargonium grandiflorum</i> (Andrews) Willd.										
vegetative	10	1	DE	Bundessortenamt		15/07	30/10	03/11	20 young plants	as in commerce, not pinched
<i>Pelargonium graveolens</i> L'Hér.										
10	1	DE	Bundessortenamt		15/08	*	01/11	*	*	
<i>Pelargonium peltatum</i> (L.) L'Hér. ex Aiton										
vegetative	12	1	DE	Bundessortenamt		15/06	09/10	13/10	20 young plants	as in commerce, not pinched
<i>Pelargonium peltatum</i> (L.) L'Hér. ex Aiton × <i>Pelargonium zonale</i> (L.) L'Hér. ex Aiton										
vegetative	12	1	DE	Bundessortenamt		15/06	09/10	13/10	20 young plants	as in commerce, not pinched

1	2	3	4	5	6	7	8	9	10
<i>Pelargonium zonale</i> (L.) L'Hér. ex Aiton									
vegetative	12	1	DE	Bundessortenamt	15/06	09/10	13/10	20 young plants	as in commerce, not pinched
<i>Pelargonium zonale</i> (L.) L'Hér. ex Aiton × <i>Pelargonium tongaense</i> Vorster									
vegetative	12	1	DE	Bundessortenamt	15/06	09/10	13/10	20 young plants	as in commerce, not pinched
<i>Pennisetum</i> Rich. ex Pers.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Pennisetum advena</i> Wipff & Veldkamp									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Pennisetum alopecuroides</i> (L.) Spreng.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Pennisetum orientale</i> Rich.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Pennisetum purpureum</i> Schumach.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Pennisetum purpureum</i> Schumach. × <i>P. squamulatum</i> Fresen									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show their characteristics in the first year of examination
<i>Pennisetum setaceum</i> (Forssk.) Chiov.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Pennisetum setaceum</i> (Forssk.) Chiov.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Pennisetum sieberianum</i> (Schltdl.) Stapf & C. E. Hubb.									
	4	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics in the first year of examination	*
<i>Pennisetum villosum</i> R. Br. ex Fresen.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Penstemon</i> Schmidel									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Penstemon barbatus</i> (Cav.) Roth									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Penstemon barbatus</i> (Cav.) Roth × <i>Penstemon heterophyllus</i> Lindl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Penstemon digitalis</i> Nutt. ex Sims									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Penstemon hartwegii</i> Benth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Penstemon heterophyllus</i> Lindl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Penstemon heterophyllus</i> Lindl.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Penstemon rupicola</i> (Piper) Howell									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Pentas</i> Benth.									
seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	1 gram seeds	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Pentas lanceolata</i> (Forssk.) Defflers									
	10	1	NL	NAKTUINBOUW	*	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia</i> Ruiz & Pav.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia albobittata</i> C. DC.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Peperomia argyreia</i> (Miq.) E. Morren									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia argyreia</i> (Miq.) E. Morren × <i>P. marmorata</i> Hook. f.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia argyreia</i> (Miq.) E. Morren × <i>P. rotundifolia</i> (L.) Kunth									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Peperomia caperata</i> × <i>P. peruviana</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Peperomia caperata</i> Yunck.									
seed	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	100 seedlings in a tray and 500 seeds.	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia marmorata</i> Hook. f. × <i>Peperomia metallica</i> L. Linden & Rodigas									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Peperomia marmorata</i> × <i>P. peruviana</i>									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia obtusifolia</i> (L.) A. Dietr.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 plants	able to show all their characteristics in the first year of examination
<i>Peperomia prostrata</i> B. S. Williams									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia puteolata</i> Trel. × <i>P. quadrangularis</i> (J. V. Thomps.) A. Dietr. (syn. <i>P. angulata</i> Kunth)									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia rubella</i> (Haw.) Hook. × <i>P. verticillata</i> (L.) A. Dietr. (syn. <i>Piper verticillatum</i> L.)									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
<i>Peperomia strawii</i> Hutch. ex Pino & Klopf.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Peperomia tetraphylla</i> (G. Forst.) Hook. & Arn.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Pereskia saccharosa</i> Griseb.									
	11	*	NL	NAKTUINBOUW	*	*	*	*	*
<i>Pericallis cruenta</i> (Masson ex L'Hér.) Bolle									
vegetative	10	1	DE	Bundessortenamt	15/07	02/11	06/11	25 rooted cuttings	*
<i>Pericallis</i> × <i>hybrida</i> B. Nord.									
vegetative	10	1	DE	Bundessortenamt	15/07	30/10	03/11	25 rooted cuttings	*
<i>Pernettya mucronata</i> (L. f.) Spreng. (syn. <i>Gaultheria mucronata</i> (L. f.) Hook. & Arn.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Perovskia</i> Kar.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Perovskia atriplicifolia</i> Benth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Persea americana* Mill.**

7	4	MX	Servicio Nacional de Inspeccion y Certificacion de Semillas (SNICS)	*	01/05	31/05	15 cloned plants (they are preferred because they perform better than budsticks). Plant material must be accompanied by a phytosanitary certificate attesting that it is free from soil. Materials should be free of soil and must be treated at source with an officially authorized pesticide in origin town, as a preventive treatment in propagative material for fungi and bacteria control, treatment and dose applied should be noted on the International phytosanitary Certificate.	The plant material must be accompanied by International Phytosanitary Certificate (CFI) issued by the phytosanitary authority of origin country. Plants must be free from: Thrips: <i>Heliothrips haemorrhoidalis</i> Bouché, <i>Scirtothrips</i> spp., <i>Frankliniella</i> spp. Insects: <i>Protopulvinaria pyriformis</i> Cockerell, <i>Copturus aguacatae</i> Kissinger. Nematodes: <i>Meloidogyne</i> spp. Fungi: <i>Colletotrichum gloeosporioides</i> Penz., <i>Phytophthora</i> spp., <i>Pseudocercospora purpurea</i> Cooke, <i>Armillaria mellea</i> Kumm.; <i>Verticillium dahliae</i> Kleb., <i>Rosellinia necatrix</i> Prill. (see letter from MX - depasses pvr capacities)
---	---	----	---	---	-------	-------	--	---

***Persicaria* (L.) Mill.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Persicaria microcephala* (D. Don) Sasaki**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Petasites

14	2	DE	Bundessortenamt	15/12	10/01	15/01	100 cutted rhizomes	two buds per cutting
----	---	----	-----------------	-------	-------	-------	---------------------	----------------------

***Petasites hybridus* (L.) Ph. Gärtn. B. Mey. et Scherb.**

14	2	DE	Bundessortenamt	15/12	10/01	15/01	100 cutted rhizomes	two buds per cutting
----	---	----	-----------------	-------	-------	-------	---------------------	----------------------

× *Petchoa* J. M. H. Shaw (syn. *Petunia* × *Calibrachoa*)

11	1	DE	Bundessortenamt	15/11	12/03	16/03	30 well-rooted cuttings.	not pinched
----	---	----	-----------------	-------	-------	-------	--------------------------	-------------

***Petroselinum crispum* (Mill.) Nyman ex A. W. Hill**

leaf	14	2	DE	Bundessortenamt	15/12	*	01/02	12000 seeds	minimum germination capacity 80%
root	14	2	DE	Bundessortenamt	15/12	*	01/02	12,000 seeds	minimum germination capacity 80 %
	14	2	PL	COBORU	31/01	*	01/03	200 g seed	*
	14	2	NL	NAKTUINBOUW	01/04	*	15/04	12,000 seeds	*
	14	2	FR	GEVES	01/03	*	01/04	150 g seed	*

***Petunia* Juss.**

seed	11	1	DE	Bundessortenamt	15/11	*	15/02	600 seeds	minimum germination capacity 85%
seed	11	1	NL	NAKTUINBOUW	*	*	*	*	*
vegetative	11	1	NL	NAKTUINBOUW	*	*	*	*	*
vegetative	11	1	DE	Bundessortenamt	15/11	12/03	16/03	30 well-rooted cuttings.	not pinched

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Petunia × atkinsiana* D. Don**

vegetative	11	1	DE	Bundessortenamt	15/11	12/03	16/03	30 well-rooted cuttings	not pinched
------------	----	---	----	-----------------	-------	-------	-------	-------------------------	-------------

***Petunia axillaris* (Lam.) Britton et al.**

	11	1	DE	Bundessortenamt	*	*	*	*	*
--	----	---	----	-----------------	---	---	---	---	---

***Phacelia tanacetifolia* Benth.**

	4	2	DE	Bundessortenamt	15/12	*	01/02	1,0 kg	minimum germination capacity 85%
--	---	---	----	-----------------	-------	---	-------	--------	----------------------------------

	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1000 gr of seed	*
--	---	---	----	--	-------	---	-------	-----------------	---

	4	2	AT	Bundesamt für Ernährungssicherheit	31/01	*	31/01	500 g	min. 80% germination capacity
--	---	---	----	------------------------------------	-------	---	-------	-------	-------------------------------

***Phalaenopsis* Blume**

august crop	8	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
-------------	---	---	----	-------------	-------	-------	-------	---	---

january crop	8	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
--------------	---	---	----	-------------	-------	-------	-------	---	---

***Phalaenopsis equestris* (Schauer) Rchb. f.**

august crop	8	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
-------------	---	---	----	-------------	-------	-------	-------	---	---

january crop	8	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
--------------	---	---	----	-------------	-------	-------	-------	---	---

***Phalaris arundinacea* L.**

	3	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	1,5 kg	*
--	---	---	----	-------------------------------------	-------	---	-------	--------	---

	3	2	EE	Agricultural Research Center	*	*	01/04	1500 g	*
--	---	---	----	------------------------------	---	---	-------	--------	---

	3	2	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 75%
--	---	---	----	-----------------	-------	---	-------	--------	----------------------------------

***Phaseolus coccineus* L.**

autumn	14	2	FR	GEVES	01/04	*	01/05	20,000 seeds	*
--------	----	---	----	-------	-------	---	-------	--------------	---

spring	14	2	FR	GEVES	01/02	*	01/03	20,000 seeds	*
--------	----	---	----	-------	-------	---	-------	--------------	---

	14	2	NL	NAKTUINBOUW	01/04	*	15/04	5,000 seeds	*
--	----	---	----	-------------	-------	---	-------	-------------	---

	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*
--	----	---	----	-------------------------------------	---	---	---	---	---

1	2	3	4	5	6	7	8	9	10
<i>Phaseolus vulgaris</i> L.									
Dwarf type stringiness of pod	14	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	28/02	1 kg	minimum germination capacity 75%
autumn	14	2	FR	GEVES	01/04	*	01/05	20,000 seeds or 2,5 kg only for bean varieties without stringiness	*
climbing	14	2	NL	NAKTUINBOUW	01/04	*	15/04	5 000 seeds	*
dwarf and agricultural	14	2	NL	NAKTUINBOUW	15/04	*	01/05	5,000 seeds	*
excl. dwarf bean round pods	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/02	*	01/03	20,000 seeds	*
non-climbing types only	14	2	DE	Bundessortenamt	01/02	*	01/03	9,000 seeds	minimum germination capacity 85%
spring	14	2	FR	GEVES	01/02	*	01/03	20,000 seeds or 2,5 kg only for bean varieties without stringiness	*
	14	2	PL	COBORU	20/12	01/03	31/03	3 kg varieties of 1000 seed weight < 400 g; 5 kg varieties of 1000 seed weight > 400 g	*
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	28/02	10.000 seeds	*
<i>Phedimus hybridus</i> (L.) 't Hart (syn. <i>Sedum hybridum</i> L.)									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Philadelphus</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3 to 4 years old, container-grown
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test	*
<i>Philadelphus coronarius</i> L.									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants of commercial standard, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Philadelphus delavayi</i> L. Henry									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Philadelphus delavayi* L. Henry × *Ph. microphyllus* A. Gray**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Philadelphus mexicanus* Schltdl.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Philadelphus microphyllus* A. Gray**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Philodendron* Schott**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Philodendron bipinnatifidum* Schott ex Endl.**

	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
--	----	---	----	-------------	-------	-------	-------	---	---

***Philodendron domesticum* G. S. Bunting**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Philodendron scandens* K. Koch et Sello**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Phleum bertolonii* DC.**

	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5	*
--	---	---	----	--	-------	---	-------	-----	---

***Phleum pratense* L.**

	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
	3	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	1,0 kg	*
	3	2	DE	Bundessortenamt	15/01	*	15/02	1 kg	minimum germination capacity 90%

***Phlox* L.**

vegetative	9	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
------------	---	---	----	-------------	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
<i>Phlox</i> L.									
x arendsii type	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Phlox douglasii</i> Hook.									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Phlox drummondii</i> Hook.									
seed	9	1	NL	NAKTUINBOUW	01/12	*	01/02	10 gr of seeds	*
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Phlox maculata</i> L.									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 plants of commercial standard not having flowered yet.	*
<i>Phlomis tuberosa</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 plants	Able to show all their characteristics in the first year of examination
<i>Phlox paniculata</i> L.									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Phlox</i> × <i>procumbens</i> Lehm.									
	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants able to show all their characteristics in the first year of flowering	*
<i>Phlox subulata</i> L.									
	9	1	NL	NAKTUINBOUW	*	01/04	30/04	24 young plants, able to show all the characteristics in the first year of examination.	*
<i>Phormium</i> J.R. Forst. et G. Forst.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Phormium cookianum</i> Le Jol.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Phormium cookianum</i> Le Jol. × <i>Phormium tenax</i> J. R. Forst. & G. Forst.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Phormium tenax* J. R. Forst. et G. Forst.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia* Lindl.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia davidiana* (Decne.) Cardot**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia* × *fraseri* Dress**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia* × *fraseri* Dress × *Photinia glabra* (Thunb.) Franch. & Sav.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia* × *fraseri* Dress × *Photinia serratifolia* (Desf.) Kalkman**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia glabra* (Thunb.) Franch. et Sav.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia serratifolia* (Desf.) Kalkman**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Photinia serrulata* Franch. & Sav.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Phygelius</i> E. Mey. ex Benth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Phygelius aequalis</i> Harv. ex Hiern									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Phygelius capensis</i> E. Mey. ex Benth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Phygelius</i> × <i>rectus</i> Coombs									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Phyllostachys edulis</i> (Carrière) J. Houz.									
	11	1	NL	NAKTUINBOUW	*	01/04	30/04	24 young plants of commercial standard	appropriate to be grown in the open and able to show all their characteristics in the first year of examination
<i>Physalis alkekengi</i> L.									
vegetative	11	2	DE	Bundessortenamt	01/02	01/03	15/03	20 well developed potted plants	*
<i>Physocarpus</i> (Cambess.) Raf.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Physocarpus opulifolius</i> (L.) Maxim.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Physostegia virginiana</i> (L.) Benth.									
	11	1	GB	NIAB	01/12	13/03	24/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Picea</i> A. Dietr.									
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown

1	2	3	4	5	6	7	8	9	10
<i>Picea abies</i> (L.) H. Karst.									
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Picea glauca</i> (Moench) Voss									
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown
<i>Picea pungens</i> Engelm.									
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Pieris formosa</i> (Wall.) D. Don × <i>Pieris japonica</i> (Thunb.) D. Don ex G. Don									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants	one year old, size 40 - 60 cm
<i>Pieris japonica</i> (Thunb.) D. Don ex G. Don									
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants	one year old, size 30 - 50 cm
<i>Pinus</i> L.									
vegetative	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes/trees; plants must be able to show all their characteristics in the examination period	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Pinus halepensis</i> Mill.									
	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes/trees; plants must be able to show all their characteristics in the examination period	*
<i>Pinus nigra</i> Arnold									
tree	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes/trees; plants must be able to show all their characteristics in the examination period	*
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown
<i>Pinus thunbergii</i> Parl.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes/trees	being able to show all their representative characteristics in the first year of the examination
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Pistacia atlantica</i> Desf. × <i>P. integerrima</i> J. L. Stewart									
	7	5	IT	CREA-FRU (EO)	31/12	01/03	31/03	10 one year old tree (only for rootstocks)	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Pistacia atlantica</i> Desf. × <i>P. vera</i> L.									
rootstock	7	4	IT	CREA-FRU (EO)	31/12	01/03	31/03	10 two-year old plants	Plants must comply with the phytosanitary requirements indicated for material circulating within the EU and with the CPVO's "General instructions on the submission of samples for fruit crops". The plants must be accompanied by a Phytosanitary Certificate or Plant Passport.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Pistacia vera* L.**

	7	5	IT	CREA-FRU (EO)	31/12	01/03	31/03	10 plants which should be two year old plants grafted on root-stock <i>Pistacia integerrima</i> or <i>Pistacia atlantica</i>	The plants must be accompanied by a Phytosanitary Certificate or a Plant Passport.
--	---	---	----	---------------	-------	-------	-------	--	--

***Pistia stratiotes* L.**

	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
--	----	---	----	-------------	-------	-------	-------	---	---

***Pisum sativum* L.**

agricultural	4	2	PL	COBORU	20/12	*	01/03	4,0 kg seed	*
agricultural	4	2	NL	NAKTUINBOUW	15/02	*	01/03	5000 seeds	*
agricultural	4	2	DE	Bundessortenamt	15/12	*	01/02	4,0 kg	minimum germination capacity 85%
agricultural	4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	15/01	3 kg or 12.000 seeds	*
agricultural	4	2	EE	Agricultural Board	01/02	*	01/03	3,0 kg	*
field, vegetable	4	2	HU	National Food Chain Safety Office (NÉBIH)	15/01	*	15/02	30000 seeds	*
spring, agricultural	4	2	FR	GEVES	01/11	*	01/12	20 000 Seeds	*
vegetable	4	2	FR	GEVES	01/11	*	15/11	20,000 seeds	*
vegetable	4	2	PL	COBORU	20/12	*	01/03	4,0 kg seed	*
vegetable	4	2	NL	NAKTUINBOUW	15/02	*	01/03	5 000 seeds	*
vegetable	4	2	GB	Animal & Plant Health Agency (APHA)	15/01	*	15/02	12 000 Seeds	*
vegetable	4	2	DE	Bundessortenamt	15/01	*	15/02	10.000 seeds	minimum germination capacity 85%
winter, agriculture	4	2	FR	GEVES	15/08	*	01/09	20 000 Seeds	*
	4	2	EE	Agricultural Research Center	01/02	*	01/04	3,0 kg	*
	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	2,0 kg	*
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	01/09	6,0 kg	*

***Pitcairnia hitchcockiana* L. B. Sm.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 young plants, able to show all their characteristics during the first year of examination.	age: approximately 3 months before the start of flowering; should not have flowered yet.
------------	----	---	----	-------------	-------	-------	-------	---	--

***Pittosporum Banks* ex Gaertn.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

Pittosporum anomalum

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Pittosporum bicolor* Hook.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pittosporum colensoi* Hook. f.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pittosporum crassifolium* Banks & Sol. ex A. Cunn.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pittosporum eugenioides* A. Cunn**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pittosporum heterophyllum* Franch.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pittosporum ralphii* T. Kirk.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pittosporum tenuifolium* Gaertn.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pittosporum tobira* Ait.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Platynerium bifurcatum* (Cav.) C. Chr.**

	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
--	----	---	----	-------------	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
<i>Platyserium ridleyi</i> Christ									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Platycladus orientalis</i> (L.) Franco									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Platycodon grandiflorus</i> (Jacq.) A. DC.									
seed	11	1	NL	NAKTUINBOUW	15/12	*	01/02	2000 seeds	Germination capacity 50%.
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Plectranthus</i> L'Hér.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well- rooted young plants	*
<i>Plectranthus ciliatus</i> E. Mey. ex Benth.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well-rooted young plants	*
<i>Plectranthus hilliardiae</i> Codd × <i>P. saccatus</i> Benth.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well-rooted young plants	*
<i>Plectranthus hilliardiae</i> Codd.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well-rooted young plants	*
<i>Plectranthus oertendahlii</i> Th. Fr.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well-rooted young plants	*
<i>Plectranthus ornatus</i> Codd.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well-rooted young plants	*
<i>Plectranthus parviflorus</i> Willd.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well-rooted young plants	
<i>Plectranthus saccatus</i> Benth.									
vegetative	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20 well-rooted young plants	*
<i>Plectranthus scutellarioides</i> (L.) R. Br (syn.: <i>Solenostemon scutellarioides</i> (L.) Codd)									
vegetative	10	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Pleurotus eryngii</i> (DC.) Quél.									
	13	2	HU	National Food Chain Safety Office (NÉBIH)	31/03	01/09	15/09	9 litres of spawn	*
<i>Pleurotus ostreatus</i> (Jacq.) P. Kumm.									
	13	2	HU	National Food Chain Safety Office (NÉBIH)	31/03	01/09	12/09	9 litres of spawn	*
<i>Pleurotus ostreatus</i> (Jacq.) P. Kumm. × <i>Pleurotus eryngii</i> (DC.) Quél.									
	13	2	HU	National Food Chain Safety Office (NÉBIH)	31/03	01/09	15/09	9 litres of spawn	100%
<i>Plumbago indica</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Plumeria rubra* L.**

10	1	NL	NAKTUINBOUW	30/11	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
----	---	----	-------------	-------	-------	-------	-----------------	---

***Poa annua* L.**

3	2	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 85%
---	---	----	-----------------	-------	---	-------	--------	----------------------------------

***Poa pratensis* L.**

3	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1,0 kg	*
3	3	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	600 g	*
3	3	DE	Bundessortenamt	15/01	*	15/02	1,5 kg	minimum germination capacity 80%
3	3	NL	NAKTUINBOUW	15/12	*	15/12	600 g	*
3	3	PL	COBORU	20/12	*	15/03	1,5 kg seed	*

***Poa trivialis* L.**

3	3	NL	NAKTUINBOUW	15/12	*	01/02	*	*
---	---	----	-------------	-------	---	-------	---	---

***Podophyllum* L.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Pogonatherum paniceum* (P. Beauv.) Hack.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.
------------	----	---	----	-------------	-------	-------	-------	---	--

***Polemonium* L.**

vegetative, non-variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
----------------------------	----	---	----	------	-------	-------	-------	-----------	--

***Polemonium caeruleum* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Polemonium pulcherrimum* Hook.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Polemonium reptans* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Polemonium yezoense</i> (Miyabe & Kudô) Kitam.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Polianthes</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 bulbs	able to show all their characteristics in the first year of flowering
vegetative	10	1	GB	NIAB	01/12	23/04	27/04	15 young plants	Plants must be vegetatively propagated.
<i>Polygala</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings	*
<i>Polygala chamaebuxus</i> L.									
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Polygala myrtifolia</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Polystichum setiferum</i> (Forssk.) Woy.									
	11	1	NL	NAKTUINBOUW	*	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination	*
<i>Poncirus</i> spp.									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/06	30/06	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,
<i>Poncirus trifoliata</i> (L.) Raf.									
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	30/06	4 one year-old budwoods of 6-10 mm diameter with at least 20 useful buds in total	The submitted material must be healthy and free from important pests and diseases. The plants must be accompanied by an official laboratory analysis certificate indicating that it is free from graft transmissible diseases, in particular viroids (Exocortis and Cachexia) and citrus leaf blotch virus, and ppsoriasis,

1	2	3	4	5	6	7	8	9	10
<i>Populus L.</i>									
vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	25 cuttings or 15 plants	cuttings about 20 cm long, 10-15 mm in diameter or well rooted one year old plants
<i>Populus × canadensis Moench</i>									
vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Populus deltoides W. Bartam. ex Marshall</i>									
vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Populus maximowiczii A. Henry</i>									
	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Populus nigra L.</i>									
	9	1	DE	Bundessortenamt	*	*	*	*	*
<i>Populus × woobstii (R. I. Schröd. ex Regel) Dode</i>									
	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Portulaca grandiflora Hook.</i>									
seed	10	1	NL	NAKTUINBOUW	01/12	*	01/02	0,2 gram seed	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/05	31/05	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Portulaca oleracea L.</i>									
vegetative	10	1	DE	Bundessortenamt	01/12	03/03	07/03	25 well rooted cuttings	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/05	31/05	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Portulaca umbraticola Kunth</i>									
vegetative	10	1	DE	Bundessortenamt	01/12	26/02	02/03	25 well rooted cuttings	*
<i>Potentilla L.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Potentilla nepalensis Hook.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Potentilla neumanniana Rchb.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Primula L.</i>									
seed	10	1	DE	Bundessortenamt	15/04	*	15/06	6 g	minimum germination capacity 80%
vegetative	10	1	DE	Bundessortenamt	15/05	01/09	07/09	25 young plants	*

1	2	3	4	5	6	7	8	9	10
<i>Primula auricula</i> L.									
vegetative	10	1	DE	Bundessortenamt	15/05	01/09	07/09	25 young plants	*
<i>Primula filchnerae</i> R.Knuth × <i>P. praenitens</i> Ker Gawl.									
	10	1	DE	Bundessortenamt	15/05	*	01/09	*	*
<i>Primula rosea</i> Royle									
seed	10	1	DE	Bundessortenamt	01/02	*	01/04	*	*
<i>Primula vulgaris</i> Huds.									
seed	10	1	DE	Bundessortenamt	15/04	*	15/06	6 grams	minimum germination capacity 80%
vegetative	10	1	DE	Bundessortenamt	15/05	04/09	08/09	25 young plants from tissue culture, ready to be transplanted into 10 cm pots.	*
<i>Protea</i> L.									
	11	1	PT	Direção Geral de Alimentação e Veterinária	01/05	01/09	30/09	12 well rooted plants	Only for import into EU: the consignment must be accompanied by a Phytosanitary Certificate. The cuttings must be free from any harmful organism listed in Annex I and II of the Directive n.º 2000/29/CE and from any other harmful organism not established in Portuguese territory. The consignment must also comply with the specific requirement listed in Annex IV part A section I points 36.1, 39 and 46 of the Directive n.º 2000/29/CE. Where alternatives are mentioned it must be indicated.
<i>Protea burchellii</i> Stapf. × <i>P. obtusifolia</i> H. Buek ex Meisn.									
	11	1	PT	Direção Geral de Alimentação e Veterinária	01/05	01/09	30/09	12 plants	plants in pots or other suited container, at least one year old.
<i>Protea roupelliae</i> Meisn.									
vegetative	11	2	PT	Direção Geral de Alimentação e Veterinária	01/05	01/09	30/09	12 well rooted plants	Only for import into EU: the consignment must be accompanied by a Phytosanitary Certificate. The cuttings must be free from any harmful organism listed in Annex I and II of the Directive n.º 2000/29/CE and from any other harmful organism not established in Portuguese territory. The consignment must also comply with the specific requirement listed in Annex IV part A section I points 36.1, 39 and 46 of the Directive n.º 2000/29/CE. Where alternatives are mentioned it must be indicated.

1	2	3	4	5	6	7	8	9	10
<i>Prunella</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Prunella grandiflora</i> (L.) Scholler.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Prunus</i> L.									
vegetative - ornamental	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	7	3	IT	CREA-FRU (EO)	31/12	01/03	31/03	10 well-developed and well-rooted one-year old plants	The plants should be accompanied by a recognized certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for Cherry Leaf Roll Virus, Little Cherry Virus 1 & 2 (LChv-1, LChv-2) tested by PCR, Prune Dwarf Virus (PDV), Plum Pox Virus (PPV), Prunus Necrotic Ringspot Virus (PNRSV), Raspberry Ringspot Virus (RbRSV)
	7	4	PL	COBORU	31/12	01/03	31/03	15 plants from stoolbed - for vegetative 15 seedlings + 150 seeds - for generative	One year old plants. Submission of seeds 1-31.12
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6	well developed and well rooted, two-year-old plants on own roots, virus tested
	7	4	FR	GEVES	30/11	01/01	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	virus free
<i>Prunus</i> L. (<i>P. armeniaca</i> L. × <i>P. cerasifera</i> Ehrh. × <i>P. pumila</i> L. var. <i>besseyi</i> (L.H. Bailey) Gleason)									
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	10/12	10/01	10/02	15 rooted cuttings	The plants must be accompanied by a recognised certificate of laboratory ELISA analysis demonstrating that the material has been laboratory tested to give negative results to: - Plum pox potyvirus (PPV) - Prune dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV)

1	2	3	4	5	6	7	8	9	10
<i>Prunus</i> L. (<i>P. armeniaca</i> L. × <i>P. cerasifera</i> Ehrh. × <i>P. pumila</i> L. var. <i>besseyi</i> (L.H. Bailey) Gleason)									
7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]	
7	4	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 virus-tested, one-year-old scions grafted on GF 8/1 (Marianna) rootstock	The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: ŠCandidatusŠ phytoplasma prunorum [PCR] Plum pox virus (PPV) [PCR/ELISA] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA]	
7	*	FR	GEVES	*	*	*	*	*	
<i>Prunus</i> L. (<i>P. canescens</i> Bois × <i>P. incisa</i> Thunb. × <i>P. pseudocerasus</i> Lindl.)									
7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]	

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Prunus amygdalus Batsch × *Prunus persica* Batsch

7	*	FR	GEVES	*	*	*	*	*
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	10/01	10/02	15 well rooted, one-year-old trees	Each plant must be clearly labelled. The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunas necrotic ringspot ilarvirus (PNRSV)

Prunus armeniaca L.

fruit	7	4	FR	GEVES	30/11	01/12	31/01	12 virus-free, one year old scions grafted on virus free apricot seedling rootstock 'Manicot', or if not possible, on virus free peach seedling rootstock 'GF305' or 'Rubira' (please specify)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA]
fruit	7	4	HU	National Food Chain Safety Office (NÉBIH)	30/11	01/03	31/03	9 virus-tested, one year old trees grafted on to an apricot seedling rootstock (please specify)	The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: ŠCandidatusŠ phytoplasma prunorum [PCR] Plum pox virus (PPV) [PCR/ELISA] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA]
rootstock	7	4	HU	National Food Chain Safety Office (NÉBIH)	30/11	01/03	31/03	6 one-year-old rooted plants for vegetatively propagated varieties, 12 one-year-old rooted plants and 100 seeds for for seed propagated varieties.	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: ŠCandidatusŠ phytoplasma prunorum [PCR] Plum pox virus (PPV) [PCR/ELISA] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA]

1	2	3	4	5	6	7	8	9	10
<i>Prunus armeniaca</i> L.									
rootstock, plants	7	4	FR	GEVES	30/11	01/01	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA]
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	30/11	01/01	31/01	9 one-year-old trees grafted on 'Adesoto 101'	Healthy plants. The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: - Plum pox potyvirus (PPV) - Prune dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV) - Apple chlorotic leafspot closterovirus (CLSV) - Apple mosaic ilarvirus (ApMV)
<i>Prunus armeniaca</i> L. × <i>P. salicina</i> Lindl.									
predominantly plum	7	4	IT	CREA-FRU (EO)	30/11	01/03	31/03	8 one-year-old plants grafted on 'Myrobalan 29C'	The plant material must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official document indicating that the plant material has been laboratory tested by PCR to give a negative result for: Prune dwarf virus (PDV), Prunus necrotic ringspot virus (PNRSV), Plum pox virus (PPV); Xanthomonas arboricola pv. pruni.
	7	4	FR	GEVES	30/11	01/12	31/01	9 one-year-old plants grafted on 'GF 677 VF' or 'Montclar VF'	The plants must be accompanied by a certificate indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum pox virus (PPV) Prune dwarf virus (PDV) Prunus necrotic ringspot virus (PNRSV) Apple chlorotic leafspot virus (ACLSV) Apple mosaic virus (ApMV) Myrobalan latent ringspot virus (MLRSV)

1	2	3	4	5	6	7	8	9	10
<i>Prunus avium</i> (L.) L.									
fruit	7	5	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 virus-tested, one year old scions grafted on Brokforest (Maxma 14) rootstock	The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA] Cherry leaf roll virus (CLRV) [ELISA] Cherry necrotic rusty mottle virus (CN-RMV) [PCR]
	7	5	PL	COBORU	31/01	01/03	31/03	9 one-year-old virus-tested trees on F/12/1 rootstock	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Prune dwarf virus (PDV) [ELISA]
	7	5	FR	GEVES	30/11	01/12	31/01	7 virus-free, one year-old scions grafted by preference on to virus free rootstock 'Maxma 14', or as an alternative on virus free Prunus mahaleb 'SL 64' or 'Ferci'. 'F12 1' and hazzard-type rootstocks are inadvisable due to their late fruiting qualities; other Prunus mahaleb seedling rootstocks are not acceptable due to their lack of uniformity.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	30/11	10/01	15/02	9 virus-tested, one-year old scions grafted on Santa Lucia 64 clonal rootstock	Healthy plants; the plants must be accompanied by an official certificate of laboratory analysis indicating that the mateiral is free from: - Prunus dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV)
<i>Prunus avium</i> (L.) L. × <i>P. fruticosa</i> Pall.									
	7	*	FR	GEVES	*	*	*	*	*
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-years-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Prunus avium (L.) L. × *P. salicina* Lindl.

7	*	FR	GEVES		*	*	*	*	*
7	4	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8	virus-tested, one-year-old scions grafted on Brokforest (Maxma 14) rootstock	The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA] Cherry leaf roll virus (CLRV) [ELISA] Cherry necrotic rusty mottle virus (CN-RMV) [PCR]

Prunus avium (L.) L. × *Prunus cerasus* L.

7	*	FR	GEVES		*	*	*	*	*
---	---	----	-------	--	---	---	---	---	---

Prunus canescens Bois × *P. cerasus* L.

7	*	FR	GEVES		*	*	*	*	*
7	4	DE	Bundessortenamt	31/01	01/03	31/03	6	well developed and well rooted, two-years-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]

Prunus canescens Bois × *Prunus tomentosa* Thunb.

7	*	FR	GEVES		*	*	*	*	*
---	---	----	-------	--	---	---	---	---	---

Prunus cerasifera Ehrh.

fruit	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	10/12	10/01	10/02	25	well rooted one-year-old trees	The plant material should be accompanied by an ELISA analysis demonstrating that it is free from the three viruses: Plum pox potyvirus, Prune dwarf ilarvirus, Prunus necrotic ringspot ilarvirus
-------	---	---	----	---	-------	-------	-------	----	--------------------------------	---

1	2	3	4	5	6	7	8	9	10
<i>Prunus cerasifera</i> Ehrh.									
ornamental	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	10/12	10/01	10/02	25 one-year-old rooted trees, minimum height 25 cm and width 5 mm. Applicants should inform the examination office one week in advance before the shipment of the plants (contact Mrs. Moreno on: + 34-976 71 61 36, mmoreno@eead.csic.es) Plant material must be accompanied by phytosanitary documentation indicating that a laboratory test has given negative results for the following pathogens: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV)	Plant material must be free from: Anarsia lineatell Capnodis tenebrionis Meloidogyne spp. Armillariell mellea Chondostereum purpureum Nectria galligena Rosellinia necatrix Taphrinia deformans Verticillium spp. Agrobacterium tumefaciens Pseudomonas syringae pv. mors prunorum Pseudomonas syringae pv. syringae Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV)
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]
	7	4	FR	GEVES	*	*	*	*	*
<i>Prunus cerasifera</i> Ehrh. × <i>P. davidiana</i> (Carriere) N. E. Br.									
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6	well developed and well rooted, two-year-old plants on own roots, virus tested
	7	4	PL	COBORU	31/12	01/03	31/03	15 plants from stoolbed - for vegetative 15 seedlings + 150 seeds - for generative	One year old plants. Submission of seeds 1-31.12
	7	4	FR	GEVES	30/11	01/01	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	virus free
	7	3	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted one-year old plants	The plant material must be accompanied by an official document indicating that the plant material is not affected by any important pest or disease, and that it has been laboratory tested by PCR to give a negative result for: Plum pox potyvirus (PPV); Prune dwarf ilarvirus (PDV); Prunus necrotic ringspot ilarvirus (PNRSV), Xanthomonas arboricola pv. pruni.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Prunus cerasifera* Ehrh. × *P. domestica* L.**

	7	3	IT	CREA-FRU (EO)	31/12	01/02	31/03	10 well-developed and well-rooted one-year old plants	The plants should be accompanied by a recognized certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for European Stonefruit Yellow phytoplasma (EFSY), Prune Dwarf Virus (PDV), Plum Pox Virus (PPV), Prunus Necrotic Ringspot Virus (PNRSV)
	7	4	FR	GEVES	30/11	01/01	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	virus free
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6	well developed and well rooted, two-year-old plants on own roots, virus tested
	7	4	PL	COBORU	31/12	01/03	31/03	15 plants from stoolbed - for vegetative 15 seedlings + 150 seeds - for generative	One year old plants. Submission of seeds 1-31.12

***Prunus cerasifera* Ehrh. × *P. dulcis* (Mill.) D. A. Webb**

	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	10/01	10/02	25 well rooted, one-year-old trees	The plant material should be accompanied by an ELISA analysis demonstrating that it is free from the three viruses: Plum pox potyvirus, Prune dwarf ilarvirus, Prunus necrotic ringspot ilarvirus
--	---	---	----	---	-------	-------	-------	------------------------------------	---

***Prunus cerasifera* Ehrh. × *P. pumila* L. var. *besseyi* (L. H. Bailey) Gleason**

rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a phytosanitary certificate or a plant passport and a recognised certificate indicating that the plant material has been lab-tested to give negative results for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation]
-----------	---	---	----	-------	-------	-------	-------	---	---

***Prunus cerasifera* Ehrh. × *P. tomentosa* Thunb.**

	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]
--	---	---	----	-----------------	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Prunus cerasifera* Ehrh. × *Prunus persica* (L.) Batsch**

rootstock	7	4	FR	GEVES	30/11	01/12	28/02	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum , 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well-developed and well-rooted, two-year-old plants	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]

***Prunus cerasifera* Ehrh. × *Prunus salicina* Lindl.**

	7	*	FR	GEVES	*	*	*	*	*
--	---	---	----	-------	---	---	---	---	---

***Prunus cerasifera* Ehrh. × *Prunus spinosa* L.**

	7	*	FR	GEVES	*	*	*	*	*
--	---	---	----	-------	---	---	---	---	---

***Prunus cerasus* L.**

	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted one-year-old trees grafted on <i>Prunus mahaleb</i> var. 'Alpruma' or similar selection	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]
--	---	---	----	-----------------	-------	-------	-------	--	--

1	2	3	4	5	6	7	8	9	10
<i>Prunus cerasus</i> L.									
	7	4	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 virus-tested, one-year-old scions grafted on Prunus mahaleb rootstock (please specify).The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC.	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune dwarf virus (PDV) [ELISA / Shirofugen/indexing on 'GF 305'] Prunus necrotic ringspot virus (PNRSV) [ELISA/Shirofugen/indexing on 'GF 305'] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA/indexing on 'R 1274 7A', 'Malus platycarpa'] Cherry leaf roll virus (CLRV) [ELISA] Raspberry ring spot virus (RpRSV) [ELISA]
	7	4	PL	COBORU	31/01	01/03	31/03	9 one-year-old virus-tested trees on F/12/1 rootstock	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]
<i>Prunus cerasus</i> L. × <i>P. maackii</i> Rupr.									
rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]

1	2	3	4	5	6	7	8	9	10
<i>Prunus cerasus</i> L. × <i>P. maackii</i> Rupr.									
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]
<i>Prunus cerasus</i> L. × <i>P. × schmittii</i> Rehder									
rootstock	7	4	PL	COBORU	31/12	01/03	31/03	15 one year-old, virus tested, rooted plants from stoolbed - vegetative rootstocks or 9 one year old trees + 100 seeds - generative rootstocks	*
	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Prunus cerasus L. × *Prunus fruticosa* Pall.

7	*	FR	GEVES		*	*	*	*	*
---	---	----	-------	--	---	---	---	---	---

Prunus × *dasycarpa* Ehrh. (*P. armeniaca* L. × *P. cerasifera* Ehrh.)

rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA]
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]

Prunus domestica L.

fruit	7	4	PL	COBORU	31/01	01/03	31/03	9 one-year-old virus- tested trees grafted on Wangenheims Plum Seedling	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Plum pox virus (PPV) [ELISA] European stone fruit yellow phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA]
	7	4	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 virus-tested, one-year-old scions grafted on GF 8/1 (Marianna) rootstock	The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Plum pox virus (PPV) [PCR/ELISA/indexing on 'GF 305', 'GF 31'] Prune dwarf virus (PDV) [ELISA//Shirofugen/indexing on 'GF 305'] Prunus necrotic ringspot virus (PNRSV) [ELISA//Shirofugen/indexing on 'GF 305', 'GF 31'] ŠCandidatusŠ phytoplasma prunorum [PCR]

1	2	3	4	5		6	7	8	9		10
<i>Prunus domestica</i> L.											
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		31/01	10/01	28/02	10	virus-tested, one year old scions grafted on San Julián A clonal rootstock	Healthy plants. The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: - Prune dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV)	
<i>Prunus domestica</i> L.											
7	4	DE	Bundessortenamt		31/01	01/03	31/03	6	well rooted one year-old plants grafted on virus-free 'Myrobalan B', or if not possible, on a similar selection of <i>Prunus cerasifera</i> (please specify).	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]	
<i>Prunus domestica</i> L. subsp. <i>insititia</i> (L.) C. K. Schneid. (syn. <i>P. insititia</i> L.)											
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		10/12	10/01	10/02	25	well rooted one-year-old trees	The plant material should be accompanied by an ELISA analysis demonstrating that it is free from the three viruses: Plum pox potyvirus, Prune dwarf ilarvirus, Prunus necrotic ringspot ilarvirus.	
<i>Prunus dulcis</i> (Mill.) D. A. Webb											
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		10/12	10/01	10/02	9	virus-tested one-year-old plants grafted on to rootstock 'GF 677'	The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: - Plum pox potyvirus (PPV) - Prune dwarf ilarvirus (PDV) - Prunus necrotic ringspot ilarvirus (PNRSV)	
<i>Prunus</i> × <i>fontanesiana</i> (Spach) C. K. Schneid. (<i>P. avium</i> (L.) L. × <i>P. mahaleb</i> L.)											
7	*	FR	GEVES		*	*	*	*		*	
<i>Prunus fruticosa</i> Pall. × <i>P. serrulata</i> Lindl. var. <i>lannesiana</i> (Carrière) Makino											
7	4	FR	GEVES		30/11	01/12	31/01	30	virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]	

1	2	3	4	5	6	7	8	9	10
<i>Prunus fruticosa</i> Pall. × <i>P. serrulata</i> Lindl. var. <i>lannesiana</i> (Carrière) Makino									
7	4	DE	Bundessortenamt		31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]
<i>Prunus</i> × <i>gondouinii</i> (Poit. & Turpin) Rehder (<i>P. avium</i> (L.) L. × <i>P. cerasus</i> L.)									
rootstock	7	4	PL	COBORU	31/12	01/03	31/03	15 one year-old, virus tested, rooted plants from stoolbed - vegetative rootstocks or 9 one year old trees + 100 seeds - generative rootstocks	*
rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
	7	4	DE	Bundessortenamt	31/01	*	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Prunus incana* (Pall.) Batsch × *P. tomentosa* Thunb.**

rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation]
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]

***Prunus incisa* Thunb.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	8 young bushes, able to show all their characteristics in the First year of examination	*

***Prunus laurocerasus* L.**

vegetative	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes; plants must be able to show all their characteristics in the examination period	*
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard, container grown and of sufficient size to flower during the examination cycles	*
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

***Prunus lusitanica* L.**

ornamental	11	2	NL	NAKTUINBOUW	*	01/03	31/03	8 young plants able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	---	-------	-------	--	---

1	2	3	4	5	6	7	8	9	10
<i>Prunus lusitanica</i> L.									
vegetative - ornamental	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Prunus mahaleb</i> L.									
rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
<i>Prunus padus</i> L.									
vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 container grown trees	min. 3 years old
<i>Prunus persica</i> Batsch × <i>Prunus davidiana</i> L.									
	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum , 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Prunus persica Batsch × *Prunus domestica* L.

	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum , 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
--	---	---	----	-------	-------	-------	-------	---	---

Prunus persica (L.) Batsch

fruit	7	4	HU	National Food Chain Safety Office (NÉBIH)	30/11	01/03	31/03	9 virus-tested one-year-old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year.	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: ŠCan-didatusŠ phytoplasma prunorum [PCR] Plum pox virus (PPV) [PCR/ELISA] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA]
medium to very late flowering	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	30/11	10/01	10/02	12 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 12 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year.	Each plant must be clearly labelled. The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunas necrotic ringspot ilarvirus (PNRSV)
very early and early flowering	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	01/12	31/01	9 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' . In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year.	Each plant must be clearly labelled . The plant material must be accompanied by an an ELISA analysis demonstrating it is free of: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunas necrotic ringspot ilarvirus (PNRSV)

1	2	3	4	5	6	7	8	9	10
<i>Prunus persica</i> (L.) Batsch									
	7	4	FR	GEVES	30/11	01/12	31/01	7 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 7 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677' (in the case of this latter option, the duration of technical examination could be prolonged by a further year).	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum , 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
	7	4	IT	CREA-FRU (EO)	30/11	01/03	31/03	8 virus-tested one-year old plants grafted on to rootstock 'GF 677', or 9 dormant budwood plants (with 2 buds) grafted on to rootstock 'GF 677'. In case the applicant submits plant material in the form of dormant budwood plants, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year.	The plant material must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official document indicating that the plant material has been laboratory tested by PCR to give a negative result for: Plum pox virus (PPV); Prune dwarf virus (PDV); Prunus necrotic ringspot virus (PNRSV) Xanthomonas arboricola pv. pruni.
<i>Prunus persica</i> (L.) Batsch × <i>Prunus salicina</i> Lindl.									
	7	*	FR	GEVES	*	*	*	*	*
(<i>Prunus persica</i> × <i>Prunus davidiana</i>) × <i>Prunus</i> × <i>amygdalopersica</i> (Weston) Rehder									
rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum , 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)

1	2	3	4	5		6	7	8	9		10	
<i>(Prunus persica</i> × <i>Prunus davidiana</i>) × <i>Prunus</i> × <i>amygdalopersica</i> (Weston) Rehder												
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)			01/12	10/01	10/02	25 well rooted, one-year-old trees	The plant material should be accompanied by an ELISA analysis demonstrating that it is free from Plum pox potyvirus, Prune dwarf ilarvirus, Prunus necrotic ringspot ilarvirus.		
<i>Prunus pumila</i> L.												
7	4	DE	Bundessortenamt			01/03	01/03	31/03	6 well developed and well rooted, two-year-old virus tested plants	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]		
<i>Prunus salicina</i> Lindl.												
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)			30/11	01/01	31/01	9 one-year-old plants grafted on 'Mariana 26-24'	The plants must be accompanied by a certificate indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum pox potyvirus (PPV) Prune dwarf ilarvirus (PDV) Prunus necrotic ringspot ilarvirus (PNRSV) Apple chlorotic leafspot closterovirus (CLSV) Apple mosaic ilarvirus (ApMV) Myrobalan latent ringspot neprovirus (MLRSV)		
7	4	FR	GEVES			30/11	01/12	31/01	9 one-year-old plants grafted on 'GF 677 VF' or 'Montclar VF '	The plants must be accompanied by a certificate indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum pox potyvirus (PPV) Prune dwarf virus (PDV) Prunus necrotic ringspot virus (PNRSV) Apple chlorotic leafspot virus (ACLSV) Apple mosaic virus (ApMV) Myrobalan latent ringspot virus (MLRSV)		
7	4	IT	CREA-FRU (EO)			30/11	01/03	31/03	8 one-year-old plants grafted on 'Myrobalan 29C'	The plant material must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official document indicating that the plant mateiral has been laboratory tested by PCR to give a negative result for: Prune dwarf virus (PDV), Prunus necrotic ringspot virus (PNRSV), Plum pox virus (PPV), Xanthomonas arboricola pv. pruni.		

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Prunus × *schmittii* Rehder

rootstock	7	4	FR	GEVES	30/11	01/12	31/01	30 virus free well rooted cuttings emanating from vegetative propagation (+300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ringspot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum , 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
	7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]
	7	4	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants, of commercial standard	The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Apple chlorotic leaf spot virus (ACLSV) [PCR/ELISA] Cherry leaf roll virus (CLRV) [ELISA] Cherry necrotic rusty mottle virus (CN-RMV) [PCR]

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Prunus spinosa* L.**

7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European stone fruit yellows phytoplasma (ESFY) [PCR] Prune dwarf virus (PDV) [ELISA] Plum pox virus (PPV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA]
---	---	----	-----------------	-------	-------	-------	---	--

***Prunus tomentosa* Thunb. × *P. × schmittii* Rehder**

7	4	DE	Bundessortenamt	31/01	01/03	31/03	6 well developed and well rooted, two-year-old plants	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry leaf roll virus (CLRV) [ELISA] Little cherry virus 1 & Little cherry virus 2 (LChV-1, LChV-2) [PCR] Prune dwarf virus (PDV) [ELISA] Prunus necrotic ringspot virus (PNRSV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]
---	---	----	-----------------	-------	-------	-------	---	--

***Pteris* L.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Ptilotus exaltatus* Nees (syn. *Ptilotus nobilis* (Lindl.) F. Muell.)**

seed propagated	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	5 grams of seed (minimal 500 seeds)	Germination capacity at least 50%
vegetatively propagated	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings	able to show all their characteristics in the first year of examination

***Pulmonaria* L.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Pulmonaria angustifolia* L.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Pulmonaria longifolia* (T. Bastard) Boreau**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pulmonaria mollis* Wulfen**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pulmonaria officinalis* L.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pulmonaria rubra* Schott**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Pulmonaria saccharata* Mill.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Punica granatum* L.**

7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	15/12	15/01	28/02	9 plants one-year old obtained from rooted cuttings or grafted on the species <i>Punica granatum</i>	Visibly healthy and free from transmissible diseases, in particular pests: <i>Duedorix isocrates</i> <i>Duedorix livia</i> <i>Planococcus lilacinus</i> bacteria: <i>Agrobacterium tumefaciens</i> fungi: <i>Aspergillus</i> sp. <i>Pleuroplaconema</i> or <i>Ceuthospora phyllosticta</i> <i>Sphaceloma punicae</i> <i>Ceratocystis fimbriata</i> <i>Phomopsis</i> sp. (Dry rot) virus and similar organisms: <i>Zythia versioniana</i> (Canker) The applicant needs to inform the examination office about the delivery at least one week in advance.
---	---	----	---	-------	-------	-------	--	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Pyracantha* M. J. Roem**

vegetative	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, two years old	each plant should be labelled individually
------------	----	---	----	-------	-------	-------	-------	---	--

***Pyracantha atalantioides* (Hance) Stapf**

	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 year old	each plant should be labelled individually
--	----	---	----	-------	-------	-------	-------	--	--

***Pyracantha coccinea* M. Roem.**

vegetative	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 years old	each plant should be labelled individually
------------	----	---	----	-------	-------	-------	-------	---	--

***Pyracantha crenatoserrata* (Hance) Rehder**

	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 year old	each plant should be labelled individually
--	----	---	----	-------	-------	-------	-------	--	--

***Pyracantha crenulata* (D. Don) M. Roem. var. *rogersiana* A. B. Jacks. (syn. *P. rogersiana*)**

	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, grown in container, 2 year old	each plant should be labelled individually
--	----	---	----	-------	-------	-------	-------	--	--

***Pyrus* L.**

Hybrids involving only species named in the contract or unknown species	7	*	FR	GEVES	*	*	*	*	*
---	---	---	----	-------	---	---	---	---	---

***Pyrus* × *bretschneideri* Rehder × *P. pyrifolia* (Burm. f.) Nakai**

	7	4	FR	GEVES	31/12	01/01	28/02	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [ELISA] Apple stem-grooving virus (ASGV) [ELISA] Apple stem-pitting virus (ASPV) Pear decline phytoplasma (PD) Pear stony pit virus [biological indexing] Quince sooty ringspot [biological indexing] (Pear?) Ring Pattern Mosaic Virus (CLSV) [ELISA] Pear Blister Canker Viroid (PBCVd) [molecular hybridisation] Apple Rubbery wood
--	---	---	----	-------	-------	-------	-------	---	---

1	2	3	4	5	6	7	8	9	10
<i>Pyrus</i> × <i>bretschneideri</i> Rehder × <i>P. pyrifolia</i> (Burm. f.) Nakai									
	7	4	IT	CREA-FRU (EO)	31/12	01/03	31/03	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been PCR tested to give a negative result for: Quince sooty ringspot Apple Rubbery wood Apple chlorotic leaf spot virus (ACLSV) Apple stem-grooving virus (ASGV) Apple stem-pitting virus (ASPV) Pear decline phytoplasma (PD) Pear Blister Canker Viroid (PBCVd) Erwinia amilovora
<i>Pyrus communis</i> L.									
fruit	7	4	DE	Bundessortenamt	31/12	01/03	31/03	6, or in case of mutant varieties, 11 one year-old trees on 'Quince EM A' rootstock with 'Beurré Hardy' interstock.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [PCR] Pear decline phytoplasma (PD) [PCR] Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR]
fruit	7	4	FR	GEVES	31/12	01/01	28/02	8 virus-tested one year-old trees grafted on to <i>Cydonia oblonga</i> (BA29) rootstock.	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [ELISA] Apple stem-grooving virus (ASGV) [ELISA] Apple stem-pitting virus (ASPV) Pear decline phytoplasma (PD) Pear stony pit virus [biological indexing] Quince sooty ringspot [biological indexing] Ring Pattern Mosaic Virus (CLSV) [ELISA] Pear Blister Canker Viroid (PBCVd) [molecular hybridisation] Apple rubbery wood

1	2	3	4	5	6	7	8	9	10
<i>Pyrus communis</i> L.									
rootstock	7	4	FR	GEVES	31/12	01/01	28/02	30 virus free well rooted cuttings emanating from vegetative propagation (+ 300 seeds submitted 3 months before in case of seed propagated variety)	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [ELISA] Apple stem-grooving virus (ASGV) [ELISA] Apple stem-pitting virus (ASPV) Pear decline phytoplasma (PD) Quince sooty ringspot [biological indexing] (Pear?) Ring Pattern Mosaic Virus (CLSV) [ELISA] Pear Blister Canker Viroid (PBCVd) [molecular hybridisation] Apple Rubbery wood
rootstock	7	4	DE	Bundessortenamt	31/12	01/03	31/03	15 one-year-old rooted shoots	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [PCR] Pear decline phytoplasma (PD) [PCR] Apple stem-grooving virus (ASGV) [PCR] Apple stem-pitting virus (ASPV) [PCR]
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	15/01	28/02	8 virus-tested one year-old trees grafted on to quince (BA29) rootstock.	The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Apple chlorotic leaf spot trichovirus (ACLSV) - Apple stem-grooving capillovirus (ASGV) - Apple stem-pitting foveavirus (ASPV) - Pear decline phytoplasma (PD) - Pear stony pit - Quince sooty ringspot
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai var. <i>culta</i> (Makino) Nakai									
	7	4	FR	GEVES	31/12	01/01	28/02	8 virus free one-year-old trees grafted on virus free <i>Pyrus communis</i>	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple chlorotic leaf spot virus (ACLSV) [ELISA] Apple stem-grooving virus (ASGV) [ELISA] Apple stem-pitting virus (ASPV) Pear decline phytoplasma (PD) Pear stony pit virus [biological indexing] Quince sooty ringspot [biological indexing] (Pear?) Ring Pattern Mosaic Virus (CLSV) [ELISA] Pear Blister Canker Viroid (PBCVd) [molecular hybridisation] Apple Rubbery wood

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Quercus palustris* Münchh.**

vegetative	11	2	PL	COBORU	01/12	15/03	15/04	8 plants	3-4 years old, grown in container
------------	----	---	----	--------	-------	-------	-------	----------	-----------------------------------

***Quercus robur* L. × *Quercus macranthera* Fisch. & C. A. Mey. ex Hohen.**

vegetative	11	2	PL	COBORU	01/12	15/03	15/04	8 plants	3 to 4 years old, grafted, container grown
------------	----	---	----	--------	-------	-------	-------	----------	--

***Quercus rubra* L.**

vegetative	11	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 container grown plants	*
vegetative	11	2	PL	COBORU	01/12	15/03	15/04	*	*

***Ranunculus* L.**

vegetative	10	1	DK	University of Aarhus - Aarslev	01/06	01/10	15/10	25 young plants ready for potting or 25 dried corms	Plants/corms must be of sufficient size to flower during the first year of examination. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number
------------	----	---	----	--------------------------------	-------	-------	-------	---	--

***Ranunculus asiaticus* L.**

seed-propagated	10	1	DK	University of Aarhus - Aarslev	01/06	01/10	15/10	30 plants raised from seeds approximately 6 weeks old	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	10	1	DK	University of Aarhus - Aarslev	01/06	01/10	15/10	25 young plants ready for potting or 25 dried corms	Plants/corms must be of sufficient size to flower during the first year of examination. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

***Raphanus sativus* L. var. *niger* (Miller) S. Kerner**

	14	2	FR	GEVES	*	*	*	*	*
	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	10,000 seeds	*
	14	2	NL	NAKTUINBOUW	*	*	*	*	*

***Raphanus sativus* L. var. *oleiformis* Pers.**

agricultural	4	2	DE	Bundessortenamt	15/12	*	01/02	1,5 kg	minimum germination capacity 85%
--------------	---	---	----	-----------------	-------	---	-------	--------	----------------------------------

Raphanus sativus* L. var. *sativus

autumn	14	2	FR	GEVES	01/09	*	01/10	10,000 seeds (300 g)	*
greenhouse	13	2	NL	NAKTUINBOUW	15/01	*	01/02	10,000 seeds not fractionated	*

1	2	3	4	5	6	7	8	9	10
<i>Raphanus sativus</i> L. var. <i>sativus</i>									
outdoor	14	2	NL	NAKTUINBOUW	15/03	*	01/04	10,000 seeds not fractionated	*
spring	14	2	FR	GEVES	01/01	*	01/02	10,000 seeds (300 g)	*
summer	14	2	FR	GEVES	01/05	*	01/06	10,000 seeds (300 g)	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	10,000 seeds	*
	14	2	GB	Animal & Plant Health Agency (APHA)	15/03	*	15/04	6,000 seeds	*
<i>Rehmannia angulata</i> (D.Don) Hemsl. × <i>R. elata</i> N. E. Br.									
	10	1	DE	Bundessortenamt	01/06	01/09	05/09	25 young plants as in commerce	*
<i>Rehmannia elata</i> N. E. Br. ex Prain × <i>Rehmannia glutinosa</i> (Gaertn.) Steud.									
	10	1	DE	Bundessortenamt	01/06	04/09	08/09	25 young plants as in commerce	*
<i>Rhapis</i> L. f. ex Aiton									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Rheum rhabarbarum</i> L.									
seed	14	2	FR	GEVES	01/01	*	01/02	150 g seed	*
vegetative	14	2	FR	GEVES	01/01	*	31/08	12 plants able to produce 30 bursts with a bud	*
	14	2	NL	NAKTUINBOUW	*	*	*	*	*
<i>Rhipsalidopsis</i> Britton et Rose									
vegetative	10	1	DK	University of Aarhus - Aarslev	01/01	01/03	15/03	20 plants, 1 year old, delivered after cold treatment	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 57 60 75 56. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Rhipsalidopsis gaertneri</i> (Regel) Moran (syn. <i>Hatiora gaertneri</i> (Regel) Barthlott)									
	10	1	DK	University of Aarhus - Aarslev	01/01	01/03	15/03	20 plants, 1 year old, delivered after cold treatment	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Rhipsalis baccifera</i> (J. S. Muell.) Stearn subsp. <i>baccifera</i>									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics in the First year of examination	*
<i>Rhipsalis clavata</i> F. A. C. Weber									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Rhipsalis ewaldiana</i> Barthlott & N. P. Taylor									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well-rooted cuttings; plants must be able to show all their characteristics in the first year of examination	*
<i>Rhipsalis lindbergiana</i> K. Schum.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Rhipsalis teres</i> (Vell.) Steud.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well-rooted cuttings; plants must be able to show all their characteristics in the first year of examination	*
<i>Rhodanthemum</i> (Vogt) B. H. Wilcox et al.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to flower and show all their characteristics in the first year of examination
<i>Rhodanthemum hosmariense</i> (Ball) B. H. Wilcox et al. (syn. <i>Leucanthemum hosmariense</i> (Ball) Font Quer)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rhododendron</i> L.									
pot plant	8	1	DE	Bundessortenamt	15/10	15/10	31/10	25 potted plants	pinched twice
vegetative, outdoor	11	1	DE	Bundessortenamt	01/09	15/09	15/10	6 plants	with at least 3 flower buds
<i>Rhododendron degronianum</i> var. <i>yakushmanum</i> (Nakai) Kitam.									
vegetative, outdoor	11	1	DE	Bundessortenamt	01/09	01/10	15/10	6 plants	with at least 3 flower buds
<i>Rhododendron macrosepalum</i> Maxim. (syn. <i>Rhododendron stenopetalum</i> (Hogg) Mabb. ; syn. <i>Rhododendron linearifolia</i> (Siebold & Zucc.) Hook									
pot plant	8	1	DE	Bundessortenamt	15/10	*	15/11	*	*
<i>Rhododendron molle</i> (Blume) G. Don									
greenhouse	11	1	DE	Bundessortenamt	01/09	01/10	15/10	6 plants	with at least 3 flower buds
outdoor	11	1	DE	Bundessortenamt	01/09	01/10	15/10	6 plants	with at least 3 flower buds

1	2	3	4	5	6	7	8	9	10
<i>Rhododendron obtusum</i> (Lindl.) Planch.									
outdoor	11	1	DE	Bundessortenamt	01/09	15/09	15/10	6 plants	with at least 3 flower buds
	8	1	DE	Bundessortenamt	*	*	*	*	*
<i>Rhododendron simsii</i> Planch.									
vegetative, pot plant	8	1	DE	Bundessortenamt	15/10	01/11	15/11	25 plants	potted in 13 cm pots, pinched twice. No more than 2 cuttings in each pot, semi-finished plants
<i>Rhodohypoxis</i> Nel									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
× <i>Rhodoxis hybrida</i> B. Mathew									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rhus</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rhus glabra</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rhus</i> × <i>pulvinata</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rhus typhina</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ribes</i> × <i>nidigrolaria</i> Rud. Bauer & A. Bauer									
	7	3	DE	Bundessortenamt	31/01	01/03	31/03	6 well rooted, virus tested two-year-old plants, each plant having 3 vigorous branches	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Ribes nigrum* L.**

7	3	DE	Bundessortenamt	31/01	01/03	31/03	6 well rooted bushes, each bush having 3 vigorous branches	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) [ELISA] Black currant reversion agent (ŠAtavismusŠ) [PCR] Raspberry ringspot virus (RpRSV) [ELISA]
7	3	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	01/03	31/03	6 well rooted, virus tested bushes, each bush having 3 vigorous branches	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate, indicating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) Black currant reversion agent (ŠAtavismusŠ) Raspberry ringspot virus (RpRSV)
7	3	PL	COBORU	31/01	01/03	31/03	9 well-rooted, virus tested plants with minimum 3 shoots per plant	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Black currant reversion virus (BRV) [PCR] Gooseberry vein banding associated virus (GVBaV) [PCR]

***Ribes rubrum* L. (syn. *R. sylvestre* (Lam.) Mert. & W. D. J. Koch)**

7	3	DE	Bundessortenamt	31/01	01/03	31/03	6 well rooted bushes, each bush having 3 vigorous branches	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) [ELISA] Black currant reversion agent (ŠAtavismusŠ) [PCR] Raspberry ringspot virus (RpRSV) [ELISA]
---	---	----	-----------------	-------	-------	-------	--	---

***Ribes sanguineum* Pursh**

11	1	DE	Bundessortenamt	01/12	01/04	15/04	10 potted plants	two years old, size 60-80 cm
----	---	----	-----------------	-------	-------	-------	------------------	------------------------------

***Ribes uva-crispa* L.**

7	3	DE	Bundessortenamt	31/01	01/03	31/03	6 well rooted bushes, each bush having 3 vigorous branches	The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis mosaic virus (ArMV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]
---	---	----	-----------------	-------	-------	-------	--	---

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Ricinus communis* L.**

	4	2	FR	GEVES	15/02	*	01/03	10.000 seeds	*
--	---	---	----	-------	-------	---	-------	--------------	---

***Robinia* L.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Robinia* × *margaretta* Ashe**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Robinia pseudoacacia* L.**

vegetative	11	2	GB	NIAB	01/10	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Rodgersia pinnata* Franch.**

vegetative	11	1	NL	NAKTUINBOUW	01/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Rosa* L.**

climbing UK	9	2	GB	NIAB	30/09	01/11	11/11	8 plants	Plants must be vegetatively propagated, and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
climbing roses	9	2	DE	Bundessortenamt	30/09	01/11	15/11	8 plants	one year old plants, with at least three shoots, grafted plants on a hardy rootstock or on own roots.
garden	9	1	DE	Bundessortenamt	30/09	01/11	15/11	8 plants	one year old plants, with at least three shoots, grafted plants on a hardy rootstock or on own roots.
garden UK	9	1	GB	NIAB	30/09	01/11	15/11	8 plants	Plants must be vegetatively propagated, and of sufficient size to flower and/or show their representative characteristics in the first year.
greenhouse cut-flower, mutation	10	1	NL	NAKTUINBOUW	15/11	01/02	15/02	22 well rooted cuttings, in 5 cm cocos peat plug,	able to show all their characteristics in the first year of examination. Individual labelling of each cutting is preferred
greenhouse cutflower, seedling	10	1	NL	NAKTUINBOUW	15/11	01/02	15/02	12 well rooted cuttings, in 5 cm cocos peat plug,	able to show all their characteristics in the first year of examination. Individual labelling of each cutting is preferred
pot plant	8	1	DE	Bundessortenamt	15/02	01/03	31/03	6 plants	with at least three shoots, on own roots.
rootstock	9	1	DE	Bundessortenamt	30/09	01/11	15/11	8 plants	one year old plants, with at least three shoots, on own roots.

1	2	3	4	5	6	7	8	9	10
<i>Rosa canina</i> L.									
rootstock	9	1	DE	Bundessortenamt	30/09	*	15/11	*	*
vegetative	9	1	GB	NIAB	30/09	01/11	15/11	8 plants	Plants must be vegetatively propagated and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rosa × damascena</i> Mill.									
vegetative	9	1	GB	NIAB	30/09	01/11	15/11	8 plants	Plants must be vegetatively propagated and of sufficient size to flower and/or show their representative characteristics in the first year.
	9	1	DE	Bundessortenamt	30/09	*	15/11	*	*
<i>Rosa laza</i> Retz.									
vegetative	9	1	GB	NIAB	30/09	01/11	15/11	8 plants	Plants must be vegetatively propagated, and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rosa multiflora</i> Thunb.									
rootstock	9	1	DE	Bundessortenamt	30/09	*	15/11	*	*
vegetative	9	1	GB	NIAB	30/09	01/11	15/11	8 plants	Plants must be vegetatively propagated, and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Roscoea purpurea</i> Sm.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Rosmarinus officinalis</i> L.									
	14	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Rubus chamaemorus</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics in the first year of examination	*
<i>Rubus idaeus</i> L.									
	7	3	DE	Bundessortenamt	31/01	01/03	31/03	11 vigorous well rooted plants, with a satisfactory number of adventitious buds, potted in 7-15cm pots; or alternatively: 11 vigorous, well rooted one year old canes, with a satisfactory number of adventitious buds	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Black raspberry necrosis virus [PCR] Raspberry leaf mottle virus [PCR] Rubus yellow net virus [PCR] Raspberry bushy dwarf virus (RBDV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA] Rubus stunt phytoplasma [PCR]

1	2	3	4	5	6	7	8	9	10
<i>Rubus idaeus</i> L.									
	7	3	PL	COBORU	31/01	01/03	31/03	20 well-rooted, virus tested plants	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Raspberry bushy dwarf virus (RBDV) [ELISA]
<i>Rubus idaeus</i> L. × <i>R. parvifolius</i> L.									
	7	3	DE	Bundessortenamt	31/01	01/03	31/03	11 vigorous well rooted virus free plants, with a satisfactory number of adventitious buds, potted in 7-15cm pots; or alternatively: 11 vigorous, well rooted one year old canes, with a satisfactory number of adventitious buds	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Black raspberry necrosis virus [PCR] Raspberry bushy dwarf virus (RBDV) [ELISA] Raspberry leaf mottle virus [PCR] Raspberry ringspot virus (RpRSV) [ELISA] Rubus stunt phytoplasma [PCR] Rubus yellow net virus [PCR]
	7	3	PL	COBORU	31/01	01/03	31/03	20 well-rooted, virus tested plants	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Raspberry bushy dwarf virus (RBDV) [ELISA]
	7	3	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	31/03	11 well-rooted, virus tested plants	The plants must be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Raspberry bushy dwarf virus (RBDV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA]
<i>Rubus</i> subg. <i>Eubatus</i> sect. <i>Moriferi</i> ♂ <i>Ursini</i>									
	7	3	DE	Bundessortenamt	31/01	01/03	31/03	6 vigorous, well rooted plants with a satisfactory number of adventitious buds, potted in 7-15 cm pots	The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Black raspberry necrosis virus [PCR] Raspberry leaf mottle virus [PCR] Rubus yellow net virus [PCR] Raspberry bushy dwarf virus (RBDV) [ELISA] Raspberry ringspot virus (RpRSV) [ELISA] Rubus stunt phytoplasma [PCR]

1	2	3	4	5	6	7	8	9	10
<i>Rudbeckia L.</i>									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
seed	11	1	HU	National Food Chain Safety Office (NÉBIH)	15/01	*	31/01	2000 seeds	minimum germination capacity 70%
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	15/01	01/03	05/04	50 plants	rooted cuttings
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rudbeckia fulgida Aiton</i>									
vegetative	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	25 young plants of commercial standard	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rudbeckia hirta L.</i>									
seed	11	1	HU	National Food Chain Safety Office (NÉBIH)	15/01	*	31/01	2000 seeds	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rudbeckia laciniata L.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rudbeckia occidentalis Nutt.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rudbeckia subtomentosa Pursh</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Ruellia macrantha Mart. ex Nees</i>									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Rumex L.</i>									
bio mass production	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	*	*	*	*	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Rumohra adiantiformis* (G. Forst.) Ching**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants of commercial standard	*
------------	----	---	----	-------------	-------	-------	-------	--	---

***Ruscus aculeatus* L.**

seed	11	2	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
------	----	---	----	------	-------	-------	-------	-----------	--

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Ruscus hypoglossum* L.**

vegetative	10	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Ruscus hypophyllum* L.**

vegetative	10	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Russelia* Jacq.**

	10	1	DE	Bundessortenamt	01/08	*	01/11	*	*
--	----	---	----	-----------------	-------	---	-------	---	---

***Russelia* × *lemoinei* Burgerstein & F. Abel (syn. *Russelia equisetiformis* Schtdl. & Cham. × *R. sarmentosa* Jacq.)**

	10	1	DE	Bundessortenamt	01/08	*	01/11	*	*
--	----	---	----	-----------------	-------	---	-------	---	---

***Saintpaulia ionantha* H. Wendl.**

seed	12	1	DE	Bundessortenamt	01/06	17/01	21/01	45 young plants from seeds ready to be potted in final pot (8 to 9 cm)	*
vegetative	12	1	DE	Bundessortenamt	01/06	15/08	21/08	20 budded plants	from leaf cuttings

***Salix* L.**

vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*
------------	---	---	----	-----------------	---	---	---	---	---

***Salix alba* L.**

vegetative	9	2	PL	COBORU	15/01	01/03	31/03	32 cuttings or 16 plants	cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants
	9	2	DE	Bundessortenamt	01/12	01/03	15/03	25 cuttings: cuttings about 20 cm long, 10-15 mm in diameter; or 15 well-rooted one year old plants or 5 grafted two year old plants	*

***Salix arctica* Pall. (syn. *Salix anglorum* Cham.)**

	11	*	DE	Bundessortenamt	*	*	*	*	*
--	----	---	----	-----------------	---	---	---	---	---

***Salix aurita* L.**

	9	2	DE	Bundessortenamt	*	*	*	*	*
--	---	---	----	-----------------	---	---	---	---	---

1	2	3	4	5	6	7	8	9	10
<i>Salix burjatica</i> Nasarow									
vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salix burjatica</i> Nasarow × <i>S. viminalis</i> L.									
vegetative	9	2	DE	Bundessortenamt	15/12	01/03	15/03	25 cuttings or 15 plants	cuttings about 20 cm long, 10-15 mm in diameter or well rooted one year old plants
<i>Salix caprea</i> L.									
vegetative	9	2	PL	COBORU	15/01	01/03	31/03	32 cuttings or 16 plants	cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants
vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salix</i> × <i>dasyclados</i> Wimm.									
vegetative	9	2	PL	COBORU	15/01	01/03	31/03	32 cuttings or 16 plants	cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants
	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salix</i> × <i>dasyclados</i> Wimm. × <i>Salix rehderiana</i> C. K. Schneid.									
vegetative	9	2	PL	COBORU	15/01	01/03	31/03	32 cuttings or 16 plants. Cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants.	Plant material supplied should be visibly healthy, not lacking in vigour, nor affected by any important pests or disease; it should not have undergone any treatment which would affect the expression of the characteristics of the variety.
vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	25 cuttings 20 cm long and 10 to 15 mm in diameter or 15 one year old well rooted plants or 10 grafted plants, two years old	*
<i>Salix hastata</i> L.									
	9	1	DE	Bundessortenamt	*	*	*	*	*
<i>Salix integra</i> Thunb.									
	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salix matsudana</i> Koidz.									
vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salix miyabeana</i> Seemen × <i>S. viminalis</i> L.									
vegetative	9	2	PL	COBORU	15/01	01/03	31/03	32 cuttings about 20 cm long, 10-15 mm in diameter or 16 plants	*
<i>Salix purpurea</i> L.									
vegetative	9	2	PL	COBORU	15/01	01/03	31/03	32 cuttings or 16 plants	cuttings about 20 cm long, 10-15 mm in diameter or one-years-old plants
	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salix repens</i> L.									
	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salix schwerinii</i> E. L. Wolf									
	9	*	PL	COBORU	*	*	*	*	*
<i>Salix schwerinii</i> E. L. Wolf × <i>S. viminalis</i> L.									
vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*

1	2	3	4	5	6	7	8	9	10
<i>Salix smithiana</i> Willd. (syn. <i>Salix acuminata</i> auct.)									
	9	*	PL	COBORU	*	*	*	*	*
<i>Salix udensis</i> Trautv. & C. A. Mey. (syn. <i>Salix sachalinensis</i> F. Schmidt)									
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	*	*
	11	2	PL	COBORU	15/01	01/03	31/03	32 cuttings or 16 plants. Cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants.	Plant material supplied should be visibly healthy, not lacking in vigour, nor affected by any important pests or disease; it should not have undergone any treatment which would affect the expression of the characteristics of the variety.
<i>Salix viminalis</i> L.									
vegetative	9	2	PL	COBORU	15/01	01/03	31/03	32 cuttings or 16 plants	cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants
vegetative	9	2	DE	Bundessortenamt	*	*	*	*	*
<i>Salvia</i> L.									
seed propagated	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds of high germination capacity	*
vegetative	11	1	NL	NAKTUINBOUW	*	*	*	*	*
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia blepharophylla</i> Brandg. ex Epling.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia buechananii</i> Hedge									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia buechananii</i> Hedge × <i>S. splendens</i> Sellow ex Schult.									
	11	1	GB	NIAB	01/12	13/03	24/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia bulleyana</i> Diels									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia chamaedryoides</i> Cav									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Salvia chamaedryoides</i> Cav. × <i>S. lycioides</i> A. Gray									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Salvia chiapensis</i> Fernald									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia coccinea</i> Buc'hoz ex Etl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia elegans</i> Vahl.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia farinacea</i> Benth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia greggii</i> A. Grey									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia guaranitica</i> A. St.-Hil. ex Benth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia hispanica</i> L.									
	4	2	GB	NIAB	01/12	23/01	25/03	500 seeds	seed must be healthy with high germination capacity.
<i>Salvia involucrata</i> Cav.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Salvia × jamensis</i> J. Compton (<i>S. greggii</i> × <i>S. microphylla</i>)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia leucantha</i> Cav.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia lycioides</i> A. Gray									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia lyrata</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia mexicana</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia microphylla</i> Kunth									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia nana</i> Kunth									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia officinalis</i> L.									
pharmaceutical use	13	2	DE	Bundessortenamt	15/02	02/05	15/05	60 young rooted plants	*
	11	2	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics during the first year of examination	*
<i>Salvia patens</i> Cav.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Salvia pratensis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia regia</i> Cav.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia sclarea</i> L.									
seed	11	2	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Salvia splendens</i> Sellow ex Schult.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
	11	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Salvia</i> × <i>superba</i> Stapf									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia sylvestris</i> L. × <i>S. pratensis</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia</i> × <i>sylvestris</i> L. (syn. <i>Salvia nemorosa</i> hort.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination	*
<i>Salvia uliginosa</i> Benth.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia verticillata</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Salvia viridis</i> L.									
seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
	10	1	NL	NAKTUINBOUW	*	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Sambucus</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Sambucus nigra</i> L.									
fruit	7	2	DE	Bundessortenamt	*	*	*	*	*
tree	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Sambucus racemosa</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Sambucus</i> × <i>strumpfii</i> Gutte (<i>S. nigra</i> L. × <i>S. racemosa</i> L.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Sanguisorba menziesii</i> Rydb.									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Sansevieria</i> Thunb.									
vegetative	10	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	virusfree, ready for DUS test
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Sansevieria cylindrica</i> Bojer ex Hook.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Sansevieria dooneri</i> N. E. Br. × <i>S. parva</i> N. E. Br.									
vegetative	10	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	virusfree, ready for DUS test
<i>Sansevieria ehrenbergii</i> Schweinf. ex Baker									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*

1	2	3	4	5	6	7	8	9	10
<i>Sansevieria fischeri</i> (Baker) Marais									
vegetative	10	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	virus free
<i>Sansevieria francisii</i> Chahin.									
	10	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	*
<i>Sansevieria gracilis</i> N. E. Br.									
	10	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	*
<i>Sansevieria kirkii</i> Baker									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings	*
<i>Sansevieria trifasciata</i> Prain									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well rooted cuttings	*
	10	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	*
<i>Sansevieria zeylanica</i> (L.) Willd.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings	*
<i>Sanvitalia</i> Lam.									
vegetative	11	1	DE	Bundessortenamt	01/12	07/04	10/04	25 rooted cuttings	not pinched
<i>Sanvitalia procumbens</i> Lam.									
vegetative	11	1	DE	Bundessortenamt	01/12	07/04	10/04	25 rooted cuttings	not pinched
<i>Sarcococca hookeriana</i> Baill.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	8 young bushes, able to show all their characteristics in the first year of examination	*
<i>Sarracenia</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination.
<i>Satureja douglasii</i> (Benth.) Briq.									
vegetative	10	1	DE	Bundessortenamt	01/12	*	15/03	*	*
<i>Satureja hortensis</i> L.									
	14	2	DE	Bundessortenamt	01/02	*	01/03	4,800 seeds	minimum germination capacity 80%
<i>Satureja montana</i> L.									
	14	2	DE	Bundessortenamt	01/02	*	01/03	4,800 seeds	Minimum germination capacity 80%
<i>Saxifraga</i> L.									
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Saxifraga* × *arendsii* Engl.**

seed-propagated	10	1	GB	NIAB	31/07	18/09	22/09	100 seedlings	seedlings should be approx. 12 weeks old
vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Saxifraga callosa* Sm. × *S. longifolia* Lapeyr.**

vegetative	11	1	GB	NIAB	31/07	18/09	22/09	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Scabiosa* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Scabiosa africana* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Scabiosa atropurpurea* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Scabiosa columbaria* L.**

seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Scabiosa japonica* var. *alpina* Takeda**

seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Scabiosa ochroleuca* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Scaevola</i> L.									
vegetative	11	1	DE	Bundessortenamt	01/11	15/02	19/02	25 well rooted cuttings	not pinched
<i>Scaevola aemula</i> R. Br.									
	11	1	DE	Bundessortenamt	01/11	*	15/02	*	*
<i>Scaevola montana</i> Labill. (syn.: <i>Scaevola saligna</i> G. Forst.)									
vegetative	11	1	DE	Bundessortenamt	01/11	30/01	15/02	25 well rooted cuttings	not pinched
<i>Schefflera</i> J. R. Forst. et G. Forst.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Schefflera arboricola</i> (Hayata) Hayata									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Schefflera heptaphylla</i> (L.) Frodin									
pot plant	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Schlumbergera</i> Lem.									
vegetative	10	1	DK	University of Aarhus - Aarslev	01/06	10/08	20/08	20 plants appr. 7 months old, grown under long day conditions.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Schlumbergera truncata</i> (Haw.) Moran									
vegetative	10	1	DK	University of Aarhus - Aarslev	01/06	10/08	20/08	20 plants, appr. 7 months old, grown under long day conditions	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Scindapsus pictus</i> Hassk.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 rooted cuttings	*
<i>Scoparia</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plug plants	Plants must be vegetatively propagated.
<i>Scoparia dulcis</i> L.									
vegetative	11	1	GB	NIAB	01/12	23/04	27/04	15 plug plants	Plants must be vegetatively propagated.
<i>Scorzonera hispanica</i> L.									
	14	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Scutellaria</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Scutellaria costaricana</i> H. Wendl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Scutellaria indica</i> L.									
seed	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Secale cereale</i> L.									
spring	4	2	DE	Bundessortenamt	05/01	*	15/01	5,0 kg	minimum germination capacity 94%
spring	4	2	PL	COBORU	30/11	*	25/02	6,0 kg seed	In case of hybrid: In addition 3,0 kg seed of each component
spring	4	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	5,0 kg	*
winter	4	2	FI	Finnish Food Safety Authority Evira	20/07	*	20/08	5,0 kg	*
winter	4	2	DE	Bundessortenamt	25/08	*	10/09	5,0 kg	for hybrids in addition: 1,5 kg of each component including single cross; minimum germination capacity 94%
winter	4	2	PL	COBORU	31/08	*	05/09	6,0 kg seed	In case of hybrid: In addition 3,0 kg seed of each component
<i>Secale montanum</i> × <i>Secale cereale</i>									
perennial, summer	4	2	DE	Bundessortenamt	05/01	*	15/01	5,0 kg	minimum germination capacity 94%
perennial, winter	4	2	DE	Bundessortenamt	25/08	*	10/09	5,0 kg	minimum germination capacity 94%
<i>Sedum</i> L.									
vegetative, garden	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
vegetative, greenhouse	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Sedum makinoi</i> Maxim.									
vegetative, greenhouse	9	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Seemannia purpurascens</i> Rusby × <i>S. sylvatica</i> (Kunth) Hanst.									
	10	1	NL	NAKTUINBOUW	*	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Sempervivum arachnoideum</i> L.									
	10	1	DE	Bundessortenamt	01/12	26/03	30/03	20	plants ready to flower during the first season
<i>Senecio</i> L.									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Senecio archeri</i> (Compton) H. Jacobson									
	10	1	DE	Bundessortenamt	*	*	*	*	*
<i>Senecio candidans</i> DC.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Senecio haworthii* (Sweet) Sch. Bip.**

vegetative	10	1	DE	Bundessortenamt	15/12	16/04	20/04	25 young plants	*
------------	----	---	----	-----------------	-------	-------	-------	-----------------	---

***Serruria* Burm. ex Salisb.**

vegetative	10	1	GB	NIAB	01/12	19/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Sesamum indicum* L.**

	4	2	FR	GEVES	15/02	15/02	15/03	50 grams of seeds	Good germination capacity. Please, ensure that all customs formalities and phytosanitary requirements are complied with.
--	---	---	----	-------	-------	-------	-------	-------------------	--

***Setaria* P. Beauv.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Setaria italica* (L.) P. Beauv.**

seed, ornamental	10	1	NL	NAKTUINBOUW	01/12	*	01/02	2.5 gram seed	germination capacity 50%
------------------	----	---	----	-------------	-------	---	-------	---------------	--------------------------

***Sida hermaphrodita* (L.) Rusby**

bio mass production	4	2	PL	COBORU	31/01	01/03	31/03	20 g	*
vegetatively	4	1	PL	COBORU	31/01	*	15/05	150 rooted cuttings	*

***Silene* L.**

vegetative, garden	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
vegetative, greenhouse	11	1	NL	NAKTUINBOUW	01/12	01/02	15/02	60 well-rooted cuttings; plants must be able to show all their characteristics in the first year of examination	*

***Silene asterias* Griseb. × *Silene noctiflora* L. (syn. *Silene orientalis* Mill.)**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants	able to show all their characteristics in the first year of examination
------------	----	---	----	-------------	-------	-------	-------	-----------------	---

***Silene dioica* (L.) Clairv.**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Siloxerus humifusus* Labill.**

seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
------	----	---	----	------	-------	-------	-------	-----------	--

***Silphium perfoliatum* L.**

	4	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
--	---	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Silphium perfoliatum</i> L.									
	4	1	DE	Bundessortenamt	*	*	*	*	*
	4	2	NL	NAKTUINBOUW	*	01/03	31/03	25 young plants able to show all their characteristics in the first year of examination	*
<i>Silybum marianum</i> (L.) Gaerth									
	14	2	DE	Bundessortenamt	15/01	*	15/02	3000 seeds	minimum germination capacity 70%
	14	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Sinapis alba</i> L.									
spring	4	2	DE	Bundessortenamt	15/12	*	01/02	1,0 kg	minimum germination capacity 85%
	4	2	PL	COBORU	20/12	*	01/03	0,5 kg seed	*
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Sinningia</i> Nees									
vegetative	10	1	DE	Bundessortenamt	01/12	01/03	06/03	20 young plants	*
<i>Sinningia leucotricha</i> (Hoehne) H. E. Moore									
seed-propagated	10	1	DE	Bundessortenamt	01/12	*	15/04	*	*
<i>Sisyrinchium</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Sisyrinchium angustifolium</i> Mill. (syn. <i>S. graminoides</i> E. P. Bicknell)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Sisyrinchium atlanticum</i> E. P. Bicknell									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Sisyrinchium idahoense</i> E. P. Bicknell									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Sisyrinchium striatum</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Skimmia</i> Thunb.									
vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	8 young bushes; plants must be able to show all their characteristics in the first year of examination	*
<i>Skimmia japonica</i> Thunb.									
vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	8 young bushes; plants must be able to show all their characteristics in the first year of examination	*
<i>Skimmia reevesiana</i> (Fortune) Fortune (syn. <i>Skimmia japonica</i> subsp. <i>reevesiana</i> (Fortune) N. P. Taylor et Airy Shaw)									
vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	8 young bushes; plants must be able to show all their characteristics in the first year of examination	*
<i>Solanum diflorum</i> Vell. (syn. <i>Solanum pseudocapsicum</i> L.)									
	10	1	DE	Bundessortenamt	01/11	*	01/03	*	*
<i>Solanum glaucophyllum</i> Desf.									
	14	2	FR	GEVES	31/03	01/04	30/04	25 rooted plants	height 15-20 cm
<i>Solanum habrochaites</i> S. Knapp & D.M. Spooner									
Seed, green-house, Autumn.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	2,500 seeds	If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2,500 seeds	If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
	13	2	NL	NAKTUINBOUW	01/04	*	15/04	2,500 seeds	*
	13	2	FR	GEVES	01/02	01/02	28/02	2,500 seeds	*
<i>Solanum jasminoides</i> Paxt.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Solanum lycopersicum</i> L.									
Seed, green-house, Autumn.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	2,500 seeds	*
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2,500 seeds	*
Vegetative, greenhouse.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	15/03	15/04	25 plants	*
field	14	2	HU	National Food Chain Safety Office (NÉBIH)	15/12	*	15/01	2500 seeds	95% min. germination
heated covers	13	2	PL	COBORU	30/11	*	15/12	1500 seeds	*
open field	14	2	PL	COBORU	20/12	01/02	28/02	1250 seeds	*
seed, indetm., green shoulder	13	2	NL	NAKTUINBOUW	01/03	*	01/04	2,500 seeds	*
seed, determinate	13	2	NL	NAKTUINBOUW	15/02	*	01/03	2,500 seeds	*
seed, field with support	14	2	FR	GEVES	01/02	*	01/03	2,500 seeds (10 g)	*

1	2	3	4	5	6	7	8	9	10
<i>Solanum lycopersicum</i> L.									
seed, field without support	14	2	FR	GEVES	01/02	*	01/03	2,500 seeds (10 g)	*
seed, green-house	13	2	HU	National Food Chain Safety Office (NÉBIH)	15/12	*	15/01	2500 seeds	95% min. germination
seed, green-house autumn	13	2	FR	GEVES	01/06	*	15/06	2,500 seeds (10 g)	*
seed, green-house spring	13	2	FR	GEVES	01/12	*	15/12	2,500 seeds (10 g)	*
seed, indtm, no green shouldr	13	2	NL	NAKTUINBOUW	01/12	*	15/12	2,500 seeds	*
seed, in-dtm.cherry & cocktail	13	2	NL	NAKTUINBOUW	01/05	*	15/05	2,500 seeds	*
seed, pot plant	13	2	NL	NAKTUINBOUW	15/02	*	01/03	2,500 seeds	*
unheated covers	13	2	PL	COBORU	30/11	*	15/02	1500 seeds	*
vegetative	13	2	NL	NAKTUINBOUW	01/12	01/02	15/02	50 plants of commercial standard, non-grafted	*
vegetative, greenhouse autumn	13	2	FR	GEVES	01/06	15/06	30/06	25 plants	*
vegetative, greenhouse spring	13	2	FR	GEVES	01/12	01/01	15/01	25 plants	*
	14	2	PT	Direção Geral de Alimentação e Veterinária	15/12	*	10/02	*	*
<i>Solanum lycopersicum</i> L. × <i>Solanum habrochaites</i> S. Knapp & D. M. Spooner									
Seed, green-house, Autumn.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	2,500 seeds	If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2,500 seeds	If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
rootstock	13	2	FR	GEVES	01/02	*	01/03	2,500 seeds non-treated non-primed. Alternatively, primed seed allowed. In case of primed seeds, 70 sealed bags of 35 seeds non-treated, with indication on the bags of "primed seeds" and number of lot	*
rootstock	13	2	NL	NAKTUINBOUW	01/04	*	15/04	2,500 untreated seeds, Alternately, primed seeds are allowed. In case of primed seeds: 63 packages each with 40 primed seeds, or 25 packages each with 40 primed seeds and 3 packages with 500 primed seeds.	Primed seed packets must be clearly labelled.
<i>Solanum lycopersicum</i> L. × <i>Solanum pimpinellifolium</i> L.									
Seed, green-house, Autumn.	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	2,500 seeds	If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2,500 seeds	If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.

1	2	3	4	5	6	7	8	9	10
<i>Solanum lycopersicum</i> L. × <i>Solanum pimpinellifolium</i> L.									
rootstock, greenhouse spring	14	2	FR	GEVES	01/06	*	15/06	2,500 seeds	*
rootstock, greenhouse spring	14	2	FR	GEVES	01/12	*	01/01	2,500 seeds	*
	14	2	NL	NAKTUINBOUW	01/04	*	15/04	2,500 untreated seeds, Alternately, primed seeds are allowed. In case of primed seeds: 63 packages each with 40 primed seeds, or 25 packages each with 40 primed seeds and 3 packages with 500 primed seeds.	Primed seed packets must be clearly labelled.
<i>Solanum melongena</i> L.									
	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/02	*	01/03	20 g untreated seed	*
	13	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	20 g seed	*
	13	2	FR	GEVES	01/02	*	01/03	10 g seed non-treated, non-primed. Alternatively, primed seed allowed. In case of primed seeds, 16 sealed bags of 0.5 grams of seeds non-treated, with indication on the bags of "primed seeds" and number of lot	*
	13	2	NL	NAKTUINBOUW	01/11	*	15/11	1,500 untreated seeds, Alternately, primed seeds are allowed. In case of primed seeds: 38 packages each with 40 primed seeds, or 25 packages each with 40 primed seeds and 1 package with 500 primed seeds.	Primed seed packets must be clearly labelled.
<i>Solanum pseudocapsicum</i> L. (syn. <i>Solanum diflorum</i> Vell.)									
seed	10	1	DE	Bundessortenamt	01/11	18/01	22/01	600 seeds	minimum germination capacity 80%
<i>Solanum quitoense</i> Lam.									
seed, cross pollination	10	1	NL	NAKTUINBOUW	01/12	*	01/02	1500 seeds, germination capacity at least 50% and 50 unselected plants.	*
<i>Solanum sisymbriifolium</i> Lam.									
	4	2	NL	NAKTUINBOUW	15/01	*	01/02	30 g seeds	*
<i>Solanum torvum</i> Sw.									
	13	2	NL	NAKTUINBOUW	01/11	*	15/11	1500 untreated seeds	Plants should be able to demonstrate all their characteristics in the second year of examination
	13	2	FR	GEVES	01/02	*	01/03	10 g / 2500 untreated seeds	*
<i>Solanum tuberosum</i> L.									
medium, late, very late	1	2	PL	COBORU	15/12	25/02	25/03	150 tubers for each year of test	*
very early	1	2	PL	COBORU	15/12	20/01	20/02	150 tubers for each year of test	*
	1	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	31/01	150 tubers for each year of test	*

1	2	3	4	5	6	7	8	9	10
<i>Solanum tuberosum</i> L.									
	1	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	01/02	*	15/02	150 tubers for each year of test	*
	1	2	IE	Department of Agriculture Food and the Marine	15/12	01/01	31/01	100 tubers for each year of test	Size between 35 and 50 mm. Seed should comply with the standards and conditions for Community Grade seed potatoes. Containers should be sealed and accompanied with a plant passport.
	1	2	AT	Bundesamt für Ernährungssicherheit	20/12	*	20/02	150 tubers for each year of test	tubers weight 50 - 100 g
	1	2	DE	Bundessortenamt	15/11	*	10/12	150 tubers for each year of test	tubers with size of planting material, tuber weight <99g
	1	2	GB	Animal & Plant Health Agency (APHA)	15/12	*	15/01	120 tubers for each year of test	Size 30 - 50 mm; containers should be sealed with Plant Passport and seed potato certification label attesting that seed potato complied with the standards and conditions for Community Grade seed potatoes.
	1	2	NL	NAKTUINBOUW	15/12	01/01	31/01	150 tubers (35 - 55 mm) for each year of test	Add NAK-Certificate or Plant Passport to the plant material. Quarantine tests by the Dutch Phytosanitary Service: Naktuinbouw shall pick 20 tubers at random from each submitted identity sample to be tested by the Phytosanitary Service on relevant quarantine diseases. Test results shall be communicated only to Naktuinbouw. Under all circumstances the applicant is held responsible to comply with the quarantine rules. Tubers will be destroyed after the quarantine test.
<i>Solenostemon</i> Thonn.									
	10	1	GB	NIAB	*	*	*	*	*
<i>Solidago</i> L.									
vegetative	9	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<i>Solidago canadensis</i> L.									
	9	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants, able to show all their characteristics in the First year of examination	*
<i>Solidago canadensis</i> L. × <i>S. virgaurea</i> L.									
	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Solidago cutleri</i> Fernald									
vegetative	9	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Solidago flexicaulis* L.**

vegetative	9	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open.
------------	---	---	----	-------------	-------	-------	-------	---	--------------------------------------

× *Solidaster* H. R. Wehrh.

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
------------	----	---	----	-------------	-------	-------	-------	---	-------------------------------------

***Sophora* L.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Sorbaria sorbifolia* (L.) A. Braun**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	--	---

***Sorbus* L.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	2 - 3 years old, of commercial size, container grown.

***Sorbus aria* (L.) Crantz**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	1	HU	National Food Chain Safety Office (NÉBIH)	31/01	01/03	15/04	8 plants	*

***Sorbus aucuparia* L.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Sorbus commixta* Hedl.**

vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
------------	----	---	----	------	-------	-------	-------	-----------	--

1	2	3	4	5	6	7	8	9	10
<i>Sorbus hupehensis</i> C. K. Schneid.									
vegetative	11	2	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
<i>Sorghum bicolor</i> (L.) Moench									
hybrid	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	3,0 kg seeds for hybrids and open pollinating varieties	and, in case of hybrids: 1,0 kg per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components and simple hybrid used as parent)
hybrid	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/02	*	15/03	1,0 kg seeds for hybrids and open pollinating varieties	and 1 kg per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components), germination rate 90 %
hybrid, grain	4	2	FR	GEVES	25/02	*	15/03	Hybrid: 1,0 kg seeds Lines A/B/R, if unknown: 200 g untreated seeds of line A and 500 g untreated seeds of line B and line R.	germination rate 85%
line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	1,0 kg	*
line	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/02	*	15/03	1 kg	germination rate 90 %
line, grain	4	2	FR	GEVES	25/02	*	15/03	Lines A/B/R: 200 g untreated seeds of line A and 500 g untreated seeds of line B and line R	germination rate 85%
<i>Sorghum × drummondii</i>									
	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/02	*	15/03	1,0 kg seeds for hybrids	and 1 kg per each hybrid component (male sterile line, maintainer, restorer lines, parental cross with their components), germination rate 90 %
	4	2	FR	GEVES	*	*	*	*	*
<i>Sorghum sudanense</i> (Piper) Stapf									
	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/02	*	15/03	1 kg	germination rate 90 %
	4	2	FR	GEVES	*	*	*	*	*
<i>Sparrmannia africana</i> L. f.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well-rooted cuttings; plants must be able to show all their characteristics in the first year of examination	*
<i>Spathiphyllum</i> Schott									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Spathiphyllum wallisii</i> Regel									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination

1	2	3	4	5	6	7	8	9	10
<i>Spathoglottis</i> Blume									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants, able to show all their characteristics during the first year of examination.	Preferably budded, but not yet flowering.
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants, able to show all their characteristics during the first year of examination.	preferably budded, but not yet flowering
<i>Sphyrospermum buxifolium</i> Poepp. & Endl.									
vegetative	10	1	DE	Bundessortenamt	01/11	02/04	05/04	25 well-rooted cuttings	not pinched
<i>Spinacia oleracea</i> L.									
	14	2	NL	NAKTUINBOUW	01/03	*	15/03	14,000 seeds	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	25,000 seed	*
	14	2	FR	GEVES	01/01	*	01/02	20,000 seed (200 g)	*
<i>Spiraea</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spiraea betulifolia</i> Pall.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spiraea cantoniensis</i> Lour.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spiraea</i> × <i>cinerea</i> Zabel									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spiraea fritschiana</i> C. K. Schneid									
	11	*	GB	NIAB	*	*	*	*	*
<i>Spiraea fritschiana</i> C. K. Schneid. × <i>S. japonica</i> L. f.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	2-3 years old plants, container grown
<i>Spiraea hayata</i> H. L. Li									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
<i>Spiraea hayata</i> H. L. Li × <i>S. japonica</i> L. f.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative	11	1	FR	GEVES	01/12	15/02	15/03	8 container-grown plants, 2 years old	all plants should be labelled individually.
<i>Spiraea japonica</i> L. f.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spiraea nipponica</i> Maxim.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spiraea thunbergii</i> Siebold ex Blume									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spiraea</i> × <i>vanhouttei</i> (Briot) Zabel									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Spirodela polyrhiza</i> (L.) Schleid									
	4	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Stachys byzantina</i> K. Koch × <i>S. debilis</i> Kunth									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Stenotaphrum secundatum</i> (Walter) Kuntze									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Stevia rebaudiana</i> (Bertoni) Bertoni									
	13	2	FR	GEVES	15/04	01/05	15/05	12 rooted cuttings in containers	*
<i>Stokesia laevis</i> (Hill) Greene									
	11	1	DE	Bundessortenamt	01/12	01/04	15/04	*	*

1	2	3	4	5	6	7	8	9	10
<i>Streptocarpus</i> Lindl.									
vegetative	10	1	DE	Bundessortenamt	01/12	01/03	06/03	20 young plants	as in commerce
<i>Streptocarpus</i> × <i>hybridus</i> Voss									
vegetative	10	1	DE	Bundessortenamt	01/12	01/03	04/03	20 young plants	as in commerce
<i>Strobilanthes</i> Blume									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Strobilanthes anisophylla</i> (Lodd. et al.) T. Anderson									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes, able to show all their characteristics in the first year of examination	*
<i>Stromanthe sanguinea</i> (Hook.) Sond.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Styldium graminifolium</i> Sw. ex Willd.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Styrax japonicus</i> Siebold & Zucc.									
vegetative	11	2	NL	NAKTUINBOUW	31/07	01/11	30/11	8 trees, four year old	with root balls, able to show all their representative characteristics in the 2nd year of the examination
<i>Sutera</i> Roth									
vegetative	11	1	DE	Bundessortenamt	15/11	15/02	19/02	25 well rooted cuttings	not pinched
<i>Sutera cordata</i> Thunb. Kuntze									
vegetative	11	1	DE	Bundessortenamt	15/11	15/02	19/02	25 well rooted cuttings	not pinched
<i>Sutera diffusus</i> hort.									
vegetative	11	1	DE	Bundessortenamt	15/11	15/02	19/02	25 well rooted cuttings	not pinched
<i>Sutera polyantha</i> (Benth.) Kuntze									
vegetative	11	1	DE	Bundessortenamt	15/11	15/02	19/02	25 well rooted cuttings	not pinched
<i>Symphoricarpos</i> Duhamel									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes being able to show all their characteristics in the first year of examination	*
<i>Symphoricarpos</i> × <i>chenaultii</i> Rehder									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Symphoricarpos</i> × <i>doorenbosii</i> Krüssm.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes being able to show all their characteristics in the first year of examination	*
<i>Symphotrichum dumosum</i> (L.) G. L. Nesom (syn.: <i>Aster dumosus</i> L.)									
Indoor	10	1	NL	NAKTUINBOUW	15/02	01/05	31/05	24 young plants being able to show all their characteristics in the first year of examination	*
outdoor	10	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Symphotrichum ericoides</i> (L.) G. L. Nesom (syn. <i>Aster ericoides</i> L.)									
indoor	11	1	NL	NAKTUINBOUW	15/02	01/05	31/05	24 young plants being able to show all their characteristics in the first year of examination	*
outdoor	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Symphotrichum novi-belgii</i> (L.) G. L. Nesom var. <i>novi-belgii</i> (syn. <i>Aster novi-belgii</i> L.)									
indoor	11	1	NL	NAKTUINBOUW	15/02	01/05	31/05	24 rooted cuttings; plants must be able to show all their characteristics in the first year of examination	*
outdoor	11	1	NL	NAKTUINBOUW	15/06	15/08	15/09	24 rooted cuttings; plants must be able to show all their characteristics in the first year of examination	*
<i>Symphytum</i> × <i>uplandicum</i> Nyman									
	14	2	NL	NAKTUINBOUW	31/03	01/04	30/04	24 young plants being able to show all their characteristics during the examination period; appropriate to be grown in the open	*
<i>Syngonanthus</i> Ruhland									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 young plants being able to show all their characteristics in the first year of examination	*
<i>Syngonium</i> Schott									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Syngonium podophyllum</i> Schott									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Syringa</i> L.									
	11	1	DE	Bundessortenamt	31/07	*	31/10	10 plants	with at least 3 shoots and flower buds grafted or on their own roots,
<i>Syringa</i> × <i>chinensis</i> Willd.									
	11	2	DE	Bundessortenamt	31/07	*	31/10	10 plants height 80-120 cm	with at least 3 shoots and flower buds grafted or on own roots
<i>Syringa meyeri</i> C. K. Schneid.									
	11	2	DE	Bundessortenamt	31/07	*	*	10 plants	with at least 3 shoots and flower buds grafted or on their own roots,

1	2	3	4	5	6	7	8	9	10
<i>Syringa vulgaris</i> L.									
vegetative	9	2	DE	Bundessortenamt	31/07	*	31/10	10 plants	with at least 3 shoots and flower buds, grafted or on their own roots, height 60-120cm.
<i>Syzygium australe</i> (J. C. Wendl. ex Link) B. Hyland									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Syzygium paniculatum</i> Gaertn.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Tacca chantrieri</i> André									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Tacca chantrieri</i> André × <i>T. integrifolia</i> Ker Gawl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Tagetes</i> L.									
seed	11	2	FR	GEVES	15/12	15/03	31/03	5 gram seed	*
<i>Tagetes erecta</i> L.									
seed	11	2	FR	GEVES	15/12	15/03	31/03	5 gram of seeds	*
<i>Tagetes lemmonii</i> A. Gray × <i>T. patula</i> L.									
vegetative	10	2	FR	GEVES	15/12	15/03	31/03	30 rooted plants	each plant should be labelled individually
<i>Tagetes patula</i> L.									
vegetative	11	2	FR	GEVES	15/12	15/03	31/03	30 rooted plants	each plant should be labelled individually
<i>Tagetes tenuifolia</i> Cav.									
seed	11	2	FR	GEVES	15/12	15/03	31/03	5 gram of seeds	*
<i>Tamarix tetrandia</i> Pall. ex M. Bieb.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	10 young plants of commercial standard	able to show all their representative characteristics in the first year of the examination
<i>Tanacetum parthenium</i> (L.) Sch. Bip.									
seed	11	1	NL	NAKTUINBOUW	01/12	*	01/02	5 gram seeds	germination capacity 50%
<i>Taxus baccata</i> L.									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants,	3-4 years old, container grown
<i>Taxus</i> × <i>media</i> Rehder									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3 - 4 years old, container grown

1	2	3	4	5	6	7	8	9	10
<i>Telopea oreades</i> F. Muell.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Telopea speciosissima</i> (Sm.) R. Br. × <i>Telopea oreades</i> F. Muell.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Telopea speciosissima</i> (Sm.) R. Br. × <i>Telopea truncata</i> (Labill.) R. Br.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Telopea truncata</i> (Labill.) R. Br.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Teucrium</i> × <i>lucidrys</i> Boom									
	10	1	NL	NAKTUINBOUW	*	01/03	31/03	*	*
<i>Thalictrum</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination.	*
<i>Thalictrum delavayi</i> Franch.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Thalictrum flavum</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	*	01/04	30/04	*	*
<i>Thlaspi arvense</i> L.									
seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Thuja</i> L.									
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown
vegetative	11	2	DK	University of Aarhus - Aarslev	01/03	01/04	30/04	8 plants, 3 - 6 years old.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	10
<i>Thuja occidentalis</i> L.									
vegetative	11	2	DK	University of Aarhus - Aarslev	01/03	01/04	30/04	8 plants, 3 - 6 years old	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown
<i>Thuja plicata</i> Donn ex D. Don									
vegetative	11	2	DK	University of Aarhus - Aarslev	01/03	01/04	30/04	8 plants, 3 - 6 years old	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Thunbergia</i> Retz.									
vegetative	10	1	DE	Bundessortenamt	15/01	01/04	06/04	25 rooted cuttings	not pinched
<i>Thunbergia alata</i> Bojer ex Sims									
vegetative	10	1	DE	Bundessortenamt	15/01	26/03	30/03	25 well-rooted cuttings,	not pinched.
<i>Thunbergia erecta</i> (Benth.) T. Anderson									
	10	1	DE	Bundessortenamt	15/01	06/04	09/04	25 rooted cuttings	not pinched
<i>Thunbergia fragrans</i> Roxb.									
	10	1	DE	Bundessortenamt	15/01	*	01/04	*	*
<i>Thymus</i> L.									
vegetative, ornamental	11	2	FR	GEVES	31/10	01/01	31/01	20 plants	each plant should be labelled individually
<i>Thymus</i> × <i>citriodorus</i> (Pers.) Schreb.									
	11	2	FR	GEVES	31/10	01/01	31/01	*	each plant should be labelled individually
<i>Thymus herba-barona</i> Loisel.									
	11	2	FR	GEVES	31/10	01/01	31/01	*	each plant should be labelled individually
<i>Thymus pallasianus</i> Heinr. Braun									
	11	2	FR	GEVES	31/10	01/01	31/01	*	each plant should be labelled individually
<i>Thymus praecox</i> Opiz									
	11	2	FR	GEVES	31/10	01/01	31/01	*	each plant should be labelled individually
<i>Thymus pseudolanuginosus</i> Ronniger									
	11	2	FR	GEVES	31/10	01/01	31/01	*	each plant should be labelled individually
<i>Thymus pulegioides</i> L.									
	11	2	FR	GEVES	31/10	01/01	31/01	*	each plant should be labelled individually

1	2	3	4	5	6	7	8	9	10
<i>Thymus serpyllum</i> L.									
	11	2	FR	GEVES	31/10	01/01	31/01	*	each plant should be labelled individually
<i>Thymus vulgaris</i> L.									
	11	2	FR	GEVES	31/10	01/01	01/02	20 well rooted plants of sufficient size to flower during the first year	*
<i>Tiarella</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Tiarella cordifolia</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Tiarella polyphylla</i> D. Don									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Tiarella trifoliata</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Tiarella wherryi</i> Lakela.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Tibouchina</i> Aubl.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Tibouchina foveolata</i> (Naudin) Cogn. (syn. <i>T. organensis</i> Cogn.) × <i>Tibouchina mutabilis</i> (Vell.) Cogn.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.	*
<i>Tibouchina granulosa</i> (Desr.) Cogn.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	being able to show all their characteristics in the first year of examination
<i>Tibouchina urvilleana</i> (DC.) Cogn.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
<i>Tillandsia</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 young plants	approximately 1 month before flower induction treatment, able to show all their characteristics in the first year of examination. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
<i>Tillandsia cyanea</i> Linden ex K. Koch									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	50 young plants, able to show all their characteristics during the first year of examination.	age: approximately 1 months before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
<i>Tillandsia cyanea</i> Linden ex K. Koch × <i>Tillandsia laxissima</i> Mez									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, approximately 1 month before flower induction treatment, able to show all their characteristics in the first year of examination.	*
<i>Tillandsia leiboldiana</i> Schltdl.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
<i>Tolmiea menziesii</i> (Pursh) Torr.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 young plants,	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Torenia</i> L.									
vegetative	10	1	DE	Bundessortenamt	15/11	26/02	02/03	25 well-rooted cuttings	not pinched
<i>Trachelium</i> L.									
seed	10	1	NL	NAKTUINBOUW	01/12	*	15/12	1 gam seeds	germination capacity 50%
<i>Trachelium caeruleum</i> L.									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	48 rooted cuttings, able to show all their characteristics in the first year of examination.	*
<i>Trachelospermum asiaticum</i> Nakai									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Trachelospermum jasminoides</i> (Lindl.) Lem.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
<i>Tradescantia</i> L.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Tradescantia albiflora* Kunth**

10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics during the first year of examination
----	---	----	-------------	-------	-------	-------	-----------------	---

***Tradescantia spathacea* Sw.**

vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Tradescantia virginiana* L. (syn.: *T. × andersonia* W. Ludw. et Rohweder)**

vegetative	11	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	*
------------	----	---	----	-------------	-------	-------	-------	---	---

***Tricyrtis* Wall.**

11	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
----	---	----	--------------------------------	---	---	---	---	---

***Tricyrtis formosana* Baker**

vegetative	11	1	DK	University of Aarhus - Aarslev	15/12	01/04	15/04	15 young plants of commercial standard.	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	-------	-------	-------	---	---

***Tricyrtis hirta* (Thunb.) Hook.**

11	1	DK	University of Aarhus - Aarslev	15/12	01/04	15/04	15 young plants of commercial standard.	Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. DK VAT number 17 88 24 49. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
----	---	----	--------------------------------	-------	-------	-------	---	---

***Tricyrtis nana* Yatabe × *T. ohsumiensis* Masam.**

11	1	DK	University of Aarhus - Aarslev	*	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
----	---	----	--------------------------------	---	---	---	---	---

1	2	3	4	5	6	7	8	9	10
<i>Trifolium incarnatum</i> L.									
	4	2	DE	Bundessortenamt	10/07	*	01/08	2,0 kg	minimum germination capacity 85%
<i>Trifolium michelianum</i> Savi									
	3	2	FR	GEVES	15/12	15/12	10/01	1 kg of seeds	good germination capacity
<i>Trifolium pratense</i> L.									
	4	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	1,0 kg	*
	4	2	DE	Bundessortenamt	15/01	*	15/02	2,0 kg	minimum germination capacity 85%
	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*
<i>Trifolium repens</i> L.									
agricultural	4	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	750 g	
ornamental, vegetatively propagated	4	1	GB	Animal & Plant Health Agency (APHA)	01/03	*	29/03	20 rooted cuttings of the candidate variety	*
<i>Trifolium repens</i> L.									
vegetatively propagated	4	1	GB	Animal & Plant Health Agency (APHA)	*	*	29/03	25 rooted cuttings	*
<i>Trifolium repens</i> L.									
	4	3	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	1,0 kg	*
	4	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1,0 kg	*
<i>Trifolium resupinatum</i> L.									
	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5	*
<i>Trigonella foenum-graecum</i> L.									
	4	2	FR	GEVES	*	*	*	*	*
<i>Tripterygium regelii</i> Sprague & Takeda									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Trisetum flavescens</i> (L.) P. Beauv.									
	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	0,5 kg	*

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Triteleia* Douglas ex Lindl.**

vegetative	11	1	NL	NAKTUINBOUW	01/09	01/10	31/10	30 corms	of flowering size
------------	----	---	----	-------------	-------	-------	-------	----------	-------------------

× *Triticosecale* Witt.

agricultural	4	2	FR	GEVES	10/09	*	20/09	5.0 kg	*
spring	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	*	15/02	5,0 kg 130 unthreshed ears	*
spring	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	3,0 kg	120 ears
spring	4	2	DE	Bundessortenamt	05/01	*	15/01	5,0 kg	for hybrids in addition: 4,0 kg of each component including single cross minimum germination capacity 94%; on request: 120 ears
spring	4	2	PL	COBORU	30/11	*	25/02	6,0 kg seed	240 ears. In case of hybrid: In addition 3,0 kg seed of each component
spring, hybrid	4	2	DE	Bundessortenamt	*	*	*	*	*
spring, line	4	2	FR	GEVES	15/01	*	25/01	5,0 kg	*
winter	4	2	DE	Bundessortenamt	25/08	*	10/09	5,0 kg	for hybrids in addition: 4,0 kg of each component including single cross minimum germination capacity 94%; on request: 170 ears
winter	4	2	AT	Bundesamt für Ernährungssicherheit	30/08	*	15/09	3,0 kg	120 ears
winter	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/08	*	10/09	5,0 kg	130 unthreshed ears
winter	4	2	PL	COBORU	31/08	*	05/09	6,0 kg seed	240 ears. In case of hybrid: In addition 3,0 kg seed of each component
winter, hybrid	4	2	DE	Bundessortenamt	*	*	*	*	*
winter, hybrid (chemical)	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
winter, line	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
	4	*	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*

***Triticum aestivum* L. emend. Fiori et Paol.**

alternative	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	14/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
alternative	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
hybrid (chemical, winter)	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
spring	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	3,0 kg	*
spring	4	2	FI	Finnish Food Safety Authority Evira	01/03	*	01/04	3,0 kg	120 ears
spring	4	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	*	10/02	5 kg	220 ears
spring	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	3,0 kg	120 ears

1	2	3	4	5	6	7	8	9	10
<i>Triticum aestivum</i> L. emend. Fiori et Paol.									
spring	4	2	GB	Animal & Plant Health Agency (APHA)	22/09	*	15/01	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
spring	4	2	PL	COBORU	30/11	*	25/02	6,0 kg seed	240 ears. In case of hybrid: In addition 3,0 kg seed of each component
spring	4	2	EE	Agricultural Research Center	01/02	*	01/04	3,0 kg	and 150 unbeaten ears
spring	4	2	DE	Bundessortenamt	05/01	*	15/01	5,0 kg	minimum germination capacity 94%; on request: 120 unbeaten ears. In case of hybrid: hybrid and each component: 5 kg and on request 120 ears
spring	4	2	FR	GEVES	15/01	*	25/01	5,0 kg	*
spring	4	2	BE	Centre de Recherches Agronomiques Wallon	31/12	*	01/02	3,0 kg	The minimum requirements for germination capacity, analytical purity and seed purity
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3,0 kg	150 ears
spring	4	2	DK	TystofteFoundation	20/01	*	10/02	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line
spring	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	25/01	5,0 kg	170 unthreshed ear
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3,0 kg	150 ears
winter	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	25/08	*	10/09	5,0 kg	170 unthreshed ears
winter	4	2	BE	Centre de Recherches Agronomiques Wallon	15/09	*	25/09	3,0 kg	The minimum requirements for germination capacity, analytical purity and seed purity
winter	4	2	FI	Finnish Food Safety Authority Evira	20/07	*	20/08	3,0 kg	120 ears
winter	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/09	*	20/09	5,0 kg	220 ears
winter	4	2	DE	Bundessortenamt	01/09	*	15/09	5,0 kg	minimum germination capacity 94%; on request: 170 unbeaten ears. In case of hybrid: hybrid and each component: 4 kg and on request 170 ears
winter	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	14/09	1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given	In case of hybrids: 1.5 kg bulk seed and 0.5 kg selected seed with 1000 seed weight given of each parent line
winter	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
winter	4	2	PL	COBORU	31/08	*	05/09	6,0 kg seed	240 ears. In case of hybrid: In addition 3,0 kg seed of each component
winter	4	2	DK	TystofteFoundation	07/09	*	07/09	3,0 kg	in case of hybrids: additional 3 kg seeds of every unknown parental line
winter	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	30/08	*	30/09	3,0 kg	*

1	2	3	4	5	6	7	8	9	10
<i>Triticum aestivum</i> L. emend. Fiori et Paol.									
winter	4	2	AT	Bundesamt für Ernährungssicherheit	09/09	*	24/09	3,0 kg	120 ears
winter	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	25/08	*	14/09	3,0 kg	*
<i>Triticum aestivum</i> L. emend. Fiori et Paol. × <i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.									
	4	2	FR	GEVES	10/09	01/09	20/09	5,0 kg of reference seeds	no comment
	4	2	DE	Bundessortenamt	01/09	*	15/09	5,0 kg	minimum germination capacity 94%;
	4	2	HU	National Food Chain Safety Office (NÉBIH)	*	*	*	*	*
	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	25/08	25/08	10/09	5,0 kg + 170 unthreshed ears	The minimum requirements for germination capacity, analytical purity and seed health should not be less than the standards laid down in EC Directive 66/402/EEC
<i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.									
spring	4	2	DE	Bundessortenamt	05/01	*	15/01	5,0 kg	minimum germination capacity 94%; on request: 120 ears
winter	4	2	BE	Centre Wallon de Recherches Agronomiques	15/09	*	25/09	3,0 kg of peeled seeds	The minimum requirements for germination capacity, analytical purity and seed purity
winter	4	2	DE	Bundessortenamt	01/09	*	15/09	5,0 kg	minimum germination capacity 94%; on request: 170 ears
<i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell. × <i>T. turgidum</i> L. subsp. <i>dicoccon</i> (Schränk) Thell.									
	4	2	DE	Bundessortenamt	*	*	*	*	*
<i>Triticum durum</i> Desf.									
spring	4	2	HU	National Food Chain Safety Office (NÉBIH)	31/01	*	10/02	5 kg	220 ears
spring	4	2	IT	CREA-SCS	30/11	*	15/01	2 kg of seeds and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + 1 kg of the female parental line + 1 kg of the restorer	germination capacity min. 85%, untreated
spring	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	3,0 kg	180 ears
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3,0 kg	150 ears
winter	4	2	AT	Bundesamt für Ernährungssicherheit	30/08	*	15/09	3,0 kg	180 ears
winter	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/09	*	20/09	5 kg	220 ears
winter	4	2	FR	GEVES	10/09	*	20/09	5,0 kg	*
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	5,0 kg	150 ears
winter	4	2	IT	CREA-SCS	31/07	*	15/08	2 kg of seeds and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + 1 kg of the female parental line + 1 kg of the restorer	germination capacity min. 85%, untreated

1	2	3	4	5	6	7	8	9	10
<i>Triticum monococcum</i> L.									
spring	4	2	DE	Bundessortenamt	15/08	*	01/09	5.0 kg; minimum germination capacity 94%.	On request for the second growing cycle: 170 unbeaten ears
winter	4	2	DE	Bundessortenamt	01/09	*	15/09	5.0 kg; minimum germination capacity 94%.	On request for the second growing cycle: 170 unbeaten ears
<i>Tulipa</i> L.									
vegetative	9	1	NL	NAKTUINBOUW	01/09	01/10	15/10	30 bulbs of flowering size, able to show all their characteristics during the first year of examination.	*
<i>Turnera diffusa</i> Willd.									
seed	10	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Tussilago farfara</i> L.									
	14	2	DE	Bundessortenamt	*	*	*	*	*
<i>Ulmus</i> L.									
garden, tree	9	3	DE	Bundessortenamt	01/12	01/03	15/03	10 plants	size 150 to 175 cm
<i>Ulmus davidiana</i> Planch									
	9	3	DE	Bundessortenamt	01/12	*	15/03	10 plants, size 150-175 cm, grafted or on own roots	*
<i>Ulmus glabra</i> Huds.									
	9	3	DE	Bundessortenamt	01/12	01/03	15/03	10 plants	size 150 to 175 cm
<i>Ulmus</i> × <i>hollandica</i> Mill.									
	9	3	DE	Bundessortenamt	*	*	*	*	*
<i>Ulmus laevis</i> Pall.									
tree	9	3	DE	Bundessortenamt	01/02	01/04	15/04	10 plants	potted plants, size 150 to 175 cm
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old plants, container grown
<i>Ulmus minor</i> Mill.									
tree	9	3	DE	Bundessortenamt	01/12	*	15/03	10 plants	size 150 to 175 cm
<i>Ulmus parvifolia</i> Jacq. (synonym <i>Ulmus chinensis</i> Pers.)									
	9	3	DE	Bundessortenamt	01/12	01/03	15/03	10 plants	size 150 to 175 cm
<i>Ulmus pumila</i> L.									
	9	3	DE	Bundessortenamt	01/12	01/03	15/03	10 plants	size 150 to 175 cm
<i>Uncinia</i> Pers.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Uncinia divaricata</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Uncinia egmontiana* Hamlin.**

vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	--	-------	-------	-------	-----------	--

***Uncinia rubra* Colenso ex Boott**

vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	--	-------	-------	-------	-----------	--

***Uncinia uncinata* (L. f.) Kuk.**

vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	--	-------	-------	-------	-----------	--

***Vaccinium* L.**

autumn planting	7	4	PT	Direção Geral de Alimentação e Veterinária		31/07	01/09	30/09	10 well-rooted, potted plants with minimum 3 shoots per plant.	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
spring planting	7	4	PT	Direção Geral de Alimentação e Veterinária		31/01	01/03	31/03	10 well-rooted, potted plants with minimum 3 shoots per plant.	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.

***Vaccinium angustifolium* Aiton**

	7	4	PL	COBORU		31/07	01/10	31/10	9 well-rooted, potted plants with minimum 3 shoots per plant	Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
--	---	---	----	--------	--	-------	-------	-------	--	---

***Vaccinium angustifolium* Aiton × *V. corymbosum* L.**

	7	4	PL	COBORU		31/07	01/10	31/10	9 well-rooted, potted plants with minimum 3 shoots per plant	Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
--	---	---	----	--------	--	-------	-------	-------	--	---

***Vaccinium corymbosum* L.**

autumn planting	7	4	PT	Direção Geral de Alimentação e Veterinária		31/07	01/09	30/09	10 well-rooted, potted plants with minimum 3 shoots per plant	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
spring planting	7	4	PT	Direção Geral de Alimentação e Veterinária		31/01	01/03	31/03	10 well-rooted, potted plants with minimum 3 shoots per plant	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
	7	4	PL	COBORU		31/07	01/10	31/10	9 well-rooted, potted plants with minimum 3 shoots per plant	Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.

***Vaccinium simulatum* Small**

autumn planting	7	4	PT	Direção Geral de Alimentação e Veterinária		31/07	01/09	30/09	10 well-rooted, potted plants with minimum 3 shoots per plant	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
-----------------	---	---	----	--	--	-------	-------	-------	---	--

1	2	3	4	5	6	7	8	9	10
<i>Vaccinium simulatum</i> Small									
spring planting	7	4	PT	Direção Geral de Alimentação e Veterinária	31/01	01/03	31/03	10 well-rooted, potted plants with minimum 3 shoots per plant	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Vaccinium virgatum</i> Aiton									
autumn planting	7	4	PT	Direção Geral de Alimentação e Veterinária	31/07	01/09	30/09	10 well-rooted, potted plants with minimum 3 shoots per plant	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
spring planting	7	4	PT	Direção Geral de Alimentação e Veterinária	31/01	01/03	31/03	10 well-rooted, potted plants with minimum 3 shoots per plant	Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
	7	4	PL	COBORU	31/07	01/10	31/10	9 well-rooted, potted plants with minimum 3 shoots per plant	Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Vaccinium vitis-idaea</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
<i>Valerianella locusta</i> L.									
	13	2	FR	GEVES	01/09	*	01/09	20,000 seeds (150 g)	*
	13	2	NL	NAKTUINBOUW	15/02	*	01/03	14,000 seeds	*
<i>Vanda</i> Jones ex R. Br.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants, able to flower in the first year of examination but not yet flowering and not having flowered before, plus 3 fully-grown plants, able to flower and to show all their characteristics in the first year of examination	*
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants, able to flower in the first year of examination but not yet flowering and not having flowered before, plus 3 fully-grown plants, able to flower and to show all their characteristics in the first year of examination	*
<i>Vanilla planifolia</i> Andrews									
	7	2	FR	GEVES	15/01	15/01	15/02	15 cuttings or plants. The material is to be supplied in the form of cuttings with at least 2 nodes, or one year old plants.	The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease. The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

1	2	3	4	5	6	7	8	9	10
<i>Verbascum L.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum bombyciferum Boiss.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum chaixii Vill.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants.	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum creticum</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum epixanthinum Boiss. & Heldr.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum epixanthinum Boiss. & Heldr. × V. phoeniceum L.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum × hybridum Brot.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum luridiflorum Hub.-Mor.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Verbascum phoeniceum L.</i>									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Verbascum phoeniceum* L. × *V. pyramidatum* M. Bieb.**

vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
------------	----	---	----	------	-------	-------	-------	-----------	--

***Verbascum pyramidatum* M. Bieb.**

11	*	GB	NIAB	*	*	*	*	*
----	---	----	------	---	---	---	---	---

***Verbena* L.**

seed	9	1	NL	NAKTUINBOUW	01/12	*	01/02	10 gram seeds	germination capacity 50%
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	15/04	24 young plants being able to show all their characteristics in the first year of examination, virus free.	*

***Verbena bonariensis* L.**

vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	15/04	24 young plants being able to show all their characteristics in the first year of examination, virus free.	*
------------	---	---	----	-------------	-------	-------	-------	--	---

***Verbena rigida* Spreng.**

vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	15/04	24 young plants being able to show all their characteristics in the first year of examination, virus free.	*
------------	---	---	----	-------------	-------	-------	-------	--	---

***Veronica* L.**

vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
------------	---	---	----	-------------	-------	-------	-------	---	-------------------------------------

***Veronica austriaca* L. × *V. spicata* L.**

9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
---	---	----	-------------	-------	-------	-------	---	-------------------------------------

***Veronica longifolia* L.**

vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
------------	---	---	----	-------------	-------	-------	-------	---	-------------------------------------

***Veronica* × *media* Schrad. (*V. longifolia* L. × *V. spicata* L.)**

9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination appropriate to be grown in the open	*
---	---	----	-------------	-------	-------	-------	---	---

***Veronica peduncularis* M. Bieb.**

vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
------------	---	---	----	-------------	-------	-------	-------	---	-------------------------------------

***Veronica prostrata* L.**

vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
------------	---	---	----	-------------	-------	-------	-------	---	-------------------------------------

1	2	3	4	5	6	7	8	9	10
<i>Veronica spicata</i> L.									
vegetative	9	1	NL	NAKTUINBOUW	01/12	01/04	30/04	24 young plants being able to show all their characteristics in the first year of examination	appropriate to be grown in the open
<i>Veronica virginica</i> L. (synonyme <i>Veronicastrum virginicum</i> (L.) Farw.)									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	NL	NAKTUINBOUW	01/02	01/04	30/04	24 young plants,	able to show all their characteristics in the first year of flowering
<i>Viburnum</i> L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes being able to show all their characteristics in the first year of examination	*
<i>Viburnum odoratissimum</i> Ker Gawl.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes	able to show all their characteristics in the first year of examination
<i>Viburnum opulus</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes	able to show all their characteristics in the first year of examination
	11	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4years old plants, container grown
<i>Viburnum plicatum</i> Thunb.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes able to show all their characteristics in the first year of examination	*
	11	1	FR	GEVES	01/12	15/02	15/03	8 plants grown in container, 2 years old	*
<i>Viburnum tinus</i> L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	8 young bushes, able to show all their characteristics during the first year of examination.	*
<i>Vicia ervilia</i> (L.) Willd.									
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Vicia faba</i> L.									
agricultural	4	2	AT	Bundesamt für Ernährungssicherheit	01/12	*	01/12	3.0 kg	Minimum germination capacity 85 %
agricultural	4	2	FR	GEVES	15/12	*	10/01	20000 grains	*
agricultural	4	2	DE	Bundessortenamt	15/12	*	01/02	4 kg seed	minimum germination capacity 85 %
agricultural	4	2	PL	COBORU	15/12	*	01/03	3,0 kg seed	*
agricultural	4	2	NL	NAKTUINBOUW	01/03	*	01/04	3,000 seeds	*
spring	4	2	DK	TystofteFoundation	20/01	*	10/02	3.0 kg seed	*
spring	4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	15/01	3 kg or 6000 seeds	Minimum germination capacity 80%
vegetable	4	2	DE	Bundessortenamt	15/01	*	01/02	6,000 seeds	minimum germination capacity 85%

1	2	3	4	5	6	7	8	9	10
<i>Vicia faba</i> L.									
vegetable	4	2	PL	COBORU	20/12	*	01/03	2,5 kg <800 g varieties of 1000 seeds weight, 4,0 kg >800 g varieties of 1000 seeds weight	*
vegetable	4	2	NL	NAKTUINBOUW	01/03	*	01/04	3 000 seeds	*
vegetable	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	6,0 kg	*
vegetable, broad bean	4	2	FR	GEVES	15/08	*	15/09	4,0 kg seed	*
winter	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	17/09	3 kg or 6000 seeds	Minimum germination capacity 80%
<i>Vicia narbonensis</i> L.									
	4	2	IT	CREA-SCS	15/08	*	01/09	2,0 kg	*
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Vicia sativa</i> L.									
	4	2	FR	GEVES	15/12	*	10/01	2,0 kg	*
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Vicia villosa</i> Roth									
	4	*	FR	GEVES	*	*	*	*	*
<i>Vinca</i> L.									
vegetative, non variegated	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
vegetative, variegated	11	1	GB	NIAB	01/12	12/03	23/03	15 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Vinca difformis</i> Pourr.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Vinca major</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Vinca minor</i> L.									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5		6	7	8	9		10
<i>Viola L.</i>											
seed-propagated	11	1	GB	NIAB		01/12	22/01	26/01	250 seeds		seed must be of high germination capacity
vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 young plants		Plants must be vegetatively propagated.
<i>Viola cornuta L.</i>											
seed	11	1	GB	NIAB		01/12	22/01	26/01	250 seeds		Seed must be of high germination capacity.
vegetative	11	1	GB	NIAB		10/12	12/03	23/03	15 young plants		Plants must be vegetatively propagated.
<i>Viola tricolor L.</i>											
vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 young plants		Plants must be vegetatively propagated.
<i>Viola</i> × <i>wittrockiana</i> Gams											
vegetative	11	1	GB	NIAB		01/12	12/03	23/03	15 young plants		Plants must be vegetatively propagated.
<i>Vitex agnus-castus L.</i>											
vegetative	14	1	DE	Bundessortenamt		*	*	01/02	30 well rooted young plants / per annum		no chemical or physical treatment, without harmful organisms
<i>Vitex trifolia L.</i>											
	10	1	NL	NAKTUINBOUW		*	*	*	*		*
<i>Vitis L.</i>											
grape	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		31/12	01/02	15/03	10 one-year-old rooted grafts grafted on Richter 110 rootstock (not produced from herbaceous material)		Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis L.</i>									
grape	7	4	FR	GEVES	31/12	01/01	15/03	10 one-year-old rooted grafts (not produced from herbaceous material) in vegetative rest state (suitable for treatment with hot water)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised laboratory certificate indicating that the plant material had been tested and is free of: - Grapevine fan-leaf virus (GFLV), - Arabis mosaic virus (ArMV), - Grapevine leafroll-associated virus 1 and 3 (GLRaV1 and GLRaV3)
grape	7	4	DE	Bundessortenamt	15/02	01/03	15/04	10 one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
rootstock	7	4	DE	Bundessortenamt	15/02	01/03	15/04	8 one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis L.</i>									
table grape	7	4	IT	CREA-VIT (EO)	31/12	01/02	31/03	10 one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised laboratory certificate indicating that the plants are free from: Arabis mosaic virus (ArMV) Grapevine fanleaf virus (GFLV) Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) Grapevine virus A (GVA) Grapevine virus B (GVB) Grapevine fleck virus (GFkV)
	7	4	HU	National Food Chain Safety Office (NÉBIH)	31/12	01/03	15/04	10 one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Vitis acerifolia</i> Raf. (syn. <i>V. solonis</i> hort. ex Planch.)									
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis acerifolia</i> Raf. (syn. <i>V. solonis</i> hort. ex Planch.)									
	7	4	DE	Bundessortenamt	*	*	*	*	*
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	15 grafted plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)
<i>Vitis aestivalis</i> Michx.									
	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
<i>Vitis arizonica</i> Engelm.									
	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
<i>Vitis baileyana</i> Munson									
	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
<i>Vitis betulifolia</i> Diels & Gilg									
	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
<i>Vitis cinerea</i> (Engelm.) Engelm. ex Millardet var. <i>helleri</i> (L. H. Bailey) M. O. Moore (syn. <i>V. berlandieri</i> Planch.)									
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis cinerea</i> (Engelm.) Engelm. ex Millardet var. <i>helleri</i> (L. H. Bailey) M. O. Moore (syn. <i>V. berlandieri</i> Planch.)									
	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
	7	4	DE	Bundessortenamt	*	*	*	*	*
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	15 grafted plants	*
<i>Vitis labrusca</i> L.									
grape	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted grafts grafted on Richter 110 rootstock (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis labrusca</i> L.									
7	4	IT	CREA-VIT (EO)	31/12	01/02	31/03	10	one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material should be accompanied by a Plant Passport or a Phytosanitary certificate and a recognised laboratory certificate indicating that the plants are free from: Arabis mosaic virus (ArMV) Grapevine fanleaf virus (GFLV) Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) Grapevine virus A (GVA) Grapevine virus B (GVB)
7	4	DE	Bundessortenamt	15/02	01/03	15/04	10	one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Vitis labrusca</i> L. × <i>V. vinifera</i> L.									
7	4	DE	Bundessortenamt	*	*	*	*		*
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10	one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Vitis labrusca* L. × *V. vinifera* L.**

	7	4	IT	CREA-VIT (EO)	31/12	01/02	31/03	10	one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised laboratory certificate indicating that the plants are free from: Arabis mosaic virus (ArMV) Grapevine fanleaf virus (GFLV) Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) Grapevine virus A (GVA) Grapevine virus B (GVB) Grapevine fleck virus (GFkV)
--	---	---	----	---------------	-------	-------	-------	----	--	---

***Vitis monticola* Buckley**

	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
--	---	---	----	---------------	---	---	---	---	---

***Vitis* × *novae-angliae* Fernald**

	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
--	---	---	----	---------------	---	---	---	---	---

***Vitis riparia* Michx.**

rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10	one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)
-----------	---	---	----	---	-------	-------	-------	----	--	---

1	2	3	4	5	6	7	8	9	10
<i>Vitis riparia</i> Michx.									
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10	one-year-old rooted grafts grafted on Richter 110 rootstock (not produced from herbaceous material)	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)
7	*	IT	CREA-VIT (EO)	*	*	*	*	*	*
7	4	DE	Bundessortenamt	*	*	*	*	*	*
<i>Vitis rotundifolia</i> Michx. var. <i>rotundifolia</i> × <i>V. rupestris</i> Scheele									
7	4	HU	National Food Chain Safety Office (NÉBIH)	31/01	15/03	15/04	8		virus free
7	4	FR	GEVES	31/12	01/01	15/03	10	one-year-old rooted cuttings (not produced from herbaceous material).	Plants resulting from meristem-atic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material should be accompanied by a Plant Passport or a Phytosanitary certificate and a recognised laboratory certificate confirming that the plants are free from: - Grapevine fanleaf virus (GFLV), - Arabis mosaic virus (ArMV), - Grapevine leafroll-associated virus 1 and 3 (GLRaV1 and GLRaV3)

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

***Vitis rupestris* Scheele**

rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)
	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	15 grafted plants	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis rupestris</i> Scheele									
	7	4	DE	Bundessortenamt	*	*	*	*	*
<i>Vitis vinifera</i> L.									
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted cuttings (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)
table grape	7	4	IT	CREA-VIT (EO)	31/12	01/02	31/03	10 one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised laboratory certificate indicating that the plants are free from: Arabis mosaic virus (ArMV) Grapevine fanleaf virus (GFLV) Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) Grapevine virus A (GVA) Grapevine virus B (GVB) Grapevine fleck virus (GFkV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis vinifera</i> L.									
	7	4	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	01/03	15/04	10 one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
	7	4	DE	Bundessortenamt	15/02	01/03	15/04	10 one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
	7	4	FR	GEVES	31/12	01/01	15/03	10 one-year-old rooted cuttings (not produced from herbaceous material).	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plant material should be accompanied by a Plant Passport or a Phytosanitary certificate and a recognised laboratory certificate confirming that the plants are free from: - Grapevine fanleaf virus (GFLV) - Arabis mosaic virus (ArMV) - Grapevine leafroll-associated virus 1 and 3 (GLRaV1 and GLRaV3)
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 one-year-old rooted grafts grafted on Richter 110 rootstock (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease and has been lab-tested to give negative result for: - Grapevine fanleaf virus (GFLV), - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3), - Arabis mosaic virus - only for material coming from outside Spain (ArMV)

1	2	3	4	5	6	7	8	9	10
<i>Vitis vinifera</i> L.									
	7	4	HU	National Food Chain Safety Office (NÉBIH)	31/12	01/03	15/04	10 one-year-old rooted grafts (not produced from herbaceous material)	Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Vitis vulpina</i> L.									
	7	*	IT	CREA-VIT (EO)	*	*	*	*	*
<i>Vriesea</i> Lindl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	age: approximately 1 months before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material)
<i>Vriesea hieroglyphica</i> (Carrière) E. Morren									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
× <i>Vuylstekeara</i> hort.									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Wahlenbergia</i> Schrad. ex Roth.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Wahlenbergia procumbens</i> (Thunb.) A. DC.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Wahlenbergia stricta</i> Sweet.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Wahlenbergia undulata</i> (L. f.) A. DC.									
vegetative	10	1	GB	NIAB	01/12	12/03	23/03	15 young plants	Plants must be vegetatively propagated.
<i>Weigela</i> Thunb.									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, two years old, in container	each plant should be individually labelled
<i>Weigela florida</i> (Bunge) A. DC.									
vegetative	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, two years old, in container	each plant should be individually labelled
<i>Weigela hortensis</i> (Siebold & Zucc.) K. Koch									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
<i>Weigela middendorffiana</i> (Carrière) K. Koch									
	11	2	FR	GEVES	01/12	15/02	15/03	8 plants, two years old, in container	each plant should be individually labelled

1	2	3	4	5	6	7	8	9	10
Weigela praecox (Lemoine) L. H. Bailey									
	9	2	FR	GEVES	01/12	15/02	15/03	8 plants, in container, 2 year old	each plant should be labelled individually
Weinmannia L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/05	15/05	24 young plants being able to show all their characteristics in the first year of examination	*
Westringia fruticosa (Willd.) Druce									
vegetative	11	1	GB	NIAB	01/12	12/03	23/03	10 plants	Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
Wisteria floribunda (Willd.) DC.									
	11	2	DE	Bundessortenamt	01/12	*	15/03	10 potted plants	two years old
Wisteria frutescens (L.) Poir.									
vegetative	11	1	DE	Bundessortenamt	01/12	*	15/03	10 plants	container grown, 1 year old
Wolffia globosa (Roxb.) Hartog & Plas									
	13	1	NL	NAKTUINBOUW	01/05	01/09	01/10	200 plants. To be delivered in water	Able to show all their characteristics during the first year of examination.
Xanthocyparis nootkatensis (D. Don) Farjon & D. K. Harder									
vegetative	9	2	PL	COBORU	15/01	15/03	15/04	8 plants	3-4 years old, container grown
Xanthosoma sagittifolium (L.) Schott									
	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants	able to show all their characteristics in the first year of examination
Xerochrysum bracteatum (Vent.) Tzvelev (syn: <i>Bracteantha bracteata</i> Anderb. and Haegi)									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 well rooted cuttings, able to show all their characteristics during the first year of examination.	*
Yucca L.									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
Yucca gloriosa L.									
	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
Yucca guatemalensis Baker									
vegetative	11	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination.	*
Zamioculcas zamiifolia (hort. Lodd.) Engl.									
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	24 young plants being able to show all their characteristics in the first year of examination	*
Zantedeschia Spreng.									
aethiopica	10	1	NL	NAKTUINBOUW	01/06	01/09	15/09	30 rhizomes in rest	size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination)

1	2	3	4	5	6	7	8	9	10
<i>Zantedeschia</i> Spreng.									
seed	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	500 seeds + 100 one year old tubers (C2 material).	*
vegetative	10	1	NL	NAKTUINBOUW	01/12	01/03	31/03	30 rhizomes/bulbs	size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination)
<i>Zanthoxylum piperitum</i> (L.) DC.									
vegetative	10	1	DE	Bundessortenamt	15/02	01/06	06/06	25 rooted cuttings	*
<i>Zea mays</i> L.									
hybrid	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/02	*	31/03	1,0 kg	+ 1,0 kg of each unknown component
hybrid	4	2	IT	CREA-SCS	15/01	*	15/02	1.0 kg of the hybrid and 3000 germinable grains of each parent	minimum germination capacity 90%
hybrid	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	20/02	*	10/03	1,0 kg	For each component 3000 germinable grains
hybrid	4	2	FR	GEVES	01/03	*	01/04	Hybrid: 1,0 kg	2000 grains of each line If applicable: 2000 grains of the single hybrid parent
hybrid	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/01	*	15/03	1.0 kg of the hybrid and 1500 grains of each line and 1500 grains of the single hybrid, if applicable	untreated seed must meet at least the requirements for certified seeds
hybrid	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5000 grains of the hybrid and of its parent lines	Indicate thousand seed weight and germination capacity
hybrid	4	2	DE	Bundessortenamt	01/02	*	01/03	2,0 kg	minimum germination capacity 94%. For each component 3000 germinable grains
line	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	20/02	*	10/03	3000 germinable grains	*
line	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/02	*	31/03	1,0 kg	*
line	4	2	FR	GEVES	01/03	*	01/04	2000 grains	*
line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5000 grains	Indicate thousand seed weight and germination capacity
line	4	2	DE	Bundessortenamt	01/02	*	01/03	3000 germinable grains	*
line	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/01	*	15/03	1500 grains	*
line	4	2	IT	CREA-SCS	15/01	*	15/02	3000 germinable grains	minimum germination capacity 90%
single hybrid as parent	4	2	IT	CREA-SCS	15/01	*	15/02	3000 germinable grains of the single hybrid and of each parent	minimum germination capacity 90%
single hybrid as parent	4	2	FR	GEVES	01/03	*	01/04	2000 grains	and 2000 grains of each parent line
sweet & pop	4	2	HU	National Food Chain Safety Office (NÉBIH)	10/02	*	15/03	20.000 seeds	*
sweet corn & pop corn	4	2	NL	NAKTUINBOUW	01/04	*	15/04	3.000 seeds	*
sweet corn & pop corn	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	*	28/02	2000 germinable grains	*

1	2	3	4	5	6	7	8	9	10
<i>Zea mays</i> L.									
sweet corn & pop corn	4	2	IT	CREA-SCS	15/01	*	15/02	1.0 kg of the hybrid and 3000 germinable grains of each parent	minimum germination capacity 90%
sweet corn & pop corn	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5000 grains	*
sweet corn & pop corn	4	2	FR	GEVES	15/03	*	01/04	1.0 kg untreated seed	*
× <i>Zelglossoda</i> J. M. H. Shaw									
	10	1	NL	NAKTUINBOUW	*	*	*	*	*
<i>Zelkova serrata</i> (Thunb.) Makino									
vegetative	11	2	DK	University of Aarhus - Aarslev	15/12	01/04	15/04	8 plants propagated by cuttings, 3-4 year old	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Zinnia</i> L.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity
<i>Zinnia angustifolia</i> Kunth									
seed	11	1	GB	NIAB	02/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Zinnia angustifolia</i> Kunth × <i>Z. elegans</i> Jacq.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Zinnia elegans</i> Jacq.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Zinnia haageana</i> Regel.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Zinnia peruviana</i> (L.) L.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Zinnia violacea</i> Cav.									
seed	11	1	GB	NIAB	01/12	22/01	26/01	250 seeds	Seed must be of high germination capacity.
<i>Zoysia matrella</i>									
	3	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	*
<i>Zygopetalum</i> Hook.									
august crop	10	1	NL	NAKTUINBOUW	30/04	01/08	31/08	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering.
january crop	10	1	NL	NAKTUINBOUW	30/09	01/01	31/01	10 young plants being able to show all their characteristics in the first year of examination	preferably budded but not yet flowering.

Format of official CPVO publications

As from 2010

The 6 editions of the Official Gazette, the 6 editions of the S2-Gazette and the Annex to the Annual Report will be exclusively available in digital format.

The Annual Report (without Annex) will be available in both formats, hard copy and digital.

All official publications of the CPVO published after 2009 will be free of charge.

Before 2010

Available hard copies of all official CPVO publications will be for sale.

Digital copies will be freely downloadable.

How to obtain CPVO Publications

Paper copies:

Of pre-2010 CPVO Publications, hard copies for sale, if printed versions are still available, only available at the CPVO.

Of Annual Reports as from 2010:

- via EU Bookshop (<http://bookshop.europa.eu>);
 - from your bookseller by quoting the title, publisher and/or ISBN number;
 - by contacting one of the sales agents of the Publications Office of the European Union directly.
- You can obtain their contact details on the Internet (<http://bookshop.europa.eu>).

Digital copies:

All CPVO Publications are freely downloadable as pdf documents:

- via the CPVO website (<http://www.cpvo.europa.eu>);
- via EU Bookshop (<http://bookshop.europa.eu>).

Note:

An e-subscriber service is in place via the CPVO website, at the very bottom of the CPVO web pages, "Subscription" / "CPVO Publications and announcements".

To be kept posted on new Official Publications, you can subscribe to receive a message delivered straight in your inbox.

ISSN 1831-6212 • TG-AB-17-S01-12-N

©CPVO Angers, 2017

Reproduction is authorised, except for commercial purposes, provided the source is acknowledged.

Produced by CPVO

Typeset by L^AT_EX



CPVO

3 boulevard Maréchal Foch - CS 10121
49101 ANGERS CEDEX 2 - FRANCE
Tel. +33 (0)2 41 25 64 00 - Fax +33 (0)2 41 25 64 10
cpvo@cpvo.europa.eu - www.cpvo.europa.eu

S2•1•2017

15|02|2017



Publications Office