



CPVO

Community Plant Variety Office

Официален бюлетин на Службата на Общността за сортовете растения

Boletín Oficial de la Oficina Comunitaria de Variedades Vegetales

Úřední věstník Odrůdového úřadu Společenství

EF-Sortsmyndighedens Officielle Tidende

Amtsblatt des Gemeinschaftlichen Sortenamtes

Ühenduse Sordiameti ametlik väljaanne

Επίσημη Εφημερίδα του Κοινοτικού Γραφείου Φυτικών Ποικιλιών

Official Gazette of the Community Plant Variety Office

Bulletin officiel de l'Office communautaire des variétés végétales

Službeni list Ureda Zajednice za zaštitu biljnih sorti

Bollettino ufficiale dell'Ufficio comunitario delle varietà vegetali

Kopienas Augu šķirņu biroja Oficiālais Vēstnesis

Bendrijos augalų veislių tarnybos oficialusis žurnalas

A Közösségi Növényfajta Hivatal Hivatalos Közlönye

Gazzetta Ufficjale ta' l-Ufficċju Komunitarju tal-Varjetajiet ta' Pjanti

Mededelingenblad van het Communautair Bureau voor Plantenrassen

Urzędowa Gazeta Wspólnotowego Urzędu Odmian Roślin

Boletim Oficial do Instituto Comunitário das Variedades Vegetais

Buletinul oficial al Oficiului Comunitar pentru Soiuri de Plante

Úradný vestník Úradu Spoločenstva pre odrody rastlín

Uradno glasilo Urada Skupnosti za rastlinske sorte

Yhteisön kasvilajikeviraston virallinen lehti

Officiell tidskrift för Gemenskapens växsortsmyndighet

S2•6•2018

15|12|2018

- BG** Служба на Общността за сортовете растения • Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал(Страница 2)
- ES** Oficina Comunitaria de Variedades Vegetales • Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales(Página 3)
- CS** Odrůdový úřad Společenství • Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu(Strana 4)
- DA** EF-Sortsmyndigheden • Særdgave af EF-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale(Side 5)
- DE** Gemeinschaftliches Sortenamt • Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über Antragsfristen und über Bestimmungen zur Vorlage von Pflanzenmaterial(Seite 6)
- ET** Ühenduse Sordiamet • Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta(Lehekülg 7)
- EL** Κοινοτικό Γραφείο Φυτικών Ποικιλιών • Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτήσεων και τις απαιτήσεις για την υποβολή φυτικού υλικού(Σελίδα 8)
- EN** Community Plant Variety Office • Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material(Page 9)
- FR** Office communautaire des variétés végétales • Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal(Page 10)
- HR** Ured Zajednice za zaštitu biljnih sorti • Posebno izdanje Službenog lista Ureda Zajednice za zaštitu biljnih sorti obavještuje o datumima zatvaranja predaje zahtjeva te preduvjetima za prijavu biljnog materijala(Stranica 11)
- IT** Ufficio comunitario delle varietà vegetali • Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale(Pagina 12)
- LV** Kopienas Augu šķirņu birojs • Kopienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām(Lappuse 13)
- LT** Bendrijos augalų veislių tarnyba • Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus(Puslapis 14)
- HU** Közöségi Növényfajta Hivatal • A CPVO Hivatalos Közlönyének speciális kiadványa tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről(Oldal 15)
- MT** L-Uffiċċju Komunitarju tal-Varjetajiet ta' Pjanti • Hargha Speċjali tal-Gazzetta uffiċjali tas-CPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-reqwiżiti għallpreżentazzjoni ta' materjali tal-pjanti(Paġna 16)
- NL** Communautair Bureau voor plantenrassen • Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informatieve betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plant-materiaal(Bladzijde 17)
- PL** Wspólnotowy Urząd Odmian Roślin • Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przesyłania materiału roślinnego(Strona 18)
- PT** Instituto Comunitário das Variedades Vegetais • Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal(Página 19)
- RO** Oficiul Comunitar pentru Soiuri de Plante • Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal(Pagina 20)

- SK** Úrad Spoločenstva pre odrody rastlín • Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu(Strana 21)
- SL** Urad Skupnosti za rastlinske sorte • Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala(Stran 22)
- FI** Yhteisön kasvilajikevirasto • Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määräajoista hakemuksen jättämiselle ja vaatimuksista kasvimateriaalin toimittamiselle(Sivu 23)
- SV** Gemenskapens växtsortsmyndighet • Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial(Sida 24)

3 boulevard Maréchal Foch
CS 10121
FR-49101 ANGERS CEDEX 2
Tel: +33(0) 241 25 64 00
Fax: +33(0) 241 25 64 10
Email: cpvo@cpvo.europa.eu
Website: cpvo.europa.eu

BG Специално издание на Официалния Бюлетин на Службата на общността за сортовете растения (ЦПВО) с информация за крайните срокове за заявки и изискванията за предоставяне на растителен материал (Страница 25)

Специалното издание на Официалния бюлетин на Службата на Общността за сортовете растения (S2) има за цел да предостави на заявителите консолидирана версия на крайните срокове за заявки и изискванията за предоставяне на материал от сорта с оглед техническата му проверка.

От 2010 г. той ще се публикува в електронен вид на уебсайта на Службата шест пъти в годината. Всички изменения в предходното издание на S2 се отбелязват с осветен текст.

На уебсайта на Службата е предоставен инструмент за търсене, чрез който могат да се проследят измененията.

За да са възможни проверки в историята на записите, всяко специално издание на Официалния бюлетин на ЦПВО ще бъде запазено в .pdf формат и ще остане на разположение на уеб потребителите за справка.

До първото издание на бюлетина през 2016 г., в S2 се включва информация за крайни срокове за предоставяне на растителен материал и изискванията за това по отношение на видове, за които редовно се подават заявки. От второто издание на бюлетина през 2016 г., ЦПВО взе решение да публикува всички растителни видове в бюлетина S2, но някои от полетата за данни могат да останат празни. Ако информацията за въпросните видове не е налична, ще трябва да се свържете със Службата. Моля да имате предвид, че е задължение на заявителя да се запознае с всички изисквания на процедурата по заявяване, включително с подробностите за доставка на материал за техническо изпитване. Когато попълва заявка, заявителят трябва да може да достави материал от сорта, който заявява до крайната дата и в изискваното от ЦПВО количество и качество. Ако това не стане заявителят рискува заявката да бъде отхвърлена. Ако имате въпроси относно други сортове растения, обърнете се към ЦПВО на: cpvo@cpvo.europa.eu.

- 1: Вид на отглеждането
- 2: Такси по групи
- 3: Брой на предвидените цикли на отглеждане
- 4: Страна
- 5: Изпитващ офис
- 6: Краен срок
- 7: Начало на подаването
- 8: Край на подаването
- 9: Количество и качество семена/ посадъчен материал

Важни забележки:

— От заявителя се очаква да предостави растителен материал, едва след като получи писмено искане от ЦПВО. Неспазването на горното указание може да изложи на риск цялата процедура.

— Заявителите се приканват настоятелно да не оставят изпращането на заявките или растителния материал за последния момент.

— Заявките могат да се подават по всяко време. ЦПВО предвижда да започне техническата проверка през периода на отглеждане, който следва крайния срок, при условие че преди изтичане на крайния срок е получена валидна заявка.

— Крайният срок определя началото на изпитването. За заявления с дата на подаване преди или в деня на крайния срок изпитването започва в следващия вегетативен период. Ако в деня на крайния срок Службата е затворена, то за краен срок ще се счита първият следващ ден, в който Службата е отворена. За заявления с дата на подаване след крайния срок изпитването започва на следващата година.

— В случай че растителният материал бъде предоставен след определената дата за подаване, заявката може да бъде отхвърлена съгласно член 61 от Регламент (ЕО) № 2100/94 на Съвета от 27 юли 1994 година.

— Ако крайният срок изтича на ден, на който ЦПВО не работи и не може да получава документи, срокът се удължава до първия следващ работен ден, на който ЦПВО може да получава документи и на който се доставя обикновена поща, съгласно член 71 от Правилат а за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.

— Ако крайният срок изтича на ден, в който службата не работи и не може да получава растителен материал, срокът се удължава до първия следващ работен ден, на който службата за проверка може да получава растителен материал, съгласно член 71 от Правилат а за прилагане на Регламент 874/2009 на Европейската комисия от 17/09/2009 година.

— Всички фитосанитарни изисквания се съобщават на заявителя заедно с искането за предоставяне на растителен материал на съответната служба за проверка.

— Предоставеният растителен материал трябва да бъде видимо здрав, да изглежда свеж и да не е засегнат от никакви значителни вредители или болести.

ES Número especial del Boletín Oficial de la OCVV en el que se informa de las fechas límite para las solicitudes y de los requisitos para la presentación de materiales vegetales (Página 25)

La serie S2 del Boletín presenta a los solicitantes una versión consolidada de los plazos de presentación de las solicitudes y de los requisitos de presentación de los materiales vegetales para su examen técnico.

Desde octubre de 2010, se publica en formato digital, en el sitio web de la Oficina, seis veces cada año. Toda modificación respecto de la versión del S2 publicada anteriormente aparece destacada en el texto.

Con una herramienta de búsqueda se pueden encontrar tales modificaciones en el sitio web de la Oficina.

Para permitir la consulta de los archivos por los usuarios de Internet, cada boletín S2 se guardará como documento .pdf.

Hasta el número 201601, el boletín oficial S2 cubría los plazos para la presentación de material vegetal y los requisitos de presentación relativos a las especies para las que se presentan solicitudes regularmente. Desde el número 201602, la CVPO decidió publicar todas las especies en el boletín oficial S2, pero podría ser que faltasen algunos datos. Se le invita a ponerse directamente en contacto con la Oficina si la información correspondiente a la especie en cuestión no está disponible. Se les recuerda tomen nota que es la responsabilidad del solicitante de familiarizarse suficientemente con todos los aspectos del procedimiento de una solicitud, incluyendo los detalles para la sumisión de material vegetal para la conducta del examen técnico. En el momento de realizar una solicitud, el solicitante debe estar en condiciones de enviar material vegetal de su variedad según la cantidad y calidad prescrita por la Oficina, antes de la fecha límite. De ser el contrario, el solicitante corre el riesgo que la solicitud será rechazada. En caso de preguntas sobre otras especies, diríjase a la OCVV a través de cpvo@cpvo.europa.eu.

- 1: Tipo de cultivo
- 2: Grupo de tasas
- 3: Número de ciclos de cultivo previstos
- 4: País
- 5: Oficina de examen
- 6: Plazo de presentación de la solicitud
- 7: Fecha inicio de envío de material vegetal
- 8: Fecha final de envío de material vegetal
- 9: Cantidad y calidad de semillas/plantas

Notas importantes:

- *El solicitante no deberá enviar el material vegetal hasta que haya recibido una petición por escrito de la Oficina. El incumplimiento de este requisito puede poner en peligro todo el procedimiento.*
- *Se aconseja a los solicitantes que no dejen para el último minuto el envío de solicitudes o material vegetal.*
- *Las solicitudes pueden presentarse en cualquier momento a la OCVV. La Oficina prevé iniciar el examen técnico en el periodo de cultivo siguiente a la fecha límite, siempre y cuando la solicitud haya sido recibida por la OCVV antes de la fecha límite.*
- *La fecha límite de clausura determina el comienzo del examen técnico. Para solicitudes con una fecha de solicitud anterior o el mismo día que la fecha límite de clausura, el examen técnico comenzará en el próximo periodo de cultivo. Si el plazo de presentación coincide con un día en que la Oficina está cerrada, se entenderá que el plazo es el primer día inmediatamente posterior en que esté abierta la Oficina. Para solicitudes con una fecha de solicitud posterior a la fecha límite clausura, el examen técnico comenzará el año siguiente.*
- *Si se presenta material vegetal pasada la fecha de presentación establecida, la solicitud podría denegarse con arreglo a lo dispuesto en el artículo 61 del Reglamento (CE) no 2100/94 del Consejo de 27 de julio de 1994.*
- *Con arreglo a lo dispuesto en el Artículo 71 de las Disposiciones de desarrollo, Reglamento de la Comisión Europea n° 874/2009 de 17/09/2009. Si un plazo finaliza en un día en que la OCVV no está abierta para recibir documentos, este plazo se ampliará hasta el primer día siguiente en que la OCVV esté abierta para la recepción de documentos y en que se distribuya el correo ordinario.*
- *Si el plazo expira un día en el que la oficina de examen no está abierta para la recepción de material vegetal, se ampliará el plazo hasta el día siguiente en que esté abierta la oficina de examen para la recepción de material vegetal, con arreglo a lo dispuesto en el artículo 71 del Reglamento de la Comisión Europea n° 874/2009 de 17/09/2009.*
- *Se le comunicará al solicitante cualquier requisito fitosanitario junto con las instrucciones para el envío de material vegetal a la oficina de examen pertinente.*
- *El material vegetal suministrado deberá tener apariencia sano, vigoroso y que no esté afectado por ninguna plaga o enfermedad importante.*

CS Zvláštní vydání úředního věstníku CPVO obsahující informace o datech uzávěrek pro žádosti a požadavky na zaslání rostlinného materiálu (Strana 25)

Cílem věstníku S2 je poskytovat žadatelům konsolidovanou verzi dat uzávěrek žádostí a informovat je o požadavcích na zaslání rostlinného materiálu za účelem jeho podrobení technickým zkouškám.

Od října 2010 je tento věstník zveřejňován v digitální podobě na internetových stránkách úřadu šestkrát ročně. Přičemž všechny změny oproti původní zveřejněné verzi věstníku S2 jsou zvýrazněny.

Na internetových stránkách úřadu je k dispozici vyhledávací nástroj k identifikaci těchto změn.

Všechna vydání věstníku S2 budou uložena ve formátu .pdf, aby bylo možné konzultovat předchozí vydání, a budou návštěvníkům internetových stránek i nadále k dispozici.

Do vydání věstníku č. 2016/01 věstník S2 obsahoval termíny dodání rostlinného materiálu a další požadavky na rostlinné druhy, u kterých jsou žádosti podávány pravidelně. Úřad CPVO se rozhodl, že počínaje věstníkem č. 2016/02 bude ve věstníku S2 zveřejňovat všechny rostlinné druhy, přičemž ale některé údaje nemusí být uvedeny. Pokud informace týkající se dotčeného druhu nejsou k dispozici, kontaktujte prosím úřad CPVO. Mějte prosím na paměti, že žadatel je povinen seznámit se dostatečně se všemi aspekty postupu podání žádosti včetně podrobností o dodání rostlinného materiálu za účelem provedení technického zkoušení. Při podání žádosti žadatel musí být schopen dodat rostlinný materiál v termínu, kvalitě i množství požadovaném úřadem CPVO. V opačném případě se vystavuje nebezpečí, že jeho žádost bude zamítnuta. Pokud máte dotazy týkající se jiných druhů, obraťte se laskavě na úřad CPVO prostřednictvím e-mailové adresy cpvo@cpvo.europa.eu.

- 1: Typ pěstování
- 2: Poplatek skupina
- 3: Počet předpokládaných pěstebních cyklů
- 4: Země
- 5: Zkušební úřad
- 6: Datum uzávěrky
- 7: Počátek podání
- 8: Ukončení podání
- 9: Množství i kvalita osiva/sadby

Důležité upozornění:

— Žadatel zašle rostlinného materiál až poté, co od CPVO obdrží písemnou výzvu. Nedodržení výše uvedeného pokynu může narušit průběh celého řízení.

— Žadatelům se důrazně doporučuje, aby nenechávali zaslání žádosti nebo rostlinného materiálu až na poslední chvíli.

— Žádosti mohou být podány kdykoliv. CPVO plánuje začít technické zkoušky v růstovém období, které bude následovat po datu uzávěrky, pokud byla platná žádost obdržena do data uzávěrky.

— Datum uzávěrky pro podání žádostí určuje zahájení technického zkoušení. Pro žádosti s datem podání nejpozději v den uzávěrky bude technické zkoušení zahájeno v nadcházejícím vegetačním období. V případě, že datum uzávěrky připadá na den, kdy úřad není otevřený, pak je za datum uzávěrky považován první den po tomto datu, kdy je úřad otevřený. Pro žádosti s datem podání po uzávěrce bude technické zkoušení zahájeno v následujícím roce.

— Pokud bude rostlinný materiál obdržen po stanoveném datu uzávěrky, může být žádost zamítnuta v souladu s článkem 61 nařízení Rady (ES) č. 2100/94 ze dne 27. července 1994.

— Pokud lhůta uplyne dnem, kdy CPVO není otevřen pro přijímání dokumentů, prodlužuje se lhůta až do prvního následujícího dne, kdy je CPVO otevřen pro příjem dokumentů a kdy se doručuje obyčejná pošta, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Pokud lhůta uplyne dnem, kdy zkušební úřad není otevřen pro přijímání rostlinného materiálu, prodlužuje se až do prvního následujícího dne, kdy je zkušební úřad otevřen pro příjem rostlinných materiálů, v souladu s článkem 71 prováděcích pravidel k nařízení Komise (ES) č. 874/2009 ze dne 17/09/2009.

— Jakékoliv fytosanitární požadavky budou žadateli sděleny současně se žádostí o zaslání rostlinného materiálu příslušnému zkušebnímu úřadu.

— Dodaný rostlinný materiál by měl být viditelně zdravý, neměl by být ve špatném stavu nebo vykazovat zásadní napadení škůdci nebo nemocemi.

DA Særudgave af EF-Sortsmyndighedens Officielle Tidende indeholdende tidsfrister for ansøgninger og betingelser for indgivelse af plantemateriale (Side 25)

Formålet med særudgaven af Sortsmyndighedens Officielle Tidende (S2) er, i en konsolideret version, at give ansøgerne oplysninger om de tidsfrister og betingelser for indgivelse, der finder anvendelse, når der foretages teknisk afprøvning af plantemateriale.

Siden oktober 2010 er oplysningerne blevet offentliggjort digitalt på Sortsmyndighedens websted seks gange årligt. Og eventuelle ændringer i forhold til den tidligere offentliggjorte S2-version fremhæves.

På Sortsmyndighedens websted findes der et søgeværktøj, som kan identificere disse ændringer.

For at gøre det muligt at søge i arkiverne, gemmes alle S2-publikationer som pdf-dokument og forbliver tilgængelige for webbrugerne.

Indtil januar 2016 indeholdt S2 frister for indgivelse af plantemateriale og betingelser for indgivelse af arter, der anmeldes jævnlige. Siden februar 2016 har CPVO offentliggjort alle arter i S2, men vise oplysninger kan være udeladt. Kontakt venligst Sortsmyndigheden, hvis oplysningerne om den pågældende art ikke er tilgængelige. Kontakt venligst Sortsmyndigheden for information, der vedrører arter, som ikke er anført. Husk, at det er anmelderens ansvar at være bekendt med kravene til anmeldelsen, hvilket dækker over proceduren, fremsendelse af plantemateriale og den tekniske afprøvning. Ved anmeldelse skal man kunne fremsende plantematerialet i den mængde og kvalitet samt til den anførte tidsfrist, som Sortsmyndigheden anfører. Alternativt kan anmeldelsen afvises. I tilfælde af spørgsmål vedrørende andre sorter kan der rettes henvendelse til Sortsmyndigheden på adressen cpvo@cpvo.europa.eu.

- 1: Dyrkningsform
- 2: Gebyrgruppe
- 3: Forventet antal vækstperioder
- 4: Land
- 5: Prøvningsmyndighed
- 6: Frister
- 7: Påbegyndelse af indgivelsesperiode
- 8: Afslutning af indgivelsesperiode
- 9: Frø/plante mængde og kvalitet

Vigtigt:

— Ansøgeren skal kun indgive materialet efter skriftlig anmodning fra Sortsmyndigheden. Tilsidesættelse af ovenstående anvisninger kan bringe hele proceduren i fare.

— Det tilrådes kraftigt, at ansøgeren ikke venter til sidste øjeblik med at sende ansøgningen eller plantematerialet.

— Ansøgninger kan indgives på et hvilket som helst tidspunkt i løbet af året. Sortsmyndigheden har til hensigt at påbegynde den tekniske afprøvning i dyrkningsperioden efter ansøgningsfristens udløb, hvis der er modtaget en gyldig ansøgning inden fristens udløb.

— Anmeldelsesfristen bestemmer starten på den tekniske afprøvning. For anmeldelser med en anmeldelsesdato tidligere eller lig med anmeldelsesfristen vil den tekniske afprøvning starte i den kommende afprøvningsperiode. Falder fristen på en dag, hvor Sortsmyndigheden ikke har åbent, vil fristen blive fastsat til den første efterfølgende dag, hvor Sortsmyndigheden har åbent. For anmeldelser med en anmeldelsesdato efter anmeldelsesfristen vil den tekniske afprøvning starte i den efterfølgende afprøvningsperiode.

— Hvis plantematerialet indsendes efter den fastsatte indsendelsesfrist, kan ansøgningen afvises i henhold til artikel 61 i Rådets forordning (EF) nr. 2100/94 af 27. juli 1994.

— Udløber en frist på en dag, hvor Sortsmyndigheden har lukket for modtagelse af dokumenter, forlænges fristen til den nærmeste hverdag dag, hvor Sortsmyndigheden har åbent for modtagelse af dokumenter, og hvor almindelige postforsendelser udbringes, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17. september 2009 om gennemførelsesbestemmelser.

— Udløber en frist på en dag, hvor prøvningsmyndigheden har lukket for modtagelse af plantematerialer, forlænges fristen til den nærmeste hverdag dag, hvor prøvningsmyndigheden har åbent for modtagelse af plantematerialer, i henhold til artikel 71 i Kommissionens forordning nr. 874/2009 af 17. september 2009 om gennemførelsesbestemmelser.

— Ethvert fytosanitært krav vil blive meddelt ansøgeren sammen med anmodningen om indgivelse af plantemateriale til den pågældende prøvningsmyndighed.

— Plantematerialet skal være sundt og frisk uden spor af skadedyr og sygdomme.

DE Sonderausgabe des Amtsblattes des Gemeinschaftlichen Sortenamtes (CPVO) über Antragsfristen und über Bestimmungen zur Vorlage von Pflanzenmaterial (Seite 25)

Zweck des S2-Amtsblattes ist es, die Antragsteller in einer konsolidierten Fassung über Schlussdaten für die Anträge auf Sortenschutz sowie über die Anforderungen für die Einreichung von Pflanzenmaterial im Hinblick auf ihre technische Prüfung zu informieren.

Seit Oktober 2010 wird das S2-Amtsblatt sechsmal pro Jahr digital auf der Website des Amtes veröffentlicht. Änderungen im Vergleich zur vorher veröffentlichten Fassung des S2 werden hervorgehoben dargestellt.

Eine Suchfunktion zum Auffinden dieser Änderungen ist auf der Website des Amtes verfügbar.

Um frühere Einträge prüfen zu können, wird jede S2-Veröffentlichung als .pdf-Dokument gespeichert und den Webnutzern zur Einsichtnahme zur Verfügung stehen.

Bis zur Ausgabe 201601 hat das S2-Amtsblatt über Fristen und Anforderungen zur Vorlage von Pflanzenmaterial nur für Arten informiert, für die das Amt regelmäßig Anträge erhält. Ab Ausgabe 201602 des Amtsblattes wird das CPVO alle Arten im S2-Amtsblatt veröffentlichen. Einige Daten können jedoch fehlen. Bitte wenden Sie sich an das Amt, wenn die Informationen zu den betreffenden Arten nicht angegeben sind. Bitte beachten Sie, dass der Antragsteller dafür verantwortlich ist, sich hinreichend mit allen Schritten des Antragsverfahrens - einschließlich der Details zur Materialvorlage für die technische Prüfung - vertraut zu machen. Bei Antragstellung muss der Antragsteller in der Lage sein, Pflanzenmaterial in der ausgewiesenen Menge und Qualität und im vorgeschriebenen Zeitraum vorzulegen. Nichtbefolgung dieser Anforderung kann zur Zurückweisung des Antrages führen. Bei Fragen zu anderen Arten, senden Sie bitte eine E-Mail an cpvo@cpvo.europa.eu.

- 1: Anbauart
- 2: Gebührengruppe
- 3: Wachstumsperioden
- 4: Land
- 5: Prüfamt
- 6: Datum des Antragsschlusses
- 7: Vorlage Beginn
- 8: Vorlage Ende
- 9: Menge und Qualität des Saatguts/der Pflanzen

Wichtige Hinweise:

— *Die Vorlage des Pflanzenmaterials durch den Antragsteller soll nur nach schriftlicher Aufforderung durch das CPVO erfolgen. Die Nichterfüllung dieser Vorgabe kann das gesamte Antragsverfahren gefährden.*

— *Den Antragstellern wird empfohlen, die Anträge bzw. das Pflanzenmaterial rechtzeitig im Vorfeld zu senden.*

— *Anträge können jederzeit eingereicht werden. Das CPVO sieht vor, die technische Prüfung in der dem Antragsdatum folgenden Wachstumsperiode zu beginnen, falls ein gültiger Antrag bis zum Antragsschluss des jeweiligen Jahres eingereicht wurde.*

— *Der Beginn der technischen Prüfung wird durch das Datum des Antragsschlusses bestimmt. Für Anträge mit einem Antragsdatum vor oder bis einschließlich dem Datum des Antragsschlusses beginnt die technische Prüfung in der folgenden Wachstumsperiode. Wenn das Datum des Antragsschlusses auf einen Tag fällt, an dem das Amt nicht geöffnet ist, so gilt der nächstfolgende Tag, an dem das Amt geöffnet ist, als Datum des Antragsschlusses. Für Anträge mit einem Antragsdatum nach dem Datum des Antragsschlusses beginnt die technische Prüfung im darauffolgenden Jahr.*

— *Wird Pflanzenmaterial nach dem festgelegten Vorlagezeitraum vorgelegt, kann der Antrag gemäß Artikel 61 der Verordnung (EG) Nr. 2100/94 des Rates vom 27. Juli 1994 abgelehnt werden.*

— *Läuft eine Frist an einem Tag ab, an dem das CPVO zur Entgegennahme von Schriftstücken nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das CPVO zur Entgegennahme von Schriftstücken geöffnet ist und an dem gewöhnliche Postsendungen zugestellt werden (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamt).*

— *Läuft eine Frist an einem Tag ab, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial nicht geöffnet ist, so erstreckt sich die Frist auf den nächstfolgenden Tag, an dem das Prüfungsamt zur Entgegennahme von Pflanzenmaterial geöffnet ist (Artikel 71 der Verordnung Nr. 874/2009 der Europäischen Kommission vom 17/09/2009 zur Durchführung der Verordnung (EG) Nr. 2100/94 des Rates im Hinblick auf das Verfahren vor dem Gemeinschaftlichen Sortenamt).*

— *Jegliche phytosanitären Anforderungen an das Pflanzenmaterial werden dem Antragsteller in der schriftlichen Aufforderung zur Vorlage des Pflanzenmaterials beim betreffenden Prüfamt mitgeteilt.*

— *Vorgelegtes Pflanzenmaterial muss augenscheinlich gesund sein, darf keinen Mangel an Wuchskraft aufweisen und muss frei von signifikanten Schädlingen oder Krankheiten sein.*

ET Ühenduse Sordiameti ametliku teataja eriväljaanne taotluste esitamise tähtaegade ja taimse materjali esitamise nõuete kohta (Lehekülj 25)

Teataja eriväljaande (S2 Gazette) eesmärk on anda taotlejatele kokkuvõtlikku teavet taotluste esitamise tähtaegade ja taimse materjali registreerimiskatseteks esitamise nõuete kohta.

Alates oktoobrist 2010 ilmub eriväljaanne ameti veebilehel digitaalselt kuus korda aastas. Kõik eelmise versiooni muudatused märgistatakse. Otsinguvahendiga saab muudatusi leida ameti veebilehel.

Iga S2 väljaanne salvestatakse pdf-vormingus dokumendina, et saaks vaadata varasemaid salvestisi, ja see jääb veebikasutajaile otsinguis kättesaadavaks.

Kuni jaanuarini 2016 avaldati S2 väljaandes selliste sortide taimse materjali esitamise tähtajad ja nõuded, mille kohta esitati regulaarselt taotlusi. Amet otsustas hakata alates veebruarist 2016 avaldama S2 väljaandes kõikide sortide andmeid, kuid mõned andmed võivad puududa. Kui andmed asjakohase sordi kohta puuduvad, võtke ametiga ühendust. Tuletame Teile meelde, et taotleja peab olema teadlik taotlemise protseduurist, samuti taimse materjali registreerimiskatsesse saatmise üksikasjadest. Kui taotleja esitab taotluse, peab ta olema võimeline saatma oma sordi taimset materjali nõutud kvaliteediga ja nõutud koguses õigeks tähtajaks Ühenduse Sordiametile. Vastasel juhul võib Ühenduse Sordiamet taotluse tagasi lükata. Küsimused teiste liikide kohta saatke palun Ühenduse Sordiametile aadressil: cpvo@cpvo.europa.eu.

- 1: Alatüüp
- 2: Tasu rühm
- 3: Ettenähtud kasvutsükli arv
- 4: Riik
- 5: Katseasutus
- 6: Lõpptähtaeg
- 7: Saatmise algus
- 8: Saatmise lõpp
- 9: Seemnete/taimede kogus ja kvaliteet

Tähelepanu:

— Taotlejad saavad taimse materjali alles pärast Ühenduse Sordiametilt kirjaliku nõude saamist. Selle juhise eiramine võib kahjustada kogu menetlust.

— Soovitame tungivalt taotlejatele mitte jätta taotluste või taimse materjali saatmist viimasele hetkele.

— Taotlusi võib esitada igal ajal. Juhul kui kehtiv taotlus on laekunud tähtajaks, alustab Ühenduse Sordiamet registreerimiskatsetega tähtajale järgneval kasvuperioodil.

— Taotluste esitamise tähtaeg määrab registreerimiskatse alguse. Kui taotlus saabub mitte hiljem kui kehtestatud tähtajal, algab registreerimiskatse eelseisval kasvuperioodil. Kui lõpptähtaeg satub päevale, mil sordiamet on suletud, on taotluse esitamise tähtajaks sordiameti esimene lahtioleku päev. Kui taotlused saabuavad kehtestatud tähtajast hiljem, algab registreerimiskatse järgmisel aastal.

— Kui taimne materjal saadetakse pärast esitamise tähtaega, võidakse taotlus tagasi lükata, vastavalt nõukogu 27. Juuli 1994. aasta määruse (EÜ) nr 2100/94 artiklile 61.

— Kui tähtaeg lõpeb päeval, mil Ühenduse Sordiamet ei ole dokumentide vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil Ühenduse Sordiamet on dokumentide vastuvõtuks avatud ja mil kantakse laiali harilikku posti, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.

— Kui tähtaeg lõpeb päeval, mil kontrolliasutus ei ole taimse materjali vastuvõtuks avatud, pikendatakse tähtaega sellele järgneva esimese päevani, mil kontrolliasutus on taimse materjali vastuvõtuks avatud, vastavalt Euroopa Komisjoni 17/09/2009 aasta määruse nr 874/2009 (rakenduseeskirjad) artiklile 71.

— Kõik fütosanitaarnõuded edastatakse taotlejale koos asjaomasele kontrolliasutusele taimse materjali esitamise nõudega.

— Esitav taimne materjal peab olema nähtavalt terve, elujõuline ning olulistest kahjuritest ja haigustest puutumatu.

ΕΛ Ειδικό τεύχος της επίσημης Εφημερίδας του ΚΓΦΠ με ενημέρωση σχετικά με τις προθεσμίες των αιτησεων και υπαίτις απαιτήσεις για την υποβολή φυτικού υλικού (Σελίδα 25)

Σκοπός της εφημερίδας S2 είναι η παροχή στους αιτούντες ενσπυμένης έκδοσης με τις προθεσμίες των αιτήσεων και τις απαιτήσεις υποβολής φυτικού υλικού για τη διεξαγωγή της τεχνικής εξέτασης.

Από τον Οκτώβριο 2010 η εφημερίδα δημοσιεύεται στον δικτυακό τόπο του Γραφείου έξι φορές ετησίως. Ενώ όλες οι τροποποιήσεις σε σχέση με την προηγούμενη δημοσιευθείσα έκδοση της S2 εμφανίζονται επισημασμένες.

Υπάρχει διαθέσιμο στον δικτυακό τόπο του Γραφείου εργαλείο αναζήτησης για τον εντοπισμό των τροποποιήσεων αυτών.

Προκειμένου να είναι εφικτός ο έλεγχος του ιστορικού των αρχείων, κάθε δημοσίευση της S2 θα αποθηκεύεται υπό μορφή εγγράφου .pdf και θα παραμένει διαθέσιμη ώστε να μπορούν να τη συμβουλευθούν οι χρήστες του Ιστού.

Εως το τεύχος 201601 η εφημερίδα S2 κάλυπτε προθεσμίες για την υποβολή φυτικού υλικού και τις προϋποθέσεις υποβολής για είδη για τα οποία υποβάλλονται συχνά αιτήσεις. Αρχής γενομένης από το τεύχος 201602, το ΚΓΦΠ αποφάσισε να δημοσιεύει όλα τα είδη στην εφημερίδα S2, ωστόσο ορισμένα δεδομένα ενδέχεται να μην είναι διαθέσιμα. Εάν οι πληροφορίες για το εν λόγω είδος δεν είναι διαθέσιμες, παρακαλείστε να επικοινωνείτε με το Γραφείο. Παρακαλείστε να ενθυμίζετε ότι είναι υποχρέωση του αιτούντος να είναι επαρκώς εξοικειωμένος με όλες τις πτυχές της διαδικασίας της αίτησης, συμπεριλαμβανομένων των λεπτομερειών της υποβολής φυτικού υλικού για τη διενέργεια του τεχνικού ελέγχου. Όταν μια αίτηση κατατίθεται, ο αιτών πρέπει να είναι σε θέση να υποβάλλει το φυτικό υλικό της ποικιλίας του μέσα στην προθεσμία και με την ποιότητα και στην ποσότητα που περιγράφεται από το γραφείο. Ειδικά, διατρέχει τον κίνδυνο να απορριφθεί η αίτησή του. Για οποιαδήποτε ερώτησή σας σχετικά με άλλα είδη, επικοινωνήστε με το ΚΓΦΠ μέσω της ηλεκτρονικής διεύθυνσης cpvo@cpvo.europa.eu.

- 1: Είδος καλλιέργειας
- 2: Ομάδα τελών
- 3: Αριθμός προβλεπόμενων βλαστικών κύκλων
- 4: Χώρα
- 5: Γραφείο εξέτασης
- 6: Καταληκτική ημερομηνία
- 7: Εναρξη υποβολής
- 8: Λήξη υποβολής
- 9: Ποσότητα και ποιότητα σπόρου φυτού

Σημαντικές επισημανσεις:

— Ο αιτών θα υποβάλει το φυτικό υλικό μόνο αφού λάβει σχετικό γραπτό αίτημα από το ΚΓΦΠ. Σε περίπτωση μη συμμόρφωσης με την ανωτέρω οδηγία ενδέχεται να ακυρωθεί ολόκληρη η διαδικασία.

— Συνιστάται ρητώς στους αιτούντες να αποφεύγουν την αποστολή των αιτήσεων και του φυτικού υλικού την τελευταία στιγμή

— Οι αιτήσεις μπορούν να υποβάλλονται οποτεδήποτε. Το ΚΓΦΠ θα ξεκινήσει την τεχνική εξέταση κατά την περίοδο καλλιέργειας μετά την ημερομηνία λήξης της προθεσμίας, εφόσον παραλάβει έγκυρη αίτηση εντός της συγκεκριμένης προθεσμίας

— Η ημερομηνία λήξης της προθεσμίας καθορίζει την έναρξη της τεχνικής εξέτασης. Για αιτήσεις οι οποίες πρέπει να υποβληθούν μέχρι την καταληκτική ημερομηνία η τεχνική εξέταση θα ξεκινήσει την ερχόμενη καλλιεργητική περίοδο. Εάν η καταληκτική ημερομηνία συμπίπτει με ημέρα που το Γραφείο είναι κλειστό, τότε αυτή μετατίθεται για την επόμενη ημέρα κατά την οποία το Γραφείο είναι ανοιχτό. Για αιτήσεις με μεταγενέστερη ημερομηνία προθεσμίας από την ημερομηνία λήξης, η τεχνική εξέταση θα ξεκινήσει το επόμενο έτος.

— Εάν το φυτικό υλικό υποβληθεί μετά τη λήξη της προθεσμίας υποβολής, η αίτηση απορρίπτεται, σύμφωνα με το άρθρο 61 του κανονισμού (ΕΚ) αριθ. 2100/94 του Συμβουλίου, της 27ης Ιουλίου 1994.

— Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το ΚΓΦΠ δεν είναι ανοικτό για τη παραλαβή εγγράφων, η προθεσμία παρατείνεται μέχρι την επομένη ημέρα κατά την οποία το ΚΓΦΠ ανοίγει για τη παραλαβή εγγράφων και διεξάγεται η διανομή του κανονικού ταχυδρομείου, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.

— Εάν μια προθεσμία εκπνέει ημέρα κατά την οποία το γραφείο εξέτασης δεν είναι ανοικτό για τη λήψη φυτικού υλικού, η προθεσμία παρατείνεται μέχρι την επομένη ημέρα κατά την οποία το γραφείο εξέτασης ανοίγει για τη λήψη φυτικού υλικού, σύμφωνα με το άρθρο 71 των διαδικαστικών κανόνων, κανονισμός (ΕΚ) αριθ. 874/2009 της Επιτροπής της 17/09/2009.

— Τυχόν φυτοϋγειονομικές απαιτήσεις θα γνωστοποιηθούν στον αιτούντα μαζί με το αίτημα υποβολής φυτικού υλικού στο σχετικό γραφείο εξέτασης

— Το φυτικό υλικό που υποβάλλεται πρέπει να είναι εμφανώς υγιές, εύρωστο και να μην έχει προσβληθεί από σημαντικούς επιβλαβείς οργανισμούς ή ασθένειες

EN Special issue of the Official Gazette of the Community Plant Variety Office informing about closing dates for applications and requirements for the submission of plant material (Page 25)

The purpose of the S2 Gazette is to provide applicants with a consolidated version of the closing dates for applications and the submission requirements for plant material in view of their technical examination.

Since October 2010, it is digitally published on the website of the Office six times per year. Any modification with respect to the previously published version of the S2 appears highlighted.

A search tool is available to identify these modifications on the web site of the Office.

In order to allow for the checking of the history of records, each S2 publication will be saved as a .pdf document and will remain available for consultation to the web users.

Until 201601 gazette, the S2 covered deadlines for the submission of plant material and submission requirements of species for which applications are regularly filed. As from 201602 gazette, the CPVO decided to publish all species in the S2 gazette, but some data might stay empty. You are requested to contact the Office if the information for the species in question is not available. Please remember that it is the applicant's responsibility to familiarize himself sufficiently with all aspects of the application procedure including the details on the submission of plant material for the conduct of the technical examination. When filing an application, an applicant must be in a position to submit plant material of his variety by the deadline and in the quality and quantity prescribed by the Office. Otherwise, he runs the risk of his application being rejected. In case of questions about other species, please approach the CPVO at cpvo@cpvo.europa.eu.

- 1: Cultivation type
- 2: Fee group
- 3: Number of foreseen growing cycles
- 4: Country
- 5: Examination office
- 6: Closing date
- 7: Submission start
- 8: Submission end
- 9: Seed/plant quantity and quality

Important notes:

— *The applicant is expected to submit the plant material only after having received a request in writing from the CPVO. Failure to comply with the above instruction may jeopardise the whole procedure.*

— *Applicants are strongly advised not to leave the sending of applications or plant material to the last minute.*

— *Applications can be filed at any time. The CPVO envisages to start the technical examination in the growing period following the closing date if a valid application has been received by the closing date.*

— *The closing date determines the start of the technical examination. For applications with a date of application being no later than the closing date the technical examination will start in the coming growing period. If the closing date falls on a day on which the Office is not open, then the first day on which the Office is open shall become the closing date. For applications with a date of application posterior to the closing date the technical examination will start in the subsequent year.*

— *If plant material is submitted after the set submission date, the application could be refused pursuant to Article 61 Council Regulation (EC) No 2100/94 of 27 July 1994.*

— *If a time limit expires on a day on which the CPVO is not open for receipt of documents, the time limit shall extend until the first day thereafter on which the CPVO is open for receipt of documents and on which ordinary mail is delivered, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *If a time limit expires on a day on which the examination office is not open for receipt of plant material, the time limit shall extend until the first day thereafter on which the examination office is open for receipt of plant material, pursuant to Article 71 of the Implementing rules, European Commission Regulation No 874/2009 of 17/09/2009.*

— *Any phytosanitary requirements will be communicated to the applicant with the request for the submission of plant material to the relevant examination office.*

— *The plant material supplied should be visibly healthy, not lacking in vigour or affected by any significant pest or disease.*

FR Edition spéciale du Bulletin officiel de l'Office Communautaire des Variétés Végétales signalant les dates de clôture pour les demandes et les conditions requises pour la soumission du matériel végétal (Page 25)

La Gazette S2 fournit aux demandeurs une version consolidée des dates de clôture des demandes et des conditions requises pour la soumission du matériel végétal en vue de son examen technique.

Depuis octobre 2010, elle est publiée six fois par an au format numérique sur le site web de l'Office. Toute modification par rapport à la version précédemment publiée est surlignée.

Un outil de recherche est disponible pour identifier ces modifications sur le site web de l'Office.

Afin de permettre la consultation des archives, chaque publication S2 sera sauvegardée dans un document au format .pdf auquel les internautes auront accès.

Jusqu'au numéro 201601, le bulletin officiel S2 contenait les dates de soumission du matériel végétal et les quantité et qualité du matériel demandé pour les espèces pour lesquelles des demandes étaient régulièrement déposées. A partir du numéro 201602, l'OCVV a décidé de publier la liste complète des espèces dans le bulletin officiel S2, mais certaines données pourront rester non renseignées. Veuillez contacter directement l'Office si les informations concernant l'espèce qui vous intéresse ne sont pas disponibles. N'oubliez pas qu'il est de la responsabilité du demandeur de se familiariser suffisamment avec tous les aspects de la procédure de demande, y compris les détails sur la soumission du matériel végétal pour la conduite de l'examen technique. Lors du dépôt d'une demande, le demandeur doit être en mesure de soumettre le matériel végétal de sa variété dans les délais, la qualité et la quantité prescrits par l'Office. Sinon, il court le risque du rejet de sa demande. Pour toutes questions concernant les autres espèces, veuillez prendre contact avec l'OCVV à l'adresse: cpvo@cpvo.europa.eu

- 1: Type de culture
- 2: Groupe de taxes
- 3: Nombre de cycles de culture prévus
- 4: Pays
- 5: Office d'examen
- 6: Date de clôture
- 7: Début de présentation
- 8: Fin de présentation
- 9: Quantité et qualité de graines/plants

Remarques importantes:

— *Le demandeur ne peut présenter le matériel végétal qu'après réception d'une demande écrite de l'OCVV. Le non-respect de l'instruction susmentionnée peut compromettre l'ensemble de la procédure.*

— *Il est fortement recommandé aux demandeurs de ne pas introduire des demandes ou de ne pas envoyer du matériel végétal à la dernière minute.*

— *Les demandes peuvent être déposées à tout moment. L'OCVV envisage de débiter l'examen technique lors de la saison de culture suivant la date de clôture, si une demande valide a été reçue avant la date de clôture.*

— *La date de clôture fixée pour chaque espèce détermine la date de début de l'examen technique des nouvelles demandes reçues pour cette espèce. Pour les demandes ayant une date de demande antérieure ou égale à la date de clôture fixée, l'examen technique débutera lors de la période de culture de l'espèce à venir. Si la date de clôture tombe un jour où l'Office est fermé, le premier jour où l'Office est ouvert devient alors la date de clôture. Pour les demandes ayant une date de demande postérieure à la date de clôture, l'examen technique débutera l'année suivante.*

— *Si du matériel végétal est présenté après la date de fin de présentation, la demande pourrait être rejetée conformément à l'article 61 du règlement (CE) n° 2100/94 du Conseil du 27 juillet 1994 instituant un régime de protection communautaire des obtentions végétales.*

— *Si un délai expire un jour où l'OCVV n'est pas ouvert pour recevoir des documents, le délai est prorogé jusqu'au premier jour suivant où les documents peuvent être déposés et où le courrier normal est distribué, conformément à l'article 71 du règlement d'application, Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.*

— *Si un délai expire un jour où on ne peut présenter de matériel végétal auprès de l'office d'examen, le délai est prorogé jusqu'au premier jour suivant celui où l'office d'examen est ouvert pour le dépôt de matériel végétal, conformément à l'article 71 du Règlement de la Commission Européenne No 874/2009 du 17 septembre 2009.*

— *Toute condition phytosanitaire sera communiquée au demandeur avec la demande de présentation de matériel végétal à l'office d'examen concerné.*

— *Le matériel végétal fourni doit être visiblement sain, vigoureux et exempt d'organismes nuisibles ou de maladies.*

HR Posebno izdanje Službenog lista Ureda Zajednice za zaštitu biljnih sorti obavješćuje o datumima zatvaranja predaje zahtjeva te preduvjetima za prijavu biljnog materijala (Stranica 25)

Svrha Lista S2 jest podnositeljima zahtjeva osigurati konsolidiranu verziju datuma zatvaranja predaje zahtjeva te preduvjete za prijavu biljnog materijala radi tehničkog ispitivanja.

Od listopada 2010. objavljuje se u digitalnom obliku na internetskim stranicama Ureda šest puta godišnje. Sve izmjene i dopune prethodno objavljenoga izdanja Lista S2 posebno su označene.

Dostupan je i alat za pretraživanje kako bi se navedene izmjene i dopune mogle naći na internetskim stranicama Ureda.

Kako bi se omogućila provjera povijesti zapisa, svako izdanje lista S2 sprema se kao dokument u PDF formatu da bi ga poslije internetski korisnici mogli konzultirati.

List S2 je do Službenog lista br. 201601 obuhvaćao rokove za dostavu biljnog materijala i uvjete dostave za vrste za koje se redovito podnose prijave. Počevši od Službenog lista br. 201602 Ured Zajednice za zaštitu biljnih sorti (CPVO) odlučio je objavljivati sve vrste u Listu S2, ali polja za neke podatke mogu ostati prazna. Obratite se Uredu ako informacije za određenu vrstu nisu dostupne. Napominjemo da je odgovornost podnositelja prijave da se dobro obavijesti o svim aspektima postupka prijave, uključujući detalje dostave biljnog materijala radi provođenja tehničkog ispitivanja. Prilikom ispunjavanja prijave podnositelj mora biti u mogućnosti da do isteka roka dostavi biljni materijal za svoju sortu u količini i kvaliteti koje propisuje Ured. U suprotnom izlaže se riziku da će zahtjev biti odbijen. U slučaju pitanja o drugim vrstama, molimo vas da kontaktirate Ured Zajednice za zaštitu biljnih sorti (CPVO) na cpvo@cpvo.europa.eu.

- 1: Vrsta uzgoja
- 2: Skupina naknada
- 3: Broj predviđenih ciklusa rasta
- 4: Država
- 5: Ispitivački ured
- 6: Rok za dostavu
- 7: Početak podnošenja
- 8: Kraj podnošenja
- 9: Količina i kvaliteta biljke/sjemeni

Važne napomene:

- *Od podnositelja zahtjeva očekuje se da biljni materijal dostavi tek nakon primitka pisanoga zahtjeva Ureda Zajednice za zaštitu biljnih sorti (CPVO). Nepriдрžavanje gornjih uputa može ugroziti cijeli postupak.*
- *Podnositeljima zahtjeva savjetuje se da slanje zahtjeva ili biljnog materijala ne ostavljaju za posljednji trenutak.*
- *Zahtjevi se mogu podnijeti bilo kada. Ured Zajednice za zaštitu biljnih sorti predviđa početak tehničkog ispitivanja u razdoblju rasta nakon datuma zatvaranja postupka podnošenja zahtjeva ako je važeći zahtjev zaprimljen prije isteka roka za podnošenje zahtjeva.*
- *Rok za dostavu određuje početak tehničkog ispitivanja. Za zahtjeve sa datumom podnošenja zahtjeva ne kasnijim od roka za dostavu, tehničko ispitivanje će započeti u nadolazećoj vegetacijskoj sezoni. Ako rok za dostavu pada na dan na koji Ured nije otvoren, tada se prvi dan na koji je Ured otvoren smatra rokom za dostavu. Za zahtjeve sa datumom podnošenja zahtjeva kasnijim od roka za dostavu tehničko ispitivanje će započeti u sljedećoj godini.*
- *Ako je biljni materijal dostavljen nakon utvrđenoga roka za dostavu, zahtjev se može odbiti u skladu s odredbama članka 61. Uredbe Vijeća (EZ) br. 2100/94 od 27. srpnja 1994.*
- *Ako rok istječe na dan kada Ured Zajednice za zaštitu biljnih sorti (CPVO) nije otvoren za zaprimanje dokumenata i kada se dostavlja obična pošta, vremenski rok produljuje se na prvi slijedeći dan kada je Ured (CPVO) otvoren, u skladu s odredbama članka 71. Provedbenih pravila, Uredba Europske komisije br. 874/2009 od 17. rujna 2009.*
- *Ako rok istječe na dan kada Ured Zajednice za zaštitu biljnih sorti (CPVO) nije otvoren za zaprimanje dokumenata i kada se dostavlja obična pošta, vremenski rok produljuje se na prvi slijedeći dan kada je Ured (CPVO) otvoren, u skladu s odredbama članka 71. Provedbenih pravila, Uredba Europske komisije br. 874/2009 od 17. rujna 2009.*
- *Podnositelj zahtjeva dobiva sve fitosanitarne zahtjeve zajedno sa zahtjevom za dostavu biljnog materijala nadležnom ispitivačkom uredu.*
- *Dostavljeni biljni materijal trebao bi biti vidljivo zdrav, čvrst i slobodan od utjecaja važnijih štetočina ili bolesti.*

IT Edizione speciale del Bollettino ufficiale dell'UCVV contenente informazioni sul termine ultimo per il deposito delle domande ed i requisiti per la presentazione del materiale vegetale (Pagina 25)

La finalità della Gazzetta S2 è fornire ai richiedenti una versione consolidata delle date di chiusura per la presentazione delle domande e i requisiti per la presentazione di materiale vegetale, in vista del loro esame tecnico.

Dal mese di ottobre 2010, la Gazzetta S2 viene pubblicata in formato digitale sul sito Internet dell'Ufficio sei volte all'anno. In cui qualsiasi modifica delle versioni della Gazzetta S2 precedentemente pubblicate appare evidenziata.

Per identificare queste modifiche, è inoltre disponibile uno strumento di ricerca sul sito Internet dell'Ufficio.

Per consentire il controllo dello storico della documentazione, ciascuna pubblicazione S2 sarà salvata in formato .pdf e rimarrà disponibile per poter essere consultata da parte degli utenti Web.

Fino alla Gazzetta 201601, la Gazzetta S2 ha informato sulle scadenze relative alla presentazione di materiale vegetale e sui requisiti in materia di presentazione di specie per le quali periodicamente sono presentate domande. A partire dalla Gazzetta 201602, l'UCVV ha deciso di pubblicare tutte le specie nella Gazzetta S2, ma alcuni dati potrebbero non figurare. Si prega di rivolgersi all'Ufficio se le informazioni per la specie in questione non sono disponibili. Si ricorda inoltre che è compito del richiedente di studiare tutti gli aspetti della procedura della richiesta, compresi i dettagli relativi alla presentazione di materiale vegetale per la realizzazione dell'esame tecnico. Al momento della compilazione della richiesta, il richiedente deve essere in grado di presentare del materiale vegetale della varietà in questione entro la scadenza, e nella quantità e nella qualità prescritta dall'Ufficio. In caso contrario la richiesta può essere respinta. Per eventuali quesiti inerenti ulteriori specie, si prega di contattare l'UCVV al seguente indirizzo di posta elettronica: cpvo@cpvo.europa.eu.

- 1: Tipo di coltivazione
- 2: Categoria delle tasse
- 3: Numero di cicli vegetativi previsti
- 4: Paese/Nazione
- 5: Ufficio di esame
- 6: Termine ultimo
- 7: Inizio presentazione
- 8: Fine presentazione
- 9: Quantità e qualità semi/piante

Note importanti:

— *Il richiedente è tenuto a presentare il materiale vegetale solo dopo averne ricevuto richiesta scritta da parte dell'U.C.V.V. L'inosservanza di quanto sopra può compromettere l'intera procedura.*

— *Si raccomanda imperativamente ai richiedenti di non inviare le domande, o il materiale vegetale, all'ultimo momento.*

— *Le domande possono essere depositate in qualsiasi momento. L'UCVV prevede di iniziare gli esami tecnici nel periodo di crescita successivo al termine ultimo per la presentazione, qualora la domanda sia valida, e pervenuta entro il termine ultimo previsto.*

— *La data di chiusura determina l'inizio dell'esame tecnico. Per domande con una data entro e non oltre la data di chiusura, l'esame tecnico avrà inizio nel periodo di crescita a venire. Se cade in un giorno in cui l'Ufficio non è aperto, il termine ultimo diventa il primo giorno in cui l'Ufficio è aperto. Per domande con una data posteriore alla data di chiusura, l'esame tecnico avrà inizio l'anno successivo.*

— *Se il materiale vegetale viene presentato successivamente al termine ultimo di presentazione, la domanda può essere respinta ai sensi dell'articolo 61 del regolamento (CE) n. 2100/94 del Consiglio del 27 luglio 1994.*

— *Ove il termine ultimo dovesse scadere un giorno festivo, esso sarà prorogato sino al primo giorno successivo in cui l'U.C.V.V. può ricevere i documenti e nel quale la distribuzione della corrispondenza avviene normalmente, ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.*

— *Ove il termine ultimo dovesse scadere un giorno in cui l'ufficio d'esame non è in grado di ricevere il materiale vegetale, il richiedente dovrà considerare come termine ultimo il primo giorno successivo in cui l'ufficio d'esame è aperto per la ricezione del materiale vegetale ai sensi dell'articolo 71 del regolamento d'esecuzione n. 874/2009 della Commissione europea, del 17/09/2009.*

— *Qualsiasi particolare concernente i requisiti fitosanitari sarà comunicato al richiedente insieme alla richiesta di presentazione del materiale vegetale all'ufficio d'esame competente.*

— *Il materiale vegetale fornito deve godere visibilmente di buon stato di salute, non mancare di vigore e non essere affetto da alcun parassita o malattia importante.*

LV Kopienas Augu šķirņu biroja Oficiālā Vēstneša īpašais izdevums, kas informē par pieteikumu iesniegšanas termiņiem un augu materiāla iesniegšanas prasībām (Lappuse 25)

S2 Gazette mērķis ir sniegt pieteikuma iesniedzējiem konsolidētā versijā pieteikumu iesniegšanas beigu datumus un iesniegšanas prasības attiecībā uz augu materiāliem, ņemot vērā to tehnisko pārbaudi.

Kopš 2010. gada oktobra to digitāli publicē Biroja tīmekļa vietnē sešas reizes gadā. Jebkuras izmaiņas, salīdzinot ar iepriekš publicēto S2 versiju, tiek izceltas.

Lai identificētu šīs izmaiņas, Biroja tīmekļa vietnē ir pieejams meklēšanas rīks.

Lai varētu pārbaudīt ierakstu vēsturi, katra S2 publikācija tiks saglabāta pdf formāta dokumentā un būs pieejama tīmekļa lietotājiem.

S2 līdz izdevumam Nr. 201601 ietvēra augu materiāla iesniegšanas termiņus un to sugu iesniegšanas prasības, par kurām regulāri tiek iesniegti pieteikumi. CPVO nolēma visas sugas publicēt S2 vēstnesī, sākot ar izdevumu Nr. 201602, tomēr daži dati var nebūt norādīti. Jūs esat aicināts sazināties ar Biroju, ja informācija par sugu, kuru vēlaties pieteikt, nav pieejama. Lūdzu, ņemiet vērā, ka tā ir pieteicēja atbildība pieteikumi iepazīties ar visiem pieteikšanās procedūras aspektiem tai skaitā ar nosacījumiem iesniedzot augu materiālu tehniskās pārbaudes veikšanai. Iesniedzot pieteikumu, iesniedzējam jāspēj nodrošināt savas šķirnes augu materiāla iesniegšana līdz norādītajam termiņam tādā daudzumā un kvalitātē, kā noteicis Birojs. Pretējā gadījumā viņš riskē, ka viņa iesniegums tiks noraidīts. Ja Jums ir jautājumi par citām šķirnēm, lūdzu, sazinieties ar Kopienas Augu šķirņu biroju cpvo@cpvo.europa.eu.

- 1: Augsnes apstrādes tips
- 2: Maksas grupa
- 3: Paredzēto audzēšanas ciklu skaits
- 4: Valsts
- 5: Pārbaudes iestāde
- 6: Termiņš
- 7: Iesniegšanas sākums
- 8: Iesniegšanas beigas
- 9: Sēklu/augu daudzums un kvalitāte

Svarīgas piezīmes:

— Iesniedzējs iesniedz augu materiālu tikai pēc CPVO rakstiska pieprasījuma saņemšanas. Minētā noteikuma neievērošana var apdraudēt visu procedūru.

— Pieteikumu iesniedzējiem neiesaka kavēties ar pieteikumu vai augu materiāla nosūtīšanu līdz pēdējam brīdim.

— Pieteikumus var iesniegt jebkurā laikā. KAŠB paredz sākt tehnisko pārbaudi nākamajā veģetācijas periodā pēc iesniegšanas termiņa, ja derīgs pieteikums ir saņemts pirms attiecīgā iesniegšanas termiņa beigām.

— Pieteikuma iesniegšanas beigu datums nosaka, tehniskās pārbaudes sākumu. Pieteikumiem, kuri iesniegti līdz noteiktajam beigu datumam tehniskā pārbaude sākas tekošajā veģetācijas periodā. Ja termiņš sakrīt ar dienu, kad Birojs nestrādā, tad par termiņu tiek noteikta Biroja pirmā darbdiena. Pieteikumiem, kuri iesniegti pēc beigu datuma, tehnisko pārbaudi sāk nākamajā gadā.

— Ja augu materiāls iesniegts pēc noteiktā iesniegšanas termiņa, pieteikumu var noraidīt saskaņā ar 1994. gada 27. jūlija Padomes Regulas (EK) Nr. 2100/94 61. pantu.

— Ja termiņš izbeidzas dienā, kad CPVO dokumentus nepieņem, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad CPVO pieņem dokumentus un kad saņem parasto pastu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 Īstenošanas noteikumu 71.pantu.

— Ja termiņš izbeidzas dienā, kad pārbaudes iestāde nepieņem augu materiālu, tas tiek pagarināts līdz pirmajai nākamajai dienai, kad pārbaudes iestāde pieņem augu materiālu, saskaņā ar 2009. gada 17. septembra Eiropas Komisijas regulas Nr. 874/2009 Īstenošanas noteikumu 71.pantu.

— Visas nepieciešamās fitosanitārās prasības pieteikuma iesniedzējam paziņo, izsūtot pieprasījumu augu materiāla iesniegšanai atbilstīgajai pārbaudes iestādei

— Iesniedzamajam materiālam jābūt vizuāli veselam, spēcīgam, bez būtiskiem kaitekļiem vai slimību izraisītiem bojājumiem.

LT Bendrijos augalų veislių tarnybos oficialiojo biuletenio specialusis leidimas, informuojantis apie galutinę paraiškų pateikimo datą ir augalinės medžiagos pateikimo reikalavimus (Puslapis 25)

S2 biuletenyje pareiškėjams pateikiama apibendrinta informacija apie galutines paraiškų pateikimo datas ir techninei ekspertizei skirtos augalinės medžiagos pateikimo reikalavimus.

Nuo 2010 m. spalio mėn. jo elektroninė redakcija skelbiama tarnybos svetainėje šešis kartus per metus. Visi anksčiau paskelbtų S2 redakcijų pakeitimai pateikiami paryškintu šriftu.

Paieškos priemonė padės nustatyti šiuos pakeitimus Tarnybos svetainėje.

Kad būtų galima peržiūrėti įrašų žurnalą, visi S2 leidiniai bus įrašomi PDF formatu, ir su jais galės susipažinti interneto svetainės lankytojai.

Iki 201601 leidinio S2 apėmė augalinės medžiagos pateikimo ir reikalavimų rūšims, dėl kurių reguliariai pateikiamos paraiškos, pateikimo terminus. Nuo 201602 leidinio BAVT nusprendė paskelbti visas rūšis S2 leidinyje, tačiau kai kurie duomenys gali likti neįrašyti. Jei informacijos apie atitinkamą rūšį nėra, prašome susisiekti su tarnyba. Prašome prisiminti, kad pareiškėjo pareiga yra pakankamai žinoti visus paraiškų teikimo aspektus, įskaitant augalo medžiagos pateikimo techninės ekspertizės atlikimui. Pateikęs paraišką pareiškėjas turi laiku pateikti jo veislės augalo medžiagą, kuri atitiktų Tarnybos nurodytą kokybę ir kiekį. Priešingu atveju jis rizikuoja, kad jo paraiška bus atmesta. Klausimus dėl kitų rūšių prašome pateikti Augalų veislių tarnybai el. paštu cpvo@cpvo.europa.eu.

- 1: Auginimo tipas
- 2: Mokesčio grupė
- 3: Numatomas auginimo ciklo skaičius
- 4: Šalis
- 5: Ekspertizės tarnyba
- 6: Galutinė data
- 7: Pateikimo pradžia
- 8: Pateikimo pabaiga
- 9: Sėklų (augalų) kiekis ir kokybė

Svarbi informacija:

— Pareiškėjas augalinę medžiagą gali pateikti tik tuomet, kai BAVT to pareikalauja raštu. Nesilaikant šio reikalavimo, procedūra gali būti nutraukta.

— Rekomenduojama paraiškas ir augalinę medžiagą pateikti laiku (nelaukiant iki paskutinės dienos).

— Paraiškas galima užpildyti bet kuriuo metu. BAVT numato pradėti techninę ekspertizę auginimo laikotarpiu po galutinės paraiškų pateikimo dienos, jei ji galiojančią paraišką gavo iki galutinės paraiškų pateikimo datos.

— Pasibaigus paraiškų pateikimo terminui prasideda techninė ekspertizė. Paraišką pateikus ne vėliau nei galutinis paraiškos pateikimo terminas, ekspertizė prasidės iškart prasidėjus auginimo laikotarpiui. Jei galutinė paraiškos pateikimo diena yra tarnybos nedarbo diena, tuomet galutinė data bus kita pirma tarnybos darbo diena. Jei paraiškos pateiktos pasibaigus terminui, tuomet techninė ekspertizė prasidės kitais auginimo metais.

— Jei augalinė medžiaga pateikiama po galutinės jos pateikimo datos, paraiška gali būti atmesta pagal 1994 m. liepos 27 d. Tarybos reglamento (EB) Nr. 2100/94 61 straipsnį.

— Jei nustatytas terminas yra tokia diena, kurią BAVT nepriima dokumentų, jis pratęsiamas iki kitos dienos, kurią BAVT priima dokumentus ir kurią teikiamos įprastinės pašto paslaugos, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.

— Jei nustatytas terminas yra tokia diena, kurią ekspertizės tarnyba nepriima augalinės medžiagos, jis pratęsiamas iki kitos dienos, kurią ekspertizės tarnyba priima augalinę medžiagą, kaip nustatyta 2009 m. rugsėjo 17 d. Europos Komisijos Reglamento Nr.874/2009 įgyvendinimo taisyklių 71 straipsnyje.

— Apie visus fitosanitarinius reikalavimus pareiškėjui bus pranešta, kai iš jo bus pareikalauta pateikti augalinę medžiagą atitinkamai ekspertizės tarnybai.

— Pateikiama augalinė medžiaga iš pažiūros turi atrodyti sveika, nesuglebusi ir negali būti sugadinta kenkėjų ar ligų.

HU A CPVO Hivatalos Közlönyének speciális kiadványa-tájékoztató a kérelmek beadásának határidejéről és a növényi minták benyújtásához kapcsolódó követelményekről (Oldal 25)

Az S2 Gazette célja az, hogy a kérelmezők rendelkezésére bocsássa a kérelmek beadására vonatkozó egységesített határidőket, valamint a növény minta beküldésére vonatkozó előírásokat szakmai szempontok szerint.

2010 októbere óta a közlőnyt digitálisan teszik közzé a Hivatal weboldalán évente hat alkalommal. Az S2 kiadvány bármely, előzőleg közzétett változatához képest megjelenő módosítás kiemelve szerepel.

Egy kereső segítségével ezek a módosítások azonosíthatók a Hivatal weboldalán.

Annak érdekében, hogy a nyilvántartások előzményeit ellenőrizni lehessen, minden S2 kiadványt el fognak menteni pdf. dokumentumként, amely betekintés céljából a webes felhasználók rendelkezésére fog állni.

A 201601. sz. kiadvány előtt az S2 tartalmazta a növényi anyagok beküldésének határidejét és az olyan fajokra vonatkozó beküldési követelményeket, amelyekre rendszeresen bejelentést nyújtanak be. A CPVO úgy határozott, hogy a 201602. sz. kiadványtól kezdve az S2 közlőnyben az összes növényfajt közzéteszi, ennek ellenére néhány adatmező üresen maradhat. Ha a kérdéses növényfajokkal kapcsolatban nem érhető el információ, közvetlenül a Hivatalhoz kell fordulni. A bejelentési dokumentum kitöltése során a bejelentőnek tekintetbe kell vennie a fajta szaporítóanyagának beküldési határidejét és a Hivatal által meghatározott mennyiségi és minőségi követelményrendszerét. Ellenkező esetben a bejelentő kockáztatja a bejelentésének visszautasítását. Amennyiben egyéb fajtákkal kapcsolatban kérdése merülne fel, kérjük, keresse meg a CPVO-t a : cpvo@cpvo.europa.eu címen.

- 1: Termesztés típusa
- 2: Díj csoport
- 3: A tervezett termesztési ciklusok száma
- 4: Ország
- 5: Ellenőrző Hivatal
- 6: Benyújtási határidő
- 7: A szaporítóanyag beküldés kezdeti időpontja
- 8: A szaporítóanyag beküldés végső időpontja
- 9: Mag/Növény mennyiség és minőség

Fontos megjegyzés:

— A kérelmet benyújtónak csak akkor kell elküldenie a szaporítóanyag mintát, miután a CPVO-tól írásos nyilatkozatot átvette. Az említett utasítás be nem tartása az egész eljárást veszélyezteti.

— A kérelmezőknek nem tanácsos a kérelmek vagy a növényi szaporítóanyag minták benyújtásnak elküldését az utolsó pillanatra halasztaniuk.

— Kérelmet bármikor be lehet nyújtani. A CPVO a technikai vizsgálat megkezdését a benyújtási határidő követő termesztési időszakra irányozza elő, ha az érvényes kérelem a benyújtási határidő lejártá előtt beérkezett.

— A bejelentési határidő meghatározza a technikai vizsgálatok kezdetét. A bejelentési határidő előtti bejelentések esetében a technikai vizsgálatok a következő vizsgálati ciklusban megkezdődnek. Amennyiben a benyújtási határidő olyan napra esik, amikor a Hivatal zárva van, a benyújtási határidő a következő olyan nap lesz, amikor a Hivatal nyitva van. A bejelentési határidő utáni bejelentések esetében a technikai vizsgálatok a következő utáni vizsgálati ciklusban kezdődnek meg.

— A beküldési határidő lejártát követően beküldött növényi szaporítóanyag minták esetében a kérelmet az 1994. július 27-i, 2100/94/EK tanácsi rendelet 61. cikke alapján vissza lehet utasítani.

— Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem fogad dokumentumokat, a határidőt -a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint az első olyan napig hosszabbítják meg, amelyen a CPVO fogad dokumentumokat, és amelyen a szokványos postai küldemények érkeznek.

— Amennyiben egy határidő olyan napon jár le, amikor a CPVO nem vesz át szaporítóanyag mintákat, a határidőt -a 17/09/2009, 874/2009/EK bizottsági rendelet végrehajtási szabályainak 71. cikke szerint - az első olyan napig hosszabbítják meg, amelyen a hivatal átvész növényi mintákat.

— A kérelmet benyújtó tájékoztatást kap a növény-egészségügyi követelményekről, amikor megkapja a növényi minta illetékes vizsgáló hivatalhoz való benyújtásáról szóló nyilatkozatot.

— A benyújtott növénymintának láthatóan egészségesnek, életerőnek kell lennie, illetve nem szenvedhet jelentős kártevő vagy kórokozó fertőzéstől.

MT Hargha Speċjali tal-Gazzetta Uffiċjali ta' ĊPVO bit-tagħrif dwar id-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti għallprezentazzjoni ta' materjali tal-pjanti (Pagna 25)

L-għan tal gazzeta S2 huwa li jipprovi lill-applikanti b'verzjoni konsolidata tad-dati ta' għeluq għall-applikazzjonijiet u r-rekwiżiti ta' prezentazzjoni għal materjal tal-pjanti fid-dawl tal-eżami tekniku tagħhom.

Minn Ottubru 2010, il-hargha ta' S2 qed tiġi ppublikata digitalment fuq is-sit web tal-Uffiċċju sitt darbiet fis-sena. Kull modifika għal verzjoni ppublikata qabel fl-S2 tidher immarkata.

Għodda ta' tfittxija hija disponibbli b'x tidentifika dawn il-modifiki fuq is-sit elettroniku tal-Uffiċċju.

Sabier ikun eħfef it-tiftix fir-rekords tal-passat, kull hargha ta' S2 ser tkun issejvjata bħal dokument .pdf u tibqa' disponibbli għall-konsultazzjoni mill-utenti as-sit elettroniku.

Sal-gazzetta 201601, l-S2 kopra dati ta' skadenza għas-sottomissjoni ta' materjal tal-qasrija u r-rekwiżiti tas-sottomissjoni ta' speċi li għalihom regolarment jimtlew applikazzjonijiet. Mill-gazzetta 201602 'il quddiem, is-CPVO ddecieda li jippubblika l-ispeċi kollha fil-gazzetta S2, iżda xi data tista' tiġi barra. Int mitlub tikkuntattja l-Uffiċċju jekk l-informazzjoni għall-ispeċi inkwistjoni mhix disponibbli. Jekk jogħġbok ftakar li din hija r-responsabbiltà ta' l-applikant li jiffamiljarizza ruħu biżżejjed mal-aspetti kollha tal-proċedura ta' applikazzjoni li tinkludi d-dettalji fuq il-provvista ta' materjal ta' pjanti għat-tmejxija tal-eżami tekniku. Meta tidhol applikazzjoni, l-applikant għandu jkun f'pożizzjoni li jibgħat materjal tal-pjanti tal-varjetà tiegħu sal-iskadenza u fil-kwalità u l-kwantità preskritti mill-Uffiċċju. Inkella, ikun qed jittiehed ir-riskju li l-applikazzjoni tiġi miċhuda. F'każ ta' mistoqsijiet dwar speċi oħra, ikkuntatja ċ-CPVO fuq cpvo@cpvo.europa.eu.

- 1: Tip ta' kultivazzjoni
- 2: Grupp ta' miżata
- 3: Għadd ta' ċikli ta' tkabbir previst
- 4: Pajjiż
- 5: Uffiċċju ta' l-eżami
- 6: Data tal-għeluq
- 7: Bidu tal-perjodu ta' prezentazzjoni
- 8: Tmien tal-perjodu ta' prezentazzjoni
- 9: Kwantità u kwalità ta' żrieragħ/pjanti

Noti importanti:

— *L-applikant huwa mistenni jipprezenta l-materjal tal-pjanti biss wara li jkun irċieva talba bil-miktub miċ-CPVO. Jekk ma jsirx dan ta' hawn fuq, il-proċedura sħiħa tista' tiġi perikolata.*

— *Applikanti huma mwissija sew li ma jdumux sa l-aħħar ma jibagħtu l-applikazzjonijiet jew il-materjal tal-pjanti.*

— *L-applikazzjonijiet jistgħu jiġu ddepożitati fi kwalunkwe mument. I ċ-CPVO jipprevedi li jibda l-eżamijiet tekniċi fil-perjodu tat-tkabbir wara d-data ta' skadenza, f'każ li tasal applikazzjoni valida sad-data ta' skadenza.*

— *Id-data tal-għeluq tiddetermina l-bidu tal-eżami tekniku. Għal applikazzjonijiet li d-data tagħhom ma tkunx aktar tard mid-data tal-għeluq, l-eżami tekniku jibda fil-perjodu ta' tkabbir li jkun jmiss. Jekk id-data tal-għeluq taħbat f'jum li l-Uffiċċju ma jkunx miftuħ, allura, l-ewwel jum li fih l-Uffiċċju jkun miftuħ jiġi d-data tal-għeluq. Għal applikazzjonijiet datati wara d-data tal-għeluq tal-eżami tekniku, l-eżami tekniku jibda fis-sena segwenti.*

— *Jekk il-materjal tal-pjanti jiġi pprezentat wara d-data ta' prezentazzjoni stabbilita, l-applikazzjoni tista' tiġi rifjutata skond l-Artikolu 61 tar-Regolament tal-Kunsill (KE) Nru 2100/94 tas-27 ta' Lulju 1994.*

— *Jekk jiskadi limitu ta' żmien f'gurnata meta ċ-CPVO ma jkunx jopera għar-riċeviment ta' dokumenti, il-limitu ta' żmien għandu jiġi estiz sa l-ewwel gurnata wara din, meta ċ-CPVO jkun miftuħ għall-wasla ta' dokumenti u meta posta ġenerali tkun taslihom, skont l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Jekk jiskadi limitu ta' żmien f'gurnata meta l-uffiċċju ta' l-eżami ma jkunx jopera għar-riċeviment ta' materjal tal-pjanti, il-limitu ta' żmien għandu jiġi estiz sa l-ewwel gurnata wara din, meta l-uffiċċju ta' l-eżami jkun miftuħ għall-wasla ta' materjal tal-pjanti skont l-Artikolu 71 tar-Regoli ta' Implimentazzjoni tar-Regolament tal-Kummissjoni Ewropea Nru 874/2009 tal-17/09/2009.*

— *Kwalunkwe rekwiżiti fitosanitarji jintbagħtu lill-applikant flimkien mat-talba tal-prezentazzjoni tal-materjal tal-pjanti lill-uffiċċju ta' l-eżami rilevanti.*

— *Il-materjal tal-pjanti fornut għandu jkun vizibbilment b'saħħtu, ma jonqsux il-vitalità jew ibati minn parassita jew marda importanti.*

NL Speciale uitgave van het Mededelingenblad van het Communautair Bureau Voor Plantenrassen met informatieve betreffende sluitingsdata voor aanvragen en vereisten voor de inlevering van plantmateriaal (Bladzijde 25)

Het S2-Mededelingenblad is bedoeld om aanvragers een geconsolideerde versie ter beschikking te stellen van informatie betreffende de afsluitdata voor aanvragen en de vereisten voor inlevering van plantmateriaal met het oog op het technisch onderzoek ervan.

Sinds oktober 2010 wordt de S2 via de website van het Bureau digitaal gepubliceerd, zes maal per jaar. Alle wijzigingen ten opzichte van het vorige gepubliceerde S2 nummer zijn gemarkeerd.

Op de website van het Bureau is een zoektool beschikbaar om deze wijzigingen gemakkelijk terug te vinden.

Elk S2-nummer zal worden opgeslagen als .pdf-document en ter raadpleging voor de webgebruikers beschikbaar blijven, zodat de document-geschiedenis kan worden nagegaan.

Tot het nummer 201601 behandelde de S2 sluitingsdatums voor het inleveren van plantmateriaal en de voorwaarden voor het inleveren van soorten waarvoor regelmatig aanvragen worden ingediend. Het CPVO heeft beslist om vanaf het nummer 201602 alle soorten in de S2-publicatie openbaar te maken, maar het kan zijn dat sommige gegevens oningevuld blijven. U wordt verzocht met het Bureau contact op te nemen indien de informatie voor de desbetreffende soort niet beschikbaar is. Gelieve te noteren dat het tot de verantwoordelijkheid van de aanvrager behoort om zich voldoende te informeren over de aspecten van de aanvraagprocedure, inbegrepen de bijzonderheden over de inlevering van plantmateriaal voor het technische onderzoek. Wanneer U een aanvraag indient, dient de aanvrager in de mogelijkheid te zijn om plantmateriaal van dit ras voor het einde van de tijdslimiet en in de door het Bureau voorgeschreven hoeveelheden en kwaliteit in te leveren. Anders loopt hij het risico dat zijn aanvraag wordt verworpen. In geval van vragen over andere soorten kunt u met het CPVO contact opnemen via cpvo@cpvo.europa.eu.

- 1: Teelt type
- 2: Kostengroep
- 3: Aantal voorziene groeicycli
- 4: Land
- 5: Onderzoekstation
- 6: Sluitingsdatum
- 7: Aanvang van inleveringsperiode
- 8: Sluiting van inleveringsperiode
- 9: Zaad-/plant hoeveelheid en kwaliteit

Belangrijke opmerkingen:

— De aanvrager dient het plantmateriaal uitsluitend in te leveren nadat hij daartoe een schriftelijk verzoek heeft ontvangen van het Communautair Bureau voor Plantenrassen. Het niet-voldoen aan deze vereiste kan de gehele procedure in gevaar brengen.

— Aanvragers wordt ten eerste aanbevolen niet tot het laatste moment te wachten met het insturen van aanvragen of het ter beschikking stellen van plantmateriaal.

— Aanvragen kunnen op ieder moment worden ingediend. Indien het Communautair Bureau voor Plantenrassen een geldige en volledige aanvraag ontvangt vóór de sluitingsdatum, zal het het technisch onderzoek in de meeste gevallen starten in het groeiseizoen dat volgt op de sluitingsdatum.

— De richtdatum van de sluitingstermijn bepaalt de start van het technische onderzoek. Voor aanvragen met een aanvraagdatum die niet later is dan de richtdatum zal het technische onderzoek tijdens de komende groeiperiode aanvangen. Valt de sluitingsdatum op een dag waarop het Bureau niet open is, dan zal de eerste dag waarop het Bureau open is de sluitingsdatum worden. Voor aanvragen met een aanvraagdatum later dan de richtdatum zal het technische onderzoek tijdens het daaropvolgende jaar aanvangen.

— Indien plantmateriaal na de uiterste inleverdatum wordt ingeleverd, kan de aanvraag worden afgewezen krachtens artikel 61 van Verordening (EG) nr. 2100/94 van de Raad van 27 juli 1994.

— Wanneer een termijn verstrijkt op een dag waarop het Communautair Bureau voor Plantenrassen niet open is voor ontvangst van documenten, wordt de termijn verlengd tot de eerstvolgende dag waarop het Communautair Bureau voor Plantenrassen wel open is voor ontvangst van documenten en waarop gewone post wordt bezorgd, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.

— Wanneer een termijn verstrijkt op een dag waarop het onderzoekstation niet open is voor ontvangst van plantmateriaal, wordt de termijn verlengd tot de eerstvolgende dag waarop het onderzoekstation wel open is voor ontvangst van plantmateriaal, krachtens artikel 71 van de voorschriften ter uitvoering in Verordening (EG) nr. 874/2009 van de Commissie van 17/09/2009.

— Bijzondere fytosanitaire voorwaarden zullen samen met het verzoek tot inlevering van plantmateriaal bij het relevante onderzoekstation aan de aanvrager worden meegedeeld.

— Het aangeleverde plantmateriaal dient zichtbaar in gezonde staat te verkeren en mag geen gebrek aan groeikracht of aantasting vertonen van een belangrijke plaag of ziekte.

PL Specjalne wydanie urzędowej gazety CPVO informacja o ostatecznym terminie składania wniosków oraz o wymogach dotyczących przysyłania materiału roślinnego (Strona 25)

Celem publikacji Urzędowej Gazety S2 jest przekazanie wnioskodawcom skonsolidowanych informacji o ostatecznych terminach składania wniosków oraz o wymogach dotyczących składania materiału roślinnego w związku z jego badaniem technicznym.

Od października 2010 r. Urzędowa Gazeta S2 jest publikowana na stronie internetowej Urzędu sześć razy w roku. Wszelka zmiana względem wcześniej opublikowanych wersji jest zaznaczona.

Na stronie internetowej Urzędu jest dostępne narzędzie wyszukiwania w celu zidentyfikowania tych zmian.

Aby umożliwić sprawdzenie wcześniejszych dokumentów, każda publikacja Urzędowej Gazety S2 zostanie zachowana jako dokument .pdf i będzie dostępna do konsultacji dla użytkowników internetowych.

Do stycznia 2016 r. Gazeta S2 zawierała terminy dostarczania materiału roślinnego i inne wymagania w zakresie dostarczania dla gatunków, w odniesieniu do których regularnie składane są wnioski. Od lutego 2016 r. CPVO zdecydowała o publikacji wszystkich gatunków w Gazecie S2, ale niektóre dane mogą pozostać niewypełnione. Prosimy o kontakt z Urzędem, jeżeli informacje na temat danych gatunków nie są dostępne. Proszę pamiętać, że wnioskodawca ma obowiązek zapoznać się wystarczająco z wszystkimi aspektami procedury, w tym ze szczegółami dotyczącymi dostarczania materiału roślinnego do przeprowadzenia badania technicznego. Składając wniosek, wnioskodawca musi być w stanie przedłożyć materiał roślinny swojej odmiany w terminie, o jakości i w ilości wyznaczonych przez Urząd. W przeciwnym razie podejmuje ryzyko odrzucenia wniosku. W przypadku pytań dotyczących innych gatunków prosimy o kontakt z CPVO pod adresem cpvo@cpvo.europa.eu.

- 1: Typ uprawy
- 2: Grupa opłat
- 3: Liczba przewidzianych cykli wzrostu
- 4: Kraj
- 5: Urząd badawczy
- 6: Termin zamknięcia
- 7: Data rozpoczęcia dostarczania materiału
- 8: Data zamknięcia dostarczania materiału
- 9: Ilość i jakość materiału siewnego/ roślin

Ważne uwagi:

- Wnioskodawca winien wysyłać materiał roślinny jedynie na pisemne żądanie WUOR. Niezastosowanie się do powyższych zaleceń może negatywnie wpłynąć na przebieg postępowania.
- Wnioskodawcy nie zaleca się wysyłanie wniosków lub materiału roślinnego w ostatnim momencie.
- Zgłoszenia może składać w każdym czasie. CPVO zamierza rozpocząć badanie techniczne w okresie wzrostu przypadającym po dacie zamknięcia, pod warunkiem, że ważny wniosek został złożony przed upływem ostatecznego terminu.
- Data zamknięcia determinuje rozpoczęcie badania technicznego. Dla podań z datą wniosku nie późniejszą od daty zamknięcia, badanie techniczne rozpocznie się w nadchodzącym okresie wegetacyjnym. Jeśli data zamknięcia przypada na dzień, w którym Urząd nie pracuje, wtedy pierwszy dzień pracy Urzędu zostaje uznany za datę zamknięcia. Dla podań z datą wniosku po dacie zamknięcia, badanie techniczne rozpocznie się w następnym roku.
- Jeżeli materiał roślinny zostanie złożony po ustalonej dacie składania materiału, wniosek może zostać odrzucony na mocy art. 61 rozporządzenia Rady (WE) nr 2100/94 z dnia 27 lipca 1994 r.
- Jeżeli dany termin upływa w dniu, w którym WUOR nie przyjmuje dokumentów, termin ten zostaje przedłużony do pierwszego kolejnego dnia, w którym WUOR jest otwarty do celów przyjmowania dokumentów oraz w którym dostarczana jest zwyczajna poczta, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Jeżeli dany termin upływa w dniu, w którym urząd badawczy nie przyjmuje materiałów roślinnych, termin ten zostaje przedłużony do pierwszego dnia, w którym urząd badawczy jest otwarty do celów przyjmowania materiału roślinnego, zgodnie z art. 71 przepisów wykonawczych, rozporządzenie Komisji Europejskiej nr 874/2009 z dnia 17/09/2009.
- Wszelkie wymogi fitosanitarne zostaną przekazane wnioskodawcy wraz z wnioskiem o przedstawienie materiału roślinnego odpowiedniemu urzędowi badawczemu.
- Dostarczony materiał roślinny powinien charakteryzować się wyraźnie zdrowym wyglądem i żywotnością, nie powinien też być poważnie zaatakowany przez szkodniki ani dotknięty istotnymi chorobami.

PT Edição especial da Gazeta oficial do Instituto Comunitário Das Variedades Vegetais - Informações referentes às datas-limite de apresentação de pedidos e aos requisitos de apresentação de material vegetal (Página 25)

A Edição Especial do Boletim Oficial (S2) destina-se a fornecer aos requerentes uma versão consolidada com informações relativas às datas limite e aos requisitos de apresentação de material vegetal com vista ao seu exame técnico.

A partir de Outubro de 2010, será publicado no sítio Web do ICVV, em versão digital, seis vezes por ano. Todas as modificações à versão do Boletim S2 previamente publicadas serão destacadas.

No website do ICVV está disponível uma ferramenta de pesquisa que permite identificar estas alterações.

Com vista a permitir a consulta do historial de registos, cada publicação do Boletim S2 será guardada em formato .pdf e disponibilizada para consulta aos utilizadores do website.

Até à gazeta 201601, o Boletim S2 continha os prazos de apresentação de material vegetal e dos requisitos de apresentação relativos a espécies para as quais um pedido é regularmente processado. A partir da gazeta 201602, o ICVV decidiu publicar todas as espécies no Boletim S2, mas alguns dados poderão não ser incluídos. O requerente é convidado a contactar o ICVV caso a informação sobre a espécie em questão não esteja disponível. Chama-se a atenção do requerente sobre o facto de que é da sua responsabilidade de se familiarizar com todos os aspectos do processamento de um pedido, incluindo os detalhes relativos à apresentação de material vegetal para a realização de exames técnicos. Aquando do depósito de um pedido, o requerente deve estar em condições de enviar o material vegetal relativo à sua variedade nos prazos, na qualidade e na quantidade tais que exigidos pelo ICVV. Caso contrário, corre o risco de ver o seu pedido invalidado. Para qualquer questão relacionada com outras espécies, contacte o ICVV através do seguinte endereço de correio electrónico: cpvo@cpvo.europa.eu.

- 1: Tipo de cultivo
- 2: Grupo de taxas
- 3: Número de ciclos vegetativos previstos
- 4: País
- 5: Organismo de exame
- 6: Datas-limites
- 7: Início do prazo de envio do material vegetal
- 8: Fim do prazo de envio do material vegetal
- 9: Quantidade e qualidade de sementes/plantas

Notas importantes:

— *O requerente só deve apresentar o material vegetal depois de ter recebido um pedido por escrito do ICVV. O incumprimento desta instrução pode comprometer todo o processo.*

— *Os requerentes são vivamente aconselhados a não deixarem para a última hora o envio dos pedidos ou do material vegetal.*

— *Os pedidos podem ser apresentados em qualquer altura. O ICVV prevê iniciar o exame técnico no ciclo de cultivo seguinte a data limite para pedidos, sempre que o pedido seja válido e tenha sido recebido dentro do prazo.*

— *A data-limite determina o início do exame técnico. Para pedidos com data de pedido anterior à data-limite, o exame técnico será iniciado no ciclo de cultivo seguinte. Se a data-limite coincidir com um dia em que o ICVV estiver fechado, então a data limite transita para o primeiro dia o ICVV estiver aberto. Para os pedidos com data de pedido posterior à data-limite, o exame técnico será iniciado no ano seguinte.*

— *Se o material vegetal for apresentado após a data de apresentação fixada, o pedido poderá ser recusado, nos termos do artigo 61º do Regulamento (CE) nº 2100/94 do Conselho, de 27 de Julho de 1994.*

— *Se um prazo expirar num dia em que o ICVV não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o ICVV esteja aberto para recepção de documentos e em que o correio normal seja distribuído, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Se um prazo expirar num dia em que o organismo de exame não esteja aberto para recepção de documentos, o prazo é prorrogado até ao primeiro dia seguinte em que o organismo de exame esteja aberto para recepção de documentos, nos termos do artigo 71º do Regulamento nº 874/2009 da Comissão, de 17/09/2009, que estabelece normas de execução.*

— *Quaisquer requisitos fitossanitários serão comunicados ao requerente, juntamente com o pedido de apresentação do material vegetal ao organismo de exame pertinente.*

— *O material vegetal apresentado deve estar em perfeitas condições sanitárias, apresentar-se viçoso e não estar afectado por qualquer praga ou doença, nomeadamente vírus.*

RO Ediție specială a Buletinului Oficial al OCSP cuprinzând informații privind termenele de depunere a cererilor și condițiile de depunere a materialului vegetal (Pagina 25)

Scopul Buletinului S2 este de a oferi solicitanților o versiune consolidată a datelor de închidere a depunerii candidaturilor și a cerințelor pentru depunerea materialului vegetal în vederea examinării tehnice.

Începând cu luna octombrie 2010, Buletinul S2 este publicat în format electronic pe situl Oficiului, de șase ori pe an. Toate modificările față de versiunea publicată anterior a Buletinului S2 sînt puse în evidență.

Pe situl internet al oficiului, este disponibil un instrument de căutare pentru identificarea acestor modificări.

Pentru a permite verificarea înregistrărilor anterioare, fiecare publicație S2 va fi salvată ca document în format .pdf și va putea fi consultată de utilizatorii sitului.

Până la numărul 1 din 2016, Buletinul S2 a conținut termenele de depunere a materialului vegetal și condițiile de depunere pentru speciile pentru care există cereri în mod regulat. Începând cu numărul 2 din 2016, OCSP a decis să publice în Buletinul S2 toate speciile, însă este posibil ca unele date să nu fie disponibile. Vă rugăm să luați legătura cu Oficiul dacă informațiile referitoare la speciile în cauză nu sunt disponibile. Reamintim că este de responsabilitatea solicitantului să se familiarizeze cu aspectele procedurii, inclusiv să cunoască termenele de depunere a cererilor și condițiile de depunere a materialului vegetal în oficiul de examinare unde se va efectua examenul tehnic. Depunerea materialului vegetal trebuie să respecte termenele de depunere, cantitatea și calitatea prescrisă de OCSP. Altfel solicitantul riscă respingerea cererii. Pentru întrebări legate de alte specii, vă puteți adresa la OCSP la cpvo@cpvo.europa.eu.

- 1: Tipul cultivării
- 2: Grupul de taxe
- 3: Numărul prevăzut al perioadelor de cultură
- 4: Țara
- 5: Oficiul de examinare
- 6: Termenul de depunere
- 7: Începutul perioadei de depunere
- 8: Încheierea perioadei de depunere
- 9: Cantitatea și calitatea semințe/plante

Observații importante:

— Solicitantul nu trebuie să depună materialul vegetal decît după primirea unei invitații în scris în acest sens de la OCSP. Nerespectarea acestei instrucțiuni poate compromite întreaga procedură.

— Se recomandă în mod expres solicitanților să nu amâne expedierea cererilor sau a materialului vegetal până în ultima clipă.

— Cererile pot fi depuse în orice moment. OCSP preconizează să înceapă examinarea tehnică în perioada de cultură care urmează după termenul de depunere, dacă a fost primită o cerere valabilă până la termenul de depunere.

— Data de închidere determină începutul examinării tehnice. Pentru dosarele cu o data de aplicare înainte de data de închidere, examinarea tehnică va începe în perioada următoare de creștere. Dacă termenul cade într-o zi în care Oficiul este închis, atunci va fi considerată ca termen prima zi în care Oficiul este deschis. Pentru dosarele care au o dată de aplicare după data de închidere, examinarea tehnică va începe în perioada de creștere, anul următor.

— În cazul în care materialul vegetal este depus după termenul de depunere fixat, cererea poate fi refuzată în conformitate cu articolul 61 din Regulamentul (CE) nr. 2100/94 al Consiliului din 27 iulie 1994.

— În cazul în care termenul de depunere expiră într-o zi în care nu se primesc documente la OCSP, termenul se prelungește pînă în prima zi imediat următoare în care se primesc documente la OCSP și în care se distribuie corespondența obișnuită, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.

— În cazul în care un termen de depunere expiră într-o zi în care nu se primește material vegetal la oficiul de examinare, perioada de depunere se prelungește pînă în prima zi imediat următoare în care oficiul de examinare primește material vegetal, în conformitate cu articolul 71 din Normele de aplicare a Regulamentului (CE) nr. 874/2009 al Comisiei Europene din 17/09/2009.

— Toate cerințele fitosanitare se vor comunica solicitantului împreună cu invitația de depunere a materialului vegetal la oficiul de examinare în cauză.

— Materialul vegetal depus trebuie să fie în mod vizibil sănătos, viguros și neafectat de dăunători sau de boli semnificative.

SK Zvláštne vydanie Úradného vestníka CPVO oznamujúce dátumy uzávierky prihlášok a požiadavky na predloženie rastlinného materiálu (Strana 25)

Účelom vestníka S2 je poskytovať žiadateľom konsolidovanú verziu dátumov uzávierok prijímania žiadostí a požiadaviek na predloženie rastlinného materiálu v súvislosti s odborným preskúmaním.

Od októbra 2010 je vestník šesťkrát ročne uverejňovaný v digitálnej podobe na webovej stránke Úradu Spoločenstva pre odrody rastlín. Pričom všetky zmeny oproti pôvodne uverejnenej verzii vestníka S2 sú zvýraznené.

Na zistenie týchto zmien je na webovej stránke Úradu Spoločenstva pre odrody rastlín k dispozícii nástroj na vyhľadávanie.

Každé vydanie vestníka S2 bude uložené ako dokument vo formáte .pdf, aby sa zabezpečila možnosť prezerania predošlých vydaní, a bude naďalej k dispozícii na konzultáciu pre návštevníkov webovej stránky.

Do januárového vydania (201601) vestník S2 informoval o lehotách na predloženie rastlinného materiálu a o požiadavkách na dodávku druhov, u ktorých sú žiadosti pravidelne podávané. Úrad CPVO sa rozhodol, že od februárového vydania (201602) bude vo vestníku S2 uverejňovať všetky druhy, pričom nemusia byť vyplnené všetky údaje. V prípade, že informácie týkajúce sa určitého druhu nie sú k dispozícii, žiadame Vás, aby ste sa obrátili na úrad CPVO. Majte prosím na pamäti, že je povinnosťou žiadateľa oboznámiť sa dostatočne so všetkými aspektmi procesu podávania žiadostí, vrátane informácií o predložení rastlinného materiálu pre odborné preskúmanie. Pri podaní žiadosti musí byť žiadateľ schopný predložiť rastlinný materiál jeho odrody v požadovanom termíne, v kvalite a množstve stanovenom úradom CPVO. V opačnom prípade sa vystavuje riziku, že jeho žiadosť bude zamietnutá. Pokiaľ máte otázky týkajúce sa iných druhov, obráťte sa na úrad CPVO prostredníctvom emailovej adresy cpvo@cpvo.europa.eu.

- 1: Druh pestovania
- 2: Skupina poplatku
- 3: Predpokladaný počet rastových cyklov
- 4: Krajina
- 5: Skúšobný úrad
- 6: Dátum uzávierky
- 7: Začiatok dodania materiálu
- 8: Koniec dodania materiálu
- 9: Množstvo a kvalita osiva / rastlín

Dôležité upozornenia:

— Prihlasovateľ dodá množiteľský materiál len vtedy, keď ho o to písomnou formou požiada CPVO. Nesplnenie tohto pokynu môže ohroziť celkový priebeh konania.

— Prihlasovateľom odporúčame, aby si zasielanie prihlášok alebo rastlinného materiálu nenechávali na poslednú chvíľu.

— Prihlášky možno predložiť kedykoľvek. CPVO plánuje začať technické preskúmanie v rastovom období po uzávierke, ak bola do uzávierky prijatá platná prihláška.

— Záverečný termín uzávierky určuje začiatok technického skúšania. Pre žiadosti s dátumom podania najneskôr v deň uzávierky začne technické skúšanie v nadchádzajúcom vegetačnom období. V prípade, že dátum uzávierky pripadá na deň, keď úrad nie je otvorený, potom sa za dátum uzávierky bude považovať prvý deň, keď je úrad otvorený. Pre žiadosti s dátumom podania po dátume uzávierky, technické skúšanie začne v nasledujúcom roku.

— Ak sa rastlinný materiál predloží po stanovenom dátume na predkladanie, prihláška môže byť zamietnutá v súlade s článkom 61 nariadenia Rady (ES) č. 2100/94 z 27. júla 1994.

— Ak stanovená lehota uplynie v deň, kedy CPVO dokumenty neprijíma, stanovená lehota sa predĺži do najbližšieho d'alsieho dňa, kedy CPVO prijíma dokumenty a kedy sa prijíma bežná pošta, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.

— Ak stanovená lehota uplynie v deň, kedy skúšobný úrad neprijíma rastlinný materiál, stanovená lehota sa predĺži do najbližšieho d'alsieho dňa, kedy skúšobný úrad prijíma rastlinný materiál, v súlade s článkom 71 vykonávacích predpisov nariadenia Komisie č. 874/2009 zo 17. septembra 2009.

— Všetky fytosanitárne požiadavky sa oznámia prihlasovateľovi so žiadosťou o predloženie rastlinného materiálu príslušnému skúšobnému úradu.

— Dodaný rastlinný materiál by mal byť viditeľne zdravý, čerstvý a nemal by byť napadnutý žiadnymi chorobami alebo škodcami.

SL Posebna izdaja Uradnega glasila Urada skupnosti za rastlinske sorte o rokih za oddajo prijave in o zahtevah za predložitev rastlinskega materiala (Stran 25)

Namen Glasila S2 je prijavitelje seznaniti s konsolidirano različico rokov za oddajo prijav in zahtevami v zvezi s predložitvijo rastlinskega materiala za preskušanje.

Od oktobra 2010 se je glasilo šestkrat letno v digitalni obliki objavilo na spletišču Urada. Kar pomeni, da so vse spremembe podatkov iz predhodno objavljenih različic glasila S2 vidno označene.

Na spletni strani urada je na voljo orodje za iskanje omenjenih sprememb.

Da bi omogočili vpogled v zgodovino zapisov, bodo vsa glasila S2 shranjena v formatu .pdf in bodo še nadalje ostala na voljo uporabnikom spletne strani urada.

Glasilo S2 je do številke 201601 vključevalo roke za predložitev rastlinskega materiala in zahteve v zvezi s predložitvijo vrst, za katere so prijave redno vlagajo. Urad CPVO se je odločil, da bo od številke 201602 v glasilu S2 objavil vse vrste, vendar pa utegnejo nekatere rubrike s podatki ostati prazne. Če informacije za zadevno vrsto niso na voljo, se obrnite na Urad. Opozoriti vas moramo, da se je prijavitelj dolžan v zadostni meri seznaniti z vsemi vidiki postopka prijave, vključno s podrobnostmi o predložitvi rastlinskega materiala za izvedbo preizkušanja. Ob vložitvi prijave mora biti prijavitelj sposoben zagotoviti in predložiti rastlinski material svoje sorte do roka in v količini ter kakovosti, kot jih predpiše Urad. V nasprotnem primeru tvega, da se njegova prijava zavrne. Če imate kakršnakoli vprašanja o drugih vrstah, se obrnite na Urad Skupnosti za rastlinske sorte na naslov cpvo@cpvo.europa.eu.

- 1: Vrsta pridelave
- 2: Razred za plačilo pristojbin
- 3: Število predvidenih rastnih ciklusov
- 4: Država
- 5: Urad za preskušanje sort
- 6: Rok za oddajo
- 7: Predložitev se začne
- 8: Predložitev se konča
- 9: Količina in kakovost semena/rastlin

Pomembno:

— Od prijavitelja se pričakuje, da predloži rastlinski material šele, ko od CPVO prejme pisno zahtevo. Neizpolnjevanje zgoraj navedenega navodila lahko ogrozi celoten postopek.

— Prijaviteljem svetujemo, da s pošiljanjem prijav ali rastlinskega materiala ne čakajo na zadnji trenutek.

— Prijave se lahko vložijo kadar koli. CPVO predvideva začetek preskušanja v obdobju rasti po roku za oddajo prijav, če je bila veljavna prijava prejeta do tega roka.

— Rok za oddajo prijav določa začetek preizkušanja. Za prijave z datumom, ki ni poznejši kot je rok za oddajo prijave, se preizkušanje začne v tej rastni dobi. Če rok za oddajo prijav poteče na dan, ko Urad ni odprt, se kot rok za oddajo prijav šteje prvi dan, ko je Urad odprt. Za prijave z datumom, ki je poznejši kot je rok za oddajo prijave, se preizkušanje začne naslednje leto.

— Če je rastlinski material predložen po roku za predložitev, se lahko prijava zavrne v skladu s členom 61 Uredbe Sveta (ES) št. 2100/94 z dne 27. julija 1994.

— Če rok poteče na dan, ko CPVO ni odprt za sprejem dokumentov, se rok podaljša do prvega dne, ko je CPVO odprt za prejem dokumentov in na katerega se opravlja dostava navadne pošte, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009.

— Če rok poteče na dan, ko urad za preskušanje sort ni odprt za sprejem rastlinskega materiala, se rok podaljša do prvega dne, ko je urad za preskušanje sort odprt za prejem rastlinskega materiala, kar je v skladu s členom 71 Uredbe Evropske komisije št. 874/2009 z dne 17. September 2009 o uvedbi izvedbenih pravil.

— V primeru fitosanitarnih zahtev se obvesti prijavitelja in se od njega zahteva, da zadevnemu uradu za preskušanje sort predloži rastlinski material.

— Predloženi rastlinski material mora izkazovati zdravje, vitalnost ter ne sme biti prizadet zaradi škodljivcev ali bolezni.

FI Kasvilajikeviraston virallisen lehden erikoisnumero, jossa on tietoa määräajoista hakemuksen jättämiseksi ja vaatimuksista kasvimateriaalin toimittamiselle (Sivu 25)

Kasvilajikeviraston virallisen lehden S2:n tarkoituksena on tarjota hakijoille konsolidoidun version muodossa tietoa määräajoista hakemusten jättämiseksi ja vaatimuksista kasvimateriaalin toimittamiselle niiden teknisen tutkimuksen yhteydessä.

Lokakuusta 2010 alkaen lehti on ilmestynyt digitaalisena kasvilajikeviraston verkkosivustolla kuusi kertaa vuodessa. Ja mahdolliset muutokset suhteessa S2:n edelliseen numeroon on merkitty näkyviin.

Muutosten havaitsemiseksi viraston sivustolla on myös käytettävissä hakuväline.

Vanhoiden tietojen tarkistamisen helpottamiseksi jokainen S2-julkaisu tallennetaan verkkosivustolle pdf-asiakirjana, johon sivuston käyttäjät voivat tutustua.

Vuoden 2016 tammikuun numeroon asti S2:ssa julkaistiin määräajat ja toimitettavia kasvimateriaaleja koskevat vaatimukset niiden lajien osalta, joista tehdään säännöllisesti hakemuksia. Kasvilajikevirasto on nyt päättänyt, että vuoden 2016 helmikuusta alkaen S2-lehdessä julkaistaan kaikki kasvilajikkeet, vaikka osa niiden tiedoista voi puuttua. Pyydämme ottamaan yhteyttä kasvilajikevirastoon, jos kyseistä kasvilajiketta koskevaa tietoa ei ole saatavilla. Hakijalla on velvollisuus perehtyä riittävissä määrin kaikkiin hakemusmenettelyn osiin, tekniseen tutkimukseen tarvittavan kasvimateriaalin toimittamisen yksityiskohdat mukaan luettuna. Hakemusta tehdessään hakijan on kyettävä toimittamaan määräaikaan mennessä lajikkeestaan niin paljon ja sen laatuista kasvimateriaalia kuin mitä kasvilajikevirasto määrää. Muussa tapauksessa on vaara, että hakemus tulee hylätyksi. Muita lajeja koskevien kysymysten osalta pyydämme ottamaan yhteyttä kasvilajikevirastoon cpvo@cpvo.europa.eu.

- 1: Viljelytyyppi
- 2: Maksuryhmä
- 3: Kasvukausien ennakoitu lukumäärä
- 4: Maa
- 5: Tutkimuslaitos
- 6: Määräpäivä
- 7: Toimittaminen alkaa
- 8: Toimittaminen päättyy
- 9: Siementen/kasvien määrä ja laatu

Tärkeä huomautus:

— *Hakijan odotetaan toimittavan kasvimateriaalia vasta vastaanotettuaan kasvilajikevirastolta kirjallisen pyynnön asiasta. Kyseisen ohjeen noudattamatta jättäminen saattaa vaarantaa koko menettelyn.*

— *Hakijaa kehoitetaan lähettämään hakemus tai kasvimateriaali hyvissä ajoin ennen määräaika.*

— *Hakemuksen voi lähettää koska tahansa. CPVO:n tarkoituksena on aloittaa tekninen tutkimus määräpäivää seuraavana kasvukautena, jos virasto on saanut virallisen hakemuksen määräpäivään mennessä.*

— *Hakemuksen määräaika ratkaisee teknisen tutkimuksen aloittamisen. Jos virasto on saanut hakemuksen määräpäivään mennessä, tekninen tutkimus aloitetaan seuraavana kasvukautena. Jos määräaika päättyy päivänä, jona kasvilajikevirasto ei ole avoinna määräaika jatketaan lähimpään päivään, jona kasvilajikevirasto on auki. Jos hakemus toimitetaan annetun määräpäivän jälkeen, tekninen tutkimus aloitetaan vasta seuraavan määräpäivän jälkeisenä kasvukautena.*

— *Jos kasvimateriaali toimitetaan annetun määräpäivän jälkeen, hakemus voidaan hylätä 27 päivänä heinäkuuta 1994 annetun neuvoston asetuksen (EY) N:o 2100/94 61 artiklan mukaan.*

— *Jos määräaika päättyy päivänä, jona kasvilajikevirasto ei ole avoinna asiakirjojen vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona kasvilajikevirasto on auki asiakirjojen vastaanottamiseksi ja jona tavanomainen postinjakelu toimii, 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Jos määräaika päättyy päivänä, jona tutkimusvirasto ei ole avoinna kasvimateriaalin vastaanottamiseksi, määräaika jatketaan lähimpään päivään, jona tutkimusvirasto on auki kasvimateriaalin vastaanottamiseksi ja jona tavanomainen postinjakelu toimii 17 päivänä syyskuuta 2009 soveltamisesta annetun Euroopan komission asetuksen 874/2009 artiklan 71 mukaan.*

— *Kasvien terveydentilaa koskevat vaatimukset esitetään hakijalle kasvimateriaalin toimittamista asianomaiselle tutkimusvirastolle koskevan pyynnön yhteydessä.*

— *Toimitetun kasvimateriaalin on oltava silmin nähden tervettä ja elinvoimaista eikä siinä saa olla minkäänlaisia merkkejä tuholaisista tai sairauksista.*

SV Specialutgåva av den officiella tidskriften för gemenskapens växtsortsmyndighet innehållande information om tidsfrister för ansökningar och villkor för ingivande av växtmaterial (Sida 25)

Syftet med specialutgåvan (S2) av den officiella tidskriften är att i en konsoliderad version informera de sökande om tidsfrister för ansökningar och krav på inlämning av växtmaterial för den tekniska provningen.

Sedan oktober 2010 offentliggörs specialutgåvan digitalt på myndighetens webbplats sex gånger om året. Och eventuella ändringar jämfört med föregående version är markerade.

Ett sökverktyg för att identifiera dessa ändringar finns på myndighetens webbplats.

För att tillåta kontroll av tidigare publicerade dokument så kommer alla specialutgåvor sparas som pdf-dokument och dessa kommer att finnas tillgängliga för konsultation för webbanvändare.

Fram till 201601 innehöll specialutgåvan information om tidsfrister för inlämnande av växtmaterial och villkor för inlämnande av arter för vilka ansökningar regelbundet skickas in. Sedan 201602 offentliggör myndigheten alla arter i specialutgåvan, men vissa uppgifter kan vara utelämnade. Kontakta myndigheten om du saknar information om arten i fråga. Var vänlig kom ihåg att det är den sökandes ansvar att bekanta sig tillräckligt med alla aspekter av ansökningsförfarandet inklusive detaljerna om inlämning av växtmaterial för genomförandet av den tekniska undersökningen. När en ansökan inlämnas måste den sökande vara i stånd att lämna växtmaterial av sin sort i tid, samt i den kvalitet och kvantitet som myndigheten föreskriver. Annars finns det risk för att hans ansökan avslås. Kontakta CPVO på cpvo@cpvo.europa.eu om det finns frågor om andra arter.

- 1: Typ av odling
- 2: Avgiftsgrupp
- 3: Antal planerade växtcykler
- 4: Land
- 5: Provningsmyndighet
- 6: Slutdatum
- 7: Början för inlämnade
- 8: Slut för inlämnade
- 9: Säd-/plant kvantitet och kvalitet

Observera:

— Den sökande förväntas lämna in växtmaterialet endast efter det att denne mottagit en skriftlig begäran från växtsortsmyndigheten. Underlåtenhet att rätta sig efter instruktionerna ovan kan äventyra hela förfarandet.

— De sökande uppmanas att inte vänta till sista stund med att lämna ansökningar eller växtmaterial.

— Ansökningar kan lämnas in när som helst. CPVO räknar med att påbörja den tekniska provningen under växtperioden efter sista ansökningsdatum om en giltig ansökan har inkommit senast detta datum.

— Slutdatumet anger början av den tekniska provningen. För ansökningar med ett ansökningsdatum som infaller senast på slutdatumet, så kommer den tekniska provningen att starta i den kommande växtperioden. Om slutdatumet infaller på en dag då myndigheten håller stängt kommer slutdatumet att bli den första dagen då myndigheten är öppen igen. För ansökningar med ett ansökningsdatum senare än slutdatumet så kommer den tekniska provningen att inledas under efterföljande år.

— Om materialet lämnas in efter fastställd tidsfrist för inlämnande kan ansökan avslås enligt artikel 61 i rådets förordning (EG) nr 2100/94 av den 27 juli 1994.

— Om en tidsfrist löper ut på en dag då växtsortsmyndigheten inte är öppen för mottagande av handlingar ska tidsfristen förlängas till första dagen därefter då växtsortsmyndigheten är öppen för mottagande av handlingar och då vanlig post delas ut, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.

— Om en tidsfrist löper ut på en dag då provningsmyndigheten inte är öppen för mottagande av växtmaterial, ska tidsfristen förlängas till första dagen därefter då provningsmyndigheten är öppen för mottagande av växtmaterial, i enlighet med artikel 71 i genomförandebestämmelserna, Europeiska kommissionens förordning nr 874/2009 av den 17/09/2009.

— Eventuella fytosanitära villkor kommer att meddelas den sökande tillsammans med begäran att lämna in växtmaterial till berörd provningsmyndighet.

— Det inlämnade växtmaterialet ska vara synbarligen friskt och inte sakna livskraft eller vara drabbat av några skadedjur eller någon sjukdom.

1	2	3	4	5	6	7	8	9	
<i>Abelia</i> R. Br.									
vegetative	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abelia chinensis</i> R. Br.									
	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abelia engleriana</i> (Graebn.) Rehder									
	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder									
vegetative	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder × <i>A. parvifolia</i> Hemsl. (syn. <i>A. schumannii</i> (Graebn.) Rehder)									
vegetative	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abelia</i> × <i>grandiflora</i> (Rovelli ex André) Rehder × <i>A. schumannii</i> Rehd.									
	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abelia parvifolia</i> Hemsl. (syn. <i>Abelia schumannii</i> (Graebn.) Rehder)									
	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abelia triflora</i> R. Br. ex Wallich.									
	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.	
<i>Abutilon darwinii</i> Hook. f.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
<i>Abutilon</i> × <i>hybridum</i> hort. ex Voss									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Abutilon megapotamicum (spreng.) A. St.-Hill. & Naudin

10 1 NL NAKTUINBOUW - * * * *

Main Office

***Acacia* Mill.**

11 2 FR GEVES - Siège 01/03 01/05 31/05 6 plants, 18 months old
Each plant must be clearly labelled

10 1 FR GEVES - Siège * * * *

***Acacia baileyana* F. Muell.**

greenhouse 10 2 FR GEVES - Siège 01/03 01/05 31/05 6 plants, 18 months old
Each plant must be clearly labelled

outdoor 11 2 FR GEVES - Siège 01/03 01/05 31/05 6 plants, 18 months old
Each plant must be clearly labelled

***Acacia floribunda* (Vent.) Willd.**

greenhouse 10 2 FR GEVES - Siège 01/03 01/05 31/05 6 plants, 18 months old
Each plant must be clearly labelled

outdoor 11 2 FR GEVES - Siège 01/03 01/05 31/05 6 plants, 18 months old
Each plant must be clearly labelled

***Acacia leprosa* Sieber ex DC.**

greenhouse 10 2 FR GEVES - Siège 01/03 01/05 31/05 6 plants, 18 months old
Each plant must be clearly labelled

outdoor 11 2 FR GEVES - Siège 01/03 01/05 31/05 6 plants, 18 months old
Each plant must be clearly labelled

***Acalypha godseffiana* hort. Sander ex Mast.**

11 1 NL NAKTUINBOUW - 01/12 01/03 31/03 24 young plants
Main Office - able to show all their characteristics in the second year of examination.

11 * DK University of Aarhus - Aarslev * * * *

***Acanthus* L.**

vegetative, variegated 11 1 GB NIAB 01/12 09/03 20/03 *

11 1 NL NAKTUINBOUW - 01/12 01/03 31/03 24 young plants
Main Office - able to show all their characteristics in the second year of examination.

***Acer campestre* L.**

vegetative 11 1 HU NEBIH Headquarters 31/01 01/03 15/04 8 plants, at least 3 years old
container-grown.

vegetative 11 1 NL NAKTUINBOUW - 01/12 01/03 31/03 8 trees, able to show all their characteristics during the first year
Main Office of examination.
2-3 years old, container-grown.

***Acer longipes* Franch. ex Rehder subsp. *amplum* (Rehder) P.C.de Jong × *A. platanoides* L.**

vegetative 11 2 DE Bundessortenamt 01/12 * 15/03 10 potted plants
2 years old, with well developed side shoots, 120-150 cm height

***Acer palmatum* Thunb.**

vegetative 11 1 NL NAKTUINBOUW - 01/12 01/03 31/03 8 trees, able to show all their characteristics during the first year
Main Office of examination.
2-3 years old, container-grown.

***Acer palmatum* Thunb. × *Acer pseudosieboldianum* (Pax) Kom.**

11 1 NL NAKTUINBOUW - 01/12 01/03 31/03 8 trees
Main Office 2 or 3 years old, in container, able to show all their characteristics
during the first year of examination

1	2	3	4	5	6	7	8	9
<i>Acer palmatum</i> subsp. <i>amoenum</i> (Carrière) H. Hara								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 trees, able to show all their characteristics during the first year of examination. 2-3 years old, container-grown.
<i>Acer platanoides</i> L.								
vegetative	11	2	DE	Bundessortenamt	01/12	*	15/03	10 potted plants at least 2 years old, free of important diseases and pests. 2 years old with well developed side shoots, 120-150 cm height
<i>Acer platanoides</i> L. × <i>Acer truncatum</i> Bunge								
	11	*	PL	COBORU - Head-quarters	*	*	*	*
<i>Acer pseudoplatanus</i> L.								
vegetative	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 grafted plants, container-grown 150-175 cm height, 2-3 years old
<i>Acer rubrum</i> L.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	01/04	15/04	8 plants, container-grown, 3-4 years old
	11	2	DE	Bundessortenamt	*	*	*	*
<i>Acer shirasawanum</i> Koidz.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 trees, 2-3 years old, in pot, able to show all their characteristics during the first year of examination.
<i>Acer tataricum</i> L.								
tree	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 trees, able to show all their characteristics during the first year of examination. 2-3 years old, container-grown.
<i>Acer truncatum</i> Bunge								
	11	*	PL	COBORU - Head-quarters	*	*	*	*
<i>Achillea millefolium</i> × <i>A. tomentosa</i>								
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/03	25 young plants, of commercial standard.
	11	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Achillea millefolium</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination - of commercial standard.
<i>Achillea ptarmica</i> L.								
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/03	25 young plants of commercial standard
	11	1	NL	NAKTUINBOUW - Main Office	*	01/03	31/03	24 young plants of commercial standard able to show all their characteristics in the first year of examination
<i>Aconitum</i> L.								
	11	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Aconitum carmichaelii</i> Debeaux - <i>Arendsii</i> Grp.								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination. appropriate to be grown in the open

1	2	3	4	5	6	7	8	9	
<i>Aconitum carmichaelii</i> Debeaux									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination. appropriate to be grown in the open.
<i>Actaea pachypoda</i> Elliott									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Actaea racemosa</i> L.									
	14	1	DE	Bundessortenamt		15/12	01/03	20/03	60 young plants, well rooted No chemical or physical treatment without harmful organisms
<i>Actaea racemosa</i> L. (syn. <i>Cimicifuga racemosa</i> (L.) Nutt.) × <i>A. simplex</i> (DC.) Wormsk. ex Prantl (syn. <i>Cimicifuga simplex</i> (DC.) Wormsk. ex Turcz.)									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Actinidia</i> Lindl.									
	7	4	IT	CREA-OFA (EO)	ROMA	15/12	01/03	30/04	8 grafted plants, one-year old, grafted on 'Hayward' or on their own roots Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
<i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq.									
	7	4	IT	CREA-OFA (EO)	ROMA	15/12	01/03	30/04	8 grafted plants, one-year old, grafted on 'Hayward' or on their own roots Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
<i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq. × <i>A. deliciosa</i> (A. Chev.) C. F. Liang & A. R. Ferguson									
	7	4	IT	CREA-OFA (EO)	ROMA	*	*	*	*
<i>Actinidia chinensis</i> Planch.									
	7	4	IT	CREA-OFA (EO)	ROMA	15/12	01/03	30/04	8 grafted plants, one-year old, grafted on 'Hayward' or on their own roots Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i> .
<i>Actinidia chinensis</i> Planch. × <i>A. deliciosa</i> (A. Chev.) C. F. Liang & A. R. Ferguson									
	7	4	IT	CREA-OFA (EO)	ROMA	15/12	01/03	30/04	8 grafted plants, one-year old, grafted on 'Hayward' or on their own roots Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
<i>Actinidia chinensis</i> Planch. × <i>A. eriantha</i> Benth.									
	7	4	IT	CREA-OFA (EO)	ROMA	15/12	01/03	30/04	8 grafted plants, one-year old, grafted on 'Hayward' or on their own roots Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Actinidia deliciosa* (A. Chev.) C. F. Liang & A. R. Ferguson**

7	4	IT	CREA-OFA (EO)	ROMA	15/12	01/03	30/04	8 grafted plants, one-year old, grafted on 'Hayward' or on their own roots Plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
---	---	----	------------------	------	-------	-------	-------	---

***Actinidia* × *fairchildii* Rehder**

7	4	IT	CREA-OFA (EO)	ROMA	15/12	01/03	30/04	8 grafted plants, one-year old, grafted on 'Hayward' or on their own roots Plants should be accompanied by a recognised certificate indicating that the plants have been PCR tested to give a negative result for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv <i>actinidiae</i>
---	---	----	------------------	------	-------	-------	-------	---

***Actinidia kolomikta* (Maxim. & Rupr.) Maxim.**

7	3	PL	COBORU - quarters	Head-	15/01	15/05	31/05	9 potted plants, well rooted, one-year old
---	---	----	----------------------	-------	-------	-------	-------	--

***Adenanthos sericeus* Labill.**

vegetative	11	1	DE	Bundessortenamt		01/12	15/04	30/04	25 young plants not pinched, at least 6 month old
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Adenium* Roem. & Schult**

10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
----	---	----	----------------------------	---	---	---	---	---

***Adenium obesum* (Forssk.) Roem. & Schult.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Adenophora pereskiiifolia* (Fisch.) Fisch. ex G. Don (syn. *Adenophora latifolia* Fisch.)**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Aechmea* Ruiz & Pav.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	50 young plants, able to show all their characteristics during the first year of examination. approximately 1 months before flower induction treatment
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Aechmea fasciata* (Lindl.) Baker**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	50 young plants approx 1 month before the flower induction treatment
----	---	----	----------------------------	---	-------	-------	-------	---

***Aechmea smithiorum* Mez × *Portea alatisepala* Philcox**

10	*	NL	NAKTUINBOUW Main Office	-	*	*	*	*
----	---	----	----------------------------	---	---	---	---	---

***Aeonium decorum* Webb ex Bolle**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
----	---	----	----------------------------	---	-------	-------	-------	---

***Aeschynanthus* Jack**

vegetative	10	1	DE	Bundessortenamt		15/11	01/04	05/04	10 pots with 2 to 3 young plants per pot; not treated with growth regulators. The plants must be 8-10 weeks old.
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Aeschynanthus evrardii* Pellegr.**

10	1	DE	Bundessortenamt		15/11	*	01/04	*
----	---	----	-----------------	--	-------	---	-------	---

1	2	3	4	5	6	7	8	9	
<i>Aeschynanthus parvifolius</i> R. Br. (syn <i>Aeschynanthus lobbianus</i> Hook.)									
vegetative	10	1	DE	Bundessortenamt	15/11	30/03	03/04	10 pots with 2 to 3 young plants per pot; not treated with growth regulators. The plants must be 8-10 weeks old.	
<i>Aeschynanthus radicans</i> Jack × <i>A. tricolor</i> Hook									
	10	1	DE	Bundessortenamt	15/11	01/04	05/04	10 pots with 2 to 3 plants; not treatet with growth regulators	
<i>Aeschynanthus speciosus</i> Hook.									
	10	1	DE	Bundessortenamt	15/11	*	01/04	*	
<i>Agapanthus</i> L'Hér.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	12 young plants able to show all their characteristics during the first year of examination.
<i>Agapanthus africanus</i> (L.) Hoffmanns.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	12 young plants able to show all their characteristics during the first year of examination
<i>Agapanthus campanulatus</i> F. M Leight × <i>A. praecox</i> Willd. subsp. <i>orientalis</i> (F. M. Leight.) F. M. Leight.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	15/03	12 young plants able to show all their characteristics during the first year of examination
<i>Agapanthus praecox</i> Willd. subsp. <i>orientalis</i> (F. M. Leight.) F. M. Leight.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	12 young plants able to show all their characteristics during the first year of examination.
<i>Agaricus bisporus</i> (Lange) Imbach									
	13	2	HU	NEBIH Headquarters	31/03	01/09	15/09	9 l spawn	
<i>Agaricus subrufescens</i> Peck									
	13	2	HU	NEBIH Headquarters	31/03	01/09	15/09	9 l spawn	
<i>Agastache</i> J. Clayton ex Gronov.									
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Agastache aurantiaca</i> (A.Gray) Lint & Epling									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	
<i>Agastache cana</i> (Hook.) Wooton & Standl.									
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Agastache cana</i> (Hook.) Wooton & Standl. × <i>A. cusickii</i> (Greenm.) A. Heller									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Agastache cana</i> (Hook.) Wooton & Standl. × <i>A. pallidiflora</i> Rydb.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	

1	2	3	4	5	6	7	8	9
<i>Agastache foeniculum</i> (Pursh) Kuntze								
seed	11	1	GB	NIAB		01/12	20/01	24/01 *
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Agastache mexicana</i> (H. B. K.) Lint. & Epling								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Agastache pallida</i> (Lindl.) Cory (syn. <i>A. barberi</i> (B. L. Rob.) Epling)								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Agastache pallidiflora</i> Rydb.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Agastache rugosa</i> (Fisch. & C. A. Mey.) Kuntze								
seed	11	1	GB	NIAB		01/12	20/01	24/01 *
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Agave attenuata</i> Salm-Dyck								
vegetative	10	1	DE	Bundessortenamt		01/12	05/05	09/05 25 young plants, well established of commercial standard.
<i>Agave marmorata</i> Roez								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Agave univitatta</i> Haw.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ageratina altissima</i> (L.) R. M. King & H. Rob.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ageratum</i> L.								
vegetative	11	1	DE	Bundessortenamt		15/11	15/03	21/03 25 rooted cuttings not pinched
<i>Ageratum houstonianum</i> Mill.								
vegetative	11	1	DE	Bundessortenamt		15/11	15/03	21/03 25 rooted cuttings not pinched
<i>Aglaonema</i> Schott								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Aglaonema commutatum</i> Schott								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Aglaonema commutatum</i> Schott × <i>Aglaonema philippinense</i> Engl. var. <i>stenophyllum</i> (Merr.) R. N. Jervis (syn. <i>Aglaonema stenophyllum</i> Merr.)								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Aglaonema commutatum* Schott × *Aglaonema rotundum* N. E. Br.**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Aglaonema commutatum* Schott var. *elegans* (Engl.) Nicolson × *Aglaonema crispum* (Pitcher & R. F. Manda) Nicolson**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Aglaonema costatum* N.E.Br.**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Aglaonema rotundum* N. E. Br.**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Aglaonema rotundum* N. E. Br. × *A. philippinense* Engl. var. *stenophyllum* (Merr.) R. N. Jervis**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Aglaonema rotundum* N. E. Br. × *A. simplex* (Blume) Blume**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.
	8	1	NL	NAKTUINBOUW	-	*	*	*	*
				Main Office					

***Aglaonema simplex* (Blume) Blume × *A. brevispathum* (Engl.) Engl.**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Agonis flexuosa* (Willd.) Sweet**

	10	1	DE	Bundessortenamt		*	*	*	*
--	----	---	----	-----------------	--	---	---	---	---

Agrimonia procera

	14	2	DE	Bundessortenamt		01/08	15/09	15/10	4800 seeds
--	----	---	----	-----------------	--	-------	-------	-------	------------

***Agrostis capillaris* L.**

	3	3	NL	NAKTUINBOUW	-	15/01	*	01/02	400 g seeds
				Main Office					

***Agrostis stolonifera* L.**

ornamental, vegetative	11	3	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.
vegetative	3	3	NL	NAKTUINBOUW	-	15/01	*	01/02	400 g seeds
				Main Office					

***Agrostis tenuis* L.**

	3	3	NL	NAKTUINBOUW	-	15/01	*	01/02	400 g seeds
				Main Office					

***Ajuga reptans* L.**

vegetative	11	1	NL	NAKTUINBOUW	-	01/09	01/10	31/10	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Ajuga tenorei* C. Presl**

11	1	HU	NEBIH Headquarters	28/02	01/04	15/05	10 young plants able to show all their characteristics during the first year of examination
----	---	----	--------------------	-------	-------	-------	--

***Albizia julibrissin* Durazz.**

vegetative	9	3	FR	GEVES - Siège	01/10	01/02	29/02	8 plants well rooted, container-grown, 1.5-2 m height Each plant must be clearly labelled
------------	---	---	----	---------------	-------	-------	-------	--

× *Aliceara hort.*

10	1	NL	NAKTUINBOUW - Main Office	30/09	01/01	31/01	10 young plants preferably budded but not yet flowering, able to show all their characteristics during the first year of examination
----	---	----	------------------------------	-------	-------	-------	---

***Allamanda cathartica* L.**

11	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
----	---	----	------------------------------	---	---	---	---

***Allium* L.**

ornamental	11	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	30 bulbs of flowering size
------------	----	---	----	------------------------------	-------	-------	-------	----------------------------

***Allium amethystinum* Tausch**

seed-propagated	11	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	50 bulbs of flowering size, able to show all their characteristics during the first year of examination
-----------------	----	---	----	------------------------------	-------	-------	-------	---

***Allium ampeloprasum* L.**

11	*	NL	NAKTUINBOUW - Main Office	*	*	*	*
----	---	----	------------------------------	---	---	---	---

***Allium cepa* (Aggregatum Group)**

seed	14	2	FR	GEVES - Siège	01/01	01/01	31/01	100 g seeds
seed, semi-long & long day	14	2	NL	NAKTUINBOUW - Main Office	15/02	*	01/03	15000 seeds
seed, short & semi-short day	14	2	NL	NAKTUINBOUW - Main Office	01/01	*	15/01	15000 seeds
vegetative	14	2	FR	GEVES - Siège	01/02	01/02	15/02	150 bulblets
vegetative semi-long & long day	14	2	NL	NAKTUINBOUW - Main Office	15/02	01/02	01/03	300 bulblets
vegetative, short & semi-short	14	2	NL	NAKTUINBOUW - Main Office	01/01	15/12	15/01	300 bulblets
	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*
	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*

***Allium cepa* (Cepa group)**

long day	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	31/01	30000 seeds minimum germination capacity 75%
long day	14	2	FR	GEVES - Siège	01/01	*	01/02	100 g seeds Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.

1	2	3	4	5	6	7	8	9
<i>Allium cepa</i> (Cepa group)								
over wintered	14	2	GB	Animal & Plant Health Agency (APHA)	15/06	*	15/07	*
semi-long long day	&	14	2	NL NAKTUINBOUW - Main Office	15/02	*	01/03	15000 seeds
short days	14	2	FR	GEVES - Siège	01/07	*	01/08	100 g seeds Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
short, ishort, overwinter	sem-day,	14	2	NL NAKTUINBOUW - Main Office	01/01	*	15/01	15000 seeds
spring	14	2	PL	COBORU - Head-quarters	20/12	01/02	28/02	150 g seeds
spring	14	2	DE	Bundessortenamt	01/12	*	15/01	18000 seeds minimum germination capacity 85%
spring	14	2	GB	Animal & Plant Health Agency (APHA)	31/12	*	31/01	*
spring	14	2	HU	NEBIH Headquarters	15/01	*	15/02	20000 seeds minimum germination capacity 85%
winter	14	2	PL	COBORU - Head-quarters	30/06	30/06	31/07	150 g seeds
winter	14	2	DE	Bundessortenamt	01/07	*	15/07	18000 seeds minimum germination capacity 85%
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	100 g seeds
<i>Allium fistulosum</i> L.								
	14	2	NL	NAKTUINBOUW - Main Office	15/02	*	01/03	13000 seeds
	14	2	DE	Bundessortenamt	01/12	*	15/01	18000 seeds minimum germination capacity 85%
	14	2	FR	GEVES - Siège	01/01	*	01/02	100 g seeds Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	31/01	30000 seeds
<i>Allium jesdianum</i> Boiss. & Buhse								
ornamental	11	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	30 bulbs of flowering size
<i>Allium oschaninii</i> O. Fedtsch.								
	14	2	FR	GEVES - Siège	01/02	01/02	15/02	*
<i>Allium porrum</i> L.								
seed	14	2	FR	GEVES - Siège	01/02	*	01/03	13000 seeds (150 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
seed	14	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	150 g seeds

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9
<i>Allium porrum</i> L.								
seed	14	2	DE	Bundessortenamt	15/01	*	15/02	15000 seeds minimum germination capacity 80%
seed	14	2	GB	Animal & Plant Health Agency (APHA)	31/12	*	31/01	*
seed	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	13000 seeds
seed	14	2	NL	NAKTUINBOUW - Main Office	15/02	*	01/03	13000 seeds
vegetative	14	2	DE	Bundessortenamt	*	*	*	*
vegetative	14	2	FR	GEVES - Siège	01/02	01/05	15/05	200 plants rooted and acclimatised Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
vegetative	14	1	NL	NAKTUINBOUW - Main Office	07/07	15/08	31/08	75 plants 4-6 mm diameter, about 15-20 cm long, either in modules or single plants ready for transplanting
vegetative	14	2	GB	Animal & Plant Health Agency (APHA)	31/12	01/01	31/01	*
vegetative	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	01/06	30/06	75 plants
<i>Allium sativum</i> L.								
autumn (v. early & in- termed.)	14	2	FR	GEVES - Siège	01/09	*	01/10	120 bulbs per growing period bulbs must be free of nematodes, white rot, mites and Onion Yellow Dwarf Virus
plantation, spring	14	2	FR	GEVES - Siège	01/09	*	15/12	120 bulbs per growing period bulbs must be free from nematodes, white rot, mites and Onion Yellow Dwarf Virus
vegetative	14	2	NL	NAKTUINBOUW - Main Office	15/08	01/08	01/09	120 cloves from free from viruses bulbs
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	50 bulbs free from viruses
<i>Allium schoenoprasum</i> L.								
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	31/01	20000 seeds minimum germination capacity 75%
	14	2	FR	GEVES - Siège	01/02	*	01/03	*
	14	2	NL	NAKTUINBOUW - Main Office	15/02	*	01/03	5000 seeds
	14	2	DE	Bundessortenamt	01/12	*	01/02	7200 seeds minimum germination capacity 80%
<i>Allium senescens</i> L. subsp. <i>senescens</i> (syn. <i>A. senescens</i> L. subsp. <i>glaucum</i> (Schrader, ex Poir.) Dostál) × <i>A. tanguticum</i> Regel								
ornamental	11	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	15/10	30 bulbs of flowering size able to all their characteristics during the first year of examination
<i>Allium tuncelianum</i> (Kollmann) Özhatay & al.								
	14	2	FR	GEVES - Siège	01/09	01/10	15/12	120 free from viruses bulbs per growing period free from viruses
	14	2	NL	NAKTUINBOUW - Main Office	15/08	*	01/09	120 bulbs free from viruses
<i>Alloplectus capitatus</i> Hook.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of ex- amination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Alocasia* × *amazonica* André**

10	1	NL	NAKTUINBOUW	-	*	*	*	*
Main Office								

***Alocasia infernalis* P. C. Boyce**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics during the first year of examination.								

***Alocasia wentii* Engl. & K.Krause**

vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office									
- able to show all their characteristics during the first year of examination.									

***Alocasia zebrina* Schott ex Van Houtte**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics during the first year of examination.								

***Aloe* L.**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics in the second year of examination.								

***Aloe aristata* Haw.**

vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants of commercial standard, able to show all their characteristics during the first year of examination.
Main Office									

***Aloe aristata* Haw. × *Gasteria carinata* (Mill.) Duval var. *verrucosa* (Mill.) Van Jaarsv.**

10	1	HU	NEBIH Headquarters		28/02	01/04	05/05	12 plants
well developed, ready for DUS test								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics during the first year of examination.								

***Aloe aristata* Haw. × *Haworthia limifolia* Marloth**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics during the first year of examination								
- of commercial standard.								

***Aloe aristata* Haw. × *Haworthia margaritifera* (L.) Haw**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics during the first year of examination.								

***Aloe descoingsii* Reynolds × *A. haworthioides* Baker**

10	1	HU	NEBIH Headquarters		28/02	01/04	15/05	12 plants
well developed, ready for DUS test								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics during the first year of examination.								

***Aloe humilis* (L.) Mill.**

10	*	NL	NAKTUINBOUW	-	*	*	*	*
Main Office								

***Aloe melanacantha* A. Berger**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
Main Office								
- able to show all their characteristics during the first year of examination.								

1	2	3	4	5	6	7	8	9
<i>Aloe rauhii</i> Reynolds								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Aloe variegata</i> L.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Aloe vera</i> (L.) Burm. f.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard, able to show all their characteristics during the first year of examination.
<i>Aloe vera</i> (L.) Burm. f. × <i>Haworthia limifolia</i> Marloth								
ornamentals; indoor, no living ref. coll.	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination - of commercial standard.
<i>Alonsoa meridionalis</i> (L. f.) Kuntze								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 young plants Plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Alpinia officinarum</i> Hance								
	13	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Alstroemeria</i> L.								
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10 24 young plants able to show all their characteristics during the first year of examination and 10 g seeds
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10 10 young plants able to show all their characteristics during the first year of examination
<i>Alternanthera brasiliana</i> (L.) Kuntze (syn. <i>A. dentata</i> (Moench) Stuchlik ex R. E. Fr; <i>Gomphrena brasiliana</i> L.)								
	10	1	DE	Bundessortenamt		01/12	09/04	13/04 20 plants able to show all their characteristics during the first year of examination
<i>Alternanthera ficoidea</i> (L.) R. Br. ex Roem. & Schult.								
vegetative	10	1	DE	Bundessortenamt		15/11	*	01/04 *
<i>Alternanthera philoxeroides</i> (Mart.) Griseb.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/01	01/04	15/04 25 young plants able to show all their characteristics during the first year of examination. Please note that this species is currently on the EU list of Invasive Alien Species
<i>Althaea officinalis</i> L.								
	4	1	NL	NAKTUINBOUW Main Office	-	*	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
	4	1	GB	NIAB		01/12	09/03	20/03 *
	4	1	DE	Bundessortenamt		*	*	* *
<i>Alyogyne hakeifolia</i> (Giord.) Alef.								
vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *

1	2	3	4	5	6	7	8	9
<i>Alyogyne hakeifolia</i> (Giord.) Alef. × <i>A. huegelii</i> (Endl.) Fryxell								
vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03 24 young plants
				Main Office				- able to show all their characteristics in the second year of examination.
<i>Alyogyne huegelii</i> (Endl.) Fryxell								
vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *
<i>Alyssum wulfenianum</i> Willd.								
	11	1	DE	Bundessortenamt		01/06	16/09	20/09 25 young plants, well rooted
<i>Amaranthus</i> L.								
seed	10	1	NL	NAKTUINBOUW	-	01/12	*	01/02 5 g seeds, minimum germination capacity 50%.
				Main Office				
<i>Amaranthus caudatus</i> L.								
	10	1	NL	NAKTUINBOUW	-	*	*	* *
				Main Office				
× <i>Amarine tubergenii</i> Sealy								
	10	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04 30 bulbs
				Main Office				able to show all their characteristics during the first year of examination
<i>Amaryllis</i> L.								
vegetative	10	1	NL	NAKTUINBOUW	-	01/11	11/12	15/12 20 bulbs
				Main Office				of flowering size, induced for flowering
<i>Anagallis monelli</i> L.								
	10	1	NL	NAKTUINBOUW	-	*	*	* *
				Main Office				
<i>Ananas comosus</i> (L.) Merr.								
ornamental	10	1	NL	NAKTUINBOUW	-	*	01/03	31/03 15 cuttings well rooted, in 10 cm pots, able to show all their characteristics during the first year of examination
				Main Office				
	7	2	ES	Oficina Española de Variedades Vegetales (OEVV)		31/01	01/03	15/04 30 in-vitro plants of the candidate material in aseptic agar conditions
								Plant material coming from areas prone to Pineapple mealybug wilt-associated virus (Ampelovirus) and Badnavirus, must be accompanied by a formal certificate from a recognised laboratory attesting to the fact that the plant material is free from the aforesaid diseases.
<i>Ananas lucidus</i> Mill.								
ornamental	10	1	NL	NAKTUINBOUW	-	01/12	15/05	15/06 15 cuttings well rooted in 10 cm container, able to show all their characteristics during the first year of examination.
				Main Office				
<i>Andromeda</i> L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Andromeda polifolia</i> L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW	-	01/03	01/03	31/03 24 young plants
				Main Office				- able to show all their characteristics in the second year of examination.
<i>Andromeda polifolia</i> L. var. <i>latifolia</i> Aiton (syn. <i>A. glaucophylla</i> Link.)								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Andropogon gerardi</i> Vitman								
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03 24 young plants
				Main Office				- able to show all their characteristics in the second year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Andropogon hallii* Hack.**

	11	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	--	-------	-------	-------	---

***Anemone* L.**

seed-propagated	11	2	IT	CREA-OFA (EO)	ROMA	30/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.
vegetative	11	1	DK	University of Aarhus - Aarslev		01/02	15/04	30/04	20 young plants Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	11	1	IT	CREA-OFA (EO)	ROMA	30/05	01/10	15/10	25 potted plants Plants must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	-
	11	1	PL	COBORU - Head-quarters		30/01	01/05	15/05	20 young plants plants container-grown
	11	1	DE	Bundessortenamt		01/02	01/04	15/04	20 young plants

***Anemone hupehensis* Lemoine**

seed-propagated	11	2	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.
vegetative	11	1	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	25 young plants ready for potting or 25 dried corms Plants/corms must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.
	11	1	DE	Bundessortenamt		01/12	01/04	15/04	20 young plants
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	-
	11	1	DK	University of Aarhus - Aarslev		01/02	15/04	30/04	20 young plants Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	1	PL	COBORU - Head-quarters		31/01	01/05	15/05	20 young plants plants container-grown

***Anemone hupehensis* Lemoine × *A. rupicola* Cambess**

seed-propagated	11	2	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.
vegetative	11	1	DK	University of Aarhus - Aarslev		01/02	15/04	30/04	20 young plants Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	11	1	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	25 potted plants Plants must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.

1	2	3	4	5	6	7	8	9
<i>Anemone hupehensis</i> Lemoine × <i>A. rupicola</i> Cambess								
	11	1	PL	COBORU - Head-quarters	31/01	01/05	15/05	20 young plants plants container-grown
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	-
	11	1	DE	Bundessortenamt	01/12	01/04	15/04	20 young plants
<i>Anemone hupehensis</i> (Lemoine) Lemoine var. <i>japonica</i> (Thunb.) Bowles & Stearn								
seed-propagated	11	2	IT	CREA-OFA (EO)	31/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.
vegetative	11	1	IT	CREA-OFA (EO)	31/05	01/10	15/10	25 potted plants Plants must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.
vegetative	11	1	DK	University of Aarhus - Aarslev	01/02	15/04	30/04	20 young plants Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	1	PL	COBORU - Head-quarters	31/01	01/05	15/05	20 young plants plants container-grown
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	-
	11	1	DE	Bundessortenamt	01/12	01/01	15/04	20 young plants
<i>Anemone</i> × <i>hybrida</i> Paxton								
seed-propagated	11	2	IT	CREA-OFA (EO)	31/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.
vegetative	11	1	IT	CREA-OFA (EO)	31/05	01/10	15/10	25 potted plants Plants must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.
	11	1	DK	University of Aarhus - Aarslev	*	*	*	*
	11	1	PL	COBORU - Head-quarters	31/01	01/05	15/05	20 young plants plants container-grown
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	-
	11	1	DE	Bundessortenamt	01/12	01/04	15/04	20 young plants
<i>Anethum graveolens</i> L.								
	14	2	DE	Bundessortenamt	01/02	*	01/03	8400 seeds minimum germination capacity 80%
<i>Angelica keiskei</i> koidzumii								
	14	2	FR	GEVES - Siège	01/07	*	01/08	10 g untreated seed for each growing period (ephemeral germination)
<i>Angelonia</i> Bonpl.								
vegetative	10	1	DE	Bundessortenamt	01/12	01/04	06/04	25 rooted cuttings not pinched
<i>Angelonia angustifolia</i> Benth.								
vegetative	10	1	DE	Bundessortenamt	01/12	30/03	03/04	25 rooted cuttings not pinched
<i>Anigozanthos</i> Labill.								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*

1	2	3	4	5	6	7	8	9	
<i>Anigozanthos</i> Labill.									
	10	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.	
<i>Anigozanthos bicolor</i> Endl.									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
<i>Anigozanthos bicolor</i> Endl. × <i>A. humilis</i> Lindl.									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
	10	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.	
<i>Anigozanthos flavidus</i> DC.									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
	10	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.	
<i>Anigozanthos humilis</i> Lindl.									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
<i>Anigozanthos manglesii</i> D. Don									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
<i>Anigozanthos pulcherrimus</i> Hook.									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
<i>Anigozanthos rufus</i> Labill.									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
<i>Anigozanthos viridis</i> Endl.									
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*	
<i>Anisodonteia capensis</i> (L.) D. M. Bates									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Anisodonteia elegans</i> (Cav.) D. M. Bates									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Anisodonteia scabrosa</i> (L.) Bates									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Annona cherimola</i> Mill.									
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	30/01	01/03	31/05	20 varetas para injertar, de madera de 1 a 2 años, de 15 cm. De largo y 1 cm de diámetro. Visiblemente sanas y libres de enfermedades transmisibles y en especial de ácaros, nematodos y hongos en todas sus fases de desarrollo, acompañado de certificado fitosanitario exigido por las autoridades sanitarias.	
<i>Anthemis</i> L.									
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.	

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Anthemis tinctoria* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	8 plants
									- container-grown
									- of sufficient size to flower and/or show their representative characteristics in the first year
									- vegetatively propagated.

***Anthriscus cerefolium* (L.) Hoffm.**

	14	1	DE	Bundessortenamt		*	*	*	*
	14	2	FR	GEVES - Siège		01/03	*	01/04	100 g seeds
	14	1	NL	NAKTUINBOUW	-	*	*	*	*
				Main Office					

***Anthurium* Schott**

cutflower	10	2	NL	NAKTUINBOUW	-	01/12	01/03	31/03	6 young plants, able to flower, able to show all their characteristics in the second year of examination, not yet flowering or have flowered before, only some premature flowers on the plant are allowed. grown up in Oasis and to be delivered in 21 cm pots
				Main Office					
pot plant	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young plants
				Main Office					- able to flower
									- able to show all their characteristics during the examination period
									- not yet flowering or have flowered before
									- only some premature flowers on the plant are allowed.

***Anthurium andraeanum* Linden ex Andre**

cutflower	10	2	NL	NAKTUINBOUW	-	01/12	01/03	31/03	6 young plants, able to flower, able to show all their characteristics in the second year of examination, not yet flowering or have flowered before, only some premature flowers on the plant are allowed. grown up in Oasis and to be delivered in 21 cm pots
				Main Office					
pot plant	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young plants
				Main Office					- able to flower
									- able to show all their characteristics during the examination period
									- not yet flowering or have flowered before
									- only some premature flowers on the plant are allowed.

***Anthurium scherzerianum* Schott**

pot plant	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young plants
				Main Office					- able to flower
									- able to show all their characteristics during the examination period
									- not yet flowering or have flowered before
									- only some premature flowers on the plant are allowed.

***Antirrhinum* L.**

vegetative	10	1	DE	Bundessortenamt		01/12	01/04	06/04	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	--	-------	-------	-------	-------------------------------------

***Antirrhinum majus* L.**

vegetative	10	1	DE	Bundessortenamt		01/12	07/04	10/04	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	--	-------	-------	-------	-------------------------------------

***Antirrhinum majus* L. × *A. molle* L. × *A. hispanicum* Chav.**

	10	1	DE	Bundessortenamt		01/12	*	01/04	*
--	----	---	----	-----------------	--	-------	---	-------	---

***Aphelandra squarrosa* Nees**

	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Apium graveolens</i> L. var. <i>dulce</i> (Mill.) Pers								
	14	2	FR	GEVES - Siège	01/02	*	01/03	20 g seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	15 g untreated seed
	14	2	GB	Animal & Plant Health Agency (APHA)	28/02	*	31/03	*
	14	2	NL	NAKTUINBOUW - Main Office	01/02	*	15/02	15000 seeds
<i>Apium graveolens</i> L. var. <i>rapaceum</i> (Mill.) Gaud								
	14	2	DE	Bundessortenamt	15/01	*	01/02	5000 seeds minimum germination capacity 70%
	14	2	NL	NAKTUINBOUW - Main Office	01/02	*	15/02	15000 seeds
	14	2	GB	Animal & Plant Health Agency (APHA)	31/10	*	30/11	*
<i>Arabis alpina</i> L. subsp. <i>caucasica</i> (Willd.) Briq. (syn. <i>Arabis caucasica</i> Willd.)								
vegetative	11	1	DE	Bundessortenamt	01/06	01/09	05/09	25 cuttings well rooted
<i>Arachis hypogaea</i> L.								
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	28/02	7 kg seeds, minimum germination capacity 70%
<i>Arctium lappa</i> L.								
	14	2	DE	Bundessortenamt	*	*	*	*
<i>Arctotis</i> L.								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of examination.
<i>Arctotis breviscapa</i> Thunb.								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of examination.
<i>Arctotis</i> × <i>hybrida</i> hort (<i>A. venusta</i> × <i>A. fastuosa</i>)								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
<i>Arctotis venusta</i> Norl.								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
<i>Ardisia crenata</i> Sims								
seed-propagated	10	1	NL	NAKTUINBOUW - Main Office	01/09	01/03	31/03	48 young plants, able to show all their characteristics during the first year of examination.
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/09	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Ardisia pusilla</i> A. DC.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9	
<i>Arenaria montana</i> L.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	25 young plants, able to show all their characteristics during the first year of examination.
<i>Argyranthemum</i> Webb ex Schultz Bip.									
vegetative	11	1	DE	Bundessortenamt		15/11	24/02	28/02	25 cuttings well rooted not pinched
<i>Argyranthemum</i> Webb ex Schultz Bip. × <i>Glebionis carinata</i> (Schousb.) Tzvelev (syn. <i>Ismelia carinata</i> (Schousb.) Sch. Bip.; <i>I. versicolor</i> Cass.)									
vegetative	11	1	DE	Bundessortenamt		15/11	04/03	08/03	25 cuttings, well rooted, not pinched
<i>Argyranthemum frutescens</i> (L.) Sch. Bip.									
vegetative	11	1	DE	Bundessortenamt		15/11	02/03	06/03	25 cuttings well rooted not pinched
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. × <i>Argyranthemum tenerifae</i> Humphries									
vegetative	11	1	DE	Bundessortenamt		15/11	24/02	28/02	25 cuttings well rooted not pinched
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. × <i>Glebionis carinata</i> (Schousb.) Tzvelev (syn. <i>Ismelia carinata</i> (Schousb.) Sch. Bip.)									
	11	1	DE	Bundessortenamt		15/11	02/03	06/03	25 cuttings, well rooted, not pinched
<i>Aristotelia chilensis</i> (Molina) Stuntz									
	7	*	FR	GEVES - Siège		*	*	*	*
<i>Aronia melanocarpa</i> (Michx.) Elliott									
	11	2	PL	COBORU quarters	- Head-	15/01	15/03	31/03	8 plants 2-3 years old, container-grown
	11	3	FR	GEVES - Siège		30/01	15/10	30/10	8 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the examination period.
<i>Artemisia absinthium</i> L.									
	14	2	DE	Bundessortenamt		15/02	01/03	31/03	21600 untreated seed (2.4 g), minimum germination capacity 80%
<i>Artemisia annua</i> L.									
	14	2	DE	Bundessortenamt		15/12	15/01	15/02	3 g seeds minimum germination capacity 85%
<i>Arthropodium candidum</i> Raoul									
vegetative	10	1	DE	Bundessortenamt		01/12	31/03	04/04	25 young plants of commercial standard
<i>Arundinaria variegata</i> (Siebold ex Miq.) Makino									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination. Preferably in pots with 1 plant per pot
<i>Arundo donax</i>									
	11	2	FR	GEVES - Siège		05/01	01/03	01/04	15 plants well rooted, in pots plants should be sufficiently developed, in order to flower during the first cycle
<i>Asarina</i> Mill.									
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
<i>Asclepias</i> L.									
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02	5 g seeds
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Asclepias curassavica</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Asclepias tuberosa</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Asparagus</i> L.								
ornamental, vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Asparagus madagascariensis</i> Baker								
ornamental, vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Asparagus officinalis</i> L.								
seed	14	4	FR	GEVES - Siège		01/01	*	01/03 3000 seeds (50 g)
seed	14	4	NL	NAKTUINBOUW Main Office	-	15/12	*	01/01 3000 seeds (50 g)
seed	14	4	ES	Oficina Española de Variedades Vegetales (OEVV)		31/12	*	31/01 3000 seeds
vegetative	14	4	NL	NAKTUINBOUW Main Office	-	15/10	*	01/05 45 plants on request, less than one-year old and in size as much as possible comparable with 4-5 months old plants grown from seeds
	14	*	ES	Oficina Española de Variedades Vegetales (OEVV)		*	*	* *
<i>Aspidistra elatior</i> Blume								
pot plant	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 plants able to show all their characteristics during the first year of examination
<i>Aspidistra montevidensis</i> (Spreng.) Kuntze								
	11	1	DE	Bundessortenamt		01/11	*	01/03 *
<i>Asplenium antiquum</i> Makino								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Asplenium ebenoides</i> R. R. Scott								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Asplenium nidus</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Astelia chathamica</i> (Skotts.) L. B. Moore × <i>Astelia nervosa</i> Hook. f.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Astelia nervosa</i> Hook. f. × <i>Astelia nivicola</i> Cockayne ex Cheeseman								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
Aster L.								
Outdorr	11	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09 24 cuttings, well rooted, able to show all their characteristics during the first year of examination
cutflower/ pot-plant - indoor	10	1	NL	NAKTUINBOUW Main Office	-	15/02	01/05	31/05 24 cuttings, well rooted, able to show all their characteristics during the first year of examination
Aster ageratoides Turcz.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09 24 young plants - able to show all their characteristics during the first year of examination.
Aster alpinus L.								
indoor	10	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09 24 young plants - able to show all their characteristics during the first year of examination.
outdoor	11	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09 24 young plants - able to show all their characteristics during the first year of examination.
Asteriscus maritimus (L.) Less.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 rooted cuttings
Astilbe Buch.-Ham. ex D. Don								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
Astilbe × arendsii Arends								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
Astilbe × arendsii Arends × A. japonica (C. Morren & Decne.) A. Gray								
	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants, appropriate to be grown in the open, able to show all their characteristics during the first year of examination.
Astilbe chinensis (Maxim.) Franch. & Sav.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
Astilbe simplicifolia Makino								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
Astragalus boeticus L.								
	13	2	NL	NAKTUINBOUW Main Office	-	01/12	*	15/12 2000 seeds
Astrantia L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	FR	GEVES - Siège		15/12	15/03	31/03 12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year of test.
Astrantia carniolica Jacq.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *

1	2	3	4	5		6	7	8	9	
<i>Astrantia major</i> L.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.	
<i>Astrantia major</i> ssp. <i>involucrata</i> W. D. J. Koch.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.	
<i>Astrantia maxima</i> Pall.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
<i>Astrantia minor</i> L.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
<i>Astroloba spiralis</i> (L.) Uitewaal × <i>Haworthiopsis limifolia</i> (Marloth) G. D. Rowley										
vegetative	10	1	NL	NAKTUINBOUW -		01/12	01/03	31/03	24 young plants Main Office able to show all their characteristics in the first year of examination	
<i>Astroloba spiralis</i> (L.) Uitewaal (syn. <i>Haworthia spiralis</i> (L.) Duval; <i>Haworthia pentagona</i> (Aiton) Haw.)										
vegetative	10	1	NL	NAKTUINBOUW -		01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.	
<i>Athyrium niponicum</i> (Mett.) Hance										
vegetative	11	1	NL	NAKTUINBOUW -		01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.	
<i>Aubrieta</i> Adans.										
vegetative	11	1	DE	Bundessortenamt		01/06	16/09	20/09	20 plants, well rooted, grown in 9 cm pots	
<i>Aubrieta deltoidea</i> (L.) DC.										
vegetative	11	1	DE	Bundessortenamt		01/06	16/09	20/09	20 plants, well rooted, grown in 9 cm pots	
<i>Avena nuda</i> L.										
spring	4	2	PL	COBORU	- Head-quarters	30/11	*	25/02	6 kg seeds and 240 panicles	
spring	4	2	DK	TystofteFoundation		20/01	*	10/02	3 kg	
spring	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)		31/01	*	15/02	3 kg seeds and 150 panicles	
spring	4	2	AT	Bundesamt	für Ernährungssicherheit	25/01	*	29/01	*	
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)		15/08	*	15/09	3 kg seeds and 150 ears	
spring	4	2	DE	Bundessortenamt		15/08	*	01/09	*	
spring	4	2	GB	Animal & Plant Health Agency (APHA)		30/11	*	15/01	*	
spring	4	2	FI	Finnish Food Safety Authority Evira - Administration		01/03	*	01/04	*	

1	2	3	4	5	6	7	8	9
<i>Avena nuda</i> L.								
spring	4	2	FR	GEVES - Siège	15/01	*	25/01	*
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
winter	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	14/09	*
	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	11/01	20/01	3 kg
<i>Avena sativa</i> L.								
spring	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	3 kg
spring	4	2	DE	Bundessortenamt	01/12	*	15/12	5 kg seeds - minimum germination capacity 94%. On request: 120 ears.
spring	4	2	DK	TystofteFoundation	20/01	*	10/02	3 kg
spring	4	2	FI	Finnish Food Safety Authority Evira - Administration	01/03	*	01/04	3 kg seeds and 120 panicles
spring	4	2	AT	Bundesamt für Ernährungssicherheit	25/01	*	29/01	3 kg seeds and 120 panicles
spring	4	2	PL	COBORU - Headquarters	30/11	*	25/02	6 kg seeds and 240 panicles
spring	4	2	FR	GEVES - Siège	15/01	*	25/01	5 kg
spring	4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	15/01	*
spring	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	*	15/02	3 kg seeds and 150 panicles
spring	4	2	EE	Agricultural Research Center	01/03	*	01/04	*
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
winter	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	14/09	*
winter	4	2	AT	Bundesamt für Ernährungssicherheit	29/08	*	14/09	3 kg seeds and 120 panicles
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
winter	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg
winter	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/08	*	10/09	3 kg seeds and 150 panicles.
winter	4	2	DE	Bundessortenamt	15/08	*	01/09	5 kg seeds minimum germination capacity 94%; on request: 170 panicles
<i>Avena strigosa</i> Schreb.								
spring	4	2	DE	Bundessortenamt	01/12	*	15/12	2 kg seeds minimum germination capacity 94%

1	2	3	4	5	6	7	8	9
<i>Avena strigosa</i> Schreb.								
winter	4	2	DE	Bundessortenamt	15/08	*	01/09	*
<i>Azolla caroliniana</i> Willd.								
	4	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard able to show all their characteristics during the first year of examination, delivered in water.
<i>Baccharis halimifolia</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 8 young bushes, able to show all their characteristics during the first year of examination Please note that this species is currently on the EU list of Invasive Alien Species
<i>Baptisia</i> Vent.								
	11	1	DE	Bundessortenamt		01/12	01/04	06/04 20 plants ready to flower during the first year
<i>Baptisia tinctoria</i> (L.) R. Br.								
	14	3	DE	Bundessortenamt		*	01/04	15/05 60 young plants each year of testing, well developed
<i>Barleria obtusa</i> Nees								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Beaucarnea</i> Lem.								
vegetative	10	1	DE	Bundessortenamt		*	14/06	18/06 30 potted plants, well established, 18 months old.
<i>Beaucarnea recurvata</i> Lem.								
vegetative	10	1	DE	Bundessortenamt		*	14/06	18/06 15 potted plants, well established, 18 months old.
<i>Begonia</i> L.								
leaf begonia	10	1	DE	Bundessortenamt		15/03	01/07	05/07 20 young plants well rooted
tuberous begonia hybrids	10	1	BE	Instituut voor Landbouw- en Vis- serijonderzoek ILVO eenheid Plant		15/01	15/03	15/04 60 tubers , 4 cm diameter or 60 cuttings well rooted (young plants)
	10	1	DE	Bundessortenamt		01/12	07/04	10/04 25 rooted cuttings
<i>Begonia boliviensis</i> A. DC.								
vegetative	10	1	DE	Bundessortenamt		01/12	30/03	03/04 25 rooted cuttings
<i>Begonia boliviensis</i> A. DC. × <i>B. pendula</i> Ridl.								
	10	1	DE	Bundessortenamt		01/12	02/04	05/04 25 rooted cuttings
<i>Begonia boliviensis</i> A. DC. × <i>B. tuberhybrida</i> Voss								
	10	1	DE	Bundessortenamt		01/12	30/03	03/04 25 rooted cuttings
<i>Begonia coccinea</i> Hook.								
	10	1	DE	Bundessortenamt		15/03	*	01/07 *
<i>Begonia conchifolia</i> A. Dietr.								
	10	1	DE	Bundessortenamt		15/03	*	01/07 *
<i>Begonia corallina</i> Carrière								
	10	1	DE	Bundessortenamt		15/03	*	01/07 *
<i>Begonia</i> × <i>erythrophylla</i> Neumann								
	10	1	BE	Instituut voor Landbouw- en Vis- serijonderzoek ILVO eenheid Plant		15/01	15/03	15/04 25 young plants well rooted

1	2	3	4	5	6	7	8	9
<i>Begonia</i> × <i>erythrophylla</i> Neumann								
	10	1	DE	Bundessortenamt	15/03	01/07	05/07	20 well rooted young plants
<i>Begonia hatacoa</i> Buch.-Ham. ex. D. Don								
	10	1	DE	Bundessortenamt	15/03	*	01/07	*
<i>Begonia hatacoa</i> Buch.-Ham. ex. D. Don × <i>B. deliciosa</i> Linden ex Fotsch								
	10	1	DE	Bundessortenamt	15/03	*	01/07	*
<i>Begonia</i> × <i>hiemalis</i> Fotsch (<i>Begonia xelator</i> hort.)								
vegetative	10	1	DE	Bundessortenamt	01/12	16/04	20/04	25 young plants form not induced top cuttings
<i>Begonia imperialis</i> Lem.								
vegetative	10	1	DE	Bundessortenamt	15/03	*	01/07	*
<i>Begonia parviflora</i> Poepp. & Endl. × <i>B. æsemperflorens-cultorum</i> hort.								
	10	1	DE	Bundessortenamt	01/12	*	01/04	*
<i>Begonia pedatifida</i> Lev. × <i>B. taliensis</i> Gagnep.								
	10	1	DE	Bundessortenamt	15/03	*	01/07	*
<i>Begonia pendula</i> Ridl.								
vegetative	10	1	DE	Bundessortenamt	01/12	03/04	06/04	25 cuttings well rooted
<i>Begonia pseudolubbersii</i> Brade								
Seed propa- gated	10	1	DE	Bundessortenamt	15/03	01/07	05/07	45 young plants - from seeds ready to be planted in the final pot.
Vegetatively propagated	10	1	DE	Bundessortenamt	15/03	01/07	05/07	20 well rooted young plants
	10	1	BE	Instituut voor Landbouw- en Vis- serijonderzoek ILVO eenheid Plant	15/01	15/03	15/04	25 young plants well rooted
<i>Begonia rex</i> Putz.								
vegetative	10	1	DE	Bundessortenamt	15/03	02/07	06/07	20 young plants well rooted
<i>Begonia rex</i> Putz. × <i>B. hatacoa</i> Buch. Ham. ex. D. Don								
vegetative	10	1	DE	Bundessortenamt	15/03	29/06	03/07	20 young plants well rooted
<i>Begonia rex</i> Putz. × <i>B. hatacoa</i> Buch. Ham. ex. D. Don × <i>B. deliciosa</i> Linden ex Fotsch								
vegetative	10	1	DE	Bundessortenamt	15/03	29/06	03/07	20 young plants well rooted
<i>Begonia rex-cultorum</i> L. H. Bailey								
vegetative	10	1	DE	Bundessortenamt	15/03	01/07	05/07	20 young plants well rooted
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort.								
seed	10	1	DE	Bundessortenamt	01/10	*	15/12	1500 seeds
vegetative	10	1	DE	Bundessortenamt	01/12	07/04	10/04	25 rooted cuttings
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort. × <i>B. foliosa</i> var. <i>miniata</i> Planch. & Linden L. B. Sm & B. G. Schub.								
	10	1	DE	Bundessortenamt	01/12	*	01/04	*
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort. × <i>B. obliqua</i> L.								
	10	1	DE	Bundessortenamt	01/12	*	01/04	*
<i>Begonia</i> × <i>semperflorens-cultorum</i> hort. × <i>B. venosa</i> Skan ex Hook. f.								
	10	1	DE	Bundessortenamt	01/12	*	01/04	*

1	2	3	4	5	6	7	8	9
<i>Begonia soli-mutata</i> L.B. Sm. & Wassh.								
vegetative	10	1	DE	Bundessortenamt	15/03	*	01/07	*
<i>Begonia</i> × <i>tuberhybrida</i> Voss								
vegetative	10	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	15/01	15/03	15/04	50 tubers, 4 cm diameter or 50 cuttings well rooted (young plants)
<i>Begonia venosa</i> Skan ex Hook. f.								
	10	*	DE	Bundessortenamt	*	*	*	*
<i>Bellis</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	12 plants Plants must be vegetatively propagated.
<i>Bellis perennis</i> L.								
seed	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	250 seeds - high germination capacity.
<i>Benincasa hispida</i> (Thumb.) Cogn.								
	13	2	NL	NAKTUINBOUW - Main Office	*	*	*	*
	13	2	FR	GEVES - Siège	01/01	*	01/03	200 g seeds
<i>Berberis</i> L.								
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
vegetative	9	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 2 years old, vegetatively propagated, on their own roots
<i>Berberis brachypoda</i> Maxim.								
	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
<i>Berberis candidula</i> (C. K. Schneid.) C. K. Schneid.								
	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
<i>Berberis chinensis</i> Poir.								
	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
<i>Berberis darwinii</i> Hook.								
	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
<i>Berberis eurybracteata</i> (Fedde) Laferr. (syn. <i>Mahonia eurybracteata</i> Fedde)								
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Berberis gagnepainii* C. K. Schneid.**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

***Berberis julianae* C. K. Schneid.**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

***Berberis koreana* Palib.**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

***Berberis* × *media* Groot.**

vegetative	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants, container-grown, 2 years old
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants
								2 years old, vegetatively propagated, on their own roots

***Berberis nitens* (C. K. Schneid.) Laferr. (syn. *Mahonia nitens* C. K. Schneid.)**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants, container-grown, 2 years old
---	---	----	---------------	-------	-------	-------	--

***Berberis* × *ottawensis* C. K. Schneid.**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

***Berberis* × *rubrostilla* Chitt.**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

***Berberis* × *stenophylla* Lindl.**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

***Berberis thunbergii* DC.**

vegetative	9	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants
								2 years old, vegetatively propagated, on their own roots
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants, with roots, 2 years old, container-grown.

***Berberis wilsoniae* Hemsl.**

9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

Bergenia Moench

vegetative, non variegated	11	1	GB	NIAB	31/07	16/09	20/09	*
vegetative, variegated	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	15 plants (variegated)/ 10 plants (non variegated)
								Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Bergenia ciliata* (Haw.) Sternb.**

vegetative	11	1	GB	NIAB	31/07	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Bergenia crassifolia* (L.) Fritsch (syn *Bergenia cordifolia* (Haw.) Sternb)**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
------------	----	---	----	------	-------	-------	-------	---

***Bergenia purpurascens* (Hook. f. & Thomas) Engl.**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
------------	----	---	----	------	-------	-------	-------	---

***Beschorneria yuccoides* K. Koch**

	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
	10	1	DE	Bundessortenamt	01/12	04/05	08/05	25 young plants, well established, of commercial standard
	11	1	GB	NIAB	01/12	09/03	20/03	*

***Beta vulgaris* L. ssp. *vulgaris* var. *alba* DC. (syn. *Beta vulgaris* L. ssp. *vulgaris* var. *crassa* (Alef.) Wittm)**

hybrid	4	2	DK	TystofteFoundation	20/01	*	10/02	0.3 units untreated seed, naked
hybrid	4	2	FR	GEVES - Siège	05/01	05/01	15/01	1 kg untreated seed, naked
parent line	4	2	FR	GEVES - Siège	05/01	05/01	15/01	500 g untreated seed, naked
	4	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*

***Beta vulgaris* L. ssp. *vulgaris* var. *cicla* (L.) Ulrich**

	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*
	14	2	FR	GEVES - Siège	01/01	*	01/04	100 g seeds
	14	2	NL	NAKTUINBOUW - Main Office	01/04	*	15/04	9000 seed clusters

***Beta vulgaris* L. ssp. *vulgaris* var. *saccharifera* Alef. (syn. *Beta vulgaris* L. ssp. *vulgaris* var. *altissima* Döll)**

component	4	2	SE	Swedish Board of Agriculture	01/02	*	15/02	500 g for a TSW of 10 g minimum germination capacity 80%
hybrid	4	2	DK	TystofteFoundation	20/01	*	10/02	0.3 units untreated seed, naked

***Beta vulgaris* L. var. *conditiva* Alef.**

	14	2	NL	NAKTUINBOUW - Main Office	01/04	*	15/04	9000 seed clusters
	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*
	14	2	DE	Bundessortenamt	01/02	*	01/03	40000 seeds minimum germination capacity 80%
	14	2	FR	GEVES - Siège	01/01	*	01/02	100 g seeds Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
	14	2	PL	COBORU - Head-quarters	*	*	*	*

***Betula* L.**

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Betula albosinensis* Burkill**

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Betula ermanii* Cham.**

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Betula nana* L.**

	11	2	GB	NIAB		01/12	*	*	*
--	----	---	----	------	--	-------	---	---	---

***Betula nigra* L.**

vegetative	11	2	GB	NIAB		01/12	09/03	20/03	*
	11	2	PL	COBORU	- Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old

***Betula papyrifera* Marshall**

vegetative	11	2	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Betula pendula* Roth**

vegetative	11	2	GB	NIAB		01/12	09/03	20/03	*
	11	2	PL	COBORU	- Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old

***Betula* × *pletkei* Junge (*Betula nana* × *B. pendula*)**

vegetative	11	2	GB	NIAB		01/12	09/03	20/03	*
	11	2	PL	COBORU	- Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old

***Betula utilis* D. Don.**

vegetative	11	2	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Bidens* L.**

vegetative	11	1	DE	Bundessortenamt		15/11	12/02	16/02	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Bidens alba* (L.) DC. × *B. triplinervia* Kunth var. *macrantha* (Wedd.) Sherff**

	11	1	DE	Bundessortenamt		*	*	*	*
--	----	---	----	-----------------	--	---	---	---	---

***Bidens ferulifolia* (Jacq.) DC.**

vegetative	11	1	DE	Bundessortenamt		15/11	18/02	22/02	25 cuttings - not pinched - well rooted.
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Bidens ferulifolia* (Jacq.) DC. × *Bidens triplinervia* Kunth**

	11	1	DE	Bundessortenamt		*	18/02	22/02	25 well rooted cuttings, not pinched
--	----	---	----	-----------------	--	---	-------	-------	--------------------------------------

***Bidens pilosa* L.**

	11	1	DE	Bundessortenamt		15/11	13/02	17/02	25 rooted cuttings well developed, not pinched
--	----	---	----	-----------------	--	-------	-------	-------	---

***Bidens triplinervia* Kunth**

	11	1	DE	Bundessortenamt		01/12	18/02	22/02	25 cuttings - not pinched - well rooted.
--	----	---	----	-----------------	--	-------	-------	-------	--

***Bidens triplinervia* Kunth var. *macrantha* (Wedd.) Sherff**

vegetative	11	1	DE	Bundessortenamt		15/11	16/02	20/02	25 cuttings - not pinched - well rooted.
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Bistorta* (L.) Adans.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Bistorta affinis* (D. Don.) Greene (syn. *Persicaria affinis* (D. Don.) Ronse Decraene)**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Bistorta amplexicaulis* (D. Don) Greene (syn. *Persicaria amplexicaulis* (D. Don) Ronse Decr., *Polygonum amplexicaule* D. Don)**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Bistorta amplexicaulis</i> (D. Don) Greene (syn. <i>Persicaria amplexicaulis</i> (D. Don) Ronse Decr., <i>Polygonum amplexicaule</i> D. Don)								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Bistorta officinalis</i> Delarbre (syn. <i>Persicaria bistorta</i> (L.) Samp.; <i>Polygonum bistorta</i> L.)								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Blechnum</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Boltonia</i> L'Hérit.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Boltonia asteroides</i> (L.) L'Hér. var. <i>latisquama</i> (A. Gray) Cronquist								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	FR	GEVES - Siège		15/12	15/03	31/03 15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Boltonia decurrens</i>								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Borago officinalis</i> L.								
	14	2	GB	NIAB		30/11	*	31/01 *
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		*	*	* *
<i>Bougainvillea</i> Comm. ex Juss.								
vegetative	10	1	DK	University of Aarhus - Aarslev		01/12	20/02	01/03 15 plantlets, propagated by nodal cuttings, main shoot 4-7 cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 Young plants able to show all their characteristics during the first year of examination
<i>Bougainvillea glabra</i> Choisy								
vegetative	10	1	DK	University of Aarhus - Aarslev		01/12	20/02	01/03 15 plantlets, propagated by nodal cuttings, main shoot 4-7 cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Bougainvillea spectabilis</i> Willd.								
vegetative	10	1	DK	University of Aarhus - Aarslev		01/12	20/02	01/03 15 plantlets, propagated by nodal cuttings, main shoot 4-7 cm. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9
<i>Bougainvillea spectabilis</i> Willd.								
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03
				Main Office				24 young plants
								- able to show all their characteristics during the first year of examination.
<i>Bouvardia</i> Salisb.								
vegetative	10	1	NL	NAKTUINBOUW	-	15/03	01/06	15/06
				Main Office				24 young plants able to show all their characteristics during the first year of examination
								Plants have to be submitted in 9 - 12 cm pots.
<i>Bouvardia longiflora</i> (Cav.) Kunth. × <i>B. ternifolia</i> (Cav.) Schltdl.								
vegetative	10	1	NL	NAKTUINBOUW	-	15/03	01/06	15/06
				Main Office				24 young plants
								to be submitted in 9 - 12 cm pots, able to show all their characteristics during the first year of examination.
<i>Brachyglottis</i> J. R. Forst. & G. Forst.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03
								*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03
				Main Office				24 young plants
								- able to show all their characteristics in the second year of examination.
<i>Brachyglottis bidwillii</i> (Hook. f.) R. Nordenstam.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03
								*
<i>Brachyglottis buchananii</i> (J. B. Armstr.) R. Nordenstam.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03
								*
<i>Brachyglottis monroi</i> (Hook. f.) R. Nordenstam.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03
								*
<i>Brachyglottis rotundifolia</i> J. R. Forst. & G. Forst.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03
								*
<i>Brachypodium distachyon</i> (L.) P. Beauv.								
seed	3	2	ES	Oficina Española de Variedades Vegetales (OEVV)		31/07	*	31/08
								500 g seeds
<i>Brachyscome</i> Cass.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
	11	1	DE	Bundessortenamt		01/12	30/03	03/04
								20 cuttings
								well rooted, of commercial standard
<i>Brachyscome angustifolia</i> A. Cunn. ex DC.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
	11	1	DE	Bundessortenamt		01/12	30/03	03/04
								20 cuttings
								well rooted, of commercial standard
<i>Brachyscome formosa</i> P. S. Short								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
	11	1	DE	Bundessortenamt		01/12	30/03	03/04
								20 cuttings
								well rooted, of commercial standard
<i>Brachyscome iberidifolia</i> Benth.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
<i>Brachyscome melanocarpa</i> Sond. & F. Muell.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
	11	1	DE	Bundessortenamt		01/12	30/03	03/04
								20 cuttings
								well rooted, of commercial standard

1	2	3	4	5	6	7	8	9
<i>Brachyscome multifida</i> DC.								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	DE	Bundessortenamt	01/12	30/03	03/04	20 cuttings well rooted, of commercial standard
<i>Brachyscome segmentosa</i> F. Muell.								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	DE	Bundessortenamt	01/12	30/03	03/04	20 cuttings well rooted, of commercial standard
<i>Brassica carinata</i> A. Braun								
	14	2	DE	Bundessortenamt	31/12	*	01/02	60000 seeds (500 g) - minimum germination capacity 80%.
<i>Brassica juncea</i> L.								
agricultural	14	2	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	20000 seeds for drilled plants
agricultural	14	2	DE	Bundessortenamt	*	*	*	*
vegetable	14	2	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	5000 seeds
<i>Brassica napus</i> L. emend. Metzg.								
forage	2	2	GB	Animal & Plant Health Agency (APHA)	15/01	*	15/02	*
spring	2	2	PL	COBORU - Head- quarters	20/12	01/02	28/02	150 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 0,08 kg seeds of each component (B, R) and splitted sample of 80 g seeds per year for the A line in case of GMS system
spring	2	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (B, R) and splitted sample of 50 g seeds per year for the A line in case of GMS system
spring	2	2	DK	TystofteFoundation	20/01	*	10/02	700 g seeds of hybrid varieties or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (B, C, R) and 100 g for the A line in case of GMS system
spring	2	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (B, R) and 50 g for the A line in case of GMS system
spring	2	2	FR	GEVES - Siège	15/01	*	01/02	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties. 350 g for line varieties used as components (B,R) and 100 g for the A line in case of GMS system (A line: possibility to split into 2 x 50 g per year)
spring	2	2	DE	Bundessortenamt	15/12	*	01/02	35000 seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94% For hybrids: in addition 35000 seeds of each component (A, B, R) and splitted sample of 8000 seeds per year. Minimum germination capacity 94%
winter	2	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	30/07	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (B, R) and splitted sample of 50 g seeds per year for the A line in case of GMS system
winter	2	2	DE	Bundessortenamt	05/08	*	10/08	60000 seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties, minimum germination capacity 94% For hybrids: in addition 60000 seeds of each component (A, B, R) and splitted sample of 10000 seeds per year. Minimum germination capacity 94%

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5			6	7	8	9	
<i>Brassica napus</i> L. emend. Metzg.											
winter	2	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)			31/07	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (B, R) and 50 g for the A line in case of GMS system	
winter	2	2	PL	COBORU - Headquarters			10/08	01/08	10/08	300 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 0,08 kg seeds of each component (B, R) and splitted sample of 150 g seeds per year for the A line in case of GMS system	
winter	2	2	GB	Animal Health (APHA)	&	Plant Agency	10/08	*	10/08	*	
winter	2	2	FR	GEVES - Siège			01/08	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties. 350 g for line varieties used as components (B,R) and 100 g for the A line in case of GMS system (A line: possibility to split into 2 x 50 g per year)	
winter	2	2	DK	TystofteFoundation			08/08	*	08/08	700 g seeds of hybrid varieties or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (B, C, R) and 100 g for the A line in case of GMS system	
winter spring	&	2	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/08	*	10/08	1000 g seeds of hybrid varieties or hybrid varieties used as components or line varieties used as commercial varieties For hybrids: in addition 350 g seeds of each component (B, R) and splitted sample of 150 g seeds per year for the A line in case of GMS system	
<i>Brassica napus</i> L. var. <i>Pabularia</i> (DC.) Rchb											
	14	1	GB	Animal Health (APHA)	&	Plant Agency	*	*	*	*	
<i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Rchb.											
swede	14	2	NL	NAKTUINBOUW - Main Office			01/04	*	01/05	5000 seeds	
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)			*	*	*	*	
	14	2	FR	GEVES - Siège			01/01	*	01/02	20 g seeds	
	14	2	GB	Animal Health (APHA)	&	Plant Agency	*	*	*	*	
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef.											
forage kale	4	2	GB	Animal Health (APHA)	&	Plant Agency	*	*	*	*	
	4	2	FR	GEVES - Siège			*	*	*	*	
	4	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters			*	*	*	*	
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>viridis</i> L.											
	14	1	NL	NAKTUINBOUW - Main Office			*	*	*	*	
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i>											
seed	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)			01/03	*	01/04	10000 seeds	
seed, autumn & winter	14	2	NL	NAKTUINBOUW - Main Office			15/04	*	01/05	5000 seeds	

1	2	3	4	5	6	7	8	9
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i>								
seed, overwintering	14	2	NL	NAKTUINBOUW Main Office	-	15/05	*	15/06 5000 seeds
seed, spring & summer	14	2	NL	NAKTUINBOUW Main Office	-	01/01	*	15/01 5000 seeds
seed: autumn/winter early type	14	2	FR	GEVES - Siège		01/04	*	01/05 10000 seeds (50 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
seed: late winter & spring	14	2	FR	GEVES - Siège		01/04	*	01/05 10000 seeds (50 g)
vegetative	14	2	FR	GEVES - Siège		01/04	*	01/07 80 rooted plants Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
vegetative, autumn & winter	14	2	NL	NAKTUINBOUW Main Office	-	15/04	15/06	30/06 125 plants of commercial standard
vegetative, overwintering	14	2	NL	NAKTUINBOUW Main Office	-	15/05	01/08	15/08 125 plants of commercial standard
vegetative, spring & summer	14	2	NL	NAKTUINBOUW Main Office	-	01/01	15/04	30/04 125 plants of commercial standard
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duch.								
early & medium early	14	2	PL	COBORU - quarters	Head-	20/12	15/01	15/02 40 g seeds
medium late & late	14	2	PL	COBORU - quarters	Head-	20/12	01/03	31/03 40 g seeds
	14	2	NL	NAKTUINBOUW Main Office	-	01/04	*	15/04 5000 seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/05	*	01/06 20000 seeds
	14	2	FR	GEVES - Siège		01/01	*	01/03 15000 seeds (50 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
	14	2	GB	Animal & Plant Health Agency (APHA)		15/02	*	15/03 *
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC.								
early & medium early	14	2	PL	COBORU - quarters	Head-	20/12	15/01	15/02 40 g seeds
medium late & late	14	2	PL	COBORU - quarters	Head-	20/12	01/03	31/03 40 g seeds
not point, early round, spring	14	2	NL	NAKTUINBOUW Main Office	-	01/02	*	15/02 5000 seeds
pointed, early round, spring	14	2	NL	NAKTUINBOUW Main Office	-	01/01	*	15/01 5000 seeds
	14	2	FR	GEVES - Siège		01/03	*	01/04 10000 seeds (50 g)
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		31/12	*	10/01 10000 seeds minimum germination capacity 85%
	14	2	DE	Bundessortenamt		01/01	*	01/02 5000 seeds minimum germination capacity 85%
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC. × <i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>rubra</i> (L.) Thell.								
	14	2	NL	NAKTUINBOUW Main Office	-	*	*	* *

1	2	3	4	5	6	7	8	9
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>alba</i> DC. × <i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>rubra</i> (L.) Thell.								
14	2	FR	GEVES - Siège		*	*	*	*
14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		*	*	*	*
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>rubra</i> (L.) Thell.								
14	2	FR	GEVES - Siège		01/03	*	01/04	15000 seeds
14	2	NL	NAKTUINBOUW - Main Office		01/02	*	15/02	5000 seeds
14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		31/12	*	10/01	10000 seeds
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>sabauda</i> L.								
14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/03	*	01/04	15000 seeds
14	2	FR	GEVES - Siège		01/03	*	01/04	15000 seeds
14	2	NL	NAKTUINBOUW - Main Office		01/05	*	15/05	5000 seeds
14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		31/12	*	10/01	10000 seeds minimum germination capacity 85%
<i>Brassica oleracea</i> L. var. <i>sabellica</i> L.								
14	2	GB	Animal & Plant Health Agency (APHA)		*	*	*	*
14	2	NL	NAKTUINBOUW - Main Office		15/05	*	01/06	5000 seeds
14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/03	*	01/04	15000 seeds
<i>Brassica oleracea</i> L. var. <i>costata</i> DC.								
14	2	FR	GEVES - Siège		01/02	01/03	31/03	50 g seeds sufficient germination rate
14	2	NL	NAKTUINBOUW - Main Office		01/05	01/05	15/05	5000 seeds
<i>Brassica oleracea</i> L. var. <i>gemmifera</i> Zenker								
early & medium early	14	2	PL	COBORU - Head-quarters	20/12	15/01	15/02	40 g seeds
medium late & late	14	2	PL	COBORU - Head-quarters	20/12	01/03	31/03	40 g seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/03	*	01/04	15000 seeds
	14	2	NL	NAKTUINBOUW - Main Office	01/03	*	15/03	5000 seeds
	14	2	FR	GEVES - Siège	01/01	*	01/03	15000 seeds (50 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
	14	2	GB	Animal & Plant Health Agency (APHA)	31/01	*	28/02	*

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Brassica oleracea* L. var. *gongylodes* L.**

	14	2	NL	NAKTUINBOUW Main Office	-	01/06	*	15/06	5000 seeds
	14	2	DE	Bundessortenamt		15/12	*	15/01	5000 seeds minimum germination capacity 85%
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		31/12	*	10/01	10000 seeds minimum germination capacity 85%

***Brassica rapa* L. subsp. *Campestris* (L.) A. R. Clapham**

spring	4	2	GB	Animal & Plant Health Agency (APHA)		30/11	*	08/01	*
spring	4	2	FI	Finnish Food Safety Authority Evira - Ad- ministration		*	*	*	*

***Brassica rapa* L. subsp. *Nipposinica* (L. H. Bailey) Hanelt**

	14	2	FR	GEVES - Siège		*	*	*	*
--	----	---	----	---------------	--	---	---	---	---

***Brassica rapa* L. var. *pekinensis* (Lour.) Kitam.**

	14	2	NL	NAKTUINBOUW Main Office	-	01/06	*	15/06	5000 seeds
	14	2	FR	GEVES - Siège		01/01	*	01/03	50 g seeds

***Brassica rapa* L. var. *rapa* L.**

	14	2	GB	Animal & Plant Health Agency (APHA)		*	*	*	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		*	01/07	15/07	6000 seeds
	14	*	NL	NAKTUINBOUW Main Office	-	*	*	*	*

***Brassica rapa* L. var. *silvestris* (Lam.) Briggs**

	4	2	FR	GEVES - Siège		01/08	01/08	10/08	1 kg seeds sufficient germination rate
--	---	---	----	---------------	--	-------	-------	-------	---

× *Bratonia* Moir

august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering

***Brighamia insignis* A. Gray**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of ex- amination.
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Bromus catharticus* Vahl var. *elatus* (E. Desv.) Planchelo (syn. *B. stamineus*; *B. valdivianus*)**

	3	2	IT	CREA-DC		30/06	30/06	15/08	1000 g seeds Not treated seed. Minimum germinability capacity and purity as for basic seed.
	3	3	FR	GEVES - Siège		15/12	15/12	10/01	1 kg seeds with good germination capacity

Bromus catharticus* var. *catharticus

	3	3	FR	GEVES - Siège		15/12	*	10/01	3 kg
--	---	---	----	---------------	--	-------	---	-------	------

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Bromus sitchensis

3 3 FR GEVES - Siège

*

*

*

*

Brugmansia Pers.

vegetative 10 1 DE Bundessortenamt 15/05 09/09 13/09 15 plants potted in 20 cm cm pots, free from viruses

Brunnera Steven.

vegetative 11 1 GB NIAB

31/07

18/09

22/09

*

***Brunnera macrophylla* (Adams) I. M. Johnst.**

vegetative 11 1 GB NIAB

31/07

18/09

22/09

*

11 2 NL NAKTUINBOUW -
Main Office

01/12

01/03

31/03

24 young plants
able to show all their characteristics in the second year of examination***Brunnera sibirica Steven***

vegetative 11 1 GB NIAB

31/07

16/09

20/09

*

Buddleja L.

9 2 FR GEVES - Siège

01/12

15/02

15/03

8 plants

- container-grown

- 2 years old.

Each plant must be clearly labelled.

Buddleja alternifolia Maxim.

9 2 FR GEVES - Siège

01/12

15/02

15/03

*

***Buddleja alternifolia Maxim.* × *Buddleja crispa Benth.* (syn *B. caryopteridifolia W. W. Sm*)**

9 2 FR GEVES - Siège

01/12

15/02

15/03

8 plants

- container-grown

- 2 years old.

Each plant must be clearly labelled.

Buddleja alternifolia Maxim.* × *Buddleja davidii Franch.

vegetative 9 2 FR GEVES - Siège

01/12

15/02

15/03

8 plants

- container-grown

- 2 years old.

Each plant must be clearly labelled.

Buddleja alternifolia Maxim.* × *Buddleja marrubiiifolia Benth.

vegetative 9 2 FR GEVES - Siège

01/12

15/02

15/03

8 plants

- container-grown

- 2 years old.

Each plant must be clearly labelled.

Buddleja crispa Benth.* × *Buddleja marrubiiifolia Benth.

vegetative 9 2 FR GEVES - Siège

01/12

15/02

15/03

8 plants

- container-grown

- 2 years old.

Each plant must be clearly labelled.

Buddleja davidii Franch.

vegetative 9 2 FR GEVES - Siège

01/12

15/02

15/03

8 plants

- container-grown

- 2 years old.

Each plant must be clearly labelled.

Buddleja davidii Franch.* × *Buddleja* × *weyeriana Weyer

9 2 FR GEVES - Siège

01/12

15/02

15/03

8 plants

- container-grown

- 2 years old.

Each plant must be clearly labelled.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Buddleja fallowiana* Balf. f. & W. W. Sm.**

9 2 FR GEVES - Siège

01/12 15/02 15/03 *

***Buddleja globosa* Hope**

9 2 FR GEVES - Siège

01/12 15/02 15/03

8 plants
 - container-grown
 - 2 years old.
 Each plant must be clearly labelled.

***Buddleja lindleyana* Fortune**

9 2 FR GEVES - Siège

01/12 15/02 15/03

8 plants
 - container-grown
 - 2 years old.
 Each plant must be clearly labelled.

***Buddleja loricata* Leeuwenb.**

9 2 FR GEVES - Siège

01/12 15/02 15/03

8 plants
 - container-grown
 - 2 years old.
 Each plant must be clearly labelled.

***Buddleja* × *luteolufaucia* W. Elliott & Fantz (*B. davidii* Franch. × *B. lindleyana* Fortune)**

9 2 FR GEVES - Siège

01/12 15/02 15/03

8 plants
 container-grown, 2 years old

***Buddleja* × *weyeriana* Weyer (*Buddleja davidii* × *B. globosa*)**

vegetative 9 2 FR GEVES - Siège

01/12 15/02 15/03

8 plants
 - container-grown
 - 2 years old.
 Each plant must be clearly labelled.

***Buglossoides arvensis* (L.) I. M. Johnst**4 2 NL NAKTUINBOUW -
Main Office

01/12 * 01/04 5000 seeds

× *Burrageara* hort.august crop 10 1 NL NAKTUINBOUW -
Main Office

30/04 01/08 31/08 10 young plants able to show all their characteristics during the first year of examination

january crop 10 1 NL NAKTUINBOUW -
Main Office

30/09 01/01 31/01 10 young plants able to show all their characteristics during the first year of examination

***Buxus bodinieri* H. Lév. × *Buxus sempervirens* L.**

11 * DE Bundessortenamt

* * * *

***Buxus microphylla* Siebold & Zucc.**

vegetative 11 1 DE Bundessortenamt

01/02 01/03 15/03

10 plants
 in pots, 20-25 cm high

11 1 DE Bundessortenamt

* * * *

***Buxus microphylla* Siebold & Zucc. × *Buxus sempervirens* L.**

11 1 DE Bundessortenamt

* 01/03 15/03

10 plants
 - free of important diseases and pests
 - potted
 - size 20 Û 25 cm.

***Buxus microphylla* Siebold & Zucc. var. *japonica* (Müll. Arg. ex Miq.) Rehder & E. H. Wilson × *Buxus sinica* (Rehder & E. H. Wilson) M. Cheng**

11 * DE Bundessortenamt

* * * *

***Buxus sempervirens* L.**

vegetative 11 1 DE Bundessortenamt

01/12 01/03 15/03

10 plants
 in pots, 20-25 cm diameter

1	2	3	4	5	6	7	8	9
<i>Buxus sempervirens</i> L.								
	11	1	DE	Bundessortenamt	*	*	*	*
<i>Buxus sempervirens</i> L. × <i>Buxus sinica</i> (Rehder & E. H. Wilson) M. Cheng var. <i>insularis</i> (Nakai) M. Cheng								
	11	*	DE	Bundessortenamt	*	*	*	*
<i>Caladium humboldtii</i> (Raf.) Schott								
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*
<i>Calathea</i> G. Mey.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Calathea crocata</i> E. Morren & Joriss.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Calathea lietzei</i> E. Morren								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Calathea loeseneri</i> J.F. Macbr. × <i>C. roseopicta</i> (Linden) Regel								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Calathea makoyana</i> E. Morren (syn. <i>Goepfertia makoyana</i> (E. Morren) Borchs. & S. Suárez)								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Calathea roseopicta</i> (Linden) Regel								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Calathea warscewiczii</i> (L. Mathieu) Planch. & Linden								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Calceolaria</i> L.								
	10	1	DE	Bundessortenamt		01/10	14/01	18/01 25 cuttings well rooted not treated with growth regulators
<i>Calendula</i> L.								
seed	14	2	GB	NIAB		01/12	20/01	24/01 *
<i>Calendula officinalis</i> L.								
seed	14	2	GB	NIAB		01/12	20/01	24/01 *
seed-	14	2	DE	Bundessortenamt		15/02	*	15/03 2400 seeds
propagated								minimum germination capacity 80%
vegetative	14	2	DE	Bundessortenamt		15/01	22/04	03/05 60 cuttings well rooted not pinched
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Calendula officinalis</i> L. × <i>C. suffruticosa</i> Vahl								
ornamental	11	1	DE	Bundessortenamt		01/12	09/03	13/03 20 young plants
vegetatively	11	1	GB	NIAB		01/12	09/03	20/03 *
propagated								

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Calendula suffruticosa* Vahl. subsp. *maritima* (Guss.) Meikle**

ornamental	11	1	GB	NIAB	01/12	09/03	20/03	*
ornamental	11	1	DE	Bundessortenamt	01/12	11/03	15/03	20 young plants

***Calibrachoa* Cerv.**

Seed propagated	11	1	DE	Bundessortenamt	15/11	05/01	16/01	900 seeds minimum germination capacity 75%
vegetative	11	1	DE	Bundessortenamt	15/11	18/03	22/03	20 cuttings - not pinched - well rooted.

***Calibrachoa parviflora* (Juss.) D'Arcy & Wijsman**

vegetative	11	1	DE	Bundessortenamt	15/11	12/03	16/03	20 cuttings - not pinched - well rooted.
------------	----	---	----	-----------------	-------	-------	-------	--

***Callicarpa bodinieri* H. Lev.**

	11	2	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics in the second year of examination
	11	2	GB	NIAB		01/12	13/03	24/03	*

***Callisia* Loeffl.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Callisia repens* (Jacq.) L.**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Callistemon* R. Br.**

vegetative	9	2	FR	GEVES - Siège		01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
------------	---	---	----	---------------	--	-------	-------	-------	---

***Callistemon citrinus* (Curtis) Skeels**

	9	2	FR	GEVES - Siège		01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
--	---	---	----	---------------	--	-------	-------	-------	---

***Callistemon salignus* (Sm.) Sweet**

vegetative	9	2	FR	GEVES - Siège		01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
------------	---	---	----	---------------	--	-------	-------	-------	---

***Callistemon viminalis* (Sol. ex Geartn.) G. Don**

vegetative	9	2	FR	GEVES - Siège		01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
------------	---	---	----	---------------	--	-------	-------	-------	---

***Callistephus chinensis* (L.) Nees**

seed propagated; green-house	10	1	DE	Bundessortenamt		01/12	16/03	20/03	6 g seeds
---------------------------------	----	---	----	-----------------	--	-------	-------	-------	-----------

***Calluna vulgaris* (L.) Hull**

vegetative	9	1	DE	Bundessortenamt		01/02	01/03	15/03	25 young plants, well rooted, out of the quick-pot propagation tray root ball diameter 4-6 cm, at least 6 months old
------------	---	---	----	-----------------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Calochortus* Pursh**

vegetative	11	1	NL	NAKTUINBOUW	-	01/09	01/10	31/10	200 bulbs of flowering size
				Main Office					

***Calycanthus* × *raulstonii* (F. T. Lass. & Fantz) F. T. Lass. & Fantz ex Bernd Schulz**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young bushes
				Main Office					Delivered in pots, ready to flower, but not yet flowering and not having flowered before, able to show all their characteristics during the first year of examination.

***Camelina sativa* (L.) Crantz**

	4	2	DE	Bundessortenamt		15/12	*	01/02	250 g seeds minimum germination capacity 80%
	2	2	FR	GEVES - Siège		15/01	*	01/02	1 kg seeds

***Camellia* L.**

autumn & winter flowering	11	1	GB	NIAB		01/12	09/03	20/03	*
spring flowering	11	1	GB	NIAB		31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège		30/06	15/09	30/09	10 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year

***Camellia japonica* L.**

autumn & winter flowering	11	1	GB	NIAB		01/12	09/03	20/03	*
spring flowering	11	1	GB	NIAB		31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Camellia reticulata* Lindl.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Camellia rosthorniana* Hand.-Mazz.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège		30/06	15/09	30/09	250 seeds - high germination capacity.

***Camellia saluenensis* Stapf ex Bean**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Camellia sasanqua* Thunb.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Camellia* × *williamsii* W. W Sm.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Campanula* L.**

greenhouse	10	1	GB	NIAB		01/12	09/03	20/03	*
greenhouse	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
				Main Office					
outdoor	11	1	GB	NIAB		01/12	09/03	20/03	*
outdoor	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
				Main Office					

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Campanula carpatha* Halacsy**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Campanula carpatica* Jacq.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Campanula carpatica* Jacq. × *Campanula isophylla* Moretti**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	*	*	*	*
				Main Office					

***Campanula cochleariifolia* Lam.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Campanula formanekiana* Degen & Dörf.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Campanula garganica* Ten.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Campanula glomerata* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Campanula glomerata* L. × *C. punctata* Lam.**

	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.
	11	1	GB	NIAB		01/12	09/03	20/03	*

***Campanula* × *haylodgensis* hort.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Campanula isophylla* Moretti**

	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.
	10	1	GB	NIAB		01/12	09/03	20/03	*

***Campanula lactiflora* M. Bieb.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Campanula lasiocarpa* Cham.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Campanula lasiocarpa</i> Cham.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Campanula latifolia</i> L.								
vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *
<i>Campanula latiloba</i> A. DC.								
vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *
<i>Campanula medium</i> L.								
greenhouse	10	1	GB	NIAB		01/12	09/03	20/03 *
seed	10	1	GB	NIAB		01/12	20/01	24/01 *
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Campanula persicifolia</i> L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Campanula portenschlagiana</i> Schult.								
	10	1	GB	NIAB		01/12	09/03	13/03 *
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Campanula poscharskyana</i> Degen								
Greenhouse cultivation; vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *
outdoor cultivation	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 *
outdoor cultivation	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Campanula</i> × <i>pulloides</i> hort.								
vegetative - outdoor cultivation	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Campanula punctata</i> Lam.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Campanula punctata</i> Lam. × <i>C. takesimana</i> Nakai								
Outdoor cultivation; vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Campanula takesimana</i> Nakai								
indoor cultivation	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Campanula takesimana</i> Nakai								
outdoor culti- vation	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of ex- amination.
outdoor culti- vation	11	1	GB	NIAB		01/12	09/03	20/03 *
vegetative indoor cultiva- tion	-	10	1	GB	NIAB	01/12	09/03	20/03 *
<i>Campanula trachelium</i> L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of ex- amination.
<i>Campanula tubulosa</i> Lam.								
Greenhouse cultivation; vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of ex- amination.
<i>Campsis grandiflora</i> (Thunb.) K. Schum. × <i>C. × tagliabuana</i> (Vis.) Rehder								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 8 young plants able to show all their characteristics during the first year of exam- ination
<i>Campsis radicans</i> (L.) Seem. ex Bureau								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 8 young plants, able to show all their characteristics during the first year of examination.
<i>Campsis × tagliabuana</i> (Vis.) Rehder (<i>C. grandiflora</i> × <i>C. radicans</i>)								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 8 young plants, able to show all their characteristics during the first year of examination.
<i>Canna × generalis</i> L. H. Bailey								
seed- propagated	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 48 plants, able to show all their characteristics during the first year of examination.
<i>Canna indica</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of ex- amination.
<i>Cannabis sativa</i> L.								
fiber/oil seed	4	2	NL	NAKTUINBOUW Main Office	-	15/01	*	01/02 500 g seeds
fibre	4	2	FR	GEVES - Siège		15/01	15/01	15/02 1 kg seeds minimum germination capacity 80%
medicinal seed	4	1	NL	NAKTUINBOUW Main Office	-	15/03	*	15/07 500 seeds
medicinal veg- etative	4	1	NL	NAKTUINBOUW Main Office	-	15/03	01/09	15/09 24 rooted cuttings in plug, length of cuttings: 10-15 cm -The material must be clearly and properly labelled -The material must be free of visible pests and diseases and arrive in good condition -All shipments must be accompanied by an official document al- lowing transport of medicinal cannabis (Please inquire at local au- thority)

1	2	3	4	5	6	7	8	9
<i>Cannabis sativa</i> L.								
seed	4	2	HU	NEBIH Headquarters	31/01	*	20/02	2 kg for hybrids and open pollinated varieties; 1 kg for line applications In case of hybrids: in addition 1 kg of each component (lines and parental crosses)
<i>Capparis spinosa</i> L.								
vegetative	10	1	DE	Bundessortenamt	01/12	15/04	21/04	20 rooted cuttings not pinched
<i>Capsicum annuum</i> L.								
autumn	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/06	*	01/07	3000 seeds
except lamuyo types	13	2	NL	NAKTUINBOUW - Main Office	15/12	*	01/01	1500 seeds
field, summer (triangle fruit)	14	2	FR	GEVES - Siège	01/02	*	01/03	2000 seeds (15 g)
greenhouse	13	2	HU	NEBIH Headquarters	15/01	*	15/02	2000 seeds minimum germination capacity 92%
greenhouse, autumn	13	2	FR	GEVES - Siège	01/05	*	01/06	2000 seeds (15 g)
greenhouse, spring	13	2	FR	GEVES - Siège	15/12	*	01/01	2000 seeds (15 g)
lamuyo type	13	2	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	1500 seeds
open field	14	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	15/12	*	10/02	3000 seeds
ornamental fr	10	2	FR	GEVES - Siège	15/12	15/12	01/01	10 g seeds
ornamental nl	10	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
spring	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	3000 seeds
vegetatively propagated	13	2	NL	NAKTUINBOUW - Main Office	15/10	15/12	31/12	35 non grafted young plants without fruits, plantheight 20-40 cm, at least 2 growing points per plant
<i>Capsicum baccatum</i> L.								
	13	2	FR	GEVES - Siège	15/12	*	01/01	10 g seeds
<i>Capsicum chinense</i> Jacq.								
	13	2	FR	GEVES - Siège	15/12	*	01/01	10 g seeds
<i>Capsicum frutescens</i> L.								
	13	2	FR	GEVES - Siège	15/12	*	01/01	10 g seeds
<i>Capsicum pubescens</i> Ruiz & Pav.								
	13	2	FR	GEVES - Siège	15/12	*	01/01	10 g seeds
<i>Carex</i> L.								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of flowering
<i>Carex brunnea</i> Thunb.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	15/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Carex comans</i> Berggr.								
ornamental, vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Carex laxiculmis* Schwein.**

vegetative	11	1	GB	NIAB		01/02	11/03	22/03	*
	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination
	11	1	DK	University of Aarhus - Aarslev	-	*	*	*	*

***Carex morrowii* Boott**

	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	---	-------	-------	-------	---

***Carex oshimensis* Nakai**

vegetative	11	1	DK	University of Aarhus - Aarslev	-	01/12	15/04	30/04	20 small plants ready for potting. Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Please advise the test station about the arrival of the plant material
	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

***Carex phyllocephala* T. Koyama**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
vegetative	11	1	NL	NAKTUINBOUW - Main Office	-	*	*	*	*
vegetative	11	1	DK	University of Aarhus - Aarslev	-	01/01	15/04	30/04	20 small plants ready for potting

***Carex punicea* K. A. Ford (syn. *Uncinia rubra* Colenso ex Boott)**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

***Carex siderosticha* Hance**

ornamental	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	---	-------	-------	-------	---

***Carex trifida* Cav.**

	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	---	-------	-------	-------	---

***Carica papaya* L.**

	7	*	MX	Servicio Nacional de Inspeccion y Certificacion de Semillas (SNICS)	-	*	*	*	*
--	---	---	----	---	---	---	---	---	---

***Carpinus betulus* L.**

tree, ornamental	11	2	DE	Bundessortenamt		01/12	01/03	15/03	10 potted plants or 10 bare-rooted, at least 2 years old, size 150-200 cm.
------------------	----	---	----	-----------------	--	-------	-------	-------	--

***Carpinus caroliniana* Walter**

	11	2	DE	Bundessortenamt		01/12	01/03	15/03	10 potted plants or bare rooted plants, at least 2 years old, 125-150 cm height
--	----	---	----	-----------------	--	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
<i>Carthamus tinctorius</i> L.								
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	01/12	31/12	1 kg seeds The minimum requirements for germination capacity and analytical purity should not be less than the standards for certified seeds.
	4	2	DE	Bundessortenamt	15/01	*	15/02	4200 seeds minimum germination capacity 80%
<i>Carum carvi</i> L.								
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1 kg seeds
<i>Caryopteris</i> Bunge								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Caryopteris</i> × <i>clandonensis</i> A. Simmonds ex C. H. Curtis								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Castanea</i> Mill.								
	7	6	HU	NEBIH Headquarters	31/01	01/03	31/03	8 grafted plants, of the candidate variety and 8 grafted plants, of the most similar variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cryphonectria parasitica Apple Mosaic Virus (ApMV) [PCR]
<i>Castanea</i> × <i>coudercii</i> A. Camus (<i>C. crenata</i> Siebold & Zucc. × <i>C. sativa</i> Mill.)								
	7	6	HU	NEBIH Headquarters	31/01	01/03	31/03	8 grafted plants, of the candidate variety and 8 grafted plants, of the most similar variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cryphonectria parasitica Apple Mosaic Virus (ApMV) [PCR]

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Castanea crenata* Siebold & Zucc.**

	7	4	HU	NEBIH Headquarters	31/01	01/03	31/03	8 grafted plants, of the candidate variety and 8 grafted plants, of the most similar variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Cryphonectria parasitica Apple Mosaic Virus (ApMV) [PCR]
--	---	---	----	--------------------	-------	-------	-------	---

***Catharanthus* G. Don**

vegetative	10	1	DE	Bundessortenamt	01/02	15/06	19/06	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	-------	-------	-------	--

***Catharanthus roseus* (L.) G. Don**

vegetative	10	1	DE	Bundessortenamt	01/02	15/06	19/06	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	-------	-------	-------	--

***Ceanothus* L.**

Vegetative, non variegated	11	1	FR	GEVES - Siège	15/12	15/02	15/03	10 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their other representative characteristics during the first season.
Vegetative, variegated	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their other representative characteristics during the first season.
vegetative, non variegated	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative, variegated	11	1	GB	NIAB	01/12	09/03	20/03	*

***Ceanothus* × *delilianus* Spach.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Ceanothus gloriosus* J. T Howell**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Ceanothus griseus* (Trel.) McMinn**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Ceanothus impressus* Trel.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Ceanothus* × *palidus* Lindl.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

Ceanothus prostratus

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Ceanothus thyrsiflorus* Eschw.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Celosia</i> L.								
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02 5 g seeds, minimum germination capacity 50%.
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	17/04 21/04	75 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Celosia argentea</i> L.								
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02 5 g seeds, minimum germination capacity 50%.
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	17/04 21/04	75 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Celosia argentea</i> var. <i>cristata</i> (L.) Kuntze								
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02 5 g seeds, minimum germination capacity 50%.
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	21/04 25/04	75 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Cenchrus advena</i> (Wipff & Veldkamp) Morrone (syn. <i>Pennisetum advena</i> Wipff & Veldkamp)								
vegetative	11	1	GB	NIAB		01/12	09/03 20/03	*
	11	1	FR	GEVES - Siège		15/12	15/03 31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cenchrus longisetus</i> M. C. Johnst. (syn. <i>Pennisetum villosum</i> R. Br. ex Fresen.)								
vegetative	11	1	GB	NIAB		01/12	09/03 20/03	*
<i>Cenchrus orientalis</i> (Rich.) Morrone (syn. <i>Pennisetum orientale</i> Rich.)								
vegetative	11	1	GB	NIAB		01/12	09/03 20/03	*
	11	1	FR	GEVES - Siège		15/12	15/03 31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Cenchrus purpurascens</i> Thunb. (<i>Pennisetum alopecuroides</i> (L.) Spreng.)								
vegetative	11	1	GB	NIAB		01/12	09/03 20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03 31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Cenchrus purpureus</i> (Schumach.) Morrone × <i>C. squamulatus</i> (Fresen.) Morrone syn. <i>Pennisetum purpureum</i> Schumach. × <i>P. squamulatum</i> Fresen								
vegetative	11	1	GB	NIAB		01/12	09/03 20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03 31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Cenchrus purpureus</i> (Schumach.) Morrone (syn. <i>Pennisetum purpureum</i> Schumach.)								
vegetative	11	1	GB	NIAB		01/12	09/03 20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	*	* * *	*
<i>Cenchrus setaceus</i> (Forssk.) Morrone (syn. <i>Pennisetum setaceum</i> (Forssk.) Chiov.)								
vegetative	10	1	GB	NIAB		01/12	09/03 20/03	*
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03 31/03	24 young plants able to show all their characteristics during the first year of examination Please note that this species is currently on the EU list of Invasive Alien Species

1	2	3	4	5	6	7	8	9	
<i>Centaurea montana</i> L.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants of commercial standard appropriat to be grown in the open
<i>Centradenia</i> G. Don									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of ex- amination.
<i>Centranthus ruber</i> (L.) DC.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants, able to show all their characteristics during the first year of examination. appropriate to be grown in the open
<i>Centratherum</i> Cass.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard
<i>Cephalanthus occidentalis</i> L.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of exam- ination.
	11	1	GB	NIAB		01/12	13/03	24/03	*
<i>Ceratostigma</i> Bunge.									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
<i>Ceratostigma abyssinicum</i> (Hochst.) Schwein. & Asch.									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
<i>Ceratostigma griffithii</i> C. B. Clarke									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
<i>Ceratostigma plumbaginoides</i> Bunge.									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
<i>Ceratostigma willmottianum</i> Stapf									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of exam- ination.
<i>Cercidiphyllum japonicum</i> Siebold & Zucc.									
	11	2	NL	NAKTUINBOUW Main Office	-	01/06	01/11	30/11	8 trees, 4 years old, with root balls, able to show all their charac- teristics in the second year of examination
<i>Cercis canadensis</i> L.									
vegetative	11	2	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, at least 3 years old
<i>Cereus hildmannianus</i> K. Schum. subsp. <i>uruguayanus</i> (R. Kiesling) N. P. Taylor syn. <i>Cereus peruvianus</i> auct. pl)									
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of ex- amination.
<i>Chaenomeles japonica</i> (Thunb.) Lindl. ex Spach.									
	11	1	HU	NEBIH Headquarters		31/01	15/03	30/04	8 plants / variety 2 years old in pot
	11	2	PL	COBORU quarters	- Head-	15/01	15/03	15/04	8 plants 2-3 years old, container-grown.

1	2	3	4	5	6	7	8	9
<i>Chaenomeles speciosa</i> (Sweet) Nakai								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants, 2-3 years old plants, container-grown
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 potted plants, at least 3 years old free from viruses
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Chamaecyparis lawsoniana</i> (A. Murray) Parl.								
vegetative	9	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown
<i>Chamaecyparis pisifera</i> (Siebold & Zucc.) Endl.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Chamaecyparis thyoides</i> (L.) Britton & al.								
vegetative	11	2	DE	Bundessortenamt	15/01	01/03	15/03	10 potted plants, 40-60 cm height
<i>Chamaerops</i> L.								
vegetative	10	1	DE	Bundessortenamt	*	*	*	*
<i>Chamaelaucium megalopetalum</i> Benth. × <i>C. uncinatum</i> Schauer								
vegetative	10	1	DE	Bundessortenamt	01/12	01/03	15/03	20 potted plants 20-60 cm height
	10	1	DE	Bundessortenamt	*	*	*	*
<i>Chamaelaucium uncinatum</i> Schauer								
vegetative	10	1	DE	Bundessortenamt	01/12	18/04	28/04	25 branched plants, well rooted, out of the propagation tray, at least 6 months old
<i>Chamaelaucium uncinatum</i> Schauer × <i>Verticordia grandis</i> J. Drumm. ex Meisn								
vegetative	10	1	DE	Bundessortenamt	01/12	18/04	28/04	25 branched plants, well rooted, out of the propagation tray, at least 6 months old
<i>Chasmanthe floribunda</i> var. <i>duckittii</i> G. Lewis ex L. Bol.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	30 bulbs, of flowering size, able to show all their characteristics during the first year of examination.
<i>Chasmanthium latifolium</i> (Michx.) H. O. Yates								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	25 young plants
<i>Chelone obliqua</i> L.								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
<i>Chenopodium quinoa</i> Willd.								
	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Chenopodium quinoa</i> Willd.								
	4	2	DK	TystofteFoundation	20/01	*	10/02	200 g, indicate TSW and germination capacity
	4	*	NL	NAKTUINBOUW - Main Office	*	*	*	*

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Chenopodium quinoa Willd.

4	2	FR	GEVES - Siège	15/02	*	01/03	150 g seeds
---	---	----	---------------	-------	---	-------	-------------

Chlorophytum comosum (Thunb.) Jacques

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

Chlorophytum laxum R. Br.

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

Chlorophytum orchidastrum Lindl.

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

Chlorophytum saundersiae (Baker) Nordal (syn. *Anthericum saundersiae* Baker)

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	--

Choisya Kunth

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

Choisya arizonica Standl.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Choisya × *dewitteana* Geerinck (*Choisya dumosa* (Torr.) A. Gray. × *Choisya ternata* Kunth)

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

Choisya dumosa (Torr.) A. Gray.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Choisya ternata Kunth

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

Christia vespertilionis (L.f.) Backh. f.

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

Chrysanthemum L.

ayr (all year round) - crop 1	10	1	NL	NAKTUINBOUW Main Office	-	01/09	25/11	29/11	25 unrooted cuttings, not treated with growth regulators
ayr (all year round) - crop 2	10	1	NL	NAKTUINBOUW Main Office	-	15/01	18/03	22/03	25 unrooted cuttings, not treated with growth regulators

1	2	3	4	5	6	7	8	9
<i>Chrysanthemum</i> L.								
ayr (all year round) - crop 3	10	1	NL	NAKTUINBOUW - Main Office	01/04	22/07	26/07	25 unrooted cuttings, not treated with growth regulators
ayr crop 1	8	1	GB	NIAB	14/07	06/01	10/01	*
ayr crop 2	8	1	GB	NIAB	30/10	09/03	13/03	*
ayr crop 3	8	1	GB	NIAB	17/02	01/07	05/07	*
cut flowers ayr (all year round)	8	1	PL	COBORU - Head-quarters	15/01	08/04	12/04	40 unrooted cuttings
natural season	9	1	PL	COBORU - Head-quarters	15/01	08/04	12/04	25 unrooted cuttings
natural season	9	1	GB	NIAB	01/12	09/04	13/04	*
pot plant ayr (all year round)	8	1	PL	COBORU - Head-quarters	15/01	08/04	12/04	25 unrooted cuttings
<i>Chrysanthemum dichrum</i> (C. Shih) H. Ohashi & Yonek. × <i>Opisthopappus taihangensis</i> (Y. Ling) C. Shih								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW - Main Office	*	01/03	31/03	*
<i>Chrysanthemum indicum</i> L.								
AYR crop 1	8	1	GB	NIAB	14/07	06/01	10/01	*
Natural Season	9	1	GB	NIAB	01/12	09/04	13/04	*
<i>Chrysanthemum</i> × <i>morifolium</i> Ramat. (syn <i>Ch.</i> × <i>grandiflorum</i>)								
AYR crop 1	8	1	GB	NIAB	14/07	06/01	10/01	*
Natural Season	9	1	GB	NIAB	01/12	09/04	13/04	*
<i>Chrysanthemum pacificum</i> Nakai								
AYR crop 1	8	1	GB	NIAB	14/07	06/01	10/01	*
AYR crop 3	8	1	GB	NIAB	17/02	01/07	05/07	*
Natural Season	8	1	GB	NIAB	01/12	09/04	13/04	*
ayr crop 2	8	1	GB	NIAB	30/10	09/03	13/03	*
	9	1	PL	COBORU - Head-quarters	*	*	*	*
	9	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
	9	1	GB	NIAB	*	*	*	*
	8	1	PL	COBORU - Head-quarters	*	*	*	*
	8	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Chrysocephalum apiculatum</i> (Labill.) Steetz (syn. <i>Helichrysum apiculatum</i> (Labill.) D. Don come)								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	50 cuttings well rooted able to show all their characteristics during the first year of examination.
<i>Cicer arietinum</i> L.								
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	*	31/01	1 kg seeds
	14	2	FR	GEVES - Siège	01/12	*	01/01	5000 seeds
	14	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	28/01	*	28/02	1 kg seeds minimum germination capacity 85%
<i>Cichorium endivia</i> L.								
autumn	14	2	FR	GEVES - Siège	01/05	*	01/05	5000 seeds (20 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavallion test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavallion carries out the other independent growing cycle.

1	2	3	4	5	6	7	8	9
<i>Cichorium endivia</i> L.								
spring	14	2	FR	GEVES - Siège	01/01	*	01/02	5000 seeds (20 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
	14	2	NL	NAKTUINBOUW - Main Office	01/01	*	15/01	5000 seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/05	*	01/06	25000 seeds
<i>Cichorium intybus</i> L. partim								
industrial	14	2	NL	NAKTUINBOUW - Main Office	15/02	*	20/02	15000 seeds
industrial	13	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	31/01	*	01/03	300 g seeds same category as certified seed
leaf	14	2	NL	NAKTUINBOUW - Main Office	15/05	*	01/06	5000 seeds
seed, witloof chicory	14	2	NL	NAKTUINBOUW - Main Office	15/04	*	01/05	25000 seeds
vegetative	14	2	NL	NAKTUINBOUW - Main Office	15/01	*	*	100 plants
witloof	13	2	FR	GEVES - Siège	01/02	*	01/02	200 g seeds
	13	2	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	*	*	*	*
<i>Cirsium rivulare</i> (Jacq.) All.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Cissus adenopoda</i> Sprague								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Cistus</i> × <i>argenteus</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Cistus creticus</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Cistus</i> × <i>dansereaui</i> Pinto da Silva								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Cistus</i> × <i>florentinus</i> Lam.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Cistus</i> × <i>hybridus</i> Pourr.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Cistus* × *incanus* L.**

	14	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
	14	1	GB	NIAB	01/12	09/03	20/03	*

***Cistus ladanifer* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Cistus* × *laxus* Ait. f.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Cistus monspeliensis* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Cistus populifolius* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Cistus* × *pulverulentus* Pourr.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Cistus* × *purpureus* Lam.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Cistus salviifolius* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

× *Citroncirus webberi* J. W. Ingram & H. E. Moore (*Citrus sinensis* × *Poncirus trifoliata*)

	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*
--	---	---	----	---	---	---	---	---

***Citrullus lanatus* (Thunb.) Matsum et. Nakai**

field	14	2	HU	NEBIH Headquarters	15/01	*	15/02	3000 seeds minimum germination capacity 94%
greenhouse	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	1800 untreated seed
outdoor	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	1800 untreated seed
	14	2	FR	GEVES - Siège	01/02	*	01/03	100 g seeds
	14	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	15/12	*	10/02	*
	13	2	FR	GEVES - Siège	01/02	*	01/03	100 g seeds
	13	2	NL	NAKTUINBOUW - Main Office	01/03	*	15/03	1200 seeds

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Citrus L.

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*

Citrus aurantiifolia (Christm.) Swingle

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

Citrus aurantium L.

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus clementina* hort. ex Tan. × *C. paradisi* Macfad.**

vegetative	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
------------	---	---	----	---	-------	-------	-------	---

***Citrus clementina* hort. ex Tanaka**

	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
--	---	---	----	---	-------	-------	-------	---

***Citrus clementina* hort. ex Tanaka × *Citrus reticulata* Blanco**

vegetative	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
------------	---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Citrus clementina hort. ex Tanaka × *Citrus sinensis* (L.) Osbeck

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

Citrus clementina hort. ex Tanaka × *Poncirus trifoliata* (L.) Raf.

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

Citrus deliciosa Ten.

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus jambhiri* Lush.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus latifolia* (Yu. Tanaka) Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus latipes* (Swingle) Tanaka × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus limettioides* Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus limon* (L.) Burm. × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus limon* (L.) Burm. f.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus maxima* (Burm.) Merr. (syn. *C. grandis* (L.) Osbeck)**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus nobilis* Lour.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus nobilis* Lour. × *Citrus temple* hort. ex Y. Tan.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus paradisi* Macf. × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

***Citrus paradisi* Macfad.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

***Citrus reshni* hort. ex Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus reshni* hort. ex Tanaka × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

***Citrus reticulata* Blanco**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

***Citrus reticulata* Blanco × *C.äsinensis* (L.) Osb.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus reticulata* Blanco × *Citrus deliciosa* Ten**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus reticulata* Blanco × *Fortunella hindsii* (Champ.) Swing**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus reticulata* Blanco × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus sinensis* (L.) Osbeck**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus × tangelo* J. W. Ingram & H. E. Moore (*C. paradisi* × *C. reticulata*)**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Citrus tangerina* hort. ex Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Citrus unshiu* Marcow.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLBV Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Clematis* L.**

vegetative	11	1	PL	COBORU - Head-quarters	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	*	NL	NAKTUINBOUW - Main Office	*	*	*	*

***Clematis akoensis* Hayata**

	11	*	PL	COBORU - Head-quarters	*	*	*	*
--	----	---	----	------------------------	---	---	---	---

***Clematis alpina* (L.) Mill.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Clematis armandii* Franch.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Clematis cadmia* Buch.-Ham. ex Hook. f. & Thomson**

vegetative	11	1	PL	COBORU - Head-quarters	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

***Clematis* × *cartmanii* hort.**

vegetative	11	1	PL	COBORU - Head-quarters	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	*	NL	NAKTUINBOUW - Main Office	*	*	*	*

***Clematis chrysocoma* Franch.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Clematis cirrhosa* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Clematis courtoisii* Hand.-Mazz.**

vegetative	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*

***Clematis* × *diversifolia* DC.**

vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
vegetative	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.

***Clematis* × *durandii* T. Durand ex Kuntze.**

vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
------------	----	---	----	------	--	--	-------	-------	-------	---

***Clematis florida* Thunb.**

vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
------------	----	---	----	------	--	--	-------	-------	-------	---

***Clematis heracleifolia* DC.**

vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
------------	----	---	----	------	--	--	-------	-------	-------	---

***Clematis koreana* Kom.**

vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
------------	----	---	----	------	--	--	-------	-------	-------	---

***Clematis koreana* var. *carunculosa* (Gagnep.) Tamura (syn. *Clematis chiisanensis* Nakai)**

vegetative	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*

***Clematis lanuginosa* Lindl. & Paxton**

vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
vegetative	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.

***Clematis macropetala* Ledeb.**

vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.

***Clematis montana* Buch.-Ham. ex. DC.**

vegetative	11	2	GB	NIAB			01/12	09/03	20/03	*
vegetative	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Clematis orientalis* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Clematis patens* C. Morren & Decne.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

vegetative	11	1	PL	COBORU	-	Head-quarters	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
------------	----	---	----	--------	---	---------------	-------	-------	-------	--

***Clematis recta* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Clematis texensis* Buckley**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

vegetative	11	1	PL	COBORU	-	Head-quarters	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
------------	----	---	----	--------	---	---------------	-------	-------	-------	--

***Clematis tibetana* Kuntze.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Clematis tubulosa* Turcz.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Clematis viticella* L.**

vegetative	11	1	PL	COBORU	-	Head-quarters	15/01	15/03	15/04	10 young plants Plants should be container-grown, of sufficient size to flower and/or show their other representative characteristics during the first season; plants must not have been cut back and they must not have flowered before.
------------	----	---	----	--------	---	---------------	-------	-------	-------	--

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Cleome spinosa* Jacq.**

vegetative	10	1	DE	Bundessortenamt		01/11	13/04	17/04	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Clerodendrum* L.**

pot plant	10	1	NL	NAKTUINBOUW	-	Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
-----------	----	---	----	-------------	---	-------------	-------	-------	-------	---

***Clerodendrum bungei* Steud.**

vegetative	10	1	NL	NAKTUINBOUW	-	Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	-------------	---	-------------	-------	-------	-------	---

***Clivia* Lindl.**

	10	1	DE	Bundessortenamt		01/11	*	01/02	*
--	----	---	----	-----------------	--	-------	---	-------	---

***Clusia rosea* Jacq.**

vegetative	11	1	NL	NAKTUINBOUW	-	Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	-------------	---	-------------	-------	-------	-------	---

***Cnidioscolus* Pohl**

vegetative	10	1	NL	NAKTUINBOUW	-	Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	-------------	---	-------------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Codiaeum variegatum* (L.) A. Juss.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	--

× *Colmanara* hort.

august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering

***Columnnea* L.**

	10	1	DE	Bundessortenamt		*	*	*	*
--	----	---	----	-----------------	--	---	---	---	---

***Columnnea hirta* Klotzsch & Hanst.**

	10	1	DE	Bundessortenamt		*	*	*	*
--	----	---	----	-----------------	--	---	---	---	---

***Consolida* (DC.) S. F. Gray.**

seed	10	1	GB	NIAB		01/12	20/01	24/01	*
------	----	---	----	------	--	-------	-------	-------	---

***Consolida ajacis* (L.) Schur (syn. *C. ambiguum* auct.; *Delphinium ajacis* L.; *Delphinium ambiguum* auct.)**

seed	10	1	GB	NIAB		01/12	20/01	24/01	*
------	----	---	----	------	--	-------	-------	-------	---

***Consolida regalis* Gray (syn. *Delphinium consolida* L.)**

seed	10	1	GB	NIAB		01/12	20/01	24/01	*
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Convallaria majalis* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt		01/04	15/09	30/09	35 rhizomes with flower buds 2 years old

***Convolvulus cneorum* L.**

vegetative	10	1	DE	Bundessortenamt		01/08	01/11	06/11	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Convolvulus sabatius* Viv.**

vegetative	10	1	DE	Bundessortenamt		01/08	01/11	06/11	25 cuttings - not pinched - well rooted.
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Coprosma* J. R. Forst. & G. Forst.**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
	10	1	DK	University of Aarhus - Aarslev		01/01	01/04	30/04	15 plants, 1-2 years old. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

***Coprosma propinqua* A. Cunn.**

	10	1	DK	University of Aarhus - Aarslev		01/01	01/04	30/04	15 plants, 1-2 years old. Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
--	----	---	----	-----------------------------------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Coprosma propinqua</i> A. Cunn.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 Young plants able to show all their characteristics during the first year of examination
<i>Coprosma repens</i> A. Rich.								
	10	1	DK	University of Aarhus - Aarslev		01/01	01/04	30/04
								15 plants, 1-2 years old. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 Young plants able to show all their characteristics during the first year of examination
<i>Cordyline</i> Comm. ex R. Br.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 young plants - able to show all their characteristics during the first year of examination.
<i>Cordyline australis</i> (G. Forst.) Endl.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 young plants - able to show all their characteristics during the first year of examination.
<i>Cordyline australis</i> (G. Forst.) Endl. × <i>Cordyline banksii</i> Hook. f.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 young plants - able to show all their characteristics during the first year of examination.
<i>Cordyline banksii</i> Hook. f.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 young plants - able to show all their characteristics during the first year of examination.
<i>Cordyline banksii</i> Hook. f. × <i>Cordyline pumilio</i> Hook. f.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 young plants - able to show all their characteristics during the first year of examination.
<i>Cordyline brasiliensis</i> Planch.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 young plants - able to show all their characteristics during the first year of examination.
<i>Cordyline fruticosa</i> (L.) A. Chev. (syn. <i>Cordyline terminalis</i> Knuth)								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03
								24 young plants - able to show all their characteristics during the first year of examination.
<i>Coreopsis</i> L.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
	11	1	FR	GEVES - Siège		30/01	15/04	30/04
								15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Coreopsis auriculata</i> L.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
<i>Coreopsis auriculata</i> L. × <i>C. lanceolata</i> L.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04
								*
	11	1	FR	GEVES - Siège		30/01	15/04	30/04
								15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Coreopsis grandiflora* Hogg ex Sweet**

Seed propagated	11	1	GB	NIAB	01/12	20/01	24/01	*
seed	11	2	FR	GEVES - Siège	30/10	15/01	31/01	250 seeds - high germination capacity.
vegetative	11	1	FR	GEVES - Siège	30/01	15/04	30/04	15 plants vegetatively propagated, container grown, of sufficient size to flower, able to show their characteristics during the first year of examination
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*

***Coreopsis lanceolata* L.**

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
------------	----	---	----	------	-------	-------	-------	---

***Coreopsis rosea* Nutt.**

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	FR	GEVES - Siège	30/01	15/04	30/04	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Coreopsis rosea* Nutt. × *C. tinctoria* Nutt.**

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	FR	GEVES - Siège	30/01	15/04	30/04	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Coreopsis rosea* Nutt. × *C. verticillata* L.**

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	FR	GEVES - Siège	30/01	15/04	30/04	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Coreopsis tinctoria* Nutt.**

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
------------	----	---	----	------	-------	-------	-------	---

***Coreopsis verticillata* L.**

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	FR	GEVES - Siège	30/01	15/04	30/04	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Coriandrum sativum* L.**

	14	2	HU	NEBIH Headquarters	15/01	16/01	31/01	200 g seeds
--	----	---	----	--------------------	-------	-------	-------	-------------

***Coridothymus capitatus* (L.) Rchb. f. (syn. *Thymus capitatus*)**

	11	2	FR	GEVES - Siège	31/10	01/01	31/01	20 plants, able to flower during the first cycle of observations Each plant must be clearly labelled
--	----	---	----	---------------	-------	-------	-------	---

***Cornus* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination.
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 free from viruses, good health

1	2	3	4	5	6	7	8	9
<i>Cornus alba</i> L.								
vegetative, non variegated	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative, variegated	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 free from viruses, good health
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination.
<i>Cornus alternifolia</i> L.f.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, container-grown at least 3 years old stock
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Cornus amomum</i> Mill.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Cornus controversa</i> Hemsl. ex Prain								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 free from viruses, good health
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination.
<i>Cornus hongkongensis</i> Hemsl. × <i>C. kousa</i> Burger ex Hance								
	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	10 young bushes or 10 trees 2-3 years old, able to show all their characteristics during the first year of examination.
<i>Cornus kousa</i> Burger ex Hance								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	10 young bushes or 10 trees, of commercial standard 2-3 years old
<i>Cornus mas</i> L.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants of commercial size, container-grown, to be submitted before they are in flower.
<i>Cornus sanguinea</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 free from viruses, good health
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination.
<i>Cornus sericea</i> L. subsp. <i>sericea</i> (syn. <i>C. stolonifera</i> Michx.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Corokia</i> × <i>virgata</i> Turrill (<i>C. buddleioides</i> × <i>C. cotoneaster</i>)								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination.
	10	1	GB	NIAB	01/12	09/03	20/03	*
<i>Correa</i> Andrews								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DE	Bundessortenamt	01/12	30/03	03/04	25 young plants Young plants of sufficient size to flower in the first season

1	2	3	4	5	6	7	8	9
<i>Cortaderia selloana</i> (Schult. & Schult. f.) Asch. & Graebn.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 10 young plants able to show all their characteristics during the first year of examination
<i>Corydalis elata</i> Bureau & Franch. × <i>C. flexuosa</i> Franch.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Corydalis flexuosa</i> Franch.								
vegetative	10	1	DK	University of Aarhus - Aarslev		15/12	01/04	15/04 15 young plants of commercial standard Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/02	27/02 24 Young plants able to show all their characteristics during the first year of examination
<i>Corydalis moorcroftiana</i> Wall. ex Hook. f. & Thomson × <i>C. wilsonii</i> N. E. Br.								
	11	1	HU	NEBIH Headquarters		31/01	01/03	15/04 25 young plants of commercial standard
<i>Corydalis shimienensis</i> C. Y. Wu & Z. Y. Su								
	11	1	DK	University of Aarhus - Aarslev		01/02	01/04	15/04 15 young plants Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/02	27/02 24 Young plants able to show all their characteristics during the first year of examination
<i>Corylus avellana</i> L.								
fruit	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		01/12	01/01	31/01 8 plants, one-year old, grafted on their own roots Absolute requirement: material of <i>Corylus avellana</i> must be free from <i>Anisogramma anomala</i> (Peck), otherwise it will be stopped at the border. The material must be accompanied by a certificate from authorised laboratory of ELISA analysis showing that the material is free from: Apple Mosaic Virus (ApMV) Epidiaspis leperii Phytoptus avellanae Pseudaulacaspis pentagona Quadraspidiotus perniciosus Agrobacterium tumefaciens Xanthomonas campestris pv. corylina Armillariella mellea Chondrostereum purpureum Nectria galligena Phyllactinia guttata Verticillium spp. Hazel maculatura lingare MLO

1	2	3	4	5	6	7	8	9
<i>Corylus avellana</i> L.								
vegetative, or-nametal	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 potted plants, container-grown at least 3 years old
<i>Corynocarpus</i> J.R.Frost & G. Forst.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Cosmos</i> Cav.								
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Cosmos atrosanguineus</i> (Hook.) Voss								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Cosmos bipinnatus</i> Cav.								
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
<i>Cosmos sulphureus</i> Cav.								
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
<i>Costus curvibracteatus</i> Maas								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Costus erythrophyllus</i> Loes.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Costus pulverulentus</i> C. Presl								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Cotinus</i> Mill.								
vegetative	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes, able to show all their characteristics during the first year of examination
<i>Cotinus coggygria</i> Scop.								
vegetative	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes, able to show all their characteristics during the first year of examination
<i>Cotoneaster</i> Medik.								
vegetative	11	1	DK	University of Aarhus - Aarslev	01/12	01/04	30/04	8 plants, 2 years old, cultivated in pots Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9
<i>Cotoneaster Medik.</i>								
	11	2	PL	COBORU - Head-quarters	15/01	01/04	07/04	8 plants 3-4 years old, container grown
<i>Cotoneaster dammeri</i> C. K. Schneid.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	01/04	07/04	8 plants 3-4 years old, container-grown
<i>Cotoneaster dammeri</i> C. K. Schneid. var. <i>radicans</i> Dammer ex C. K. Schneid.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	01/04	07/04	8 plants, 3-4 years old, container-grown.
<i>Cotoneaster franchetii</i> Bois								
	11	1	DK	University of Aarhus - Aarslev	*	*	*	*
<i>Cotoneaster horizontalis</i> Decne.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	01/04	07/04	8 plants 3-4 years old
<i>Cotyledon orbiculata</i> L. var. <i>oblonga</i> (Haw.) DC. (syn. <i>Cotyledon undulata</i> Haw.)								
	10	1	NL	NAKTUINBOUW Main Office	01/12	01/03	31/03	24 young plants and 1000 seeds able to show all their characteristics during the first year of examination
<i>Crambe abyssinica</i> Hochst ex. R. E. Fr.								
	4	2	NL	NAKTUINBOUW Main Office	15/01	*	15/02	300 g seeds
<i>Craspedia globosa</i> (F. L. Bauer ex Benth.) Benth. (syn. <i>Pycnosorus globosus</i> F. L. Bauer ex Benth.)								
vegetative	10	1	GB	NIAB	01/12	20/04	24/04	*
	10	1	NL	NAKTUINBOUW Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Crassula L.</i>								
vegetative	10	1	NL	NAKTUINBOUW Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Crassula arborescens</i> (Mill.) Willd.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Crassula mesembryanthoides</i> (Haw.) D. Dietr								
	10	1	NL	NAKTUINBOUW Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Crassula muscosa</i> L.								
	10	1	NL	NAKTUINBOUW Main Office	01/12	*	01/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Crassula nudicaulis</i> L.								
	10	1	NL	NAKTUINBOUW Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Crassula ovata</i> (Mill.) Druce								
vegetative	10	1	NL	NAKTUINBOUW Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Crassula ovata* (Mill.) Druce × *Kalanchoe thyrsiflora* Harv.**

10	1	DE	Bundessortenamt	01/06	31/08	01/09	20 rooted cuttings
----	---	----	-----------------	-------	-------	-------	--------------------

***Crassula pubescens* Thunb.**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
----	---	----	----------------------------	---	-------	-------	-------	---

***Crassula schmidtii* Regel**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Crassula swaziensis* Schönland**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
----	---	----	----------------------------	---	-------	-------	-------	---

***Crataegus succulenta* Schrad. ex Link**

vegetative	11	2	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 budded plants, one-year old, grafted on <i>C. monogyna</i> .
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Crinodendron hookerianum* Gay**

11	*	NL	NAKTUINBOUW Main Office	-	*	*	*	*
----	---	----	----------------------------	---	---	---	---	---

***Crinum bulbispermum* (Burm. f.) Milne-Redh. & Schweick.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	20 pseudobulbs
------------	----	---	----	----------------------------	---	-------	-------	-------	----------------

***Crocasmia* Planch.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	15/03	31/03	30 corms able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Crocasmia* × *crocasmiiiflora* (Lemoine) N. E. Br.**

11	*	NL	NAKTUINBOUW Main Office	-	*	*	*	*
----	---	----	----------------------------	---	---	---	---	---

***Crossandra infundibuliformis* (L.) Nees**

vegetative	10	1	DE	Bundessortenamt	15/12	05/04	09/04	25 cuttings well rooted not treated with growth regulators
------------	----	---	----	-----------------	-------	-------	-------	---

***Cryptocoryne wendtii* de Wit**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Cryptomeria japonica* (L. f.) D. Don**

11	*	NL	NAKTUINBOUW Main Office	-	*	*	*	*
----	---	----	----------------------------	---	---	---	---	---

***Ctenanthe oppenheimiana* (E. Morr.) K. Schum**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial size
------------	----	---	----	----------------------------	---	-------	-------	-------	------------------------------------

***Cucumis* L.**

Cucumis an- guria L. x Cucumis f	14	2	FR	GEVES - Siège	01/12	15/12	01/01	50 grams of untreated seeds
--	----	---	----	---------------	-------	-------	-------	-----------------------------

Cucumis an- guria L. x Cucumis fi- cifolius A. Rich	14	2	NL	NAKTUINBOUW Main Office	-	01/04	15/04	01/05	1000 seeds
---	----	---	----	----------------------------	---	-------	-------	-------	------------

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Cucumis L.

Cucumis	fi-	14	2	FR	GEVES - Siège	01/12	15/12	01/01	50 grams of untreated seeds
cifolius	x								

Cucumis m

Cucumis	fi-	14	2	NL	NAKTUINBOUW -	01/04	15/04	01/05	1000 seeds
cifolius	x				Main Office				
Cucumis myri-									
ocarpus									

Cucumis africanus L. f.

		10	1	DE	Bundessortenamt	15/11	*	15/03	*
--	--	----	---	----	-----------------	-------	---	-------	---

Cucumis hirsutus Sond.

		10	1	DE	Bundessortenamt	15/11	*	15/03	*
--	--	----	---	----	-----------------	-------	---	-------	---

Cucumis melo L.

field		14	*	IT	CREA-DC	*	*	*	*
field		14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	2500 untreated seed
greenhouse		13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	2500 untreated seed
		13	2	NL	NAKTUINBOUW - Main Office	01/03	*	15/03	1500 seeds
		14	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	15/12	*	10/02	*
		13	2	FR	GEVES - Siège	01/01	*	15/01	50 g seeds
		13	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	2000 seeds /40 g
		14	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	2000 seeds /40 g

Cucumis sativus L.

cucumber		13	2	FR	GEVES - Siège	01/12	*	01/01	1500 seeds (50 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
gherkin		13	2	FR	GEVES - Siège	01/03	*	01/04	1500 seeds (50 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
gherkin		14	2	HU	NEBIH Headquarters	15/12	*	15/01	2000 seeds minimum germination capacity 94%
gherkin		13	2	NL	NAKTUINBOUW - Main Office	01/02	*	15/02	1500 seeds
greenhouse		13	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/01	*	01/02	1500 seeds minimum germination capacity 80% after 4 days
heated covers		13	2	PL	COBORU - Headquarters	30/11	*	31/12	600 seeds
open field		14	2	PL	COBORU - Headquarters	20/12	*	31/03	200 g seeds
open field		14	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	15/03	1500 seeds minimum germination capacity 80% after 4 days

1	2	3	4	5	6	7	8	9
<i>Cucumis sativus</i> L.								
seed autumn	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/06	*	01/07	1800 seeds
seed spring	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	1800 seeds
seed, European type	13	2	NL	NAKTUINBOUW - Main Office	15/12	*	01/01	1500 seeds
seed, all except European type	13	2	NL	NAKTUINBOUW - Main Office	01/02	*	15/02	1500 seeds
unheated covers	13	2	PL	COBORU - Headquarters	30/11	*	31/01	600 seeds
vegetative	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	15/03	15/04	50 plants
vegetative	13	2	NL	NAKTUINBOUW - Main Office	01/01	01/03	15/03	25 non-grafted plants, of commercial standard
	14	2	DE	Bundessortenamt	01/03	*	01/04	3000 seeds minimum germination capacity 90%
	13	2	FR	GEVES - Siège	*	*	*	*
<i>Cucurbita maxima</i> Duchesne								
	13	2	HU	NEBIH Headquarters	15/01	16/01	28/02	3000 seeds
	13	2	NL	NAKTUINBOUW - Main Office	15/03	*	01/04	1000 seeds
	13	2	FR	GEVES - Siège	01/01	*	01/03	200 g seeds
<i>Cucurbita maxima</i> Duchesne × <i>Cucurbita moschata</i> Duchesne								
	14	2	NL	NAKTUINBOUW - Main Office	15/03	*	01/04	1000 seeds
<i>Cucurbita moschata</i> Duchesne								
	14	2	FR	GEVES - Siège	01/01	*	01/03	200 g seeds
	14	2	NL	NAKTUINBOUW - Main Office	28/02	01/03	31/03	1000 seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/03	*	01/04	600 g seeds
<i>Cucurbita pepo</i> L.								
courgette	13	2	FR	GEVES - Siège	01/01	*	01/03	150 g seeds Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
field	14	2	HU	NEBIH Headquarters	15/01	16/01	15/03	3000 seeds minimum germination capacity 88%
halloween, field	14	2	FR	GEVES - Siège	01/02	*	01/03	150 g seeds
non trailing type	14	2	NL	NAKTUINBOUW - Main Office	15/04	*	01/05	1000 seeds
trailing type	14	2	NL	NAKTUINBOUW - Main Office	15/03	*	01/04	1000 seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/03	*	01/04	600 g seeds
	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/10	*	30/11	200 g seeds
<i>Cucurbita pepo</i> var. <i>styriaca</i> Greb.								
oil, field growth	14	2	AT	Bundesamt für Ernährungssicherheit	01/03	*	01/03	500 seeds minimum germination capacity 80%

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Cuphea* P. Browne**

11 1 DE Bundessortenamt

15/11 * 01/03 *

***Cuphea cyanea* DC.**

vegetative 11 1 DE Bundessortenamt 15/11 05/03 09/03 25 cuttings well rooted
not pinched

***Cuphea hyssopifolia* Kunth**

vegetative 10 1 DE Bundessortenamt 15/11 04/03 08/03 25 cuttings well rooted
not pinched

***Cuphea ignea* A. DC.**

11 1 DE Bundessortenamt

* * * *

***Cuphea llavea* Lex.**

vegetative 11 1 DE Bundessortenamt 15/11 01/03 06/03 25 cuttings well rooted
not pinched

***Cuphea procumbens* Ortega**

vegetative 11 1 DE Bundessortenamt 15/11 01/03 07/03 25 cuttings well rooted
not pinched

***Cuphea ramosissima* Pohl ex Koehne**

vegetative 11 1 DE Bundessortenamt

15/11 01/03 05/03 *

***Cupressus* L.**

tree 11 1 NL NAKTUINBOUW - 01/12 01/03 31/03 8 young bushes, able to show all their characteristics during the
Main Office first year of examination

***Cupressus macrocarpa* Hartw.**

vegetative, 11 1 NL NAKTUINBOUW - 01/12 01/03 31/03 8 young bushes, container-grown, able to show all their character-
tree Main Office istics during the first year of examination
2 years old, 50-75 cm height.

× *Cuprocyparis leylandii* (A. B. Jacks. & Dallim.) Farjon

vegetative, non 11 2 NL NAKTUINBOUW - 01/12 01/03 31/03 5 young bushes, able to show all their characteristics during the
variegated Main Office first year of examination

vegetative, non 11 2 GB NIAB 01/12 09/03 20/03 *
variegated

vegetative, 11 2 NL NAKTUINBOUW - 01/12 01/03 31/03 5 young bushes, able to show all their characteristics during the
variegated Main Office first year of examination

vegetative, 11 2 GB NIAB 01/12 09/03 20/03 *
variegated

***Curcuma* L.**

vegetative 10 1 NL NAKTUINBOUW - 01/12 15/04 15/05 24 young plants
Main Office - able to show all their characteristics during the first year of ex-
amination.

***Curcuma alismatifolia* Gagnep.**

vegetative 10 1 NL NAKTUINBOUW - 01/12 15/04 15/05 24 young plants
Main Office - able to show all their characteristics during the first year of ex-
amination.

***Curio ficoides* (L.) P. V. Heath (syn. *Senecio ficoides* (L.) Sch. Bip.)**

vegetative 10 1 NL NAKTUINBOUW - 01/12 01/03 31/03 24 rooted cuttings or 24 young plants
Main Office

***Curio herreanus* (Dinter) P. V. Heath (syn. *Senecio herreanus* Dinter)**

10 1 NL NAKTUINBOUW - 01/12 01/03 31/03 24 young plants

Main Office - able to show all their characteristics in the second year of exam-
ination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Cyclamen hederifolium* Aiton**

seed	11	1	NL	NAKTUINBOUW Main Office	-	01/12	*	15/12	2500 seeds, minimum germination capacity 50% or 1000 seeds, minimum germination capacity 85%.
------	----	---	----	----------------------------	---	-------	---	-------	---

***Cyclamen persicum* Mill.**

seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	15/12	2500 seeds minimum germination capacity 50%
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/03	01/05	31/05	24 young plants - able to show all their characteristics during the first year of examination.

***Cyclamen persicum* Mill. × *C. purpurascens* Mill.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*

***Cydonia oblonga* Mill.**

fruit	7	4	DE	Bundessortenamt		31/12	01/03	31/03	6 plants well, developed, one-year old, grafted on virus free 'Quince EM A' rootstock, virus tested The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ASGV) [PCR] Apple Stem Grooving Virus (ASGV) [PCR] Apple Stem Pitting Virus (ASPV) [PCR] Pear Decline Phytoplasma (PD) [PCR]
rootstock	7	4	FR	GEVES - Siège		*	*	*	*
rootstock	7	4	DE	Bundessortenamt		31/12	01/03	31/03	11 plants one-year old, well rooted, virus tested The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ASGV) [PCR] Apple Stem Grooving Virus (ASGV) [PCR] Apple Stem Pitting Virus (ASPV) [PCR] Pear Decline Phytoplasma (PD) [PCR]

***Cymbidium* Sw.**

august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering

***Cynara cardunculus* L.**

seed	14	2	NL	NAKTUINBOUW Main Office	-	01/02	*	15/02	1400 seeds
seed	14	2	FR	GEVES - Siège		01/04	*	01/07	50 g seeds
seed	14	2	IT	CREA-DC		15/12	*	01/05	50 g seeds
seed	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/05	*	01/07	50 g untreated seed
vegetative	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/05	15/05	15/10	60 plants
vegetative	14	2	FR	GEVES - Siège		01/04	01/09	15/09	60 rooted plants Healthy and virus-free
vegetative	14	2	IT	CREA-DC		15/12	*	01/05	60 plants

1	2	3	4	5	6	7	8	9
<i>Cyperus alternifolius</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Cyperus diffusus</i> Vahl								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Cyperus papyrus</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Cypripedium</i> L.								
august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
<i>Cyrtanthus</i> Aiton								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/09	05/01	31/01 30 bulbs of flowering size
<i>Cytisus</i> L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Cytisus</i> × <i>praecox</i>								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Cytisus scoparius</i> (L.) Link								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	2	PL	COBORU quarters	- Head-	15/01	15/03	15/04 8 plants 3-4 years old
<i>Daboecia cantabrica</i> (Huds.) K. Koch								
vegetative	11	1	DE	Bundessortenamt		01/02	15/03	22/03 25 young plants, well rooted, out of the quick-pot propagation tray root ball diameter 4-6 cm, at least 6 months old
<i>Dactylis glomerata</i> L.								
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)		15/01	*	31/01 500 g
	3	3	PL	COBORU quarters	- Head-	20/12	*	15/03 750 g seeds
	3	3	FR	GEVES - Siège		15/12	*	10/01 1 kg
<i>Dahlia</i> Cav.								
greenhouse	10	1	GB	NIAB		01/12	04/05	08/05 *
outdoor	11	1	GB	NIAB		01/12	04/05	08/05 *
vegetative, greenhouse	10	1	DE	Bundessortenamt		01/12	20/04	24/04 20 cuttings well rooted, of commercial standard
vegetative, outdoor	11	1	DE	Bundessortenamt		01/12	20/04	24/04 20 cuttings well rooted, of commercial standard
	11	1	PL	COBORU quarters	- Head-	*	*	* *
	10	1	PL	COBORU quarters	- Head-	*	*	* *

1	2	3	4	5	6	7	8	9
<i>Dalechampia</i> L.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Daphne</i> L.								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 plants container grown, of sufficient size to flower, able to show all their characteristics in the second year of examination.
<i>Daphne bholua</i> Buch.-Ham. ex D. Don								
	11	2	GB	NIAB	01/12	*	*	*
<i>Daphne bholua</i> Buch.-Ham. ex D. Don × <i>Daphne odora</i> Thunb.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 plants container grown, of sufficient size to flower, able to show all their characteristics in the second year of examination.
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Daphne</i> × <i>burkwoodii</i> Turill								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 plants container grown, of sufficient size to flower, able to show all their characteristics in the second year of examination.
<i>Daphne odora</i> Thunb.								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 plants container grown, of sufficient size to flower, able to show all their characteristics in the second year of examination.
<i>Daphne</i> × <i>transatlantica</i> C. D. Brickell & A. R. White								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 plants container grown, of sufficient size to flower, able to show all their characteristics in the second year of examination.
<i>Dasiphora fruticosa</i> (L.) Rydb. subsp. <i>fruticosa</i> (syn. <i>Potentilla fruticosa</i> L.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Daucus carota</i> L.								
autumn	14	2	FR	GEVES - Siège	01/04	*	01/05	90000 seeds (150 g)
spring	14	2	FR	GEVES - Siège	01/01	*	01/02	90000 seeds (150 g)
	14	2	GB	Animal & Plant Health Agency (APHA)	28/02	*	31/03	*
	14	2	NL	NAKTUINBOUW - Main Office	15/03	*	15/04	30000 seeds
	14	2	PL	COBORU - Headquarters	20/12	*	01/03	200 g seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	90000 seeds
<i>Delairea odorata</i> Lem. (syn. <i>Senecio mikanioides</i> Otto ex Walp.)								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants able to show all their characteristics during the first year of application

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Delosperma cooperi* (Hook. f.) L. Bolus**

11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Delosperma nubigenum* (Schltr.) L. Bolus**

11	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Delphinium* L.**

seed	10	1	GB	NIAB		01/12	20/01	24/01	*
vegetative, bare roots	10	1	GB	NIAB		01/12	17/02	21/02	*
vegetative, plants	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

***Delphinium* × *belladonna* hort. ex Bergmans**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

***Delphinium elatum* L.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

***Delphinium grandiflorum* L.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics in the second year of examination.

***Delphinium nudicaule* Torr. & A. Gray**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Dendrobium* Sw.**

august crop	8	1	NL	NAKTUINBOUW	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination
			Main Office						preferably budded but not yet flowering
january crop	8	1	NL	NAKTUINBOUW	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination
			Main Office						preferably budded but not yet flowering

***Dendrobium kingianum* Bidwill ex. Lindl.**

	8	1	NL	NAKTUINBOUW	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination
			Main Office						preferably budded but not yet flowering

***Deschampsia cespitosa* (L.) P. Beauv.**

	3	3	DE	Bundessortenamt		15/01	*	15/02	1 kg seeds
									80% germination capacity

***Deutzia* Thunb**

	11	2	FR	GEVES - Siège		01/12	15/02	15/03	8 plants
									- container-grown
									- 2 years old.
									Each plant must be clearly labelled.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Deutzia gracilis* Siebold & Zucc.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination
	11	2	FR	GEVES - Siège	30/06	01/10	15/10	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.

***Deutzia* × *rosea* (Lemoine) Rehder**

	11	2	FR	GEVES - Siège	30/06	01/10	15/10	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
--	----	---	----	---------------	-------	-------	-------	---

***Dianella* Lam. ex Juss.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Dianella caerulea* Sims**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/03	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Dianella ensifolia* (L.) DC.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/03	01/03	29/03	24 young plants - able to show all their characteristics in the second year of examination.

***Dianella intermedia* Endl.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Dianella nigra* Colenso**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Dianella prunina* R. J. F. Hend.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Dianella prunina* R. J. F. Hend. × *Dianella revoluta* R. Br.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Dianella revoluta* R. Br.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Dianella tasmanica* Hook. F.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

1	2	3	4	5	6	7	8	9	
<i>Dianthus</i> L.									
barbatus	10	1	NL	NAKTUINBOUW Main Office	-	15/12	*	*	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses, appropriate to be planted immediately: after haveing undergone a cold treatment if necessary
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses
<i>Dianthus</i> × <i>allwoodii</i> hort.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses
<i>Dianthus</i> × <i>allwoodii</i> hort. × <i>D. myrtinervius</i> Griseb.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses
<i>Dianthus barbatus</i> L.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings 85% without virus, carnation mottle virus and/or carnation etched ring viruses, able to show all their characteristics during the first year of examination
<i>Dianthus barbatus</i> L. × <i>D. chinensis</i> L.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings 85% without virus, carnation mottle virus and/or carnation etched ring viruses, able to show all their characteristics during the first year of examination
<i>Dianthus caryophyllus</i> L.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses
<i>Dianthus chinensis</i> L.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses
<i>Dianthus chinensis</i> L. × <i>D. superbus</i> L.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings 85% without virus, carnation mottle virus and/or carnation etched ring viruses, able to show all their characteristics during the first year of examination
<i>Dianthus gratianopolitanus</i> Vill.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses
<i>Dianthus plumarius</i> L.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	03/02	07/02	60 rooted cuttings, able to show all their characteristics during the first year of examination 85% without virus, carnation mottle virus and/or carnation etched ring viruses

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Dianthus superbis* L.**

10	1	NL	NAKTUINBOUW	-	01/11	03/02	07/02	60 rooted cuttings
			Main Office					85% without virus, carnation mottle virus and/or carnation etched ring viruses, able to show all their characteristics during the first year of examination

Diascia Link & Otto

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics in the second year of examination.

***Diascia barberae* Hook. f.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics in the second year of examination.

***Diascia fetcaniensis* Hilliard & B. L. Burt.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

***Diascia intergerrima* Benth.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

Diascia personata

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

***Diascia rigescens* Hilliard & B. L. Burt.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

***Diascia vigilis* Hilliard & B. L. Burt.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

***Dicentra* Bernh.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics in the second year of examination.

***Dicentra cucullaria* Bernh.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Dicentra eximia* (Ker Gawl.) Torr. × *D. peregrina* (Rudolphi) Makino**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics in the second year of examination.

***Dicentra eximia* Torr**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Dicentra formosa* (Andrews) Walp.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics in the second year of examination.

***Dicentra formosa* (Andrews) Walp. subsp. *oregana* (Eastw.) Munz × *D. peregrina* (Rudolphi) Makino**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office						- able to show all their characteristics in the second year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Dicentra peregrina* Mak.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Dicentra scandens* (D. Don) Walp.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Dieffenbachia* Schott**

vegetative	8	2	DK	University of Aarhus - Aarslev		15/11	01/03	15/03	20 plants, 12-15 weeks old. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	---	---	----	--------------------------------	--	-------	-------	-------	--

	8	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	---	---	----	---------------------------	--	-------	-------	-------	---

***Dieffenbachia seguine* (Jacq.) Schott var. *seguine* (syn. *D. amoena* hort.)**

	10	1	HU	NEBIH Headquarters		28/02	01/04	15/05	8 potted plants, well developed, able to show all their characteristics during the first year of examination.
--	----	---	----	--------------------	--	-------	-------	-------	---

***Dierama* K. Koch**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

	11	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	--	-------	-------	-------	---

***Dierama pulcherrimum* (Hook. f.) Baker**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Diervilla rivularis* Gatt.**

vegetative	11	1	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination free from viruses, ready for DUS test
------------	----	---	----	--------------------	--	-------	-------	-------	---

***Diervilla sessilifolia* Buckley**

vegetative	11	1	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination
------------	----	---	----	--------------------	--	-------	-------	-------	--

***Diervilla* × *splendens* (Carrière) G. Kirchn. (syn. *Weigela splendens* Carrière)**

vegetative	11	2	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination free from viruses, ready for DUS test
------------	----	---	----	--------------------	--	-------	-------	-------	--

***Digitalis* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

	11	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
--	----	---	----	---------------------------	--	-------	-------	-------	--

***Digitalis chalcantha* (Svent. & O'Shan.) Albach & al. × *D. purpurea* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

	11	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
--	----	---	----	---------------------------	--	-------	-------	-------	--

***Digitalis dubia* Rodr.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Digitalis ferruginea* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Digitalis fontanesii* Steud.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Digitalis fulva* Lindl. (syn. *Digitalis mertonensis* B. H. Buxton & C. D. Darl.)**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

Digitalis grandiflora

11	11	1	GB	NIAB	01/12	09/03	20/03	*
----	----	---	----	------	-------	-------	-------	---

***Digitalis lanata* Ehrh.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Digitalis lutea* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Digitalis parviflora* Jacq.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Digitalis purpurea* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

Digitalis* × *sibirica

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Digitalis thapsi* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Digitalis* × *valinii* J. D. Arm. (syn. *D. canariensis* L. × *D. purpurea* L.)**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	*	*	*	*

***Dionaea muscipula* Ellis**

seed-	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	48 young plants of commercial standard
propagated								

***Diospyros kaki* Thunb.**

	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	01/12	31/01	9 trees one-year old, grafted on to one of the following rootstocks according to the type of candidate variety: * Non-astringent kaki varieties (PCNA): <i>Diospyros kaki</i> * Astringent kaki varieties (PCA, PVA, PVNA): <i>Diospyros lotus</i> Plant material must be accompanied by a recognised certificate indicating that the material came from mother plants free from <i>Acremonium diospyri</i> (sin. <i>Cephalosporium diospyri</i>), <i>Pellicularia koleroga</i> (<i>Corticium stevensii</i>), <i>Mycosphaerella brassicicola</i> , virus, symptoms of speckled leaves, necrosis of nerves, malformations of leaves, defoliation prematurely and drop flowers, necrosis in wood, necrotic spots on the inside of the fruit.
--	---	---	----	---	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Diplotaxis erucoides* (L.) DC.**

13	2	NL	NAKTUINBOUW Main Office	-	15/01	*	01/02	5000 seeds minimum germination capacity 80% after 4 days
13	2	FR	GEVES - Siège		01/01	*	15/02	15000 seeds minimum germination capacity 80% after 4 days

***Diplotaxis tenuifolia* (L.) DC.**

13	2	NL	NAKTUINBOUW Main Office	-	15/01	*	01/02	5000 seeds
13	2	FR	GEVES - Siège		01/01	*	15/02	15000 seeds minimum germination capacity 80% after 4 days

***Dischidia* R. Br.**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard
----	---	----	----------------------------	---	-------	-------	-------	--

***Dischidia nummularia* R. Br.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Dischidia ruscifolia* Warb ex K.Schum. & Lauterb.**

vegetative	10	1	DK	University of Aarhus - Aarslev		01/02	15/04	30/04	20 plants of commercial size, approximately 6 weeks old. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/12	24 young plants - able to show all their characteristics during the first year of examination.

***Disporum cantoniense* (Lour.) Merr.**

outdoor	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination
---------	----	---	----	----------------------------	---	-------	-------	-------	---

Distichlis spicata

	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)		*	*	*	*
--	---	---	----	---	--	---	---	---	---

***Distylium* Siebold & Zucc.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	2	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics in the second year of examination

***Dodecatheon* L.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	15/09	01/11	30/11	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

× *Doritaenopsis* hort.

august crop	8	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.
january crop	8	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.

1	2	3	4	5	6	7	8	9
<i>Dorotheanthus bellidiformis</i> (Burm. f.) N. E. Br.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Dorycnium hirsutum</i> (L.) Ser.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	FR	GEVES - Siège		15/12	15/03	31/03 8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Doryopteris pedata</i> (L.) Fée								
seed, spores	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Draba aizoides</i> L.								
seed	11	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/07 0.5 g seeds
<i>Dracaena</i> Vand. ex L.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Dracaena concinna</i> Kunth.								
pot plant	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 plants able to show all their characteristics during the first year of examination
<i>Dracaena fragrans</i> (L.) Ker-Gawl. (syn. <i>Dracaena deremensis</i> Engl.)								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Dracaena marginata</i> Lam.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Dracaena reflexa</i> Lam.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Dracaena steudneri</i> Schweinf. ex Engl.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Dracaena surculosa</i> Lindl.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Dracaena surculosa</i> Lindl. var. <i>surculosa</i> (syn. <i>Dracaena godseffiana</i> hort. Sander ex Mast.) × <i>Sansevieria parva</i> N. E. Br.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Echeveria</i> DC.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.

1	2	3	4	5	6	7	8	9
<i>Echeveria affinis</i> E. Walther × <i>Echeveria atropurpurea</i> (Baker) hort. ex E. Morren								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria affinis</i> E. Walther × <i>Echeveria runyonii</i> Rose ex E. Walther								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria agavoides</i> Lem.								
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03 24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria agavoides</i> Lem. × <i>Echeveria nodulosa</i> (Baker) Ed. Otto								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria agavoides</i> Lem. × <i>Echeveria pulidonis</i> E. Walther								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria chihuahuensis</i> Poelln.								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria elegans</i> Rose × <i>E. pulidonis</i> E. Walther								
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03 24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria elegans</i> Rose × <i>Sedum morganianum</i> E. Walther								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria gigantea</i> Rose and Purpus × <i>Echeveria pulidonis</i> E. Walther								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics in the second year of examination.
<i>Echeveria gilva</i> E. Walther (syn. <i>Echeveria agavoides</i> Lem. × <i>Echeveria elegans</i> Rose)								
10	1	NL	NAKTUINBOUW	- *		01/03	31/03	24 young plants Main Office - able to show all their characteristics in the second year of examination.
<i>Echeveria laui</i> Moran & J. Meyrán × <i>Echeveria pulidonis</i> E. Walther								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria lilacina</i> Kimmach & R. C. Moran								
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.
<i>Echeveria lilacina</i> Kimmach & R. C. Moran × <i>E. pulidonis</i> E. Walther								
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03 24 young plants Main Office - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Echeveria lilacina* Kimnach & R. C. Moran × *Pachyphytum coeruleum* J. Meyrán**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Echeveria lilacina* Kimnach & R. C. Moran × *Pachyphytum oviferum* J. A. Purpus**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Echeveria pulidonis* E. Walther**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Echeveria shaviana* E. Walther**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Echinacea* Moench**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
vegetative	11	2	FR	GEVES - Siège		15/12	15/03	30/03	20 plants
									- container-grown
									- of sufficient size to flower and/or show their representative characteristics no later than the second year of test
									- vegetatively propagated.
	11	2	PL	COBORU - Head-quarters		15/01	15/05	31/05	20 young plants
									Plants of commercial standard.

***Echinacea angustifolia* DC. × *E. purpurea* (L.) Moench**

vegetative	11	2	FR	GEVES - Siège		15/12	15/03	30/03	20 plants
									- container-grown
									- of sufficient size to flower and/or show their representative characteristics no later than the second year of test
									- vegetatively propagated.
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters		15/01	15/05	31/05	20 young plants
									Plants of commercial standard

***Echinacea pallida* (Nutt.) Nutt.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Echinacea paradoxa* (Norton) Britton**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Echinacea paradoxa* (Norton) Britton × *E. purpurea* (L.) Moench**

vegetative	11	2	FR	GEVES - Siège		15/12	15/03	30/03	20 plants
									- container-grown
									- of sufficient size to flower and/or show their representative characteristics no later than the second year of test
									- vegetatively propagated.
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters		15/01	15/05	31/05	20 young plants
									Plants of commercial standard

***Echinacea purpurea* (L.) Moench**

seed	11	2	FR	GEVES - Siège		30/10	15/01	31/01	250 seeds
									- high germination capacity.
seed-propagated	11	1	GB	NIAB		01/12	20/01	24/01	*

1	2	3	4	5	6	7	8	9
<i>Echinacea purpurea</i> (L.) Moench								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	2	FR	GEVES - Siège	30/10	15/01	31/03	20 plants - container-grown - of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	2	PL	COBORU - Head-quarters	15/01	15/05	31/05	20 young plants Plants of commercial standard
<i>Echinacea purpurea</i> (L.) Moench × <i>E. tennesseensis</i> (Beadle) Small								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	2	FR	GEVES - Siège	15/12	15/03	31/03	20 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.
	11	2	PL	COBORU - Head-quarters	15/01	15/05	31/05	20 young plants Plants of commercial standard
<i>Echinacea purpurea</i> (L.) Moench × <i>Rudbeckia hirta</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/05	31/05	20 young plants Plants of commercial standard
	11	2	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Echinacea tennesseensis</i> (Beadle) Small								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Echinodorus</i> L.C. Rich. ex Engelm.								
vegetative	10	1	DE	Bundessortenamt	01/03	*	15/06	*
<i>Echinodorus angustifolius</i> Rataj								
vegetative	10	1	DE	Bundessortenamt	01/03	*	15/06	*
<i>Echinodorus cordifolius</i> (L.) Griseb.								
	10	1	DE	Bundessortenamt	01/03	*	15/06	*
<i>Eichhornia crassipes</i> (Mart.) Solms								
	4	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants of commercial standard able to show all their characteristics during the first year of examination. Please note that this species is currently on the EU list of Invasive Alien Species
<i>Elaeagnus</i> L.								
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
<i>Elaeagnus</i> × <i>ebbingei</i> Boom								
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
<i>Elettaria cardamomum</i> (L.) Maton								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Elytrigia elongata* (Host) Nevski**

3	2	HU	NEBIH Headquarters	31/01	*	10/02	2 kg
---	---	----	--------------------	-------	---	-------	------

***Enkianthus campanulatus* (Miq.) G. Nicholson**

11	*	NL	NAKTUINBOUW - Main Office	*	*	*	*
11	*	HU	NEBIH Headquarters	*	*	*	*

***Epimedium* L.**

vegetative	11	1	GB	NIAB	31/07	13/09	17/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	12 plants - container-grown - of sufficient size to flower and/or show their other representative characteristics during the first season.

***Epimedium grandiflorum* C. Morren**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Epimedium* × *perralchicum* Stearn.**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
------------	----	---	----	------	-------	-------	-------	---

***Epimedium* × *versicolor* Morr.**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
------------	----	---	----	------	-------	-------	-------	---

***Epimedium* × *warleyense* Stearn.**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
------------	----	---	----	------	-------	-------	-------	---

***Epimedium wushanense* T. S. Ying**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
------------	----	---	----	------	-------	-------	-------	---

***Epimedium* × *youngianum* Fisch. & C.A. Mey.**

vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
------------	----	---	----	------	-------	-------	-------	---

***Epiphyllum anguligerum* (Lem.) G. Don**

vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 rooted cuttings
------------	----	---	----	---------------------------	-------	-------	-------	--------------------

***Epipremnum pinnatum* (L.) Engl.**

vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	-------	-------	-------	---

***Episcia cupreata* (Hook.) Hanst.**

vegetative	10	1	DE	Bundessortenamt	01/04	03/07	07/07	25 plants with flower buds
------------	----	---	----	-----------------	-------	-------	-------	----------------------------

Eragrostis tef

spring	4	2	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	400 g seeds minimum germination capacity 75% after 14 days
--------	---	---	----	---------------------------	-------	---	-------	---

***Eremurus* M. Bieb.**

vegetative	11	1	NL	NAKTUINBOUW - Main Office	31/07	01/10	31/10	30 rhizomes of flowering size
------------	----	---	----	---------------------------	-------	-------	-------	-------------------------------

***Erica* L.**

vegetative	9	1	DE	Bundessortenamt	01/02	01/03	15/03	30 plants one-year old
------------	---	---	----	-----------------	-------	-------	-------	---------------------------

1	2	3	4	5	6	7	8	9
<i>Erica</i> L.								
	11	1	DE	Bundessortenamt	*	*	*	*
<i>Erica carnea</i> L.								
	9	1	DE	Bundessortenamt	01/02	01/03	15/03	25 young plants, well rooted, out of the quick-pot propagation tray root ball diameter 4-6 cm, at least 6 months old
<i>Erica</i> × <i>darleyensis</i> Bean								
vegetative	9	1	DE	Bundessortenamt	01/02	01/03	15/03	25 young plants, well rooted, out of the quick-pot propagation tray root ball diameter 4-6 cm, at least 6 months old
<i>Erica gracilis</i> J. C. Wendl.								
vegetative	11	1	DE	Bundessortenamt	01/02	*	15/03	30 young plants, well rooted out of quick-pot propagation tray
<i>Eriobotrya japonica</i> (Thunb.) Lindl.								
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	15/12	15/01	28/02	9 grafted plants one-year old, grafted on rootstock <i>Eriobotrya japonica</i> Plants must be visibly healthy and free of transmissible diseases. The plant material must comply with the requirements of R.D. 58/2005 regarding the introduction and movement of plants and plant products, hosts of <i>Erwinia amylovora</i> . The plant material must be accompanied by a recognised certificate of ELISA analysis from an authorised official laboratory showing the the material was lab-tested and gave a negative result for "fire-blight" <i>Erwinia amylovora</i> .
<i>Eriocaulon</i> L.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Eruca sativa</i> Mill.								
	13	2	FR	GEVES - Siège	01/01	*	15/02	15000 seeds minimum germination capacity 80% after 4 days
	13	2	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	5000 seeds
<i>Eryngium</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Eryngium alpinum</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Eryngium planum</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Eryngium yuccifolium</i> Michx.								
	11	2	HU	NEBIH Headquarters	28/02	01/04	30/04	10 plants one-year old, container-grown
	11	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Eryngium</i> × <i>zabelii</i> H.Christ ex Bergmans (<i>E. alpinum</i> × <i>E. bourgatii</i>)								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5		6	7	8	9
<i>Erysimum</i> L.									
seed- propagated	10	1	DE	Bundessortenamt		01/04	*	01/07	6 g seeds
vegetative	10	1	DE	Bundessortenamt		15/06	16/09	20/09	20 cuttings well rooted
<i>Erysimum</i> × <i>allionii</i> hort.									
	10	1	DE	Bundessortenamt		15/06	16/09	20/09	*
<i>Erysimum cheiri</i> (L.) Crantz.									
vegetative	10	1	DE	Bundessortenamt		15/06	16/09	20/09	20 cuttings well rooted
<i>Erysimum hieraciifolium</i> L.									
seed- propagated	10	1	DE	Bundessortenamt		01/04	*	01/07	6 g seeds
vegetative	10	1	DE	Bundessortenamt		15/06	16/09	20/09	*
<i>Erysimum linifolium</i> (Pers.) J. Gay									
vegetative, greenhouse	10	1	DE	Bundessortenamt		15/06	16/09	20/09	20 cuttings well rooted
<i>Escallonia</i> Mutis ex L. f.									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Escallonia laevis</i> (Vell.)									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Escallonia rubra</i> (Ruiz & Pav.) Pers.									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
<i>Eucalyptus</i> L'Hér.									
	11	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03	10 young plants 4-6 months old, well developed, well rooted, container-grown 20
<i>Eucalyptus benthamii</i> Maiden & Cabbage									
	11	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03	10 young plants 4-6 months old, well developed, well rooted, container-grown 20
<i>Eucalyptus camaldulensis</i> Dehnh.									
	11	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03	10 young plants 4-6 months old, well developed, well rooted, container-grown 20
<i>Eucalyptus camaldulensis</i> Dehnh. × <i>Eucalyptus globulus</i> Labill. subsp. <i>bicostata</i> (Maiden & al.) J. B.									
vegetative	11	3	IT	CREA-OFA (EO)	ROMA	*	*	*	20
<i>Eucalyptus dunnii</i> Maiden									
	11	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03	10 young plants 4-6 months old, well developed, well rooted, container-grown 20

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Eucalyptus globulus* Labill.**

seed-propagated	11	3	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	15/11	10 plants, 20-40 cm height 20
vegetative	11	3	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	20

***Eucalyptus grandis* W. Hill ex Maiden × *E. urophylla* S. T. Blake**

	11	3	IT	CREA-OFA ROMA (EO)	31/12	01/02	31/03	10 young plants 4-6 months old, well developed, well rooted, container-grown 20
--	----	---	----	--------------------	-------	-------	-------	--

***Eucalyptus gunnii* Hook. f.**

cut foliage varieties	11	1	NL	NAKTUINBOUW Main Office	-	*	01/03	31/03	8 trees 2 years old, container-grown.
tree	11	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03	10 young plants 4-6 months old, well developed, well rooted; container-grown 20

***Eucalyptus urophylla* S. T. Blake × *E. viminalis* Labill.**

	11	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03	10 young plants 4-6 months old, well developed, well rooted, container-grown 20
--	----	---	----	---------------	------	-------	-------	-------	--

***Eucomis* L'Hér.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	30 bulbs of flowering size able to show all their characteristics during the first year of examination.
------------	----	---	----	-------------------------	---	-------	-------	-------	--

***Eucomis comosa* (Houtt.) Wehrh**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	30 bulbs of flowering size, able to show all their characteristics during the first year of examination.
------------	----	---	----	-------------------------	---	-------	-------	-------	--

***Eugenia uniflora* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Euonymus fortunei* (Turcz.) Hand.-Mazz.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	15 bushes 2 years old (varieties for outdoor cultivation) or 24 young plants (varieties for greenhouse cultivation); plants able to show all their characteristics during the first year of examination
------------	----	---	----	-------------------------	---	-------	-------	-------	---

***Euonymus japonicus* Thunb.**

vegetative, greenhouse	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetative, outdoor	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	15 bushes of commercial standard, 2 years old, able to show all their characteristics during the first year of examination

***Eupatorium* L.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	*	15/08	15/09	24 young plants of commercial standard, of sufficient size that they will show full plant development/flowering during the first year of examination.
------------	----	---	----	-------------------------	---	---	-------	-------	---

***Euphorbia* L.**

vegetative, non variegated	11	1	GB	NIAB		31/07	16/09	20/09	*
vegetative, pot plants	10	1	DK	University of Aarhus - Aarslev	-	01/01	01/03	07/03	10 cuttings well rooted Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9
<i>Euphorbia</i> L.								
vegetative, variegated	11	1	GB	NIAB	31/07	16/09	20/09	*
	10	1	DE	Bundessortenamt	15/11	09/03	13/03	25 young plants well rooted, not flowering
<i>Euphorbia amygdaloides</i> L.								
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Euphorbia characias</i> L.								
vegetative, non variegated	11	1	GB	NIAB	31/07	16/09	20/09	*
vegetative, variegated	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Euphorbia cyathophora</i> Murray (syn. <i>Euphorbia heterophylla</i> auct. N. Amer.)								
	10	1	FR	GEVES - Siège	30/06	15/09	30/09	-
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/06	30/06	24 young plants - able to show all their characteristics during the first year of examination.
	10	1	DK	University of Aarhus - Aarslev	01/01	01/06	15/06	20 rooted cuttings 20 rooted cuttings
<i>Euphorbia epithymoides</i> L.								
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Euphorbia erytrea</i> (A. Berger) N. E. Br.								
vegetative	10	1	DE	Bundessortenamt	15/11	*	15/03	*
<i>Euphorbia fulgens</i> Karw. ex Klotzsch								
vegetative	10	1	DK	University of Aarhus - Aarslev	01/04	10/08	20/08	20 rooted cuttings The material should be free of phytoplasma infection. Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9
<i>Euphorbia fulgens</i> Karw. ex Klotzsch								
	10	1	FR	GEVES - Siège	30/06	15/09	30/09	-
								-
	10	1	NL	NAKTUINBOUW - Main Office	01/04	01/08	20/08	24 rooted cuttings able to show all their characteristics during the first year of examination. The plant material should be free of phytoplasma infection.
<i>Euphorbia griffithii</i> Hook. f.								
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
<i>Euphorbia hypericifolia</i> L. (syn. <i>Chamaesyce hypericifolia</i> (L.) Millsp.)								
	10	1	DE	Bundessortenamt	01/11	04/03	08/03	25 cuttings - not pinched - well rooted.
<i>Euphorbia lactea</i> Haw.								
vegetative	10	1	DE	Bundessortenamt	15/11	21/01	21/01	20 young plants fresh grafted plants. Rootstock : <i>Euphorbia ligularia</i>
<i>Euphorbia lathyris</i> L.								
	4	*	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*
<i>Euphorbia</i> × <i>lomi</i> Rauh								
	10	1	DE	Bundessortenamt	15/11	*	15/03	*
<i>Euphorbia lophogona</i> Lam.								
vegetative	10	1	DE	Bundessortenamt	15/11	15/03	21/03	25 young plants well rooted, not flowering
<i>Euphorbia</i> × <i>martinii</i> Rouy								
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Euphorbia milii</i> Des Moul.								
vegetative	10	1	DE	Bundessortenamt	15/11	09/03	13/03	25 young plants well rooted, not flowering
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch								
vegetative	12	1	PL	COBORU - Headquarters	10/01	19/08	30/08	16 rooted cuttings
vegetative	12	1	DK	University of Aarhus - Aarslev	10/01	01/03	07/03	10 cuttings well rooted Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
<i>Euryops pectinatus</i> (L.) Cass.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	15/02	15/03	24 young plants of commercial standard able to show all their characteristics during the first year of examination flowering must be induced but plants must not yet flower
<i>Euryops speciosissimus</i> DC. (syn. <i>Euryops athenasiae</i> (L. f.) Less. ex Harv.)								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	15/02	15/03	24 young plants of commercial standard able to show all their characteristics during the first year of examination flowering must be induced but plants must not yet flower

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Eustoma exaltatum* (L.) Salisb. ex G. Don subsp. *russellianum* (Hook.) Kartesz**

seed	10	1	DE	Bundessortenamt	01/12	13/04	17/04	80 young plants from seed, ready to be potted into 10 cm pots
vegetative	10	1	DE	Bundessortenamt	01/12	13/04	17/04	40 cuttings well rooted, ready to be potted into 10 cm pots

***Eutrochium maculatum* (L.) E. E. Lamont var. *maculatum* (syn. *Eupatorium maculatum* L.)**

11	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	24 young plants of commercial standard able to show all their characteristics during the first year of examination.
			Main Office					

***Eutrochium purpureum* (L.) E. E. Lamont var. *purpureum* (syn. *Eupatorium purpureum* L.)**

11	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Evolvulus* L.**

vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DE	Bundessortenamt	01/12	09/03	13/03	20 young plants
								Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Evolvulus glomeratus* Nees & Mart.**

vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DE	Bundessortenamt	01/12	09/03	13/03	20 young plants
								Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Evolvulus nuttallianus* Roem. & Schult. (syn. *Evolvulus pilosus* Nutt.)**

vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DE	Bundessortenamt	01/12	09/03	13/03	20 young plants
								Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Exacum* L.**

seed	10	1	DK	University of Aarhus - Aarslev	15/11	01/02	15/02	1000 seeds
								Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03
			Main Office					24 young plants
								- able to show all their characteristics during the first year of examination.

***Exacum affine* Balf. f.**

seed	10	1	DK	University of Aarhus - Aarslev	15/11	01/02	15/02	1000 seeds
								Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
seed	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03
			Main Office					24 young plants
								- able to show all their characteristics during the first year of examination.
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	*
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03
			Main Office					24 young plants
								- able to show all their characteristics during the first year of examination.

***Exacum trinervium* (L.) Druce**

10	1	DK	University of Aarhus - Aarslev	15/01	01/04	15/04	25 plantlets in normal market size for potting
							25 plantlets in normal market size for potting
							HANDLING INFORMATION: Please advice Department of Ornamentals about arrival of the plant material, tel. +45 871 56000 fax +45 871 54812

1	2	3	4	5	6	7	8	9		
<i>Exacum trinervium</i> (L.) Druce										
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.	
<i>Exacum trinervium</i> (L.) Druce subsp. <i>macranthum</i> (Arn.) L. H. Cramer (syn. <i>Exacum zeylanicum</i> Wall. ex Roxb. var. <i>macranthum</i> (Arn.) C. B. Clarke										
seed	10	1	DK	University of Aarhus - Aarslev		15/11	01/02	15/02	20 plantlets in normal size for potting. Phytosanitary Certificate from countries outside EU, Plant Passport from EU countries. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
	10	1	DK	University of Aarhus - Aarslev	*		01/04	15/04	20 plantlets in normal size for potting. Phytosanitary certificate from countries outside the EU, plant passport from EU countries. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus.	
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*	
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.	
<i>Exochorda racemosa</i> (Lindl.) Rehder										
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young plants, able to show all their characteristics during the first year of examination.	
<i>Fagopyrum esculentum</i> Moench										
	4	2	PL	COBORU quarters	-	Head-	30/11	01/02	31/03	3 kg
<i>Fagopyrum tataricum</i> (L.) Gaertn.										
	4	2	PL	COBORU quarters	-	Head-	30/11	*	31/03	3 kg
<i>Fagus sylvatica</i> L.										
vegetative	11	2	GB	NIAB			01/12	09/03	20/03	*
vegetative	11	2	PL	COBORU quarters	-	Head-	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
	11	2	NL	NAKTUINBOUW Main Office	-		01/12	01/03	31/03	8 young plants able to show all their characteristics during the first year of examination
<i>Fallopia baldschuanica</i> (Regel) Holub										
vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
<i>Fallopia sachalinensis</i> (F. Schmidt) Ronse Decr.										
	4	2	NL	NAKTUINBOUW Main Office	-	*		15/04	15/05	24 young plants or 24 rooted cuttings, able to show all their characteristics during the first year of examination.
<i>Farfugium hiberniflorum</i> × <i>F. japonicum</i>										
vegetative	11	1	NL	NAKTUINBOUW Main Office	-		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination - of commercial standard.
vegetative	11	1	GB	NIAB			01/12	09/03	20/03	*
<i>Farfugium japonicum</i> (L.) Kitam.										
	11	1	NL	NAKTUINBOUW Main Office	-		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Fargesia Franch.

	11	2	DE	Bundessortenamt	01/12	01/03	15/03	6 potted plants size 80-120 cm
--	----	---	----	-----------------	-------	-------	-------	-----------------------------------

Fargesia murielae (Gamble) T. P. Yi × F. nitida (Mitford) Keng f. ex T. P. Yi

vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	6 potted plants 2 years old, size 80-120 cm
------------	---	---	----	-----------------	-------	-------	-------	--

Fargesia murielae (Gamble) T. P. Yi

vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	6 container-grown plants, 80-150 cm high
vegetative	11	2	DK	University of Aarhus - Aarslev	15/01	01/04	15/04	12 plants, 2 years old, preferably grown container-grown. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

Felicia Cass.

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	DE	Bundessortenamt	01/12	11/03	15/03	20 young plants

Felicia amelloides (L.) Voss

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	DE	Bundessortenamt	01/12	18/03	22/03	20 young plants

Festuca L.

ornamental	11	*	PL	COBORU - Head- quarters	*	*	*	*
------------	----	---	----	----------------------------	---	---	---	---

Festuca arundinacea Schreb.

	3	3	PL	COBORU - Head- quarters	20/12	*	15/03	750 g seeds
	3	2	FI	Finnish Food Safety Authority Evira - Ad- ministration	01/03	*	01/04	1.5 kg
	3	3	FR	GEVES - Siège	15/12	*	10/01	1 kg of the generation for commercialisation

Festuca filiformis Pourr.

	3	3	PL	COBORU - Head- quarters	20/12	*	15/03	750 g seeds
	3	2	SK	Central Controlling and Testing Insti- tute in Agriculture (UKSUP)	15/01	*	31/01	500 g
	3	3	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 86%

Festuca glauca Vill.

ornamental	11	2	DE	Bundessortenamt	01/02	01/03	15/03	15 potted plants, well developed, container-grown, size 30-50 cm.
	11	1	DE	Bundessortenamt	*	*	*	*

Festuca ovina L.

	3	3	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 86%
	3	2	SK	Central Controlling and Testing Insti- tute in Agriculture (UKSUP)	15/01	*	31/01	500 g
	3	3	PL	COBORU - Head- quarters	20/12	*	15/03	750 g seeds

1	2	3	4	5	6	7	8	9
<i>Festuca pratensis</i> Huds.								
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	500 g
	3	2	PL	COBORU - Head-quarters	15/01	*	*	*
	3	2	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 86%
	3	2	FI	Finnish Food Safety Authority Evira - Administration	01/03	*	01/04	1.5 kg
<i>Festuca rubra</i> L.								
	3	3	PL	COBORU - Head-quarters	20/12	*	15/03	1.5 kg seeds
	3	3	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	1.2 kg
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	500 g
	3	2	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 86%
<i>Festuca trachyphylla</i> (Hack.) Krajina (syn. <i>F. brevipila</i> R. Tracey)								
	3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/01	*	31/01	500 g
	3	3	PL	COBORU - Head-quarters	20/12	*	15/03	750 g seeds
	3	3	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 86%
× <i>Festulolium</i> Asch. & Graebn								
	3	3	FR	GEVES - Siège	*	*	*	*
	3	3	GB	Animal & Plant Health Agency (APHA)	*	*	*	*
	3	3	PL	COBORU - Head-quarters	20/12	*	15/03	1.5 kg seeds
	3	2	DK	Tystofte Foundation	20/01	*	10/02	1.5 kg
	3	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1 kg
	3	3	DE	Bundessortenamt	*	*	*	*
<i>Ficinia truncata</i> (Thunb.) Schrad.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination - of commercial standard.
<i>Ficus</i> L.								
vegetative	8	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus americana</i> Aubl. subsp. <i>guianensis</i> (Ham.) C. C. Berg								
vegetative	8	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Ficus auriculata</i> Lour.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Ficus benghalensis</i> L.								
	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus benjamina</i> L.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus binnendijkii</i> Miq.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus bussei</i> Warb. ex Mildbr. & Burret								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus carica</i> L.								
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		01/03	01/04	15/05 7 plants well rooted, container-grown Healthy plants, free from Armillaria medea and nematods.
<i>Ficus deltoidea</i> Jack								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Ficus elastica</i> Roxb.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus lyrata</i> Warb.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus microcarpa</i> L. f.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus natalensis</i> Hochst.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus natalensis</i> Hochst. subsp. <i>leprieurii</i> (Miq.) C. C. Berg (syn. <i>Ficus triangularis</i> Warb.)								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ficus pumila</i> L.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Ficus punctata* Thunb.**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Ficus religiosa* L.**

vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	---	---	----	----------------------------	---	-------	-------	-------	---

***Ficus sagittata* Vahl**

vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	---	---	----	----------------------------	---	-------	-------	-------	---

***Ficus stricta* Miq.**

vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	---	---	----	----------------------------	---	-------	-------	-------	---

***Ficus umbellata* Vahl**

vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	---	---	----	----------------------------	---	-------	-------	-------	---

***Fittonia albivenis* (Lindl. ex hort. Veitch) Brummitt (syn. *Fittonia verschaffeltii*)**

vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	---	---	----	----------------------------	---	-------	-------	-------	---

***Foeniculum vulgare* P. Mill.**

pharmaceutic	14	2	DE	Bundessortenamt		15/01	*	01/03	5400 seeds minimum germination capacity 80%
	14	2	FR	GEVES - Siège		01/03	*	01/04	35 g untreated seed Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Cavaillon (lead station) carries out one independent growing cycle, and Brion carries out the other independent growing cycle.
	14	2	NL	NAKTUINBOUW Main Office	-	01/04	*	15/04	4000 seeds

***Forsythia* Vahl**

vegetative	9	2	FR	GEVES - Siège		01/08	01/10	15/10	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
------------	---	---	----	---------------	--	-------	-------	-------	---

***Forsythia europaea* Degen & Bald.**

	9	2	FR	GEVES - Siège		01/08	01/10	15/10	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
--	---	---	----	---------------	--	-------	-------	-------	---

***Forsythia* × *intermedia* Zabel**

vegetative	9	2	FR	GEVES - Siège		01/08	01/10	15/10	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
------------	---	---	----	---------------	--	-------	-------	-------	---

***Forsythia ovata* Nakai**

	9	2	FR	GEVES - Siège		01/08	01/10	15/10	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
--	---	---	----	---------------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Forsythia suspensa* (Thunb.) Vahl**

9	2	FR	GEVES - Siège	01/08	01/10	15/10	8 plants
							- container-grown
							- 2 years old.
							Each plant must be clearly labelled.

***Forsythia viridissima* Lindl.**

vegetative	9	2	FR	GEVES - Siège	01/08	01/10	15/10	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.

***Fortunella* × *crassifolia* Swingle**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one.
							The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by:
							Biological indexing on Mexican lime to detect CTV, CVEV and CLRV
							Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLBv
							Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS
							PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifolia
							The applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.

***Fortunella hindsii* (Champ. ex Benth.) Swingle var. *chintou* Swingle**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one.
							The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by:
							Biological indexing on Mexican lime to detect CTV, CVEV and CLRV
							Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLBv
							Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS
							PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlong-bing and Phytoplasma aurantifolia
							The applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Fortunella japonica* (Thunb.) Swingle**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

***Fortunella japonica* (Thunb.) Swingle (syn. *Citrus madurensis* Lour.)**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

***Fortunella margarita* (Lour.) Swingle**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	30/06	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Fortunella* × *obovata* hort. ex Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	30/06	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Fortunella polyandra* (Ridl.) Tanaka**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Fortunella* sp. × *Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	15/07	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Fragaria* × *ananassa* Duchesne ex Rozier**

fully remon- tant, day neutral	6	2	PT	Direção Geral de Alimentação e Veter- inária - Headquarters	31/12	01/02	28/02	40 plants - packed in such a way as to prevent dehydration. The plants should be accompanied by a Plant Passport or a Phy- tosanitary Certificate.
non, partial, fully remon- tant	6	2	PT	Direção Geral de Alimentação e Veter- inária - Headquarters	31/08	01/11	30/11	40 plants - packed in such a way as to prevent dehydration. The plants should be accompanied by a Plant Passport or a Phy- tosanitary Certificate.
seed	6	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	01/04	1.5 g seeds - minimum germination capacity 60%.
seed	6	2	DE	Bundessortenamt	15/10	*	15/12	1.5 g seeds - minimum germination capacity 60%.
vegetative	6	2	PL	COBORU - Head- quarters	31/05	01/09	15/09	30 plants - well rooted. The plants should be accompanied by a Plant Passport or a Phy- tosanitary Certificate and a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material has been lab-tested to give a negative re- sult for: - Strawberry green petal (SGP-MLO) [PCR] - Strawberry Mottle Virus (SMV) [PCR].
vegetative	6	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/08	10/10	25/10	40 plants - well rooted - this year's plants. The plants should be accompanied by a Plant Passport or a Phy- tosanitary Certificate.
vegetative	6	2	DE	Bundessortenamt	31/05	15/07	31/07	30 plants - potted - well rooted - this year's plants. The plants should be accompanied by a Plant Passport or a Phy- tosanitary Certificate and a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material has been lab-tested to give a negative re- sult for: - Strawberry Crinkle Virus (SCV) [PCR] - Strawberry Mottle Virus (SMV) [PCR] - Arabis Mosaic Virus (ArMV) [ELISA] - Strawberry Mild Yellow Edge Virus (SMYEV) [PCR].

***Fragaria iinumae* Makino × *F. vesca* L.**

	6	2	DE	Bundessortenamt	31/05	15/07	31/07	30 plants - potted - well rooted - this year's plants. The plants should be accompanied by a Plant Passport or a Phy- tosanitary Certificate and a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material has been lab-tested to give a negative re- sult for: - Arabis Mosaic Virus (ArMV) [ELISA] - Strawberry Crinkle Virus (SCV) [PCR] - Strawberry Mild Yellow Edge Virus (SMYEV) [PCR] - Strawberry Mottle Virus (SMV) [PCR].
--	---	---	----	-----------------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Fragaria vesca* L.**

6	2	DE	Bundessortenamt	01/05	15/07	31/07	30 plants
							- potted
							- well rooted
							- this year's plants.
							The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate dating less than two months before the delivery of the plant material, indicating that the plant material has been lab-tested to give a negative result for:
							- Arabis Mosaic Virus (ArMV) [ELISA]
							- Strawberry Crinkle Virus (SCV) [PCR]
							- Strawberry Mild Yellow Edge Virus (SMYEV) [PCR]
							- Strawberry Mottle Virus (SMV) [PCR].

× *Fragotentilla ined.*

vegetative	6	1	DE	Bundessortenamt	31/05	*	31/07	*
------------	---	---	----	-----------------	-------	---	-------	---

***Freesia* Eckl. ex Klatt**

vegetative	8	1	NL	NAKTUINBOUW Main Office	-	15/05	15/06	15/07	30 corms, able to show all their characteristics during the first year of examination
									over sieve size 5, without having undergone any treatment

***Fritillaria* L.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/08	01/09	30/09	30 bulbs, of flowering size, able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Fritillaria imperialis* L.**

11	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
----	---	----	----------------------------	---	---	---	---	---

***Fuchsia* L.**

vegetative	11	1	DE	Bundessortenamt	01/11	18/02	22/02	25 cuttings well rooted
								not pinched

***Fuchsia paniculata* Lindl.**

11	1	DE	Bundessortenamt	01/11	01/02	15/02	25 well rooted top cuttings
----	---	----	-----------------	-------	-------	-------	-----------------------------

***Gaillardia* Foug.**

seed	11	1	HU	NEBIH Headquarters	01/12	*	31/01	2000 seeds
								minimum germination capacity 70%
vegetative	11	1	HU	NEBIH Headquarters	*	*	*	20 plants, container-grown, able to show all their characteristics during the first year of examination
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

***Gaillardia aristata* Pursh**

seed	11	1	HU	NEBIH Headquarters	01/12	*	31/01	2000 seeds
								minimum germination capacity 70%
vegetative	11	1	HU	NEBIH Headquarters	*	*	*	20 plants, container-grown, able to show all their characteristics during the first year of examination
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

***Gaillardia* × *grandiflora* hort. ex Van Houtte**

seed	11	1	HU	NEBIH Headquarters	01/12	*	31/01	2000 seeds
								minimum germination capacity 70%
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	1	HU	NEBIH Headquarters	*	*	*	20 plants, container-grown, able to show all their characteristics during the first year of examination

***Gaillardia pulchella* Foug.**

seed	11	1	HU	NEBIH Headquarters	15/01	*	31/01	2000 seeds
								minimum germination capacity 70%

1	2	3	4	5	6	7	8	9
<i>Gaillardia pulchella</i> Foug.								
vegetative	11	1	HU	NEBIH Headquarters	*	*	*	20 plants, container-grown, able to show all their characteristics during the first year of examination
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Galega officinalis</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Galega orientalis</i> Lam.								
agricultural	4	2	EE	Agricultural Research Center	*	*	01/04	1000 g seeds
<i>Gardenia jasminoides</i> J. Ellis								
vegetative	10	1	DE	Bundessortenamt	01/12	01/04	06/04	20 cuttings well rooted
× <i>Gasteraloe</i> Guillaumin (<i>Aloe</i> L. × <i>Gasteria</i> Duval)								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard, able to show all their characteristics during the first year of examination.
× <i>Gasteraloe beguinii</i> (Radl) Guill.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Gasteria</i> Duval								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard, able to show all their characteristics during the first year of examination.
<i>Gasteria</i> Duval × <i>Haworthiopsis limifolia</i> (Marloth) G. D. Rowley (syn. <i>Haworthia limifolia</i> Marloth)								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard, able to show all their characteristics during the first year of examination.
<i>Gaultheria</i> Kalm ex L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
<i>Gaultheria procumbens</i> L.								
seed	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 a tray of unselected seedlings containing at least 150 plants ready for potting
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
<i>Gaura</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Gaura coccinea</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Gaura lindheimeri</i> Engelm. & A. Gray								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Gaura sinuata

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Gazania Gaertn.

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
	11	1	DE	Bundessortenamt		01/12	30/03	03/04	20 young plants

Gazania linearis Druce.

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

Gazania maritima Levyns

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

Gazania maritima Levyns × *Gazania rigens* (L.) Gaertn.

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

Gazania rigens (L.) Gaertn. (syn. *Gazania splendens* hort. ex Hend. & A. A. Hend.)

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
	11	1	DE	Bundessortenamt		01/12	30/03	03/04	20 young plants

Genista stenopetala Webb & Berthel. (syn. *Cytisus racemosus* Marnock)

vegetative	11	2	FR	GEVES - Siège		15/07	01/10	15/10	10 rooted, 2 years old plants, container-grown, to be sent container-grown Each plant must be clearly labelled
	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 2-3 years old, container-grown.

Gentiana L.

vegetative	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	---	-------	-------	-------	---

Gentiana acaulis L.

	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	---	-------	-------	-------	---

Gentiana asclepiadea L.

vegetative	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	---	-------	-------	-------	---

Gentiana makinoi Kusn.

vegetative	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	---	-------	-------	-------	---

Gentiana makinoi Kusn. × *G. scabra* Bunge

vegetative	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	---	-------	-------	-------	---

Gentiana pneumonanthe L. × *Gentiana scabra* Bunge

	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	---	-------	-------	-------	---

Gentiana scabra Bunge

vegetative	11	1	NL	NAKTUINBOUW - Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Gentiana scabra* Bunge × *G. triflora* Pall.**

vegetative	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Gentiana sino-ornata* Balf. f.**

vegetative	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Gentiana triflora* Pall.**

vegetative	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

***Geranium* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt		01/12	18/03	22/03	15 young plants
									Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Geranium* × *antipodeum* Yeo**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt		01/12	09/03	13/03	15 young plants
									Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Geranium* × *cantabrigiense* Yeo**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium cinereum* Cav.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt		01/12	11/03	15/03	15 young plants
									Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Geranium clarkei* Yeo**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium dalmaticum* (Beck) Rech. f.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium endressii* J. Gay**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium erianthum* DC.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium himalayense* Klotzsch**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium ibericum* Cav.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium incanum* Burm. f.**

vegetative	11	1	GB	NIAB		01/02	11/03	22/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Geranium macrorrhizum* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Geranium macrostylum</i> Boiss.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium maculatum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	11/03	15/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Geranium</i> × <i>magnificum</i> Hyl.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium nodosum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium</i> × <i>ozonianum</i> Yeo								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Geranium phaeum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Geranium pratense</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Geranium psilostemon</i> Ledeb.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Geranium renardii</i> Trautv.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium robertianum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium sanguineum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium sessiliflorum</i> Cav.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium subcaulescens</i> L'Hér. ex DC.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium sylvaticum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Geranium thunbergii</i> Siebold ex Lindl. & Paxton								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

1	2	3	4	5	6	7	8	9
<i>Geranium versicolor</i> L.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
<i>Geranium wallichianum</i> D. Don ex Sweet								
seed	11	1	GB NIAB		01/12	20/01	24/01	*
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
	11	1	DE Bundessortenamt		01/12	09/03	13/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Geranium wlassovianum</i> Fisch. ex Link								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
<i>Gerbera</i> L.								
cut flower varieties	10	1	NL NAKTUINBOUW - Main Office		01/02	06/05	10/05	12 young plants able to show all their characteristics during the first year of examination not grown on rockwool
garden varieties	10	1	NL NAKTUINBOUW - Main Office		01/02	01/03	31/03	12 plants, container-grown, able to show all their characteristics during the first year of examination
pot varieties	10	1	NL NAKTUINBOUW - Main Office		01/02	01/03	31/03	12 plants, container-grown, able to show all their characteristics during the first year of examination
vegetative	10	1	PL COBORU - Head-quarters		01/02	01/06	10/06	12 young plants of commercial standard
<i>Geum</i> L.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
	11	1	NL NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Geum chilense</i> Balb. ex Ser								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
<i>Geum coccineum</i> Sibth. & Sm.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
<i>Geum</i> × <i>intermedium</i> Ehrh.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
<i>Geum</i> × <i>jankae</i> Beck.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
<i>Geum quellyon</i> Sweet × <i>G. rivale</i> L.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
	11	1	NL NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Geum quellyon</i> Sweet.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
<i>Geum rivale</i> L.								
vegetative	11	1	GB NIAB		01/12	09/03	20/03	*
	11	1	NL NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Ginkgo biloba</i> L.								
vegetative	11	2	PL COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old, container-grown,
vegetative, shrubs	11	2	PL COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old, container-grown,

1	2	3	4	5	6	7	8	9
<i>Gladiolus</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	30 corms, of flowering size, able to show all their characteristics during the first year of examination
<i>Gleditsia triacanthos</i> L.								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Globba winitii</i> C. H. Wright								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Gloxinia</i> L'Hérit.								
	10	1	DE	Bundessortenamt	*	*	*	*
<i>Glycine max</i> (L.) Merrill								
	4	2	FR	GEVES - Siège	01/03	*	31/03	3 untreated seed, of high germination capacity
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5 kg
	4	2	HU	NEBIH Headquarters	31/01	*	28/02	3 kg untreated seed minimum germination capacity 80%
<i>Gomphrena globosa</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 cuttings well rooted, able to show all their characteristics during the first year of examination.
× <i>Goodaleara</i> hort.								
august crop	10	1	NL	NAKTUINBOUW - Main Office	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW - Main Office	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
<i>Gossypium barbardense</i> L.								
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	*	*	*	*
	4	2	GR	Hellenic Ministry of Rural Development and Food	01/01	01/02	28/02	5 kg delinted seeds
<i>Gossypium hirsutum</i> L.								
agricultural	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5 kg delinted seeds
ornamental (seed-propagated)	11	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	15/02	1 kg seeds
	4	2	GR	Hellenic Ministry of Rural Development and Food	01/01	01/02	28/02	5 kg delinted seeds
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	28/02	3 kg delinted seeds

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Graptopetalum bellum* (Moran & J. Meyran) D. R. Hunt (syn. *Tacitus bellus* Moran & J. Meyran)**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
10	1	DK	University of Aarhus - Aarslev	-	15/01	01/03	15/03	20 cold treated plants of commercial size with one to two rosettes and small flower buds present. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

× *Graptoveria* G. D. Rowley (*Echeveria* × *Graptopetalum*)

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Grevillea alpina* Lindl. × *G. rosmarinifolia* A. Cunn.**

11	*	NZ	The Ministry of Business Innovation and Employment (MBIE)	*	*	*	*
----	---	----	--	---	---	---	---

***Grevillea juniperina* R. Br. × *G. rhyolitica* Makinson**

11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination
----	---	----	----------------------------	---	-------	-------	-------	--

***Grevillea robusta* A. Cunn. ex R. Br.**

tree	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------	----	---	----	----------------------------	---	-------	-------	-------	---

***Griselinia* Forst.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Griselinia littoralis* (Raoul) Raoul**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination.

***Griselinia lucida* (J. R. Forst. & G. Forst.) G. Forst.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Guzmania* Ruiz & Pav.**

seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	48 young plants, approximately 1 month before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants, approximately 1 month before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material

***Guzmania* Ruiz & Pav. × *Tillandsia* L.**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	48 young plants able to show all their characteristics during the first year of examination
----	---	----	----------------------------	---	-------	-------	-------	--

***Guzmania blassii* Rauh × *Tillandsia leiboldiana* Schtdl.**

10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	48 young plants, seed propagated and 24 young plants, vegetatively propagated ca. 1 month before flower induction treatment, able to show all their characteristics during the first year of examination
----	---	----	----------------------------	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Guzmania conifera</i> (André) Mez								
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 48 young plants, approximately 1 month before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants, approximately 1 month before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material
<i>Guzmania conifera</i> (André) Mez. × <i>Guzmania lingulata</i> (L.) Mez								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 48 young plants, ca. 1 month before flower induction treatment, able to show all their characteristics in the first year of examination
<i>Guzmania lingulata</i> (L.) Mez								
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 48 young plants, approximately 1 month before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants, approximately 1 month before flower induction treatment Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material
<i>Guzmania lingulata</i> (L.) Mez × <i>Guzmania wittmackii</i> Andre ex Mez								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 48 young plants, ca. 1 month before flower induction treatment, able to show all their characteristics during the first year of examination
<i>Gymnocalycium mihanovichii</i> (Fric & Gürke) Britton & Rose								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Gymnosporia diversifolia</i> Maxim.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Gypsophila</i> L.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/10	01/02	29/02 24 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Gypsophila muralis</i> L.								
	8	1	NL	NAKTUINBOUW Main Office	-	01/02	01/03	31/03 50 young plants, able to show all their characteristics during the first year of flowering
<i>Gypsophila paniculata</i> L.								
vegetative	8	1	NL	NAKTUINBOUW Main Office	-	01/10	01/02	29/02 24 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Gypsophila paniculata</i> L. × <i>Gypsophila porrigens</i> (Gouan ex L.) Boiss. (syn. <i>Gypsophila pilosa</i> Huds.)								
	8	1	NL	NAKTUINBOUW Main Office	-	01/10	01/02	29/02 24 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Hakonechloa macra</i> (Munro) Makino								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard
× <i>Halimiocistus</i> Janch.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

× *Halimicistus sahucii* (H. J. Coste & Soulié) Janch.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	8 young bushes
				Main Office					able to show all their characteristics during the first year of examination.

× *Halimicistus wintonensis* Warb. & E. F. Warb.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Hardenbergia violacea (Schneev.) Stearn

vegetative	11	1	DE	Bundessortenamt		01/12	01/03	15/03	10 young plants, container-grown, of commercial standard
------------	----	---	----	-----------------	--	-------	-------	-------	--

Haworthia fasciata (Willd.) Haw.

vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants of commercial standard
				Main Office					able to show all their characteristics during the first year of examination.

Haworthia mazima (Haw.) Duval

vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

Haworthiopsis limifolia (Marloth) G. D. Rowley (syn. *Haworthia limifolia* Marloth)

	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants of commercial standard
				Main Office					able to show all their characteristics during the first year of examination.

Hebe Comm. ex. Juss.

vegetative, non variegated	11	1	GB	NIAB		01/12	09/03	20/03	*
vegetative, variegated	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt		01/12	09/03	20/03	15 young plants
									Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination

Hebe albicans (Petrie) Cockayne (syn. *Veronica albicans* Petrie; *Hebe recurva* G. Simpson & J. S. Thomson)

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Hebe × *andersonii* (Lindl. & Paxton) Cockayne

vegetative, non-variegated	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt		01/12	09/03	20/03	15 young plants
									Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

Hebe diosmifolia (R. Cunn ex A. Cunn.) Cockayne & Allan

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Hebe elliptica (G. Forst.) Pennell

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Hebe × *franciscana* (Eastw.) Souster

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Hebe matthewsii (Cheeseman) Cockayne

vegetative, non-variegated	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt		01/12	09/03	20/03	15 young plants
									Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Hebe odora</i> (Hook. f.) Cockayne								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Hebe parviflora</i> (Vahl) Cockayne & Allan								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Hebe pimeleoides</i> (Hook. f.) Cockayne & Allan								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Hebe pinguifolia</i> (Hook. f.) Cockayne & Allan								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Hebe salicifolia</i> (G. Forst.) Pennell								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Hedera</i> L.								
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination
<i>Hedera helix</i> L.								
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination
<i>Hedera helix</i> L. subsp. <i>hibernica</i> (G. Kirchn.) D. C. McClint. (syn. <i>Hedera hibernica</i> (Kirchn.) Bean)								
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination
<i>Hedera rhombea</i> (Miq.) Bean								
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to show all representative characteristics during the first examination year
<i>Helenium</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetatively propagated	11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Helenium autumnale</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetatively propagated	11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Helenium bigelovii</i> Torr. & A. Gray								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Helianthemum</i> Mill.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 plants, of commercial standard, of sufficient size, able to show all their characteristics during the first year of examination, ready to be planted in the open.
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Helianthus annuus</i> L.								
hybrid	4	2	FR	GEVES - Siège	01/02	*	01/03	1 kg of the hybrid and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)

1	2	3	4	5	6	7	8	9
<i>Helianthus annuus</i> L.								
hybrid	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	1 kg of the hybrid and 5000 grains of the male sterile line, maintainer line, restorer line, the single hybrid parent and its parent lines (if material unknown)
hybrid	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	28/02	*	10/03	800 g seeds
hybrid	4	2	HU	NEBIH Headquarters	20/02	*	20/03	1 kg of the hybrid and 500 g per each component (male sterile line, maintainer line, restorer line and parental cross with its components)
line	4	2	HU	NEBIH Headquarters	20/02	*	20/03	1 kg
line	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	5000 grains
line	4	2	FR	GEVES - Siège	01/02	*	01/03	5000 grains
line	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	28/02	*	10/03	500 g seeds
line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	*	01/01	500 g seeds
male sterile line	4	2	FR	GEVES - Siège	01/02	*	01/03	5000 grains of male sterile line and 5000 grains of maintainer line
male sterile line	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	28/02	*	10/03	500 g seeds and 500 g of its maintainer line
male sterile line	4	2	HU	NEBIH Headquarters	20/02	*	20/03	1 kg and 500 g of the maintainer line
male sterile line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	*	01/01	500 g male sterile line and 100 g of maintainer
male sterile line	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	5000 grains of male sterile line and 1000 grains of maintainer line
<i>Helianthus annuus</i> L.								
ornamental, seed	11	2	FR	GEVES - Siège	01/02	*	01/03	1 kg untreated seed
ornamental, vegetatively propagated	11	1	FR	GEVES - Siège	*	15/03	30/03	10 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year of examination.
<i>Helianthus annuus</i> L.								
single hybrid	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	*	01/01	2 kg of the hybrid and 500 grams of each component (A,C and R), 300 grams of B
single hybrid as parent	4	2	FR	GEVES - Siège	01/02	*	01/03	5000 grains and 5000 grains of the male sterile line, maintainer line, and male maintainer line (if material unknown)
single hybrid as parent	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	01/02	*	01/03	5000 grains and 5000 grains of the male sterile line, maintainer line and male maintainer line (if material unknown)
single hybrid as parent	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	28/02	*	10/03	500 g seeds

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Helianthus annuus* L. × *H. argophyllus* Torr. & A. Gray**

10	*	FR	GEVES - Siège	*	*	*	*
----	---	----	---------------	---	---	---	---

***Helianthus decapetalus* L.**

vegetative	11	1	DE	Bundessortenamt	*	15/04	19/04	25 young plants of commercial standard The material must be at the testing station not later than noon on Friday 20 April 2018.
------------	----	---	----	-----------------	---	-------	-------	--

***Helianthus salicifolius* A. Dietr.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Helianthus tuberosus* L.**

4	2	DE	Bundessortenamt	*	*	*	*
---	---	----	-----------------	---	---	---	---

***Helichrysum* Mill. corr. Pers.**

10	1	DE	Bundessortenamt	15/02	26/02	02/03	25 plants in 9 cm pots ready to show their characteristics in the first year
----	---	----	-----------------	-------	-------	-------	---

***Helichrysum amorginum* Boiss. & Orph.**

vegetative	10	1	DE	Bundessortenamt	15/11	24/02	28/02	30 plants in 9 cm pots ready to show their characteristics in the first year
------------	----	---	----	-----------------	-------	-------	-------	--

***Helichrysum italicum* (Roth) G. Don**

vegetative	10	1	DE	Bundessortenamt	15/11	24/02	28/02	30 plants in 9 cm pots ready to show their characteristics in the first year
------------	----	---	----	-----------------	-------	-------	-------	--

***Helichrysum petiolare* Hilliard & B.L. Burt**

10	1	DE	Bundessortenamt	15/11	24/02	28/02	30 plants in 9 cm pots ready to show their characteristics in the first year
----	---	----	-----------------	-------	-------	-------	--

***Heliconia psittacorum* L. f.**

10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
----	---	----	---------------------------	-------	-------	-------	---

***Heliconia stricta* Huber**

10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 rhizomes of flowering size, able to show all their characteristics during the first year of examination
----	---	----	---------------------------	-------	-------	-------	---

***Heliopsis* Pers.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Heliopsis helianthoides* (L.) Sweet**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Heliotropium* L.**

vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	12 plants Plants must be vegetatively propagated.

1	2	3	4	5	6	7	8	9
<i>Heliotropium arborescens</i> L.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	FR	GEVES - Siège		15/12	15/03	31/03 12 plants
Plants must be vegetatively propagated.								
<i>Helleborus</i> L.								
seed	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 30 young plants able to show all their characteristics during the first year of examination
vegetative -cuttings, in vitro	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants able to show all their characteristics during the first year of examination
vegetative -division of plants	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/10	31/10 15 young plants able to show all their characteristics during the first year of examination
<i>Helleborus argutifolius</i> Viv.								
	9	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
<i>Helleborus atrorubens</i> Waldst. & Kit × <i>Helleborus niger</i> L.								
	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 12 young plants able to show all their characteristics during the first year of examination
<i>Helleborus</i> × <i>ballardiae</i> B.Mathew								
vegetative- cuttings	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants able to show all their characteristics during the first year of examination
<i>Helleborus</i> × <i>ericsmithii</i> B.Mathew (syn. <i>H. niger</i> L. × <i>H. × sternii</i> Turrill)								
vegetative- cuttings	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants able to show all their characteristics during the first year of examination
<i>Helleborus foetidus</i> L. × <i>H. niger</i> L.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants of commercial standard
<i>Helleborus</i> × <i>hybridus</i> hort. ex Voss								
	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants able to show all their characteristics during the first year of examination
<i>Helleborus niger</i> L.								
seed	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 30 young plants, able to show all their characteristics during the first year of examination.
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants of commercial standard
<i>Helleborus</i> × <i>nigercors</i> J. T. Wall								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants of commercial standard
<i>Helleborus orientalis</i> Lam.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants of commercial standard
<i>Helleborus orientalis</i> Lam. × <i>H. ericsmithii</i> B. Mathew								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants able to show all their characteristics during the first year of examination
<i>Helleborus</i> × <i>sternii</i> Turrill								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 15 young plants able to show all their characteristics during the first year of examination
<i>Hemerocallis</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Hemigraphis repanda* (L.) Hallier f.**

vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants of commercial standard
				Main Office					

***Hemizygia* (Benth.) Briq.**

	10	1	DE	Bundessortenamt		01/11	*	15/04	*
--	----	---	----	-----------------	--	-------	---	-------	---

***Heptacodium miconioides* Rehder**

	11	2	FR	GEVES - Siège		01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.
--	----	---	----	---------------	--	-------	-------	-------	---

***Hesperaloe parviflora* (Torr.) J. M. Coul.**

vegetative	10	1	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, approximately 4 years old, able to show all their characteristics during the first year of examination plants must neither be flowering nor have flowered before
------------	----	---	----	--------------------	--	-------	-------	-------	---

***Hesperozygis myrtilloides* (A. St.-Hil.) Epling**

vegetative	10	1	DE	Bundessortenamt		01/12	05/03	09/03	25 rooted cuttings not pinched
------------	----	---	----	-----------------	--	-------	-------	-------	-----------------------------------

***Heuchera* L.**

seed	11	1	GB	NIAB		01/12	20/01	24/01	*
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young plants able to show all their characteristics during the first year of examination.
				Main Office					

***Heuchera americana* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Heuchera* × *brizoides* hort. ex Lemoine.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Heuchera cylindrica* Douglas**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Heuchera micrantha* Douglas ex Lindl.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Heuchera sanguinea* Engelm.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young plants able to show all their characteristics during the first year of examination.
				Main Office					

***Heuchera villosa* Michx.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young plants able to show all their characteristics during the first year of examination.
				Main Office					

× *Heucherella* H. R. Wehrh.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	10 young plants able to show all their characteristics during the first year of examination.
				Main Office					

× *Heucherella tiarelloides*

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Hibiscus L.

garden plants	11	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	*	*	*	*
vegetative greenhouse test	-	10	1	GB NIAB	01/12	09/03	20/03	*
vegetative outdoor test	-	11	1	GB NIAB	01/12	09/03	20/03	*
	10	1	DE	Bundessortenamt	*	*	*	*
	10	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	DE	Bundessortenamt	*	*	*	*
	10	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	*	*	*	*

Hibiscus acetosella Welw. ex Hiern

vegetative greenhouse test	-	11	1	GB NIAB	01/12	09/03	20/03	*
vegetative outdoor test		10	1	GB NIAB	01/12	09/03	20/03	*
		11	1	DE Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.

Hibiscus coccineus Walter

vegetative	11	1	GB NIAB	01/12	09/03	20/03	*
------------	----	---	---------	-------	-------	-------	---

Hibiscus coccineus Walter* × *Hibiscus moscheutos L.

vegetative greenhouse	-	10	1	GB NIAB	01/12	09/03	20/03	*
	10	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

Hibiscus moscheutos L.

vegetative greenhouse test	-	10	1	GB NIAB	01/12	09/03	20/03	*
vegetative outdoor test	-	11	1	GB NIAB	01/12	09/03	20/03	*
	10	1	DE	Bundessortenamt	*	*	*	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

Hibiscus moscheutos L.* × *H. syriacus L.

vegetative	11	1	GB NIAB	01/12	12/03	23/03	*
------------	----	---	---------	-------	-------	-------	---

Hibiscus mutabilis L.

vegetative greenhouse test	-	10	1	GB NIAB	01/12	09/03	20/03	*
vegetative outdoor test	-	11	1	GB NIAB	01/12	09/03	20/03	*

1	2	3	4	5	6	7	8	9
<i>Hibiscus mutabilis</i> L.								
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hibiscus paramutabilis</i> L.H.Bailey × <i>H. syriacus</i> L.								
vegetative greenhouse test	-	10	1	GB NIAB	01/12	09/03	20/03	*
vegetative outdoor test	-	11	1	GB NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	10	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hibiscus rosa-sinensis</i> L.								
vegetative	10	1	DE	Bundessortenamt	01/11	04/03	08/03	20 rooted top cuttings not pinched and not treated with growth regulators
vegetative	10	1	GB	NIAB	01/11	09/03	20/03	*
<i>Hibiscus schizopetalus</i> (Mast.) Hook.f.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	10	1	DE	Bundessortenamt	01/11	16/02	01/03	20 rooted top cuttings not pinched and not treated with growth regulators
<i>Hibiscus sinosyriacus</i> L. H. Bail.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Hibiscus syriacus</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	01/12	01/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Hippeastrum</i> Herb.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/11	09/12	13/12	20 bulbs of flowerable size of which at least 18 should flower; bulbs should have been treated so that they will flower under greenhouse conditions in the Northern hemisphere in January.
<i>Hippeastrum yungacense</i> (Cardenas & I. S. Nelson) Meerow								
	10	1	NL	NAKTUINBOUW - Main Office	01/11	09/12	13/12	20 bulbs of flowering size, induced for flowering
<i>Hippophae rhamnoides</i> L.								
	7	4	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	01/02	01/03	31/03	6 potted plants one-year old, with a good root development The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.

1	2	3	4	5	6	7	8	9	
<i>Hippophae rhamnoides</i> L.									
	7	4	DE	Bundessortenamt		31/12	15/03	31/03	6 potted plants one-year old, with a good root development
<i>Holarrhena pubescens</i> Wall. ex G.Don									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Homalocladium platycladum</i> (F. Muell.) L. H. Bailey									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard
<i>Homalonema</i> Schott									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Hordeum chilense</i> × <i>Triticum turgidum</i>.									
	4	2	AT	Bundesamt für Ernährungssicherheit		29/01	*	29/01	4 kg seeds 150 unbeaten ears for the second growing cycle
<i>Hordeum vulgare</i> L. sensu lato									
alternative	4	2	FR	GEVES - Siège		10/09	*	20/09	5 kg
alternative	4	2	GB	Animal & Plant Health Agency (APHA)		24/08	*	08/09	*
hybrid winter	cms,	4	2	FR	GEVES - Siège	10/09	*	20/09	hybrid: 5 kg 2,5 kg of male sterile lineand 5,0 kg of maintainer and restorer line
spring		4	2	DE	Bundessortenamt	05/01	*	20/01	5 kg seeds minimum germination capacity 94%; on request: 120 ears
spring		4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
spring		4	2	EE	Agricultural Research Center	01/02	*	01/04	3 kg seeds and 150 unbeaten ears
spring		4	2	GB	Animal & Plant Health Agency (APHA)	30/11	*	08/01	*
spring		4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	15/12	*	20/01	5 kg seeds and 130 unthreshed ears
spring		4	2	FR	GEVES - Siège	15/01	*	25/01	5 kg
spring		4	2	DK	TystofteFoundation	20/01	*	10/02	3 kg in case of hybrids: additional 3 kg seeds of every unknown parental line
spring		4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	3 kg seeds and 120 ears
spring		4	2	PL	COBORU - Head- quarters	30/11	*	25/02	6 kg seeds and 240 ears In case of hybrid: in addition 3 kg and 240 ears for each component of the hybrid.
spring		4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	3 kg
spring		4	2	FI	Finnish Food Safety Authority Evira - Administration	01/03	*	01/04	3 kg seeds and 120 ears
winter		4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	20/08	*	05/09	3 kg

1	2	3	4	5	6	7	8	9
<i>Hordeum vulgare</i> L. sensu lato								
winter	4	2	HU	NEBIH Headquarters	10/09	*	20/09	5 kg seeds and 220 ears
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
winter	4	2	DE	Bundessortenamt	15/08	*	01/09	5 kg seeds for hybrids in addition: 4 kg of each component including single cross; minimum germination capacity 94%; on request: 170 ears
winter	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	25/08	*	10/09	5 kg seeds and 180 unthreathed ears
winter	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg
winter	4	2	GB	Animal & Plant Health Agency (APHA)	24/08	*	08/09	*
winter	4	2	DK	TystofteFoundation	01/09	*	01/09	3 kg in case of hybrids: additional 3 kg seeds of every unknown parental line
winter	4	2	HR	Croatian Centre for Agriculture Food and Rural Affairs	*	*	*	*
winter	4	2	AT	Bundesamt für Ernährungssicherheit	29/08	*	14/09	3 kg seeds and 120 ears
winter	4	2	BE	Centre Wallon de Recherches Agronomiques	25/08	*	05/09	3 kg seeds The minimum requirements for germination capacity, analytical purity and seed purity
winter	4	2	PL	COBORU - Headquarters	20/08	*	31/08	6 kg seeds and 240 ears In case of hybrid: in addition 3 kg and 240 ears for each component of the hybrid.
<i>Hosta</i> Tratt.								
vegetative	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/04	15/04	24 plants of 2 years old, able to show all their representative characteristics
<i>Hosta sieboldiana</i> (Hook.) Engl.								
vegetative	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/04	15/04	24 plants of 2 years old, able to show all their representative characteristics
<i>Humulus lupulus</i> L.								
	7	3	DE	Bundessortenamt	15/01	01/03	15/03	18 dormant roots Healthy, without mildew and verticillium. Plant material must be accompanied by a plant passport or a phytosanitary certificate. In addition, a certificate has to be submitted proving that each plant is free of the hop stunt viroid.
<i>Hyacinthus orientalis</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	30 bulbs, of flowering size, able to show all their characteristics during the first year of examination
<i>Hydrangea</i> L.								
vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants - container-grown - not treated with chemicals that influence the colour (blueing) - pinched at least once - with 4-5 shoots and no foliage - 6-8 months old. Each plant must be clearly labelled.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Hydrangea anomala* D. Don subsp. *petiolaris* (Siebold & Zucc.) E. M. McClint.**

vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants, container-grown, 6-8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing) Each plant must be clearly labelled
------------	---	---	----	---------------	-------	-------	-------	---

***Hydrangea anomala* D. Don subsp. *petiolaris* (Siebold & Zucc.) E.M. McClint. × *H. seemannii* L. Riley**

vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants, container-grown, 6-8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing) Each plant must be clearly labelled
------------	---	---	----	---------------	-------	-------	-------	---

***Hydrangea arborescens* L.**

vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants, container-grown, 6-8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing) Each plant must be clearly labelled
------------	---	---	----	---------------	-------	-------	-------	---

***Hydrangea aspera* Buch.-Ham. ex D. Don**

vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants, container-grown, 6-8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing) Each plant must be clearly labelled
------------	---	---	----	---------------	-------	-------	-------	---

***Hydrangea aspera* Buch.-Ham. ex D. Don × *H. integrifolia* Hayata**

vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants, container-grown, 6-8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing) Each plant must be clearly labelled
------------	---	---	----	---------------	-------	-------	-------	---

***Hydrangea luteovenosa* Koidz. × *Hydrangea macrophylla* (Thunb.) Ser.**

	9	*	FR	GEVES - Siège	*	*	*	*
--	---	---	----	---------------	---	---	---	---

***Hydrangea macrophylla* (Thunb.) Ser.**

vegetative	9	2	DE	Bundessortenamt	15/11	13/01	17/01	10 rooted plants, ready chilled commodities. in 13 to 15 cm pots, 8 to 10 months old, pinched at least once and not treated with chemicals that influence the colour (blueing)
vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants - container-grown - not treated with chemicals that influence the colour (blueing) - pinched at least once - with 4-5 shoots and no foliage - 6-8 months old. Each plant must be clearly labelled.

***Hydrangea macrophylla* (Thunb.) Ser. × *H. scandens* (L. f.) Ser.**

vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants - container-grown - not treated with chemicals that influence the colour (blueing) - pinched at least once - with 4-5 shoots and no foliage - 6-8 months old. Each plant must be clearly labelled.
------------	---	---	----	---------------	-------	-------	-------	---

***Hydrangea macrophylla* (Thunb.) Ser. × *H. serrata* (Thunb.) Ser.**

vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants - container-grown - not treated with chemicals that influence the colour (blueing) - pinched at least once - with 4-5 shoots and no foliage - 6-8 months old. Each plant must be clearly labelled.
------------	---	---	----	---------------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9	
<i>Hydrangea macrophylla</i> (Thunb.) Ser. × <i>H. serrata</i> (Thunb.) Ser.									
vegetative	9	2	DE	Bundessortenamt	15/11	13/01	17/01	10 rooted plants, ready chilled commodities. in 13 to 15 cm pots, 8 to 10 months old, pinched at least once and not treated with chemicals that influence the colour (blueing)	
<i>Hydrangea paniculata</i> Siebold									
vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants - container-grown - not treated with chemicals that influence the colour (blueing) - pinched at least once - with 4-5 shoots and no foliage - 6-8 months old. Each plant must be clearly labelled.	
<i>Hydrangea quercifolia</i> W. Bartram									
vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants, container-grown, 6-8 months old, pinched at least once, not treated with chemicals that influence the colour (blueing) Each plant must be clearly labelled	
<i>Hydrangea serrata</i> (Thunb.) Ser. (syn. <i>H. macrophylla</i> subsp. <i>serrata</i> (Thunb.) Makino)									
red/pink-white bi-colored vari	9	2	DE	Bundessortenamt	15/11	13/01	17/01	10 rooted plants, ready chilled commodities. in 13 to 15 cm pots, 8 to 10 months old, pinched at least once and not treated with chemicals that influence the colour (blueing)	
vegetative	9	2	FR	GEVES - Siège	15/11	15/01	31/01	10 rooted plants - container-grown - not treated with chemicals that influence the colour (blueing) - pinched at least once - with 4-5 shoots and no foliage - 6-8 months old. Each plant must be clearly labelled.	
<i>Hydrocotyle</i> L.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Hylotelephium</i> H. Ohba × <i>Orostachys malacophylla</i> (Pall.) Fisch.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
<i>Hylotelephium</i> L. × <i>Sedum</i> L.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
<i>Hylotelephium cauticola</i> (Praeger) H. Ohba (syn. <i>Sedum cauticola</i> Praeger) × <i>Hylotelephium telephium</i> (L.) H. Ohba (syn. <i>Sedum telephium</i> L.)									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants, appropriate to be grown in the open able to show all their characteristics in the first year of examination
<i>Hylotelephium spectabile</i> (Boreau) H. Ohba (syn. <i>Sedum spectabile</i> Boreau)									
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard appropriate to be grown in the open
<i>Hylotelephium tatarinowii</i> (Maxim.) H. Ohba (syn. <i>Sedum tatarinowii</i> Maxim.)									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
<i>Hylotelephium telephium</i> (L.) H. Ohba × <i>H. spectabile</i> (Boreau) H. Ohba (syn. <i>Sedum telephium</i> L. × <i>S. spectabile</i> Boreau)									
vegetative, outdoor	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Hylotelephium telephium* (L.) H. Ohba (syn. *Sedum telephium* L.)**

vegetative, garden	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
vegetative, greenhouse	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

***Hypericum* L.**

vegetative	9	2	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	12 young bushes, able to show all their characteristics during the examination period
------------	---	---	----	-------------------------	---	-------	-------	-------	---

***Hypericum androsaemum* L.**

vegetative	9	2	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	12 young bushes able to show all their characteristics during the examination period
------------	---	---	----	-------------------------	---	-------	-------	-------	--

***Hypericum calycinum* L.**

vegetative	9	2	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	12 young bushes, able to show all their characteristics during the examination period
------------	---	---	----	-------------------------	---	-------	-------	-------	---

***Hypericum* × *inodorum* Mill.**

vegetative	9	2	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	12 young bushes able to show all their characteristics during the examination period
------------	---	---	----	-------------------------	---	-------	-------	-------	--

***Hypericum kalmianum* L.**

	9	2	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	12 young bushes able to show all their characteristics during the examination period
--	---	---	----	-------------------------	---	-------	-------	-------	--

***Hypericum* × *moserianum* André**

	9	2	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	12 young bushes able to show all their characteristics during the first year of examination
--	---	---	----	-------------------------	---	-------	-------	-------	---

***Hypericum perforatum* L.**

pharmaceutical	14	2	DE	Bundessortenamt		01/02	*	01/03	36000 seeds
----------------	----	---	----	-----------------	--	-------	---	-------	-------------

***Iberis* L.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
vegetative	11	1	FR	GEVES - Siège		30/06	15/09	30/09	10 plants container-grown, of sufficient size to flower and/or to show all their representative characteristics in the first year

***Iberis amara* L.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège		30/06	15/09	30/09	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Iberis gibraltarica* L.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège		30/06	15/09	30/09	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Iberis sempervirens* L.**

vegetative	11	1	FR	GEVES - Siège		30/06	15/09	30/09	10 plants container-grown, of sufficient size to flower and/or to show all their representative characteristics in the first year
------------	----	---	----	---------------	--	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
<i>Iberis sempervirens</i> L.								
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
<i>Ilex</i> L.								
vegetative, non variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
vegetative, variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants container-grown, size 60-80 cm, at least 2 years old
<i>Ilex</i> × <i>altacrerensis</i> (Loudon) Dallim.								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Ilex aquifolium</i> L.								
vegetative, non-variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
vegetative, variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants container-grown, size 60-80 cm, at least 2 years old
<i>Ilex cornuta</i> Lindl. & Paxton								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Ilex crenata</i> Thunb.								
vegetative, non variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants container-grown, size 60-80 cm, at least 2 years old
<i>Ilex dimorphophylla</i> Koidz.								
vegetative, non variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants container-grown, size 60-80 cm, at least 2 years old
<i>Ilex</i> × <i>koehneana</i> Loes.								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Ilex</i> × <i>meserveae</i> S.-Y. Hu								
vegetative, non variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
vegetative, variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants container-grown, size 60-80 cm, at least 2 years old
<i>Ilex mitis</i> (L.) Radlk.								
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Ilex rotunda</i> Thunb								
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants, at least 2 years old, 60-80 cm height
<i>Ilex verticillata</i> (L.) A. Gray								
vegetative, non variegated	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants container-grown, size 60-80 cm, at least 2 years old
<i>Impatiens</i> L.								
vegetative	10	1	DE	Bundessortenamt	15/11	09/03	13/03	20 young plants - not pinched - of commercial standard.

1	2	3	4	5	6	7	8	9
<i>Impatiens New Guinea Group</i>								
vegetative	10	1	DE	Bundessortenamt	15/11	16/03	20/03	20 young plants - not pinched - of commercial standard.
<i>Impatiens auricoma</i> Baill. × <i>I. New Guinea Group</i>								
	10	1	DE	Bundessortenamt	*	*	*	*
<i>Impatiens auricoma</i> Baill. × <i>I. walleriana</i> Hook. f.								
	10	1	DE	Bundessortenamt	15/11	09/03	13/03	20 young plants - not pinched - of commercial standard.
<i>Impatiens flaccida</i> Arn. × <i>Impatiens hawkeri</i> W. Bull								
	10	1	DE	Bundessortenamt	15/11	09/03	13/03	20 young plants - not pinched - of commercial standard.
<i>Impatiens hawkeri</i> W. Bull × <i>I. platypetala</i> Lindl.								
	10	1	DE	Bundessortenamt	*	*	*	*
<i>Impatiens namchabarwensis</i> R. J. Morgan & al.								
vegetative	10	1	DE	Bundessortenamt	15/11	09/03	13/03	25 cuttings well rooted
<i>Impatiens niamniamnensis</i> Gilg								
	10	1	DE	Bundessortenamt	*	*	*	*
<i>Impatiens repens</i> Moon × <i>I. walleriana</i> Hook. f.								
	10	1	DE	Bundessortenamt	*	*	*	*
<i>Impatiens walleriana</i> Hook. f.								
vegetative	10	1	DE	Bundessortenamt	15/11	09/03	13/03	20 young plants - not pinched - of commercial standard.
<i>Impatiens walleriana</i> Hook. f. × <i>I. pseudoviola</i> Gilg								
	10	1	DE	Bundessortenamt	*	*	*	*
<i>Imperata cylindrica</i> (L.) Raeusch.								
	10	*	NL	NAKTUINBOUW - Main Office	*	*	*	*
× <i>Ionocidium hort.</i>								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Ipheion uniflorum</i> (Lindl.) Raf.								
	11	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	30 bulbs, of flowering size, able to show all their characteristics during the first year of examination
<i>Ipomoea</i> L.								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
<i>Ipomoea batatas</i> (L.) Lam.								
agricultural	1	1	IE	Department of Agriculture Food and the Marine - Backweston Farm	31/03	01/05	19/05	60 cuttings, 15-20 cm length or 60 plantlets Visibly healthy plantlets not having undergone any treatment which would affect the expression of the characteristics of the variety.
<i>Ipomoea batatas</i> (L.) Lam.								
ornamental	11	1	FR	GEVES - Siège	30/01	15/04	30/04	15 young plants Plants must be vegetatively propagated.

1	2	3	4	5	6	7	8	9
<i>Ipomoea batatas</i> (L.) Lam.								
ornamental, vegetative	10	1	GB	NIAB		01/12	20/04	24/04 *
<i>Ipomoea indica</i> Merrill.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Ipomoea purpurea</i> (L.) Roth.								
seed	11	1	GB	NIAB		01/12	20/01	24/01 *
<i>Ipomoea tricolor</i> Cav.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Iris</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/04	15/07	15/08 30 corms, of flowering size, able to show all their characteristics during the first year of examination
<i>Iris</i> × <i>germanica</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/04	15/07	15/08 30 corms, of flowering size, able to show all their characteristics during the first year of examination
<i>Iris</i> × <i>hollandica</i> hort.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10 30 corms, of flowering size, able to show all their characteristics during the first year of examination
<i>Iris</i> × <i>iphium</i> L.								
vegetative	11	2	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10 30 corms, of flowering size, able to show all their characteristics during the first year of examination
<i>Iris sibirica</i> L.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/05	15/07	15/08 30 corms, of flowering size, able to show all their characteristics during the first year of examination
<i>Isopogon formosus</i> R. Br.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants ready to be grown in the open. Plants should be of sufficient size to show all their representative characteristics in the first year of examination
<i>Isotoma</i> (R. Br.) Lindley								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Isotoma axillaris</i> Lindl. (syn: <i>Laurentia axillaris</i> (Lindl.) E. Wimm.)								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard able to show all their characteristics during the first year of examination
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Isotoma fluviatilis</i>								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Itea virginica</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 8 young bushes, able to show all their characteristics during the first year of examination
× <i>Iwanagara</i> hort.								
august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering

1	2	3	4	5	6	7	8	9
<i>Ixora</i> L.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Jacaranda mimosifolia</i> D. Don								
	11	*	IL	Ze'ev Yablovitz	*	*	*	*
<i>Jamesbrittenia</i> Kuntze								
vegetative	11	1	DE	Bundessortenamt	15/11	15/02	19/02	25 cuttings well rooted not pinched
<i>Jamesbrittenia bergae</i> Lemmer								
vegetative	11	1	DE	Bundessortenamt	15/11	15/02	19/02	25 cuttings - well rooted - not pinched.
<i>Jamesbrittenia breviflora</i> (Schltr.) Hilliard								
	11	1	DE	Bundessortenamt	*	*	*	*
<i>Jamesbrittenia carvalhoi</i> (Engl.) Hilliard								
	11	1	DE	Bundessortenamt	*	*	*	*
<i>Jamesbrittenia grandiflora</i> (Galpin) Hilliard (syn. <i>Sutera grandiflora</i> (Galpin) Hiern)								
vegetative	11	1	DE	Bundessortenamt	15/11	10/02	14/02	25 cuttings - well rooted - not pinched.
<i>Jasminum</i> L.								
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*
<i>Jasminum multiflorum</i> (Burm. f.) Andrews								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetative	10	1	DK	University of Aarhus - Aarslev	01/01	15/04	30/04	20 rooted cuttings ready for potting
<i>Jasminum officinale</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetative, outdoor	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative; greenhouse	10	1	GB	NIAB	01/12	09/03	20/03	*
<i>Jasminum polyanthum</i> Franch.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Jatropha curcas</i> L.								
	4	2	MX	Servicio Nacional de Inspeccion y Certificacion de Semillas (SNICS)	*	*	*	*

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Jatropha podagrica* Hook.**

10	1	NL	NAKTUINBOUW	-	*	*	*	*
Main Office								

***Juglans major* (Torr.) A. Heller × *J. regia* L.**

7	*	HU	NEBIH Headquarters	*	*	*	*	
---	---	----	--------------------	---	---	---	---	--

***Juglans nigra* L.**

ornamental	11	4	ES	Oficina Española de Variedades Vegetales (OEVV)	15/01	15/02	15/03	8 grafted plants, one-year old, grafted on hybrid rootstock Juglans x intermedia, preferably MJ209xRA Visually healthy and vigorous and free from pests and diseases. The material will be accompanied by a Phytosanitary Passport and an Official certificate of a laboratory analysis indicating that the material is free from Cherry Leaf Roll Virus (CLRV)
------------	----	---	----	---	-------	-------	-------	---

***Juglans regia* L.**

fruit	7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/01	15/02	15/03	8 grafted plants, one-year old, grafted on hybrid rootstock MJ209xRA. Healthy plants according to the standards laid down in the Council Directive 92/34/CE and accompanied by an official certificate of laboratory analysis indicating that the material is free from Cherry Leaf Roll Virus (CLRV)
	7	5	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	01/03	31/03	7 one-year or two-year old plants grafted on Juglans regia L. rootstocks Plain virus free material

***Juncus* L.**

seed	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

***Juncus effusus* L.**

vegetative	10	1	DK	University of Aarhus - Aarslev	30/04	15/06	20/06	20 young plants well rooted Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

***Juncus inflexus* L.**

vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	--------------------------------	---	---	---	---

1	2	3	4	5	6	7	8	9
<i>Juncus inflexus</i> L.								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Juniperus</i> L.								
vegetative	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination
	11	2	DK	University of Aarhus - Aarslev	*	*	*	*
<i>Juniperus communis</i> L.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination
vegetative	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Juniperus conferta</i> Parl.								
	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown
<i>Juniperus pingii</i> W. C. Cheng								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination
<i>Juniperus pseudosabina</i> Fisch. & C. A. Mey.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/04	15/05	8 container grown plants, at least three years old
<i>Juniperus scopulorum</i> Sarg.								
	11	2	HU	NEBIH Headquarters	15/02	16/03	15/04	8 plants Good quality, ready for DUS test.
	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Juniperus semiglobosa</i> Regel								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/04	15/05	8 container grown plants, at least three years old
<i>Juniperus squamata</i> Buch.-Ham. ex D. Don								
	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Juniperus virginiana</i> L.								
vegetative	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination
<i>Justicia candicans</i> (Nees) L. Benson								
seed	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9
<i>Justicia candicans</i> (Nees) L. Benson								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Justicia carnea</i> Lindl.								
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard able to show all their characteristics during the first year of examination
<i>Justicia nodosa</i> Hook.								
seed	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Justicia pictifolia</i> Standl.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard
<i>Kalanchoe</i> Adans.								
seed	12	1	DE	Bundessortenamt		15/11	*	15/04 50 seedlings ready to be transplanted into 10 cm pots
vegetative	10	1	DE	Bundessortenamt		15/11	23/04	26/04 30 unrooted cuttings
vegetative	10	1	DE	Bundessortenamt		15/11	11/06	15/06 30 unrooted cuttings
vegetative, parent in fee gr12	12	1	DE	Bundessortenamt		15/11	23/04	26/04 30 unrooted cuttings
<i>Kalanchoe blossfeldiana</i> × <i>K. guignardii</i>								
vegetative	12	1	DE	Bundessortenamt		15/11	30/03	03/04 30 unrooted cuttings
<i>Kalanchoe blossfeldiana</i> Poelln.								
vegetative	12	1	DE	Bundessortenamt		15/11	23/04	26/04 30 unrooted cuttings
<i>Kalanchoe blossfeldiana</i> Poelln. × <i>K. laciniata</i> (L.) DC.								
vegetative	12	1	DE	Bundessortenamt		15/11	30/03	03/04 30 unrooted cuttings
<i>Kalanchoe blossfeldiana</i> Poelln. × <i>K. porphyrocalyx</i> (Baker) Baill.								
	12	*	DE	Bundessortenamt	*	*	*	*
<i>Kalanchoe humilis</i> Britten								
seed	10	1	DE	Bundessortenamt		15/12	27/05	31/05 50 seedlings ready to be transplanted into 10 cm pots
<i>Kalanchoe manginii</i> Raym.-Hamet & H. Perrier								
vegetative	10	1	DE	Bundessortenamt		15/11	08/06	12/06 30 unrooted cuttings
<i>Kalanchoe marmorata</i> Baker								
vegetative	10	1	DE	Bundessortenamt		15/12	27/05	31/05 30 unrooted cuttings
<i>Kalanchoe thyrsiflora</i> Harv.								
	10	1	DE	Bundessortenamt		01/06	05/09	05/09 20 rooted cuttings

1	2	3	4	5	6	7	8	9
<i>Kalanchoe uniflora</i> (Stapf) Raym.-Hamet								
	10	1	DE	Bundessortenamt		15/11	06/04	10/04 30 unrooted cuttings
<i>Kerria japonica</i> (L.) DC.								
vegetative	11	1	HU	NEBIH Headquarters		01/12	15/02	29/02 8 plants, container-grown Plants should be of sufficient size to flower and/or show their other representative characteristics during the first season
<i>Kleinia cephalophora</i> Compton (syn. <i>Senecio cephalophorus</i> (Compton) H. Jacobsen)								
vegetative	10	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Knautia macedonica</i> Griseb.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office		01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
<i>Kniphofia</i> Moench								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	FR	GEVES - Siège		15/12	15/03	31/03 8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Kniphofia galpinii</i> Bak.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Kniphofia pauciflora</i> Baker								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Kniphofia rooperi</i> (T. Moore) Lem.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	FR	GEVES - Siège		15/12	15/03	31/03 8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Kniphofia triangularis</i> Kunth.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Kniphofia uvaria</i> (L.) Oken								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Koeleria</i> Pers.								
	3	3	NL	NAKTUINBOUW - Main Office		15/01	*	01/02 600 g seeds
<i>Koeleria glauca</i> DC.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office		01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
<i>Koelreuteria paniculata</i> Laxm.								
vegetative	11	2	HU	NEBIH Headquarters		31/01	01/03	15/04 8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination 3 years old

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Kohleria Regel

	10	1	DE	Bundessortenamt	*	*	*	*
--	----	---	----	-----------------	---	---	---	---

Laburnum anagyroides Medik.

	11	2	HU	NEBIH Headquarters	28/02	01/04	15/05	8 potted plants, well developed, able to show all their characteristics during the first year of examination.
--	----	---	----	--------------------	-------	-------	-------	---

Lachenalia J. Jacq. ex Murray

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	30 corms able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	--

Lachenalia aloides (L. f.) Pers. ex Engl.

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	30 corms able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	---

Lactuca sativa L.

greenhouse autumn	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/06	*	01/07	14000 seeds
greenhouse	13	2	FR	GEVES - Siège		15/08	*	01/09	14000 seeds (30 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
greenhouse	13	2	NL	NAKTUINBOUW Main Office	-	15/12	*	01/01	14000 seeds
greenhouse spring	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/11	*	01/12	14000 seeds
outdoor	14	2	FR	GEVES - Siège		01/01	*	01/03	14000 seeds (30 g) Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
outdoor	14	2	NL	NAKTUINBOUW Main Office	-	01/02	*	01/03	14000 seeds
outdoor	14	2	DE	Bundessortenamt		15/01	*	15/02	25000 seeds minimum germination capacity 90%
outdoor autumn	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/06	*	01/07	14000 seeds
outdoor spring	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/11	*	01/12	14000 seeds

Lagenaria siceraria (Molina) Standl.

	14	2	NL	NAKTUINBOUW Main Office	-	*	*	*	*
	13	2	FR	GEVES - Siège		01/01	*	01/03	200 g seeds
	14	2	FR	GEVES - Siège		*	*	*	*

Lagerstroemia L.

	9	2	FR	GEVES - Siège		01/12	15/02	15/03	6 plants, well rooted, container-grown, 2 years old Each plant must be clearly labelled
--	---	---	----	---------------	--	-------	-------	-------	--

Lagerstroemia × amabilis Makino (Lagerstroemia indica L. × Lagerstroemia subcostata Koehne)

	9	2	FR	GEVES - Siège		01/12	15/02	15/03	6 plants, well rooted, container-grown, 2 years old Each plant must be clearly labelled
--	---	---	----	---------------	--	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
<i>Lagerstroemia indica</i> L.								
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	6 plants, well rooted, container-grown, 2 years old Each plant must be clearly labelled
<i>Lamium</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Lamium maculatum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Lampranthus bicolor</i> (L.) N. E. Br. × <i>L. pocockiae</i> N. E. Br.								
	10	1	DE	Bundessortenamt	01/12	*	15/04	*
<i>Lamprocapnos spectabilis</i> (L.) Fukuhara (syn. <i>Dicentra spectabilis</i> (L.) Lem.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Landoltia punctata</i> (G. Mey.) Les & D. J. Crawford × <i>Lemna minor</i> L.								
	4	*	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Lantana</i> L.								
vegetative	11	1	DE	Bundessortenamt	15/11	02/03	06/03	25 rooted cuttings not pinched
<i>Lantana camara</i> L.								
vegetative	11	1	DE	Bundessortenamt	15/11	02/03	06/03	25 rooted cuttings not pinched
<i>Lantana montevidensis</i> (Spreng.) Briq.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
	11	1	DE	Bundessortenamt	*	*	*	*
<i>Lappula squarrosa</i> (Retz.) Dumort.								
	4	2	DE	Bundessortenamt	15/01	15/01	01/03	4800 seeds, minimum germination capacity 75% No chemical or physical treatment without harmful organisms
<i>Larix decidua</i> Mill.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Larix kaempferi</i> (Lamb.) Carrière								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Lathyrus cicera</i> L.								
	4	2	FR	GEVES - Siège	15/12	15/12	15/02	1 kg seeds (at least) sufficient germination rate
<i>Lathyrus cicera</i> L. × <i>Lathyrus sativus</i> L.								
	4	2	FR	GEVES - Siège	15/12	15/12	15/02	1 kg seeds (at least) sufficient germination rate

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Lathyrus sativus* L.**

spring	4	2	FR	GEVES - Siège	15/12	*	15/02	1 kg seeds
	4	2	NL	NAKTUINBOUW - Main Office	*	*	*	*

***Laurus nobilis* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Lavandula* L.**

seed	9	2	FR	GEVES - Siège	31/10	15/01	15/02	30 young plants, well rooted of sufficient size to flower and/or show their other representative characteristics
vegetative	9	2	FR	GEVES - Siège	31/10	01/02	29/02	15 plants well rooted, Plants should be of sufficient size to flower and/or show their other representative characteristics

***Lavandula angustifolia* Mill.**

seed	9	2	FR	GEVES - Siège	31/10	15/01	29/02	30 young plants, well rooted of sufficient size to flower and/or show their other representative characteristics
vegetative	9	2	FR	GEVES - Siège	30/10	15/01	29/02	15 plants well rooted, Plants should be of sufficient size to flower and/or show their other representative characteristics
	9	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	15/03	10 plants well rooted for vegetatively propagated varieties; 20 well rooted plants for seed propagated varieties

***Lavandula angustifolia* Mill. × *L. latifolia* Medik.**

	9	2	FR	GEVES - Siège	31/10	01/02	29/02	15 plants well rooted
--	---	---	----	---------------	-------	-------	-------	-----------------------

***Lavandula angustifolia* Mill. × *Lavandula multifida* L.**

	8	2	FR	GEVES - Siège	*	15/01	15/02	15 plants well rooted, plants should be of sufficient size to flower and/or show their other representative characteristics; all plants should be individually labelled.
--	---	---	----	---------------	---	-------	-------	--

Lavandula angustifolia* Mill. subsp. *angustifolia

	9	2	FR	GEVES - Siège	31/10	01/02	29/02	15 plants well rooted
--	---	---	----	---------------	-------	-------	-------	-----------------------

***Lavandula* × *cadevallii* Sennen (syn. *Lavandula pedunculata* (Mill.) Cav. × *L. stoechas* L.)**

	8	2	FR	GEVES - Siège	31/10	15/01	15/02	15 plants well rooted plants should be of sufficient size to flower and/or show their other representative characteristics; the plant material should be visibly healthy, not lacking in vigour or affected by any important pest or disease, especially virus. All plants should be individually labelled.
--	---	---	----	---------------	-------	-------	-------	--

***Lavandula* × *chaytoriae* Upson & S. Andrews**

vegetative	9	2	FR	GEVES - Siège	31/10	01/02	29/02	15 plants well rooted, Plants should be of sufficient size to flower and/or show their other representative characteristics
------------	---	---	----	---------------	-------	-------	-------	--

***Lavandula dentata* L.**

seed	9	2	FR	GEVES - Siège	31/10	15/01	15/02	30 young plants, well rooted of sufficient size to flower and/or show their other representative characteristics
vegetative	9	2	FR	GEVES - Siège	31/10	15/01	15/02	15 plants well rooted, Plants should be of sufficient size to flower and/or show their other representative characteristics

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Lavandula* × *heterophylla* Viv.**

	9	2	FR	GEVES - Siège	30/10	15/01	29/02	15 plants well rooted Plants should be of sufficient size to flower and/or show their other representative characteristics. Each plant must be clearly labelled
--	---	---	----	---------------	-------	-------	-------	--

***Lavandula* × *intermedia* Emeric ex Loisel.**

vegetative	9	2	FR	GEVES - Siège	31/10	01/02	29/02	15 plants well rooted Plants should be of sufficient size to flower and/or show their other representative characteristics
------------	---	---	----	---------------	-------	-------	-------	---

***Lavandula pedunculata* (Mill.) Cav.**

	8	2	FR	GEVES - Siège	31/10	15/01	15/02	15 plants well rooted Plants should be of sufficient size to flower and/or show their other representative characteristics
--	---	---	----	---------------	-------	-------	-------	---

***Lavandula stoechas* L.**

seed	8	2	FR	GEVES - Siège	31/10	15/01	15/02	30 young plants, well rooted of sufficient size to flower and/or show their other representative characteristics
vegetative	8	2	FR	GEVES - Siège	31/10	15/01	15/02	15 plants well rooted, Plants should be of sufficient size to flower and/or show their other representative characteristics

***Lavatera* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Lavatera thuringiaca* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Lechenaultia biloba* Lindl.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

Leea D. Royen ex L.

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Lemna minor* L.**

	4	1	NL	NAKTUINBOUW Main Office	-	01/05	01/09	30/09	200 young plants of commercial standard able to show all their characteristics during the first year of examination, delivered in water.
--	---	---	----	----------------------------	---	-------	-------	-------	--

***Lens culinaris* Medik.**

	14	2	FR	GEVES - Siège	01/01	*	01/02	*
--	----	---	----	---------------	-------	---	-------	---

***Leontopodium nivale* (Ten.) Hand.-Mazz. (syn. *L. alpinum* Cass.)**

	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	---	---	----	----------------------------	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Lepidium rudera*le L.**

seed	10	1	NL	NAKTUINBOUW	-	01/12	*	01/02	3 g seeds
------	----	---	----	-------------	---	-------	---	-------	-----------

Main Office

***Lepidium sativum* L.**

14	1	NL	NAKTUINBOUW	-	*	*	*	*
----	---	----	-------------	---	---	---	---	---

Main Office

***Leptospermum* J. R. Forst. & G. Forst.**

10	1	DE	Bundessortenamt	*	*	*	*
----	---	----	-----------------	---	---	---	---

***Leptospermum scoparium* J. R. Forst. & G. Forst.**

10	1	DE	Bundessortenamt	*	*	*	*
----	---	----	-----------------	---	---	---	---

***Leucadendron* R. Br.**

vegetative	9	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	01/05	01/09	30/09	12 plants, well rooted
------------	---	---	----	---	-------	-------	-------	------------------------

Only for import into EU: the consignment must be accompanied by a Phytosanitary Certificate.
The cuttings must be free from any harmful organism listed in Annex I and II of the Directive n° 2000/29/CE and from any other harmful organism not established in Portuguese territory.
The consignment must also comply with the specific requirement listed in Annex IV part A section I points 36.1, 39 and 46 of the Directive n° 2000/29/CE.
Where alternatives are mention it must be indicate.

***Leucadendron discolor* E. Phillips & Hutch. × *L. laureolum* (Lam.) Fourc.**

vegetative	10	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	01/05	01/09	30/09	12 plants
------------	----	---	----	---	-------	-------	-------	-----------

container-grown, one-year old

***Leucadendron laureolum* (Lam.) Fourc.**

vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
----	---	----	-------------	---	-------	-------	-------	-----------------

Main Office
- able to show all their characteristics in the second year of examination.

***Leucadendron laureolum* (Lam.) Fourc. × *L. salignum* P. J. Bergius**

vegetative	10	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	01/05	01/09	30/09	12 plants
------------	----	---	----	---	-------	-------	-------	-----------

container-grown , one-year old

***Leucanthemum* Mill.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants
----	---	----	---------------	-------	-------	-------	-----------

- container-grown
- vegetatively propagated
- of sufficient size to flower and/or show their representative characteristics in the first year.

***Leucanthemum maximum* (Ramond) DC.**

vegetative	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants
------------	----	---	----	---------------	-------	-------	-------	----------

Plants must be container grown and of sufficient size to flower and/or show their representative characteristics in the first year

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Leucanthemum* × *superbum* (Bergmans ex J. W. Ingram) D. H. Kent**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants
----	---	----	---------------	-------	-------	-------	----------

- container-grown
- of sufficient size to flower and/or show their representative characteristics in the first year
- vegetatively propagated.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Leucanthemum vulgare* Lam.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Leucophyta brownii* Cass. (syn. *Calocephalus brownii* (Cass.) F. Muell.)**

10	1	DE	Bundessortenamt	01/12	15/03	31/03	20 plants well developed plants in 9 cm pots
----	---	----	-----------------	-------	-------	-------	---

***Leucospermum* R. Br.**

vegetatively propagated varieties	10	1	DE	Bundessortenamt	01/11	24/02	28/02	20 plants, container-grown, of sufficient size to flower during the first year of examination
-----------------------------------	----	---	----	-----------------	-------	-------	-------	---

***Leucothoe axillaris* (Lam.) D. Don**

vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants of commercial standard

***Leucothoe axillaris* (Lam.) D. Don × *Leucothoe fontanesiana* (Steud.) Sleumer**

vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants of commercial standard
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.

***Leucothoe fontanesiana* (Steud.) Sleumer**

vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants of commercial standard able to show all their characteristics during the first year of examination
vegetative	11	2	PL	COBORU - Head-quarters	15/01	10/03	15/04	8 plants 3-4 years old, container-grown.

***Leucothoe keiskei* Miq.**

11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants, 3-4 years old, container-grown Plant material supplied should be visibly healthy, not lacking in vigour, nor affected by any important pests or disease; it should not have undergone any treatment which would affect the expression of the characteristics of the variety.

***Lewisia cotyledon* (S. Watson) B. L. Rob.**

seed-propagated	10	2	DE	Bundessortenamt	01/06	*	01/09	*
vegetative	10	1	DE	Bundessortenamt	01/12	30/03	03/04	25 plants, of sufficient size to flower during the first year of examination

***Leycesteria* Wall.**

vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	10 young plants able to show all their characteristics during the first year of examination
------------	----	---	----	---------------------------	-------	-------	-------	---

***Leycesteria formosa* Wall.**

vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	10 young plants able to show all their characteristics during the first year of examination
------------	----	---	----	---------------------------	-------	-------	-------	--

***Libertia* Spreng.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Libertia grandiflora* (R. Br.) Sweet**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Libertia ixioides* (G. Forst.) Spreng.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
				Main Office					

***Libertia peregrinans* Ckn. & Allan**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Ligularia* Cass.**

vegetative	11	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
				Main Office					

***Ligularia dentata* (A. Gray) H. Hara**

vegetative	11	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
				Main Office					

***Ligustrum delavayanum* Har.**

vegetative	11	1	NL	NAKTUINBOUW	-	*	*	*	*
				Main Office					

***Ligustrum ibota* Siebold**

vegetative	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	8 young plants able to show all their characteristics during the first year of examination
				Main Office					

***Ligustrum japonicum* Thunb.**

vegetative	11	1	DE	Bundessortenamt		01/12	01/03	15/03	10 plants, with minimum 3 shoots per plant container-grown, 2 years old
------------	----	---	----	-----------------	--	-------	-------	-------	---

***Ligustrum lucidum* W. T. Aiton**

vegetative	11	1	DE	Bundessortenamt		01/12	01/03	15/03	10 potted plants 2 years old, size 60-80 cm
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Ligustrum obtusifolium* Siebold & Zucc.**

	11	1	NL	NAKTUINBOUW	-	*	*	*	*
				Main Office					

***Ligustrum ovalifolium* Hassk.**

	11	1	NL	NAKTUINBOUW	-	*	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
				Main Office					

***Ligustrum sinense* Lour.**

vegetative	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
				Main Office					

***Lilium* L.**

l-a hybriden	10	1	NL	NAKTUINBOUW	-	01/11	04/01	15/01	30 bulbs, of commercial size, without having undergone any treatment. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18. Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognised certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Lily Mosaic Virus (LMeV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
				Main Office					

1	2	3	4	5	6	7	8	9	
<i>Lilium</i> L.									
l-o hybriden	10	1	NL	NAKTUINBOUW Main Office	-	01/11	04/01	15/01	30 bulbs, of commercial size, without having undergone any treatment. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18. Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognised certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Liliy Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
longiflorum	10	1	NL	NAKTUINBOUW Main Office	-	01/11	04/01	15/01	30 bulbs, of commercial size. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18. Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognised certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Liliy Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
oriental hybrid	10	1	NL	NAKTUINBOUW Main Office	-	01/11	04/01	15/01	30 bulbs, of commercial size. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18. Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognised certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Liliy Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
other types	10	1	NL	NAKTUINBOUW Main Office	-	01/11	04/01	15/01	30 bulbs, of commercial size. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18. Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognised certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Liliy Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/11	04/01	15/01	30 bulbs, of commercial size. Bulb size: Asiatic hybrids: 14-16; Oriental hybrids: 16-18; Longiflorum: 14-16; LxA hybrids: 14-16; LxO hybrids: 16-18. Bulbs must have undergone the usual treatment against fungi (disinfection); bulbs should be accompanied by a recognised certificate indicating that the plant material is at least 90% virus free, especially for Lily Symptomless Virus (LSV), Liliy Mosaic Virus (LMOV), Lily Virus X (LVX) and Plantago Asiatic Mosaic Virus (PIAMV). Bulbs should have only one vegetation point.
<i>Limonium</i> Mill.									
vegetative, no cold treatment, indoor	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/05	15/05	24 young plants - able to show all their characteristics during the first year of examination.
vegetative,with cold treatment, indoor	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	15/03	24 young plants able to show all their characteristics during the first year of examination after cold treatment
<i>Limonium altaica</i>									
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	15/03	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open

1	2	3	4	5	6	7	8	9
<i>Limonium gmelinii</i> (Willd.) Kuntze								
vegetative, greenhouse	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	15/03 24 young plants able to show all their characteristics during the first year of examination after cold treatment
<i>Limonium perezii</i> (Stapf) F. T. Hubb.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	15/03 24 young plants, after cold treatment, able to show all their characteristics during the first year of examination
<i>Limonium perezii</i> (Stapf) F. T. Hubb. × <i>L. sinuatum</i> (L.) Mill.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/05	15/05 24 young plants, appropriate to grow in the open, able to show all their characteristics in the first year of examination.
<i>Limonium puberulum</i> (Webb) Kuntze × <i>L. perezii</i> (Stapf) F. T. Hubb.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	15/03 24 young plants, able to show all their characteristics during the first year of examination. after cold treatment
<i>Limonium sinense</i> (Girard) Kuntze								
vegetative, greenhouse	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	15/03 24 young plants able to show all their characteristics during the first year of examination after cold treatment
<i>Limonium sinense</i> (Girard) Kuntze × <i>L. sinuatum</i> (L.) Mill.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/05	15/05 24 young plants, appropriate to grow in the open, able to show all their characteristics during the first year of examination
<i>Limonium sinuatum</i> (L.) Mill.								
vegetative, in- door	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/05	15/05 24 young plants - able to show all their characteristics during the first year of examination.
<i>Linaria</i> Mill.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Linaria maroccana</i> Hook. f.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Linaria purpurea</i> (L.) Mill.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Linum usitatissimum</i> L.								
spring	4	2	FR	GEVES - Siège		01/01	*	15/01 1 kg seeds minimum germination capacity 85%
winter	4	2	FR	GEVES - Siège		15/08	*	10/09 1 kg seeds minimum germination capacity 85%
	4	2	PL	COBORU - Head- quarters		20/12	01/02	28/02 1.5 kg
<i>Liriodendron tulipifera</i> L.								
	11	2	PL	COBORU - Head- quarters		15/01	15/03	15/04 8 plants 3-4 years old, container-grown.
<i>Liriope</i> Lour.								
greenhouse cultivation	10	1	GB	NIAB		01/12	09/03	20/03 *

1	2	3	4	5	6	7	8	9
<i>Liriope</i> Lour.								
outdoor culti- vation	11	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*
<i>Liriope exiflora</i> (L. H. Bail.) H. Hume.								
greenhouse cultivation	10	1	GB	NIAB	01/12	09/03	20/03	*
outdoor culti- vation	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Liriope minor</i> (Maxim.) Mak.								
greenhouse cultivation	10	1	GB	NIAB	01/12	09/03	20/03	*
outdoor culti- vation	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Liriope muscari</i> (Decne.) L. H. Bail.								
greenhouse cultivation	10	1	GB	NIAB	01/12	09/03	20/03	*
outdoor culti- vation	11	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*
<i>Liriope spicata</i> (Thunb.) Lour.								
greenhouse cultivation	10	1	GB	NIAB	01/12	09/03	20/03	*
outdoor culti- vation	11	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DK	University of Aarhus - Aarslev	*	*	*	*
<i>Lithodora</i> Griseb.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Lithodora diffusa</i> (Lag.) I. M. Johnst.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	20 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Lithodora zahnii</i> Johnst.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Lobelia</i> L.								
seed- propagated	11	1	DE	Bundessortenamt	01/11	*	15/01	0.75 g seeds minimum germination capacity 80%
vegetative	11	1	DE	Bundessortenamt	01/11	24/02	28/02	25 rooted cuttings not pinched
vegetative; garden plants	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Lobelia alsinoides</i> Lam. (syn. <i>L. trigona</i> Roxb.) × <i>L. erinus</i> L.								
vegetative	11	1	DE	Bundessortenamt	01/11	24/02	28/02	25 rooted cuttings not pinched
<i>Lobelia cardinalis</i> L. (syn. <i>L. splendens</i> Willd.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Lobelia erinus* L.**

vegetative	11	1	DE	Bundessortenamt	01/11	02/03	06/03	25 rooted cuttings not pinched
------------	----	---	----	-----------------	-------	-------	-------	-----------------------------------

***Lobelia erinus* L. × *L. valida* L. Bolus**

vegetative	11	1	DE	Bundessortenamt	01/11	24/02	28/02	25 rooted cuttings not pinched
------------	----	---	----	-----------------	-------	-------	-------	-----------------------------------

***Lobelia siphilitica* L.**

vegetative; garden plants	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Lobelia* × *speciosa* Sweet. (syn. *L. × gerardi* Sauv.)**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	DE	Bundessortenamt	01/12	09/03	13/03	15 young plants Young plants must be of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Lobularia* Desv.**

	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	------------------------------	-------	-------	-------	---

***Lobularia maritima* (L.) Desv.**

seed propa- gated	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetatively propagated	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

***Lolium* × *hybridum* Hausskn. (syn. *Lolium* × *boucheanum* Kunth)**

	3	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	*
	3	3	DE	Bundessortenamt	15/01	*	15/02	1.5 kg seeds - minimum germination capacity 90%.

***Lolium multiflorum* Lam.**

	3	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	*
--	---	---	----	---	-------	---	-------	---

***Lolium multiflorum* Lam. spp. *italicum* (A. Br.) Vokart (syn *Lolium multiflorum* Lam. spp. *non alternativum*)**

	3	3	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 90%
	3	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	01/08	01/08	15/08	1 kg seeds

***Lolium multiflorum* Lam. var. *westerwoldicum* Wittm. (syn *Lolium multiflorum* Lam. spp. *alternativum*)**

	3	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	10/01	20/01	1 kg seeds
	3	2	DE	Bundessortenamt	15/01	*	15/02	1.5 kg seeds - minimum germination capacity 90%.
	3	2	PL	COBORU - Head- quarters	15/12	*	01/03	1.5 kg seeds

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Lolium perenne* L.**

	3	3	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	1.5 kg
	3	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	*
	3	3	DE	Bundessortenamt	15/01	*	15/02	1.5 kg seeds - minimum germination capacity 90%.
	3	3	PL	COBORU - Head-quarters	20/12	*	15/03	750 g seeds

Lomandra Labill.

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Lomandra confertifolia* (F. M. Bailey) Fahn**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Lomandra filiformis* (Thunb.) Britten**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Lomandra hystrix* (R. Br.) L. R. Fraser & Vickery**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Lomandra longifolia* Labill.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Lomelosia caucasica* (M. Bieb.) Greuter & Burdet (syn.: *Scabiosa caucasica* M.Bieb.)**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Lonicera* L.**

vegetative, non variegated	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative, variegated	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	PL	COBORU - Head-quarters	15/01	15/03	15/04	10 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

***Lonicera acuminata* Wall. (syn. *L. giraldii* Rehder, *L. henryi* Hemsl.)**

	11	1	PL	COBORU - Head-quarters	15/01	15/03	15/04	10 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
--	----	---	----	------------------------	-------	-------	-------	--

1	2	3	4	5		6	7	8	9	
<i>Lonicera acuminata</i> Wall. (syn. <i>L. giraldii</i> Rehder, <i>L. henryi</i> Hemsl.)										
	11	1	GB	NIAB		01/12	09/03	20/03	*	
<i>Lonicera</i> × <i>brownii</i> (Regel) Carrière										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Lonicera</i> × <i>brownii</i> (Regel) Carrière × <i>L. periclymenum</i> L.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Lonicera caerulea</i> L.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
<i>Lonicera caerulea</i> L. var. <i>emphylocalyx</i> (Maxim.) Nakai										
	7	3	FR	GEVES - Siège		30/11	01/02	01/03	7 plants, one-year old	
<i>Lonicera caerulea</i> L. var. <i>kamtschatica</i> Sevest.										
	7	3	PL	COBORU	-	Head-	31/12	01/03	31/03	9 potted plants, well rooted, one-year old
	7	3	CZ	Central	Institute		31/12	01/03	31/03	6 potted plants, well rooted, 2 years old
				for Supervising and Testing in Agriculture (UKZUZ)						
<i>Lonicera caprifolium</i> L.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
<i>Lonicera etrusca</i> Santi										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
<i>Lonicera</i> × <i>italica</i> Tausch										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
<i>Lonicera japonica</i> Thunb.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Lonicera nitida</i> E. H. Wilson										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.
<i>Lonicera periclymenum</i> L.										
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*	
	11	1	PL	COBORU	-	Head-	15/01	15/03	15/04	10 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Lonicera pileata* Oliv.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lonicera* × *purpusii* Rehd.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lonicera sempervirens* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lonicera tatarica* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lonicera tragophylla* Hemsl.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lophomyrtus* Burret**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lophomyrtus bullata* Burret**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lophomyrtus obcordata* (Raoul) Burret**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Lophomyrtus* × *ralphii* (Hook. f.) Burret**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Lophospermum erubescens* D. Don (syn. *Asarina erubescens* (D. Don) Pennell) × *Maurandya barclayana* Lindl. (syn. *Asarina barclayana*)**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Loropetalum* R. Br. ex Rchb.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Loropetalum chinense* (R. Br.) Oliv.**

vegetative	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	12 young shrubs of commercial standard
			Main Office					able to show all their characteristics during the first year of examination	

***Lotus corniculatus* L.**

4	2	SK	Central and Testing Institute in Agriculture (UKSUP)		15/01	*	31/01	500 g
---	---	----	--	--	-------	---	-------	-------

4	3	DE	Bundessortenamt		15/01	*	15/02	1.5 kg seeds minimum germination capacity 80%
---	---	----	-----------------	--	-------	---	-------	--

***Ludisia discolor* (Ker-Gawl.) A. Rich.**

vegetative, august crop	10	1	NL	NAKTUINBOUW	-	30/04	01/08	31/08	10 young plants
			Main Office					Plants should be able to flower and to show all their characteristics in the first year of examination.	

									Plants must not be flowering and must not have flowered before.
vegetative, january crop	10	1	NL	NAKTUINBOUW	-	30/09	01/01	31/01	10 young plants
			Main Office					Plants should be able to flower and to show all their characteristics in the first year of examination.	
								Plants must not be flowering and must not have flowered before.	

1	2	3	4	5	6	7	8	9
<i>Lupinus L.</i>								
ornamental	11	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Lupinus albus L.</i>								
spring type	4	2	FR	GEVES - Siège	01/12	*	01/12	50000 grains
winter type	4	2	FR	GEVES - Siège	15/08	*	01/09	50000 grains
	4	2	DE	Bundessortenamt	15/12	*	01/02	6 kg seeds minimum germination capacity 85%
	4	2	PL	COBORU - Head-quarters	15/12	01/02	28/02	3 kg
<i>Lupinus angustifolius L.</i>								
spring and winter type	4	2	FR	GEVES - Siège	*	*	*	*
	4	2	DE	Bundessortenamt	15/12	*	01/02	4 kg seeds minimum germination capacity 85%
	4	2	PL	COBORU - Head-quarters	15/12	01/02	28/02	3 kg
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*
<i>Lupinus luteus L.</i>								
	4	2	DE	Bundessortenamt	15/12	*	01/02	4 kg seeds minimum germination capacity 85%
	4	2	PL	COBORU - Head-quarters	15/12	01/02	28/02	3 kg
<i>Lupinus polyphyllus Lindl.</i>								
	4	2	EE	Agricultural Research Center	*	*	01/04	1000 g seeds
<i>Lychnis L.</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Lychnis chalcidonica L.</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Lychnis coronaria Desr.</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Lycianthes rantonnetii (Carrière) Bitter</i>								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Lycium barbarum L.</i>								
	7	3	DE	Bundessortenamt	31/01	01/03	31/03	6 potted plants, well developed, well rooted, with minimum 3 shoots per plant
<i>Lysimachia L.</i>								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Lysimachia barystachys Bunge</i>								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants of commercial standard appropriate to be grown in the open

1	2	3	4	5	6	7	8	9
<i>Lysimachia barystachys</i> Bunge × <i>L. clethroides</i> Duby								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard appropriate to be grown in the open
<i>Lysimachia clethroides</i> Duby								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Lysimachia congestiflora</i> Hemsl.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Lysimachia fortunei</i> Maxim.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Lysimachia fortunei</i> Maxim. × <i>L. clethroides</i> Duby								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Lysimachia nemorum</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants of commercial standard appropriate to be grown in the open
<i>Lysimachia punctata</i> L.								
	11	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
<i>Lythrum</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants of commercial standard
<i>Magnolia</i> L.								
vegetative	11	3	FR	GEVES - Siège		30/06	01/10	15/10 8 plants well rooted, container-grown, 1.5-2 m height Each plant must be clearly labelled
<i>Magnolia grandiflora</i> L.								
vegetative	11	3	FR	GEVES - Siège		30/06	01/10	15/10 8 plants well rooted, container-grown, 1.5-2 m height Each plant must be clearly labelled
<i>Magnolia kobus</i> DC.								
vegetative	11	2	PL	COBORU - Head- quarters		15/01	15/03	15/04 8 grafted plants 3-4 years old, container-grown.
vegetative	11	2	HU	NEBIH Headquarters		31/01	01/03	15/04 8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination
<i>Magnolia laevifolia</i> (Y. W. Law & Y. F. Wu) Noot. (syn.: <i>Michelia yunnanensis</i> Franch. ex Finet & Gagnep.)								
vegetative	11	3	FR	GEVES - Siège		30/06	01/10	15/10 8 plants well rooted, container-grown, 1.5-2 m height Each plant must be clearly labelled
<i>Magnolia</i> × <i>loebneri</i> Kache × <i>Magnolia</i> × <i>soulangeana</i> Soul.-Bod.								
	11	3	FR	GEVES - Siège		30/06	01/10	15/10 8 plants well rooted, container-grown, 1.5 to 2 meter height each plant must be clearly labelled
<i>Mahonia</i> Nutt.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 8 young plants able to show all their characteristics during the first year of examination container-grown

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Mahonia aquifolium* (Pursh) Nutt.**

vegetative	11	1	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, of commercial standard, of sufficient size to flower during the first year of examination of commercial size, container-grown.
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young plants able to show all their characteristics during the first year of examination

***Malpighia* L.**

	10	1	DE	Bundessortenamt		15/12	*	15/04	*
--	----	---	----	-----------------	--	-------	---	-------	---

***Malus* Mill.**

ornamental	11	2	GB	NIAB		01/12	13/03	24/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Malus* Mill.**

ornamental, Malus x arnoldiana (Rehder) Sarg. ex Rehder, M. spectabilis (Aiton) Borkh. and M. toringo	11	*	FR	GEVES - Siège		*	*	*	*
---	----	---	----	---------------	--	---	---	---	---

***Malus* Mill.**

rootstock, seed-propagated	5	4	DE	Bundessortenamt		31/12	01/03	01/03	15 young plants The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] - Apple Mosaic Virus (ApMV) [PCR] - Apple Proliferation Phytoplasma (AP) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR]. and 300 seeds.
rootstock, seed-propagated	5	4	PL	COBORU - Head-quarters		31/12	01/03	31/03	9 trees - well rooted - one-year old. and 150 seeds.
rootstock, seed-propagated	5	4	FR	GEVES - Siège		31/12	01/01	28/02	30 cuttings - virus free - seed propagated - well rooted - emanating from vegetative propagation. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Apple Mosaic Virus (ApMV) [ELISA] - Apple Rubbery Wood - Apple Stem Grooving Virus (ASGV) [ELISA] - Apple Stem Pitting Virus (ASPV). and 300 seeds - submitted 3 months before in case of seed propagated variety.

1	2	3	4	5	6	7	8	9
Malus Mill.								
rootstock, vegetatively propagated	5	4	DE	Bundessortenamt	31/12	15/03	31/03	15 rooted shoots - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Mosaic Virus (ApMV) [PCR] - Apple Proliferation Phytoplasma (AP) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR] - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR].
rootstock, vegetatively propagated	5	4	FR	GEVES - Siège	31/12	01/01	28/02	30 cuttings - well rooted - virus free. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Apple Rubbery Wood - Apple Stem Grooving Virus (ASGV) [ELISA] - Apple Stem Pitting Virus (ASPV) - Apple Mosaic Virus (ApMV) [ELISA].
rootstock, vegetatively propagated	5	4	PL	COBORU - Headquarters	31/12	01/03	31/03	15 plants - well rooted - one-year old.
Malus × adstringens Zabel								
Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
Malus × atrosagunicea (hort. ex Spath) C. K. Schneid.								
Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
Malus baccata (L.) Borkh.								
Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
Malus baccata (L.) Borkh.								
	5	*	FR	GEVES - Siège	*	*	*	*
Malus domestica Borkh.								
fruit (mutant)	5	4	FR	GEVES - Siège	31/12	01/01	28/02	12 trees - virus free - one-year old - grafted on virus free 'M9' rootstock, preferably 'M9 T337'. Please note that the use of 'M9 T337' will be compulsory for the trees planted in 2019. In any case, the M9 clone must be specified. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Apple Stem Grooving Virus (ASGV) [ELISA].
fruit (mutant)	5	4	PL	COBORU - Headquarters	31/12	01/03	31/03	13 trees - virus tested - one-year old - grafted on virus free 'M9' rootstock. - Apple Proliferation Phytoplasma (AP) [PCR].
fruit (mutant)	5	4	HU	NEBIH Headquarters	31/12	01/03	31/03	12 trees - virus tested - one-year old - grafted on virus free 'M9' rootstock. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - 'Candidatus' phytoplasma prunorum [PCR] - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] - Apple Mosaic Virus (ApMV) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR].

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9
<i>Malus domestica</i> Borkh.								
fruit (mutant)	5	4	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	01/03	31/03	12 trees - virus tested - one-year old - grafted on virus free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate and has been lab-tested (please specify a detection method for each organism) to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) - Apple Mosaic Virus (ApMV) - Apple Proliferation Phytoplasma (AP) - Apple Stem Grooving Virus (ASGV) - Apple Stem Pitting Virus (ASPV).
fruit (mutant); tree type: columnar	5	4	DE	Bundessortenamt	31/12	01/03	31/03	11 trees - one-year old - grafted on free from viruses 'MM111' vf. rootstock. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] - Apple Mosaic Virus (ApMV) [PCR] - Apple Proliferation Phytoplasma (AP) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR].
fruit (mutant); tree type: ram- ified	5	4	DE	Bundessortenamt	31/12	15/03	31/03	11 trees - one-year old - grafted on virus free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Mosaic Virus (ApMV) [PCR] - Apple Proliferation Phytoplasma (AP) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR].
fruit (seedling)	5	4	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	01/03	31/03	7 trees - virus tested - one-year old - grafted on virus free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate and has been lab-tested (please specify a detection method for each organism) to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) - Apple Mosaic Virus (ApMV) - Apple Proliferation Phytoplasma (AP) - Apple Stem Grooving Virus (ASGV) - Apple Stem Pitting Virus (ASPV).

1	2	3	4	5	6	7	8	9
<i>Malus domestica</i> Borkh.								
fruit (seedling)	5	4	PL	COBORU - Head-quarters	31/12	01/03	31/03	9 trees - virus tested - one-year old - grafted on virus free 'M9' rootstock. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Proliferation Phytoplasma (AP) [PCR].
fruit (seedling)	5	4	FR	GEVES - Siège	31/12	01/01	28/02	8 trees - virus free - one-year old - grafted on virus free 'M9' rootstock, preferably 'M9 T337'. Please note that the use of 'M9 T337' will be compulsory for the trees planted in 2019. In any case, the M9 clone must be specified. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Apple Mosaic Virus (ApMV) [ELISA] - Apple Rubbery Wood - Apple Stem Grooving Virus (ASGV) [ELISA] - Apple Stem Pitting Virus (ASPV).
fruit (seedling)	5	4	HU	NEBIH Headquarters	31/12	01/03	31/03	6 trees - virus tested - one-year old - grafted on virus free 'M9' rootstock. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - 'Candidatus' phytoplasma mali [PCR] - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] - Apple Mosaic Virus (ApMV) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR].
fruit (seedling); tree type: columnar	5	4	DE	Bundessortenamt	01/12	01/03	31/03	6 trees - one-year old - grafted on free from viruses 'MM111' vf. rootstock. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] - Apple Mosaic Virus (ApMV) [PCR] - Apple Proliferation Phytoplasma (AP) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR].
fruit (seedling); tree type: ramified	5	4	DE	Bundessortenamt	31/12	15/03	31/03	6 trees - one-year old - grafted on virus free 'M9' rootstock. In case of columnar apple trees the required rootstock is 'MM111' vf. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Proliferation Phytoplasma (AP) [PCR] - Apple Stem Grooving Virus (ASGV) [PCR] - Apple Stem Pitting Virus (ASPV) [PCR] - Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] - Apple Mosaic Virus (ApMV) [PCR].

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Malus floribunda* Siebold ex Van Houtte**

ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
ornamental	11	2	FR	GEVES - Siège	31/12	02/01	28/02	8 plants 8 virus-free one year-old trees grafted on virus-free 'MM106' rootstock. Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Malus floribunda* Siebold ex Van Houtte**

5	*	FR	GEVES - Siège	*	*	*	*
---	---	----	---------------	---	---	---	---

***Malus* × *gloriosa* Lemoine.**

Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
------------	----	---	----	------	-------	-------	-------	---

***Malus* × *purpurea* (A. Barbier) Rehder**

Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
ornamental	11	2	FR	GEVES - Siège	31/12	02/01	28/02	8 one year-old trees grafted on MM106 8 virus-free one year-old trees grafted on virus-free 'MM106' rootstock. Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Malus* × *purpurea* (A. Barbier) Rehder**

rootstock	5	*	FR	GEVES - Siège	*	*	*	*
-----------	---	---	----	---------------	---	---	---	---

***Malus* × *purpurea* (A. Barbier) Rehder × *M. transitoria* (Batalin) C. K. Schneid.**

Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
ornamental	11	2	FR	GEVES - Siège	31/12	02/01	28/02	8 plants 8 virus-free one year-old trees grafted on virus-free 'MM106' rootstock. Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Malus* × *robusta* (Carrière) Rehder**

Ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
------------	----	---	----	------	-------	-------	-------	---

***Malus* × *robusta* (Carrière) Rehder**

rootstock	5	*	FR	GEVES - Siège	*	*	*	*
-----------	---	---	----	---------------	---	---	---	---

***Malus sieboldii* (Regel) Rehd.**

ornamental	11	2	FR	GEVES - Siège	31/12	02/01	28/02	8 plants 8 virus-free one year-old trees grafted on virus-free 'MM106' rootstock. Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*

***Malus sieboldii* (Regel) Rehd.**

rootstock	5	*	FR	GEVES - Siège	*	*	*	*
-----------	---	---	----	---------------	---	---	---	---

***Malus toringo* (Siebold) de Vriese**

ornamental	11	2	GB	NIAB	01/12	13/03	24/03	*
------------	----	---	----	------	-------	-------	-------	---

***Malus toringo* (Siebold) de Vriese**

rootstock	5	*	FR	GEVES - Siège	*	*	*	*
-----------	---	---	----	---------------	---	---	---	---

***Malus toringo* (Siebold) de Vriese**

11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants container-grown
----	---	----	------------------------	-------	-------	-------	-----------------------------

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Malus transitoria* (Batalin) C. K. Schneid.**

rootstock	5	*	FR	GEVES - Siège	*	*	*	*
-----------	---	---	----	---------------	---	---	---	---

***Malva sylvestris* L.**

11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.

***Mammillaria elongata* DC.**

10	2	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 plants
			Main Office					2 years old, able to show all their characteristics in the second year of examination

***Mandevilla* Lindl.**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.	

***Mandevilla* × *amabilis* (Backh. & Backh. f.) Dress**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.	

***Mandevilla* × *amabilis* (Backh. & Backh. f.) Dress × *M. boliviensis* (Hook. f.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.	

***Mandevilla boliviensis* (Hook. f.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.	

***Mandevilla boliviensis* (Hook. f.) Woodson × *M. sanderi* (Hemsl.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.	

***Mandevilla sanderi* (Hemsl.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.	

***Mandevilla splendens* (Hook. f.) Woodson**

vegetative	8	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					- able to show all their characteristics during the first year of examination.	

***Mangifera indica* L.**

7	*	IL	Ze'ev Yablovitz	*	*	*	*
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*

***Masdevallia* Ruiz & Pav.**

january crop	10	1	NL	NAKTUINBOUW	-	30/09	01/01	31/01	10 young plants
			Main Office					preferably budded but not yet flowering	

***Matricaria recutita* L.**

seed	11	1	GB	NIAB		01/12	20/01	24/01	*
	11	2	PL	COBORU	- Head-quarters	20/12	01/02	28/02	10 g seeds
									minimum germination capacity 80%, purity 97%

1	2	3	4	5	6	7	8	9
Matthiola W. T. Aiton								
	10	1	DE	Bundessortenamt	*	*	*	*
Matthiola incana (L.) R. Br.								
seed-	10	1	DE	Bundessortenamt	15/08	*	15/11	6 g seeds
propagated								
Mecardonia Ruiz & Pav.								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of examination.
Mecardonia acuminata (Walter) Small								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
Mecardonia procumbens (Mill.) Small								
vegetative	11	1	GB	NIAB	01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of examination.
Medicago sativa L.								
	3	3	FR	GEVES - Siège	15/12	*	10/01	1 kg
Medinilla Gaudich.								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	10 young plants able to show all their characteristics during the first year of examination
Medinilla magnifica Lindl.								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	10 young plants able to show all their characteristics during the first year of examination
Melittis L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
Mentha aquatica L.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
Mentha arvensis L.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/03	30 rooted plants
Mentha australis R. Br.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
Mentha canadensis L.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
Mentha cervina L.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
Mentha gattefossei Maire								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
Mentha grandifolia Benth.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants

1	2	3	4	5	6	7	8	9
<i>Mentha japonica</i> (Miq.) Makino								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
<i>Mentha laxiflora</i> Benth.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
<i>Mentha longiflora</i> (L.) Huds.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
<i>Mentha longifolia</i> (L.) Huds. var. <i>asiatica</i> (Boriss.) Rech. f.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
<i>Mentha</i> × <i>piperita</i> L.								
vegetative	13	1	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	15/02	*	15/03	50 stolons Plants must be visibly free of pests and diseases
vegetative	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
	14	2	DE	Bundessortenamt	*	*	*	*
<i>Mentha</i> × <i>rotundifolia</i> (L.) Huds.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
<i>Mentha spicata</i> L.								
	13	2	FR	GEVES - Siège	01/01	15/03	15/04	30 rooted plants
	13	3	DE	Bundessortenamt	15/02	15/06	30/06	40 young plants, well rooted No chemical or physical treatment without harmful organisms
<i>Mespilus germanica</i> L.								
	7	4	HU	NEBIH Headquarters	31/01	01/03	31/03	6 trees or 12 trees (in case of mutant varieties) virus tested, one-year old, grafted on virus-free quince rootstock (please specify). The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] Apple Mosaic Virus (ApMV) [PCR] 'Candidatus' phytoplasma pyri [PCR] Apple Stem Grooving Virus (ASGV) [PCR] Apple Stem Pitting Virus (ASPV) [PCR]
<i>Metasequoia glyptostroboides</i> Hu & W. C. Cheng								
vegetative	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young trees able to show all their characteristics during the first year of examination.
<i>Microbiota decussata</i> Kom.								
	11	2	PL	COBORU - Headquarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Microsorium musifolium</i> (Blume) Ching								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Microsorium punctatum</i> (L.) Copel.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Microsorium scolopendria</i> (Burm. f.) Copel.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Miltonia</i> Lindl.								
august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering, which have never flowered before
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering, which have never flowered before
× <i>Miltonidium</i> hort.								
august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
<i>Mimulus</i> L.								
vegetative	11	1	GB	NIAB		01/12	03/05	* *
	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 young plants
<i>Mimulus aurantiacus</i> Curtis								
	11	1	DE	Bundessortenamt		01/02	16/04	20/04 20 young plants
<i>Mimulus</i> × <i>hybridus</i> hort. ex Voss (syn: <i>Mimulus tigrinus</i> hort. <i>M. guttatus</i> × <i>M. luteus</i>)								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 young plants
<i>Miscanthus</i> Andersson								
	9	2	DE	Bundessortenamt		01/12	01/03	15/03 15 plants, one-year old, container-grown
<i>Miscanthus</i> × <i>giganteus</i> J. M. Greef & Deuter ex Hodk. & Renvoize (<i>M. sacchariflorus</i> × <i>M. sinensis</i>)								
seed-	9	2	DE	Bundessortenamt		*	*	* *
propagated								
vegetative	9	2	DE	Bundessortenamt		01/12	01/03	15/03 15 plants, one-year old, container-grown
<i>Miscanthus sacchariflorus</i> (Maxim.) Benth. & Hook. f. ex Franch. × <i>M. sinensis</i> Andersson								
vegetative	9	2	DE	Bundessortenamt		01/12	01/03	15/03 *
<i>Miscanthus sinensis</i> (Thunb.) Andersson								
	9	2	DE	Bundessortenamt		01/12	01/03	15/03 15 plants, one-year old, container-grown
<i>Molinia arundinacea</i> Schrank								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Molinia arundinacea</i> Schrank × <i>Molinia caerulea</i> (L.) Moench								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Molinia caerulea</i> (L.) Moench								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Momordica charantia* L.**

	13	2	NL	NAKTUINBOUW Main Office	-	01/03	01/03	15/03	1500 seeds
	13	2	FR	GEVES - Siège		01/01	01/01	31/01	150 g seeds sufficient germination rate

***Monarda* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Monarda bradburiana* L. C. Beck × *M. didyma* L.**

vegetative	11	1	GB	NIAB		01/12	12/03	23/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Monarda didyma* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Monopsis* Salisb.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
------------	----	---	----	------	--	-------	-------	-------	---

***Monopsis lutea* Urb.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of examination.

***Monopsis unidentata* (W. T. Aiton) E. Wimm.**

vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of examination.

***Monstera adansonii* Schott**

	10	1	HU	NEBIH Headquarters		28/02	01/04	15/05	8 plants, free from viruses ready for DUS test
	10	2	BE	Instituut voor Landbouw- en Vis- serijonderzoek ILVO eenheid Plant		01/12	01/03	31/03	25 young plants plants must be vegetatively propagated, able to show all their characteristics during the first year of examination

***Monstera obliqua* Miq.**

	10	2	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Morus alba* L.**

ornamental	11	2	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, container-grown, of commercial size
------------	----	---	----	--------------------	--	-------	-------	-------	---

***Morus rotundiloba* Koidz.**

	11	2	HU	NEBIH Headquarters		31/01	15/03	30/04	8 plants / variety 2 years old in pot
--	----	---	----	--------------------	--	-------	-------	-------	--

***Muehlenbeckia complexa* (A. Cunn.) Meisn.**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	--

1	2	3	4	5	6	7	8	9	
<i>Muehlenbeckia complexa</i> (A. Cunn.) Meisn.									
	10	1	DK	University of Aarhus - Aarslev	*	*	*	Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
<i>Musa acuminata</i> Colla									
at breeders premises(fruit)	7	3	FR	GEVES - Siège		30/06	15/07	31/07	25 vitro plants
ornamental, pot	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard
	7	*	ES	Oficina Española de Variedades Vegetales (OEVV)		*	*	*	*
<i>Muscari macrocarpum</i> Sweet									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10	30 bulbs, of flowering size, able to show all their characteristics during the first year of examination
<i>Muscari massayanum</i> Grunert									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10	30 bulbs, of flowering size, able to show all their characteristics during the first year of examination
<i>Myosotis</i> L.									
seed	11	1	GB	NIAB		31/05	19/08	23/08	*
seed-propagated	11	1	NL	NAKTUINBOUW Main Office	-	31/05	15/08	15/09	50 young plants able to show all their characteristics during the first year of examination.
vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
vegetatively propagated	11	1	NL	NAKTUINBOUW Main Office	-	31/05	15/08	15/09	24 young plants - able to show all their characteristics in the second year of examination.
<i>Myosotis alpestris</i> F. W. Schmidt									
vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
vegetatively propagated	11	1	NL	NAKTUINBOUW Main Office	-	31/05	15/08	15/09	24 young plants - able to show all their characteristics in the second year of examination.
<i>Myosotis palustris</i> (L.) Nath.									
vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
vegetatively propagated	11	1	NL	NAKTUINBOUW Main Office	-	15/05	15/08	15/09	24 young plants - able to show all their characteristics in the second year of examination.
<i>Myosotis</i> × <i>parviflora</i> (Schur) Domin. (<i>M. arvensis</i> × <i>M. sylvatica</i>)									
seed-propagated	11	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Myriophyllum aquaticum</i> (Vell.) Verdc.									
	4	1	NL	NAKTUINBOUW Main Office	-	*	01/04	15/04	25 young plants able to show all their characteristics during the first year of examination. Please note that this species is currently on the EU list of Invasive Alien Species
<i>Myrtus communis</i> L.									
	10	1	DE	Bundessortenamt		01/04	*	01/07	*
<i>Nandina domestica</i> Thunb.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	10 young plants of commercial standard

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Narcissus L.

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
	11	1	PL	COBORU - Head-quarters		15/05	15/08	31/08	60 bulbs, of commercial standard
	11	1	NL	NAKTUINBOUW - Main Office		01/09	01/10	15/10	30 bulbs able to show all their characteristics during the first year of examination.

Narcissus bulbocodium L.

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
	11	1	NL	NAKTUINBOUW - Main Office		01/09	01/10	15/10	30 bulbs able to show all their characteristics during the first year of examination.
	11	1	PL	COBORU - Head-quarters		15/05	15/08	31/08	60 bulbs, of commercial standard

Narcissus cyclamineus DC.

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
------------	----	---	----	------	--	-------	-------	-------	---

Narcissus minor L.

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
------------	----	---	----	------	--	-------	-------	-------	---

Narcissus × odorus L.

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
------------	----	---	----	------	--	-------	-------	-------	---

Narcissus pseudonarcissus L.

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
	11	1	NL	NAKTUINBOUW - Main Office		01/09	01/10	15/10	30 bulbs able to show all their characteristics during the first year of examination.
	11	1	PL	COBORU - Head-quarters		15/05	15/08	31/08	60 bulbs, of commercial standard

Narcissus romieuzii Braun-Blanq. & Maire

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
------------	----	---	----	------	--	-------	-------	-------	---

Narcissus rupicola Dufour

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
------------	----	---	----	------	--	-------	-------	-------	---

Narcissus tazetta L.

vegetative	11	1	GB	NIAB		31/05	19/08	23/08	*
------------	----	---	----	------	--	-------	-------	-------	---

Nasturtium microphyllum Boenn. ex Rchb.

seed	13	2	GB	Animal & Plant Health Agency (APHA)		28/02	01/03	31/03	*
vegetative	13	2	GB	Animal & Plant Health Agency (APHA)		28/02	01/03	31/03	*
	13	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	50 young plants able to show all their characteristics during the first year of examination.

Nasturtium officinale W. T. Aiton

seed propagated	13	2	GB	Animal & Plant Health Agency (APHA)		28/02	01/03	31/03	*
vegetatively propagated	13	2	GB	Animal & Plant Health Agency (APHA)		28/02	01/03	31/03	*

1	2	3	4	5	6	7	8	9
<i>Nasturtium officinale</i> W. T. Aiton								
	13	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Nasturtium</i> × <i>sterile</i> (Airy Shaw) Oefelein.								
	13	1	GB	Animal & Plant Health Agency (APHA)		*	*	* *
<i>Nemesia</i> Vent.								
vegetative	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 cuttings well rooted, of commercial standard
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Nemesia brevicarata</i>								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Nemesia caerulea</i> Hiern								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 cuttings well rooted, of commercial standard
<i>Nemesia cherianthus</i>								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Nemesia denticulata</i>								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Nemesia foetens</i> Vent.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 cuttings well rooted, of commercial standard
<i>Nemesia frutescens</i> G. Don								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Nemesia fruticans</i> (Thunb.) Benth.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 cuttings well rooted, of commercial standard
<i>Nemesia fruticans</i> (Thunb.) Benth. × <i>N. strumosa</i> Benth.								
vegetative	11	1	DE	Bundessortenamt		01/12	20/04	24/04 20 well rooted cuttings of commercial standard.
<i>Nemesia silvatica</i> Hilliard								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Nemesia strumosa</i> Benth.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	DE	Bundessortenamt		01/12	13/04	17/04 20 cuttings well rooted, of commercial standard
<i>Nemesia versicolor</i> E. Mey. ex Benth.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Neoregelia</i> L. B. Sm.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 50 young plants, able to show all their characteristics during the first year of examination. approximately 1 months before flower induction treatment

1	2	3	4	5	6	7	8	9
<i>Neoregelia carolinae</i> (Beer) L. B. Sm.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 48 young plants, ca. 1 month before flower induction treatment, able to show all their characteristics during the first year of examination.
<i>Nepenthes</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Nepenthes ampullaria</i> Jack × <i>N. sibuyanensis</i> Nerz								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Nepenthes ampullaria</i> Jack × <i>Nepenthes ventricosa</i> Blanco								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
<i>Nepenthes mira</i> Jebb & Cheek × <i>N. ventricosa</i> Blanco								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Nepenthes rafflesiana</i> Jack ex Hook. f. × <i>N. sibuyanensis</i> Nerz								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Nepenthes ventricosa</i> Blanco × <i>N. vogelii</i> Schuit. & de Vogel								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/02	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Nepeta</i> L.								
	11	1	DE	Bundessortenamt		15/12	12/03	16/03 20 young plants well developed
<i>Nepeta</i> × <i>faassenii</i> Bergmans ex Stearn								
	11	1	DE	Bundessortenamt		15/12	11/03	15/03 20 potted plants well developed
<i>Nepeta gowaniana</i> (Wall. ex Benth.) Benth. × <i>Nepeta tuberosa</i> L.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 15 young plants able to show all their characteristics during the first year of examination
<i>Nepeta grandiflora</i> M. Bieb.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
<i>Nepeta subsessilis</i> Maxim.								
	11	1	DE	Bundessortenamt		15/12	*	15/03 *
<i>Nephrolepis</i> Schott								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants able to show all their characteristics during the first year of examination 1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.

1	2	3	4	5	6	7	8	9	
<i>Nephrolepis cordifolia</i> (L.) C. Presl									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants able to show all their characteristics during the first year of examination 1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.
	10	1	NL	NAKTUINBOUW Main Office		*	*	*	*
<i>Nephrolepis exaltata</i> (L.) Schott									
vegetative	10	1	NL	NAKTUINBOUW Main Office		01/12	01/03	31/03	24 young plants able to show all their characteristics during the first year of examination 1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.
<i>Nerine bowdenii</i> W. Watson									
vegetative	10	1	NL	NAKTUINBOUW Main Office		*	*	*	*
<i>Nerine bowdenii</i> W. Watson × <i>N. sarniensis</i> (L.) Herb.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	30 bulbs, appropriate to be planted immediately, plants should be able to show all the characterisitics in the first year of the techncail examination
<i>Nerium oleander</i> L.									
vegetative	9	2	FR	GEVES - Siège		01/12	15/02	15/03	8 plants well rooted, 2 years old Each plant must be clearly labelled
<i>Nertera Banks ex Gaertn.</i>									
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
<i>Nicotiana</i> L.									
ornamental seed propa- gated	10	1	FR	GEVES - Siège		01/02	*	01/03	0.5 g seeds
ornamental vegetative	9	1	FR	GEVES - Siège		01/02	03/05	07/05	30 plants, well rooted, ready to be transplanted.
<i>Nicotiana glauca</i> Graham.									
	11	*	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control		*	*	*	*
<i>Nicotiana tabacum</i> L.									
agricultural	4	2	HU	NEBIH Headquarters		31/01	*	28/02	2 g seeds minimum germination capacity 90%
agricultural	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control		15/12	*	15/01	2 g seeds minimum germination capacity 80%
<i>Nierembergia Ruiz & Pav.</i>									
vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of exam- ination.
<i>Nierembergia repens</i> Ruiz & Pav.									
vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*

1	2	3	4	5	6	7	8	9
<i>Nierembergia scoparia</i> Sendt.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
<i>Nigella</i> L.								
seed	11	1	GB	NIAB		01/12	20/01	24/01 *
vegetative	10	1	GB	NIAB		01/12	09/03	20/03 *
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
	11	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
<i>Nigella damascena</i> L.								
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02 10 g seeds minimum germination capacity 50%
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
	10	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant		01/12	01/03	31/03 25 young plants Plants must be vegetatively propagated
<i>Nolana</i> L. f.								
vegetative	11	1	GB	NIAB		01/12	20/04	24/04 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
<i>Nymphaea capensis</i> Thunb.								
seed (self-pollinated)	10	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
<i>Nyssa sylvatica</i> Marshall								
	11	2	HU	NEBIH Headquarters		31/01	01/04	30/04 10 plants 2-3 years old, container-grown.
<i>Ocimum basilicum</i> L.								
seed propagated	14	2	DE	Bundessortenamt		15/01	*	15/02 3000 seeds minimum germination capacity 80%
seed propagated	14	2	FR	GEVES - Siège		15/01	*	15/02 6000 seeds
vegetatively propagated	14	2	DE	Bundessortenamt		15/01	*	30/04 40 young plants, well rooted each year of testing
	14	2	FR	GEVES - Siège		*	*	* *
× <i>Odontocidium</i> Hort.								
january crop	10	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
vegetative, August crop	10	1	NL	NAKTUINBOUW Main Office	-	*	01/08	31/08 10 young plants, of commercial standard, preferably budded but not yet flowering
× <i>Odontonia</i> Rolfe								
august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01 10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
<i>Oenothera</i> L.								
seed	11	1	NL	NAKTUINBOUW Main Office	-	01/12	*	* 6 g seeds
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Oenothera fruticosa* L.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Oenothera fruticosa* L. × *O. macrocarpa* Nutt. (syn. *O. missouriensis* Sims)**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Oenothera gaura* W. L. Wagner & Hoch (syn. *Gaura biennis* L.)**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Oenothera speciosa* Nutt.**

	11	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
--	----	---	----	----------------------------	---	---	---	---	---

***Olea europaea* L.**

	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		01/01	01/02	31/03	8 one-year old rooted plants Healthy plants; the plants must be accompanied by an official certificate of laboratory analysis indicating that the material is free from <i>Verticillium dahliae</i> using the PDA method and is free from <i>Pseudomonas syringae</i> pv. <i>savastanoi</i> using the RT-PCR method. The plant material from in vitro cannot be accepted.
--	---	---	----	---	--	-------	-------	-------	--

***Oncidium* Sw.**

august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering

× *Oncidopsis* J. M. H. Shaw

august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering

***Ononis alopecuroides* L.**

	4	2	FR	GEVES - Siège		15/12	15/12	15/02	1 kg seeds good germination capacity
--	---	---	----	---------------	--	-------	-------	-------	---

***Ophiopogon* Ker-Gawl.**

outdoor cultivation	11	1	GB	NIAB		01/12	09/03	20/03	*
vegetative greenhouse cultivation	-	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	DK	University of Aarhus - Aarslev		*	*	*	*

***Ophiopogon intermedius* D. Don.**

vegetative greenhouse cultivation	-	10	1	GB	NIAB	01/12	09/03	20/03	*
vegetative - outdoor cultivation	11	1	GB	NIAB		01/12	09/03	20/03	*

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Ophiopogon jaburan* (Siebold) Lodd. & al.**

vegetative - 10 1 GB NIAB

01/12 09/03 20/03 *

greenhouse
cultivation

vegetative 11 1 GB NIAB

01/12 09/03 20/03 *

- outdoor
cultivation

***Ophiopogon japonicus* (L. f.) Ker-Gawl.**

vegetative - 10 1 GB NIAB

01/12 09/03 20/03 *

greenhouse
cultivation

vegetative 11 1 GB NIAB

01/12 09/03 20/03 *

- outdoor
cultivation

10 1 DK University of Aarhus - Aarslev

* * *

***Ophiopogon planiscapus* Nakai**

vegetative - 10 1 GB NIAB

01/12 09/03 20/03 *

greenhouse
cultivation

vegetative 11 1 GB NIAB

01/12 09/03 20/03 *

- outdoor
cultivation

10 1 FR GEVES - Siège

15/12 15/03 31/03

15 plants
- container-grown
- vegetatively propagated
- of sufficient size to flower and/or show their representative characteristics in the first year.

11 1 FR GEVES - Siège

15/12 15/03 31/03

15 plants
- container-grown
- vegetatively propagated
- of sufficient size to flower and/or show their representative characteristics in the first year.

***Origanum* L.**

vegetative, or- 11 1 NL NAKTUINBOUW -

01/12 01/04 30/04

namental

Main Office

24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open

***Origanum majorana* L.**

14 2 NL NAKTUINBOUW -

* * *

Main Office

***Origanum rotundifolium* Boiss. × *O. scabrum* Boiss. & Heldr. (syn. *Origanum tournefortii* Aiton)**

11 1 NL NAKTUINBOUW -

01/12 01/03 31/03

24 young plants

- able to show all their characteristics during the first year of examination.

***Origanum vulgare* L.**

14 2 NL NAKTUINBOUW -

01/03 01/03 31/03

Main Office

24 young plants

14 2 DE Bundessortenamt

* * *

***Ornithogalum* L.**

vegetative 10 1 NL NAKTUINBOUW -

01/09 01/10 31/10

Main Office

30 bulbs of flowering size
free of Poty-D (Ornithogalum mozaik virus), TNV (Tabaksnecro-
sevirus) en TRV (Tabaksratelvirus).

***Ornithogalum dubium* Houtt.**

vegetative 10 1 NL NAKTUINBOUW -

01/09 01/10 31/10

Main Office

30 bulbs of flowering size
free of Poty-D (Ornithogalum mozaik virus), TNV (Tabaksnecro-
sevirus) en TRV (Tabaksratelvirus).

1	2	3	4	5	6	7	8	9
<i>Ornithogalum thyrsoides</i> Jacq.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	30 bulbs of flowering size free of Poty-D (Ornithogalum mozaik virus), TNV (Tabaksnecro-sevirus) en TRV (Tabaksrattelvirus).
<i>Ornithopus sativus</i> Brot.								
	4	2	PL	COBORU - Head-quarters	20/12	*	15/03	2 kg seeds
<i>Oryza sativa</i> L.								
hybrid (chemical, mediterranean type)	4	2	FR	GEVES - Siège	15/02	*	01/03	5 kg
hybrid cms (mediterranean type)	4	2	FR	GEVES - Siège	15/02	*	01/03	Hybrid: 5 kg Male sterile line: 2,5 kg Maintainer and Restorer: 5 kg
line (mediterranean type)	4	2	FR	GEVES - Siège	15/02	*	01/03	5 kg
	4	2	IT	CREA-DC	01/02	*	15/02	3 kg
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	3 kg
	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	28/01	*	28/02	3 kg
<i>Osmanthus fragrans</i> Lour.								
	11	2	FR	GEVES - Siège	15/11	15/02	15/03	8 plants, well rooted, 2 years old Each plant must be clearly labelled
<i>Osteospermum</i> L.								
vegetative	11	1	DE	Bundessortenamt	01/10	13/01	17/01	25 cuttings well rooted not pinched and not treated with growth regulators
<i>Osteospermum</i> L. × <i>Dimorphotheca</i> Vaill.								
	11	1	DE	Bundessortenamt	01/10	13/01	17/01	25 cuttings well rooted not pinched and not treated with growth regulators
<i>Osteospermum ecklonis</i> (DC.) Norl.								
vegetative	11	1	DE	Bundessortenamt	01/10	13/01	17/01	25 cuttings well rooted not pinched and not treated with growth regulators
<i>Ostrya carpinifolia</i> Scop.								
	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 trees 2 years old, able to show all their characteristics in the second year of examination.
<i>Otacanthus azureus</i> (Linden) Ronse								
vegetative	10	1	DE	Bundessortenamt	15/02	06/05	10/05	20 rooted cuttings
<i>Otacanthus caeruleus</i> Lindl.								
vegetative	10	1	DE	Bundessortenamt	15/02	06/05	10/05	20 rooted cuttings
<i>Otomeria oculata</i> S. Moore								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Oxalis</i> L.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Oxalis bowiei</i> Lindl.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Oxalis dispar</i> N. E. Br.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Oxalis pes-caprae</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Oxalis regnellii</i> Miq.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Oxalis versicolor</i> L.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Oxyptalum coeruleum</i> (D. Don) Decne.								
seed propagated	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 48 young plants - able to show all their characteristics during the first year of examination.
vegetatively propagated	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Ozothamnus diosmifolius</i> (Vent.) DC.								
vegetative	11	1	DE	Bundessortenamt		01/12	01/03	15/03 25 plants, container-grown 20-60 cm height
<i>Pachyphytum bracteosum</i> Klotzsch × <i>P. hookeri</i> (Salm-Dyck) A. Berger								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 plants able to show all their characteristics during the first year of flowering
<i>Pachyphytum hookeri</i> (Salm-Dyck) A. Berger (syn. <i>Echeveria hookeri</i> (Salm-Dyck) Lem.) × <i>Echeveria agavoides</i> Lem.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Pachyphytum hookeri</i> (Salm-Dyck) A. Berger (syn. <i>Echeveria hookeri</i> (Salm-Dyck) Lem.) × <i>P. glutinicaule</i> Moran								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Pachyphytum hookeri</i> (Salm-Dyck) A. Berger (syn. <i>Echeveria hookeri</i> (Salm-Dyck) Lem.) × <i>P. oviferum</i> J. A. Purpus								
	10	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
× <i>Pachyveria</i> spp.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Paeonia</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	15/08	15/09	15/10 10 young plants able to show all their characteristics during the first year of examination

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Paeonia delavayi* Franch. (syn. *P. lutea* Delavay ex Franch.) × *P. lactiflora* Pall.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	15/08	15/09	15/10	10 young plants able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Paeonia lactiflora* Pall.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	15/08	15/09	15/10	10 young plants able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Panicum* L.**

seed	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	100 young plants able to show all their characteristics during the first year of examination and 1000 seeds
------	----	---	----	----------------------------	---	-------	-------	-------	---

***Panicum virgatum* L.**

agricultural	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*	
ornamental, veg. propa- gated	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
seed- propagated	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	100 young plants able to show all their characteristics during the first year of examination and 1000 seeds

***Papaver* L.**

ornamental, vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/10	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
---------------------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Papaver orientale* L.**

seed	11	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02	1 g seeds
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.

***Papaver rhoeas* L.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Papaver somniferum* L.**

spring	4	2	HU	NEBIH Headquarters		15/12	16/12	31/01	300 g untreated seed minimum germination capacity 90%, purity 99%
winter	4	2	HU	NEBIH Headquarters		31/07	01/08	20/08	300 g seeds minimum germination capacity 90%, purity 99%

***Paphiopedilum* Pfitzer**

august crop	10	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination
january crop	10	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination

***Parahebe catarractae* (G. Forst.) W. R. B. Oliv.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	*	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.

***Parrotia persica* (DC.) C. A. Mey.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	HU	NEBIH Headquarters		31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower during the first year of examination free from viruses

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Parthenium hysterophorus* L.**

11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/12	01/01	5 g seeds Please note that this species is currently on the EU list of Invasive Alien Species
----	---	----	----------------------------	---	-------	-------	-------	--

***Parthenocissus* Planch.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Parthenocissus henryana* (Hemsl.) Diels & Gilg**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Parthenocissus quinquefolia* (L.) Planch.**

11	1	PL	COBORU quarters	-	Head-	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
11	1	NL	NAKTUINBOUW Main Office	-		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

***Passiflora* L.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard
	10	1	DE	Bundessortenamt		01/12	18/04	21/04	20 young plants of commercial standard not pinched

***Passiflora amethystina* J. C. Mikan × *P. caerulea* L.**

	10	1	DE	Bundessortenamt		*	*	*	*
--	----	---	----	-----------------	--	---	---	---	---

***Passiflora* × *belotii* hort. ex Pépin**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
	10	1	DE	Bundessortenamt		*	*	*	*

***Passiflora caerulea* L.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetative	10	1	DE	Bundessortenamt		01/12	15/04	18/04	20 young plants - not pinched - of commercial standard.

***Passiflora incarnata* L.**

	11	1	DE	Bundessortenamt		01/12	18/04	21/04	20 young plants of commercial standard, not pinched
--	----	---	----	-----------------	--	-------	-------	-------	---

***Passiflora* × *kewensis* Goldring**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
	10	1	DE	Bundessortenamt		*	*	*	*

***Passiflora violacea* Vell. *Passiflora amethystina* J. C. Mikan (syn. *Passiflora violacea* Vell.)**

vegetative	10	1	DE	Bundessortenamt		01/12	15/04	18/04	20 young plants - not pinched - of commercial standard.
------------	----	---	----	-----------------	--	-------	-------	-------	---

***Pastinaca sativa* L.**

	14	2	GB	Animal & Plant Health Agency (APHA)		31/01	*	28/02	*
--	----	---	----	---	--	-------	---	-------	---

1	2	3	4	5	6	7	8	9
<i>Pastinaca sativa</i> L.								
	14	2	FR	GEVES - Siège	01/01	*	01/02	20 g seeds Technical examination carried out in unison at GEVES Brion and GEVES Cavaillon test stations. Within the same growing season, Brion (lead station) carries out one independent growing cycle, and Cavaillon carries out the other independent growing cycle.
	14	2	NL	NAKTUINBOUW Main Office	-	01/04	*	15/04 25000 seeds
<i>Paulownia catalpifolia</i> T.Gong ex D.Y.Hong × <i>P. fortunei</i> (Seem.) Hemsl.								
	11	2	HU	NEBIH Headquarters	31/01	01/04	30/04	10 plants 2-3 years old, container-grown.
<i>Paulownia elongata</i> S. Y. Hu × <i>P. fortunei</i> (Seem.) Hemsl.								
vegetative	11	2	HU	NEBIH Headquarters	28/02	01/04	15/05	10 container-grown plants, 2-3 years old, ready to be planted in the open field
<i>Pedilanthus tithymaloides</i> (L.) Poit.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03 31/03	24 young plants - able to show all their characteristics during the first year of examination - of commercial standard.
<i>Pelargonium</i> L'Hér. ex Aiton								
hybrids of <i>P. pelt.</i> & <i>P. zon.</i>	12	1	DE	Bundessortenamt	15/06	07/10	11/10	20 young plants - not pinched - of commercial standard.
other than <i>P. pelt.</i> & <i>P. zonale</i>	10	1	DE	Bundessortenamt	*	*	*	*
<i>Pelargonium crispum</i> (P. J. Bergius) L'Hér.								
vegetative	10	1	DE	Bundessortenamt	15/07	28/10	01/11	20 young plants - not pinched - of commercial standard.
<i>Pelargonium crispum</i> (P. J. Bergius) L'Hér. × <i>Pelargonium</i> × <i>domesticum</i> L. H. Bailey								
vegetative	10	1	DE	Bundessortenamt	15/07	28/10	01/11	20 young plants - not pinched - of commercial standard.
<i>Pelargonium</i> × <i>domesticum</i> L. H. Bailey								
	10	1	DE	Bundessortenamt	15/07	15/10	31/10	20 young plants - not pinched - of commercial standard.
<i>Pelargonium grandiflorum</i> (Andrews) Willd.								
vegetative	10	1	DE	Bundessortenamt	15/07	28/10	01/11	20 young plants - not pinched - of commercial standard.
<i>Pelargonium graveolens</i> L'Hér.								
	10	1	DE	Bundessortenamt	15/08	*	01/11	*
<i>Pelargonium peltatum</i> (L.) L'Hér. ex Aiton								
vegetative	12	1	DE	Bundessortenamt	15/06	07/10	11/10	20 young plants - not pinched - of commercial standard.
<i>Pelargonium peltatum</i> (L.) L'Hér. ex Aiton × <i>Pelargonium zonale</i> (L.) L'Hér. ex Aiton								
vegetative	12	1	DE	Bundessortenamt	15/06	07/10	11/10	20 young plants - not pinched - of commercial standard.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Pelargonium zonale* (L.) L'Hér. ex Aiton**

vegetative	12	1	DE	Bundessortenamt	15/06	07/10	11/10	20 young plants - not pinched - of commercial standard.
------------	----	---	----	-----------------	-------	-------	-------	---

***Pelargonium zonale* (L.) L'Hér. ex Aiton × *Pelargonium tongaense* Vorster**

vegetative	12	1	DE	Bundessortenamt	15/06	07/10	11/10	20 young plants - not pinched - of commercial standard.
------------	----	---	----	-----------------	-------	-------	-------	---

***Pennisetum* Rich. ex Pers.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Pennisetum sieberianum* (Schtdl.) Stapf & C. E. Hubb.**

	4	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	---	---	----	------------------------------	-------	-------	-------	---

***Penstemon* Schmidel**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	30/03	20 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.

***Penstemon barbatus* (Cav.) Roth**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Penstemon barbatus* (Cav.) Roth × *Penstemon heterophyllus* Lindl.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Penstemon digitalis* Nutt. ex Sims**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	*	FR	GEVES - Siège	*	*	*	*

***Penstemon hartwegii* Benth.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Penstemon heterophyllus* Lindl.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

***Penstemon rupicola* (Piper) Howell**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Pentas* Benth.**

seed	10	1	NL	NAKTUINBOUW - Main Office	01/12	*	01/02	1 g seeds
------	----	---	----	------------------------------	-------	---	-------	-----------

1	2	3	4	5	6	7	8	9	
<i>Pentas Benth.</i>									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Pentas lanceolata</i> (Forssk.) Defflers									
	10	1	NL	NAKTUINBOUW Main Office	-	*	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia Ruiz & Pav.</i>									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia albovittata</i> C. DC.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia argyreia</i> (Miq.) E. Morren									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia argyreia</i> (Miq.) E. Morren × <i>P. marmorata</i> Hook. f.									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia argyreia</i> (Miq.) E. Morren × <i>P. rotundifolia</i> (L.) Kunth									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia caperata</i> × <i>P. peruviana</i>									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia caperata</i> Yunc.									
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	100 seedlings in a tray and 500 seeds.
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia marmorata</i> Hook. f. × <i>Peperomia metallica</i> L. Linden & Rodigas									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia marmorata</i> × <i>P. peruviana</i>									
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia obtusifolia</i> (L.) A. Dietr.									
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

1	2	3	4	5	6	7	8	9
<i>Peperomia prostrata</i> B. S. Williams								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia puteolata</i> Trel. × <i>P. quadrangularis</i> (J. V. Thomps.) A. Dietr. (syn. <i>P. angulata</i> Kunth)								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia rubella</i> (Haw.) Hook. × <i>P. verticillata</i> (L.) A. Dietr. (syn. <i>Piper verticillatum</i> L.)								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia strawii</i> Hutch. ex Pino & Klopff.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Peperomia tetraphylla</i> (G. Forst.) Hook. & Arn.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Pereskia saccharosa</i> Griseb.								
	11	*	NL	NAKTUINBOUW Main Office	-	*	*	* *
<i>Pericallis cruenta</i> (Masson ex L'Hér.) Bolle								
vegetative	10	1	DE	Bundessortenamt		15/07	02/11	06/11 25 rooted cuttings
<i>Pericallis</i> × <i>hybrida</i> B. Nord.								
vegetative	10	1	DE	Bundessortenamt		15/07	04/11	08/11 25 rooted cuttings
<i>Pernettya mucronata</i> (L. f.) Spreng. (syn. <i>Gaultheria mucronata</i> (L. f.) Hook. & Arn.)								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	DE	Bundessortenamt		01/12	09/03	20/03 20 young plants Plants must be container-grown, of sufficient size to flower, able to show all their characteristics during the first year of examination
<i>Perovskia</i> Kar.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	HU	NEBIH Headquarters		31/01	15/03	15/04 8 free from viruses, good health
<i>Perovskia atriplicifolia</i> Benth.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	HU	NEBIH Headquarters		31/01	15/03	15/04 8 plants free from viruses, ready for DUS test
<i>Persea americana</i> Mill.								
	7	4	MX	Servicio Nacional de Inspeccion y Certificacion de Semillas (SNICS)		*	01/05	31/05 *
	7	*	ES	Oficina Española de Variedades Vegetales (OEVV)		*	*	* *
<i>Persicaria</i> (L.) Mill.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *

1	2	3	4	5	6	7	8	9
<i>Persicaria</i> (L.) Mill.								
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Persicaria microcephala</i> (D. Don) Sasaki								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Petasites</i>								
	14	2	DE	Bundessortenamt	15/12	10/01	15/01	100 cutted rhizomes two buds per cutting
<i>Petasites hybridus</i> (L.) Ph. Gärttn. B. Mey. & Scherb.								
	14	2	DE	Bundessortenamt	15/12	10/01	15/01	100 cutted rhizomes two buds per cutting
× <i>Petchoa</i> J. M. H. Shaw (syn. <i>Petunia</i> × <i>Calibrachoa</i>)								
	11	1	DE	Bundessortenamt	15/11	12/03	16/03	20 cuttings - not pinched - well rooted.
<i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill								
leaf	14	2	DE	Bundessortenamt	15/12	*	01/02	12000 seeds minimum germination capacity 80%
root	14	2	DE	Bundessortenamt	15/12	*	01/02	12000 seeds minimum germination capacity 80%
	14	2	PL	COBORU - Head-quarters	31/01	*	01/03	200 g seeds
	14	2	NL	NAKTUINBOUW - Main Office	01/04	*	15/04	12000 seeds
	14	2	FR	GEVES - Siège	01/03	*	01/04	150 g seeds
<i>Petunia</i> Juss.								
seed	11	1	DE	Bundessortenamt	15/11	*	15/02	600 seeds - minimum germination capacity 85%.
vegetative	11	1	DE	Bundessortenamt	15/11	18/03	22/03	20 cuttings - not pinched - well rooted.
<i>Petunia</i> × <i>atkinsiana</i> D. Don								
vegetative	11	1	DE	Bundessortenamt	15/11	12/03	16/03	20 cuttings - not pinched - well rooted.
<i>Petunia axillaris</i> (Lam.) Britton & al.								
	11	1	DE	Bundessortenamt	*	*	*	*
<i>Phacelia tanacetifolia</i> Benth.								
	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1000 g seeds
	4	2	DE	Bundessortenamt	15/12	*	01/02	1 kg seeds minimum germination capacity 85%
	4	2	AT	Bundesamt für Ernährungssicherheit	31/01	*	31/01	500 g seeds minimum germination capacity 80%

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Phalaenopsis* Blume**

august crop	8	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.
january crop	8	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.

***Phalaenopsis equestris* (Schauer) Rchb. f.**

august crop	8	1	NL	NAKTUINBOUW Main Office	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.
january crop	8	1	NL	NAKTUINBOUW Main Office	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.

***Phalaris arundinacea* L.**

	3	2	DE	Bundessortenamt		15/01	*	15/02	1 kg seeds minimum germination capacity 75%
	3	2	EE	Agricultural Research Center		*	*	01/04	1500 g seeds
	3	2	FI	Finnish Food Safety Authority Evira - Ad- ministration		01/03	*	01/04	1.5 kg

***Phaseolus coccineus* L.**

autumn	14	2	FR	GEVES - Siège		01/04	*	01/05	20000 seeds
spring	14	2	FR	GEVES - Siège		01/02	*	01/03	20000 seeds
	14	2	NL	NAKTUINBOUW Main Office	-	01/04	*	15/04	5000 seeds
	14	2	GB	Animal & Plant Health Agency (APHA)		*	*	*	*

***Phaseolus vulgaris* L.**

Dwarf type stringiness of pod	14	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control		15/02	*	28/02	1 kg seeds minimum germination capacity 75%
autumn	14	2	FR	GEVES - Siège		01/04	*	01/05	20000 seeds (2.5 kg) only for bean varieties without stringiness
climbing	14	2	NL	NAKTUINBOUW Main Office	-	01/04	*	15/04	5000 seeds
dwarf and agri- cultural	14	2	NL	NAKTUINBOUW Main Office	-	15/04	*	01/05	5000 seeds
excl. dwarf bean round pods	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/02	*	01/03	20000 seeds
non-climbing types only	14	2	DE	Bundessortenamt		01/02	*	01/03	9000 seeds minimum germination capacity 85%
spring	14	2	FR	GEVES - Siège		01/02	*	01/03	20000 seeds (2.5 kg) only for bean varieties without stringiness
	14	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		10/01	*	28/02	10000 seeds

1	2	3	4	5	6	7	8	9
<i>Phaseolus vulgaris</i> L.								
	14	2	PL	COBORU - Head-quarters	20/12	01/03	31/03	3 kg varieties of 1000 seed weight < 400 g; 5 kg varieties of 1000 seed weight > 400 g
<i>Phedimus hybridus</i> (L.) 't Hart (syn. <i>Sedum hybridum</i> L.)								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Phedimus spurius</i> (M. Bieb.) 't Hart (syn. <i>Sedum spurius</i> M. Bieb.)								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	30/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Phedimus takesimensis</i> (Nakai) 't Hart (syn. <i>Sedum takesimensis</i> Nakai)								
	11	*	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Philadelphus</i> L.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Philadelphus coronarius</i> L.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower, able to show all their characteristics in the second year of examination
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Philadelphus delavayi</i> L. Henry								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Philadelphus delavayi</i> L. Henry × <i>Ph. microphyllus</i> A. Gray								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Philadelphus mexicanus</i> Schtdl.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Philadelphus microphyllus</i> A. Gray								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Philodendron</i> Schott								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Philodendron bipinnatifidum</i> Schott ex Endl.								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Philodendron domesticum</i> G. S. Bunting								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Philodendron scandens</i> K. Koch & Sello								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Phlebodium aureum* (L.) J. Sm. × *Pyrrosia lingua* (Thunb.) Farw.**

10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
			Main Office					able to show all their characteristics during the first year of applications

***Phleum bertolonii* DC.**

3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)		15/01	*	31/01	500 g
---	---	----	--	--	-------	---	-------	-------

***Phleum pratense* L.**

3	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)		15/01	*	31/01	500 g
---	---	----	--	--	-------	---	-------	-------

3	2	FI	Finnish Food Safety Authority Evira - Administration		01/03	*	01/04	1 kg
---	---	----	--	--	-------	---	-------	------

3	2	DE	Bundessortenamt		15/01	*	15/02	0,5 kg seeds
								minimum germination capacity 90%

3	2	PL	COBORU - Headquarters		*	*	*	*
---	---	----	-----------------------	--	---	---	---	---

***Phlox* L.**

vegetative	9	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

x arendsii type	9	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

***Phlox amplifolia* Britton**

10	*	NL	NAKTUINBOUW	-	*	*	*	*
			Main Office					

***Phlox douglasii* Hook.**

vegetative	9	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

***Phlox drummondii* Hook.**

seed	9	1	NL	NAKTUINBOUW	-	01/12	*	01/02	10 g seeds
			Main Office						

vegetative	9	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

***Phlox maculata* L.**

vegetative	9	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 plants of commercial standard not having flowered yet.
			Main Office						

***Phlomis tuberosa* L.**

11	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 plants
			Main Office					able to show all their characteristics during the first year of examination

***Phlox paniculata* L.**

vegetative	9	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 young plants
			Main Office						- able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Phlox × *procumbens* Lehm.

	11	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	24 young plants able to show all their characteristics during the first year of flowering
				Main Office					

Phlox subulata L.

	9	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

Phormium J.R. Forst. & G. Forst.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

Phormium cookianum Le Jol.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

Phormium cookianum Le Jol. × *Phormium tenax* J. R. Forst. & G. Forst.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

Phormium tenax J. R. Forst. & G. Forst.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants
				Main Office					- able to show all their characteristics during the first year of examination.

Photinia Lindl.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants
									- container-grown
									- vegetatively propagated
									- of sufficient size to flower and/or show their representative characteristics in the first year.

Photinia davidiana (Decne.) Cardot

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Photinia × *fraseri* Dress

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants
									- container-grown
									- vegetatively propagated
									- of sufficient size to flower and/or show their representative characteristics in the first year.

Photinia × *fraseri* Dress × *Photinia glabra* (Thunb.) Franch. & Sav.

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Photinia × *fraseri* Dress × *Photinia serratifolia* (Desf.) Kalkman

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/02	15/03	15 plants
									- container-grown
									- vegetatively propagated
									- of sufficient size to flower and/or show their representative characteristics in the first year.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Photinia glabra* (Thunb.) Franch. & Sav.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	100 seedlings seedlings should be approx. 12 weeks old

***Photinia serratifolia* (Desf.) Kalkman**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Photinia serrulata* Franch. & Sav.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Phygelius* E. Mey. ex Benth.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Phygelius aequalis* Harv. ex Hiern**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Phygelius capensis* E. Mey. ex Benth.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Phygelius* × *rectus* Coombs**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Phyllostachys edulis* (Carrière) J. Houz.**

	11	1	NL	NAKTUINBOUW - Main Office	*	01/04	30/04	24 young plants of commercial standard appropriate to be grown in the open, able to show all their characteristics during the first year of examination
--	----	---	----	---------------------------	---	-------	-------	---

***Physalis alkekengi* L.**

vegetative	11	2	DE	Bundessortenamt	01/02	01/03	15/03	20 potted plants well developed
------------	----	---	----	-----------------	-------	-------	-------	---------------------------------

***Physocarpus* (Cambess.) Raf.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Physocarpus opulifolius* (L.) Maxim.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old

***Physostegia virginiana* (L.) Benth.**

	11	1	GB	NIAB	01/12	13/03	24/03	*
--	----	---	----	------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Physostegia virginiana</i> (L.) Benth.								
	11	1	FR	GEVES - Siège	15/12	15/02	15/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Picea</i> A. Dietr.								
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Picea abies</i> (L.) H. Karst.								
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Picea glauca</i> (Moench) Voss								
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown
<i>Picea pungens</i> Engelm.								
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Pieris formosa</i> (Wall.) D. Don × <i>Pieris japonica</i> (Thunb.) D. Don ex G. Don								
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants one-year old, size 40-60 cm
<i>Pieris japonica</i> (Thunb.) D. Don ex G. Don								
vegetative	11	1	DE	Bundessortenamt	01/12	01/03	15/03	10 potted plants one-year old, size 30-50 cm
<i>Pinus</i> L.								
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
vegetative	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes or 8 trees, able to show all their characteristics during the examination period
<i>Pinus halepensis</i> Mill.								
	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes or 8 trees, able to show all their characteristics during the examination period
<i>Pinus nigra</i> Arnold								
tree	11	2	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes or 8 trees, able to show all their characteristics during the examination period
vegetative	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown
<i>Pinus thunbergii</i> Parl.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes or 8 trees able to show all their characteristics during the first year of examination
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Pistacia atlantica</i> Desf. × <i>P. integerrima</i> J. L. Stewart								
	7	5	IT	CREA-OFA (EO) ROMA	31/12	01/03	31/03	10 trees, one-year old (only for rootstocks) Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate
<i>Pistacia atlantica</i> Desf. × <i>P. vera</i> L.								
rootstock	7	4	IT	CREA-OFA (EO)	31/12	01/03	31/03	10 plants, 2 years old Plants must comply with the phytosanitary requirements indicated for material circulating within the EU and with the CPVO's "General instructions on the submission of samples for fruit crops". The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Pistacia vera* L.**

	7	5	IT	CREA-OFA (EO)	ROMA	31/12	01/03	31/03	10 grafted plants, 2 years old, grafted on rootstock <i>Pistacia integrifolia</i> or <i>Pistacia atlantica</i> The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.
--	---	---	----	---------------	------	-------	-------	-------	--

***Pistia stratiotes* L.**

	10	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	--	-------	-------	-------	---

***Pisum sativum* L.**

Agricultural cultivation type	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)		01/08	*	01/09	3 kg
agricultural	4	2	EE	Agricultural Board		01/02	*	01/03	3 kg
agricultural	4	2	GB	Animal & Plant Health Agency (APHA)		30/11	*	15/01	*
agricultural	4	2	PL	COBORU - Headquarters		20/12	*	01/03	4 kg seeds
agricultural	4	2	NL	NAKTUINBOUW - Main Office		15/02	*	01/03	5000 seeds
agricultural	4	2	DE	Bundessortenamt		15/12	*	01/02	4 kg seeds minimum germination capacity 85%
field, vegetable	4	2	HU	NEBIH Headquarters		15/01	*	15/02	30000 seeds
spring, agricultural	4	2	FR	GEVES - Siège		01/11	*	01/12	20000 seeds
vegetable	4	2	NL	NAKTUINBOUW - Main Office		15/02	*	01/03	5000 seeds
vegetable	4	2	GB	Animal & Plant Health Agency (APHA)		15/01	*	15/02	*
vegetable	4	2	FR	GEVES - Siège		01/11	*	15/11	20000 seeds
vegetable	4	2	DE	Bundessortenamt		15/01	*	15/02	10000 seeds minimum germination capacity 85%
vegetable	4	2	PL	COBORU - Headquarters		20/12	*	01/03	4 kg seeds
winter, agriculture	4	2	FR	GEVES - Siège		15/08	*	01/09	20000 seeds
	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		10/01	*	20/01	2 kg
	4	2	EE	Agricultural Research Center		01/02	*	01/04	3 kg

***Pitcairnia hitchcockiana* L. B. Sm.**

vegetative	10	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	50 young plants, approximately 3 months before the start of flowering, not yet flowering or have flowered before, able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	--	-------	-------	-------	--

***Pittosporum Banks* ex Gaertn.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Pittosporum anomalum

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pittosporum bicolor* Hook.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pittosporum colensoi* Hook. f.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Pittosporum crassifolium* Banks & Sol. ex A. Cunn.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pittosporum eugenioides* A. Cunn**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pittosporum heterophyllum* Franch.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Pittosporum ralphii* T. Kirk.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pittosporum tenuifolium* Gaertn.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

***Pittosporum tobira* Ait.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Plantago lanceolata* L.**

	11	*	DE	Bundessortenamt		*	*	*	*
	11	*	PL	COBORU - Head-quarters		*	*	*	*

***Platycerium bifurcatum* (Cav.) C. Chr.**

	10	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	---------------------------	--	-------	-------	-------	---

***Platycerium ridleyi* Christ**

vegetative	10	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	---------------------------	--	-------	-------	-------	---

***Platycladus orientalis* (L.) Franco**

vegetative	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
------------	----	---	----	------------------------	--	-------	-------	-------	---

***Platycodon grandiflorus* (Jacq.) A. DC.**

seed	11	1	NL	NAKTUINBOUW - Main Office		15/12	*	01/02	2000 seeds Germination capacity 50%.
vegetative	11	1	NL	NAKTUINBOUW - Main Office		01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.

***Plectranthus* L'Hér.**

vegetative	10	1	DE	Bundessortenamt		01/12	23/03	27/03	20 young plants, well rooted
------------	----	---	----	-----------------	--	-------	-------	-------	------------------------------

***Plectranthus ciliatus* E. Mey. ex Benth.**

vegetative	10	1	DE	Bundessortenamt		01/12	23/03	27/03	20 young plants well rooted
------------	----	---	----	-----------------	--	-------	-------	-------	-----------------------------

1	2	3	4	5	6	7	8	9
<i>Plectranthus hilliardiae</i> Codd × <i>P. saccatus</i> Benth.								
vegetative	10	1	DE	Bundessortenamt	01/12	23/03	27/03	20 young plants well rooted
<i>Plectranthus hilliardiae</i> Codd.								
vegetative	10	1	DE	Bundessortenamt	01/12	23/03	27/03	20 young plants well rooted
<i>Plectranthus oertendahliae</i> Th. Fr.								
vegetative	10	1	DE	Bundessortenamt	01/12	23/03	27/03	20 young plants well rooted
<i>Plectranthus ornatus</i> Codd.								
vegetative	10	1	DE	Bundessortenamt	01/12	23/03	27/03	20 young plants well rooted
<i>Plectranthus parviflorus</i> Willd.								
vegetative	10	1	DE	Bundessortenamt	01/12	23/03	27/03	20 young plants, well rooted
<i>Plectranthus saccatus</i> Benth.								
vegetative	10	1	DE	Bundessortenamt	01/12	23/03	27/03	20 young plants well rooted
<i>Plectranthus scutellarioides</i> (L.) R. Br (syn.: <i>Solenostemon scutellarioides</i> (L.) Codd)								
vegetative	10	1	GB	NIAB	01/12	20/04	24/04	*
	10	1	DE	Bundessortenamt	01/12	13/04	17/04	15 young plants
<i>Pleurotus eryngii</i> (DC.) Qué.								
	13	2	HU	NEBIH Headquarters	31/03	01/09	15/09	9 l spawn
<i>Pleurotus ostreatus</i> (Jacq.) P. Kumm.								
	13	2	HU	NEBIH Headquarters	31/03	01/09	12/09	9 l spawn
<i>Pleurotus ostreatus</i> (Jacq.) P. Kumm. × <i>Pleurotus eryngii</i> (DC.) Qué.								
	13	2	HU	NEBIH Headquarters	31/03	01/09	15/09	9 l spawn 100%
<i>Plumbago indica</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Plumeria rubra</i> L.								
	10	1	NL	NAKTUINBOUW - Main Office	30/11	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Poa annua</i> L.								
	3	2	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 85%
<i>Poa pratensis</i> L.								
	3	3	PL	COBORU - Headquarters	20/12	*	15/03	1.5 kg seeds
	3	3	NL	NAKTUINBOUW - Main Office	15/12	*	15/12	600 g seeds
	3	3	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	1 kg
	3	3	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 80%
	3	3	FI	Finnish Food Safety Authority Evira - Administration	01/03	*	01/04	600 g seeds

1	2	3	4	5	6	7	8	9
<i>Poa trivialis</i> L.								
	3	3	NL	NAKTUINBOUW Main Office	-	15/12	*	01/02 *
<i>Podophyllum</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants - able to show all their characteristics during the first year of examination.
<i>Pogonatherum paniceum</i> (P. Beauv.) Hack.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants able to show all their characteristics during the first year of examination 1 plant per pot. If this is not possible, deliver 24 pots with plants. Each pot will be considered as 1 plant.
<i>Polemonium</i> L.								
vegetative, non-variegated	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Polemonium caeruleum</i> L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Polemonium pulcherrimum</i> Hook.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
<i>Polemonium reptans</i> L.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics in the second year of examination.
<i>Polemonium yezoense</i> (Miyabe & Kudô) Kitam.								
vegetative	11	1	GB	NIAB		01/12	09/03	20/03 *
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Polianthes</i> L.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 30 bulbs, able to show all their characteristics during the first year of flowering
vegetative	10	1	GB	NIAB		01/12	20/04	24/04 *
<i>Polygala</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 rooted cuttings
<i>Polygala chamaebuxus</i> L.								
	11	1	NL	NAKTUINBOUW Main Office	-	*	*	* *
<i>Polygala myrtifolia</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Polystichum setiferum* (Forssk.) Woyn.**

11	1	NL	NAKTUINBOUW Main Office	-	*	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination - of commercial standard.
----	---	----	----------------------------	---	---	-------	-------	---

***Poncirus* spp.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/06	30/06	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Poncirus trifoliata* (L.) Raf.**

7	5	ES	Oficina Española de Variedades Vegetales (OEVV)	15/04	15/05	30/06	8 budwoods, 6-10 mm diameter and around 10 cm length, with at least 10 useful buds each one. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a certificate issued by a recognised plant health laboratory indicating that the plant material has been tested to give a negative result by: Biological indexing on Mexican lime to detect CTV, CVEV and CLRV Biological indexing on dweet tangor to detect CPsV, cristacortis, impietratura, concave gum and CLB Biological indexing on Etrog citron to detect CVV, CEVd, HSVd, CBLVd, CDVd, CBCVd, CVd V and CVd-OS PCR to detect Spiroplasma citri, CiLV, CSDaV, SDV, huanlongbing and Phytoplasma aurantifoliaThe applicant should take into account that these testing would take around 18 months, so it should be initiate at least one year before submit the application.
---	---	----	---	-------	-------	-------	---

***Populus* L.**

vegetative	9	2	DE	Bundessortenamt	01/12	01/03	15/03	25 cuttings, 10-15 mm diameter and around 20 cm length or 15 plants, well rooted, one-year old.
------------	---	---	----	-----------------	-------	-------	-------	---

***Populus* × *canadensis* Moench**

vegetative	9	2	DE	Bundessortenamt	*	*	*	*
	9	2	FR	GEVES - Siège	15/12	01/02	15/02	25 cuttings, 10-15 mm diameter and around 30 cm length. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.

***Populus deltoides* W. Bartam. ex Marshall**

vegetative	9	2	DE	Bundessortenamt	*	*	*	*
	9	*	FR	GEVES - Siège	*	*	*	*

***Populus maximowiczii* A. Henry**

	9	2	DE	Bundessortenamt	*	*	*	*
	9	*	FR	GEVES - Siège	*	*	*	*

1	2	3	4	5	6	7	8	9
<i>Populus mazimowiczii</i> A. Henry × <i>Populus trichocarpa</i> Torr. & A. Gray								
9	*	FR	GEVES - Siège		*	*	*	*
<i>Populus nigra</i> L.								
9	1	DE	Bundessortenamt		*	*	*	*
<i>Populus</i> × <i>woobstii</i> (R. I. Schröd. ex Regel) Dode								
9	2	DE	Bundessortenamt		*	*	*	*
<i>Portulaca oleracea</i> L.								
vegetative	10	1	DE	Bundessortenamt	01/12	04/03	08/03	25 cuttings well rooted
<i>Portulaca umbraticola</i> Kunth								
vegetative	10	1	DE	Bundessortenamt	01/12	24/02	28/02	25 cuttings well rooted
<i>Potentilla</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Potentilla nepalensis</i> Hook.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Potentilla neumanniana</i> Rechb.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Primula</i> L.								
seed	10	1	DE	Bundessortenamt	15/04	*	15/06	6 g seeds minimum germination capacity 80%
vegetative	10	1	DE	Bundessortenamt	15/05	01/09	07/09	25 young plants
<i>Primula auricula</i> L.								
vegetative	10	1	DE	Bundessortenamt	15/05	01/09	07/09	25 young plants
<i>Primula filchnerae</i> R.Knuth × <i>P. praenitens</i> Ker Gawl.								
10	1	DE	Bundessortenamt		15/05	*	01/09	*
<i>Primula rosea</i> Royle								
seed	10	1	DE	Bundessortenamt	01/02	*	01/04	*
<i>Primula vialii</i> Delavay ex Franch. (syn. <i>Primula littoniana</i> Forrest)								
11	1	BE	Instituut voor Landbouw- en Visserijonderzoek ILVO eenheid Plant	voor *	15/04	15/05	25 plants	vegetatively propagated plants must be container grown and of sufficient size to flower and/or show their other representative characteristics in the first year.
<i>Primula vulgaris</i> Huds.								
seed	10	1	DE	Bundessortenamt	15/04	*	15/06	6 g seeds minimum germination capacity 80%
vegetative	10	1	DE	Bundessortenamt	15/05	02/09	06/09	25 young plants from tissue culture, ready to be transplanted into 10 cm pots.
<i>Primulina tamiana</i> (B. L. Burt) Mich. Möller & A. Weber (syn. <i>Chirita tamiana</i> B.L.Burt)								
10	1	DE	Bundessortenamt		01/12	03/03	07/03	20 young plants of commercial standard not flowering
<i>Protea</i> L.								
11	1	PT	Direção Geral de Alimentação e Veterinária - Headquarters		01/05	01/09	30/09	12 plants, well rooted Only for import into EU: the consignment must be accompanied by a Phytosanitary Certificate. The cuttings must be free from any harmful organism listed in Annex I and II of the Directive n° 2000/29/CE and from any other harmful organism not established in Portuguese territory. The consignment must also comply with the specific requirement listed in Annex IV part A section I points 36.1, 39 and 46 of the Directive n° 2000/29/CE. Where alternatives are mentioned it must be indicated.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Protea burchellii* Stapf. × *P. obtusifolia* H. Buek ex Meisn.**

11	1	PT	Direção Geral de Alimentação e Veterinária - Headquarters	01/05	01/09	30/09	12 plants	plants in pots or other suited container, at least one-year old.
----	---	----	---	-------	-------	-------	-----------	--

***Protea roupelliae* Meisn.**

vegetative	11	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	01/05	01/09	30/09	12 plants, well rooted	Only for import into EU: the consignment must be accompanied by a Phytosanitary Certificate. The cuttings must be free from any harmful organism listed in Annex I and II of the Directive n° 2000/29/CE and from any other harmful organism not established in Portuguese territory. The consignment must also comply with the specific requirement listed in Annex IV part A section I points 36.1, 39 and 46 of the Directive n° 2000/29/CE. Where alternatives are mention it must be indicate.
------------	----	---	----	---	-------	-------	-------	------------------------	--

***Prunella* L.**

vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants	- able to show all their characteristics during the first year of examination.
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	

***Prunella grandiflora* (L.) Scholler.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	
------------	----	---	----	------	-------	-------	-------	---	--

***Prunus* L.**

ornamental	11	*	HU	NEBIH Headquarters	*	*	*	*	
vegetative - ornamental	11	2	GB	NIAB	01/12	09/03	20/03	*	
	7	4	FR	GEVES - Siège	30/11	01/01	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety free from viruses	
	7	4	PL	COBORU - Headquarters	31/12	01/03	31/03	15 plants, one-year old from stoolbed - for vegetative 15 seedlings + 150 seeds - for generative Submission of seeds 1-31.12	
	7	3	IT	CREA-OFA (EO) ROMA	31/12	01/03	31/03	10 plants one-year old, well developed, well rooted The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for Cherry Leaf Roll Virus Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) Plum Pox Virus (PPV) Prunus Necrotic Ring Spot Virus (PNRSV) Raspberry Ring Spot Virus (RbRSV)	
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old, on their own roots, virus tested	

***Prunus* L. (*P. armeniaca* L. × *P. cerasifera* Ehrh. × *P. pumila* L. var. *besseyi* (L.H. Bailey) Gleason)**

	7	4	HU	NEBIH Headquarters	31/01	01/03	15/04	8 scions, virus tested, one-year old, grafted on Brokforest (Maxma 14) rootstock The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: 'Candidatus' phytoplasma prunorum [PCR] Plum Pox Virus (PPV) [PCR/ELISA] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA]	
--	---	---	----	--------------------	-------	-------	-------	---	--

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9
<i>Prunus</i> L. (<i>P. armeniaca</i> L. × <i>P. cerasifera</i> Ehrh. × <i>P. pumila</i> L. var. <i>besseyi</i> (L.H. Bailey) Gleason)								
	7	4	FR	GEVES - Siège	*	*	*	*
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]
<i>Prunus</i> L. (<i>P. canescens</i> Bois × <i>P. incisa</i> Thunb. × <i>P. pseudocerasus</i> Lindl.)								
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
<i>Prunus amygdalus</i> Batsch × <i>P. persica</i> Batsch								
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/12	10/01	10/02	15 trees, well rooted, one-year old Each plant must be clearly labelled. The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of: Plum Pox Potyvirus (PPV) Prune Dwarf Ilarvirus (PDV) Prunus Necrotic Ring Spot Ilarvirus (PNRSV)
	7	4	FR	GEVES - Siège	*	*	*	*
<i>Prunus armeniaca</i> L.								
fruit	7	4	HU	NEBIH Headquarters	30/11	01/03	31/03	9 trees, virus tested, one-year old, grafted on to an apricot seedling rootstock (please specify) The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: 'Candidatus' phytoplasma prunorum [PCR] Plum Pox Virus (PPV) [PCR/ELISA] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA]
fruit	7	4	FR	GEVES - Siège	30/11	01/12	31/01	12 scions, free from viruses, one-year old, grafted on free from viruses apricot seedling rootstock 'Manicot', or if not possible, on free from viruses peach seedling rootstock 'GF305' or 'Rubira' (please specify) The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA]

1	2	3	4	5	6	7	8	9
<i>Prunus armeniaca</i> L.								
rootstock	7	4	HU	NEBIH Headquarters	30/11	01/03	31/03	6 one-year old rooted plants for vegetatively propagated varieties, 12 one-year old rooted plants and 100 seeds for for seed propagated varieties. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: 'Candidatus' phytoplasma prunorum [PCR] Plum Pox Virus (PPV) [PCR/ELISA] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA]
rootstock, plants	7	4	FR	GEVES - Siège	30/11	01/01	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA]
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	30/11	01/01	31/01	9 trees one-year old, grafted on 'Adesoto 101' Healthy plants. The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: Plum Pox Potyvirus (PPV) Prune Dwarf Ilarvirus (PDV) Prunus Necrotic Ring Spot Ilarvirus (PNRSV) Apple Chlorotic Leaf Spot Closterovirus (CLSV) Apple Mosaic Ilarvirus (ApMV)
<i>Prunus armeniaca</i> L. × <i>P. salicina</i> Lindl.								
predominantly plum	7	4	IT	CREA-OFA (EO)	30/11	01/03	31/03	8 grafted plants, one-year old, grafted on 'Myrobalan 29C' The plant material must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official document indicating that the plant material has been laboratory tested by PCR to give a negative result for: Prune Dwarf Virus (PDV) Prunus Necrotic Ring Spot Virus (PNRSV) Plum Pox Virus (PPV) Xanthomonas arboricola pv. pruni.
	7	4	FR	GEVES - Siège	30/11	01/12	31/01	9 grafted plants, one-year old, grafted on 'GF 677 VF' or 'Montclar VF' The plants must be accompanied by a certificate indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum Pox Virus (PPV) Prune Dwarf Virus (PDV) Prunus Necrotic Ring Spot Virus (PNRSV) Apple Chlorotic Leaf Spot Virus (ACLSV) Apple Mosaic Virus (ApMV) Myrobalan Latent Ring Spot Virus (MLRSV)
<i>Prunus avium</i> (L.) L.								
fruit	7	5	HU	NEBIH Headquarters	31/01	01/03	15/04	8 scions, virus tested, one-year old, grafted on Brokforest (Maxma 14) rootstock The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Cherry necrotic rusty mottle virus (CNRMV) [PCR]

1	2	3	4	5	6	7	8	9
<i>Prunus avium</i> (L.) L.								
7	5	PL	COBORU	- Head-quarters	31/01	01/03	31/03	9 one-year old virus tested trees on F/12/1 rootstock The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Prune Dwarf Virus (PDV) [ELISA]
7	5	FR	GEVES - Siège		30/11	01/12	31/01	7 scions, free from viruses, one-year old, grafted on free from viruses 'Maxma' 14 rootstock The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
7	5	ES	Oficina Española de Variedades Vegetales (OEVV)		30/11	10/01	15/02	9 virus tested, one-year old scions grafted on Santa Lucia 64 clonal rootstock Healthy plants. The plants must be accompanied by an official certificate of laboratory analysis indicating that the material is free from: Prunus Dwarf Ilarvirus (PDV) Prunus Necrotic Ring Spot Ilarvirus (PNRSV)
<i>Prunus avium</i> (L.) L. × <i>P. fruticosa</i> Pall.								
7	4	FR	GEVES - Siège		*	*	*	*
7	4	DE	Bundessortenamt		31/12	15/03	31/03	6 well developed, well rooted, 2 years old plants The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
<i>Prunus avium</i> (L.) L. × <i>P. salicina</i> Lindl.								
7	4	FR	GEVES - Siège		*	*	*	*
7	4	HU	NEBIH Headquarters		31/01	01/03	15/04	8 scions, virus tested, one-year old, grafted on Brokforest (Maxma 14) rootstock The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Cherry necrotic rusty mottle virus (CNRMV) [PCR]

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Prunus avium (L.) L. × *Prunus cerasus* L.

7	*	FR	GEVES - Siège	*	*	*	*
---	---	----	---------------	---	---	---	---

Prunus canescens Bois × *P. cerasus* L.

7	4	FR	GEVES - Siège	*	*	*	*
7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]

Prunus canescens Bois × *Prunus tomentosa* Thunb.

7	*	FR	GEVES - Siège	*	*	*	*
---	---	----	---------------	---	---	---	---

Prunus cerasifera Ehrh.

7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]
7	4	FR	GEVES - Siège	*	01/01	30/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) Prunus Necrotic Ring Spot Virus (PNRSV) Prune Dwarf Virus (PDV)

Prunus cerasifera Ehrh. × *P. davidiana* (Carriere) N. E. Br.

7	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03	10 plants one-year old, well developed, well rooted The plant material must be accompanied by an official document indicating that the plant material is not affected by any important pest or disease, and that it has been laboratory tested by PCR to give a negative result for: Plum Pox Potyvirus (PPV) Prune Dwarf Ilarvirus (PDV) Prunus Necrotic Ring Spot Ilarvirus (PNRSV) Xanthomonas arboricola pv. pruni.
7	4	FR	GEVES - Siège		30/11	01/01	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety free from viruses
7	4	PL	COBORU - Head-quarters		31/12	01/03	31/03	15 plants, one-year old from stoolbed - for vegetative 15 seedlings + 150 seeds - for generative Submission of seeds 1-31.12
7	4	DE	Bundessortenamt		31/01	01/03	31/03	6 plants well developed, well rooted, 2 years old, on their own roots, virus tested

Prunus cerasifera Ehrh. × *P. domestica* L.

7	4	PL	COBORU - Head-quarters		31/12	01/03	31/03	15 plants, one-year old from stoolbed - for vegetative 15 seedlings + 150 seeds - for generative Submission of seeds 1-31.12
---	---	----	------------------------	--	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
<i>Prunus cerasifera</i> Ehrh. × <i>P. domestica</i> L.								
	7	3	IT	CREA-OFA (EO)	ROMA	31/12	01/02	31/03
								10 plants one-year old, well developed, well rooted The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (EFSY) Prune Dwarf Virus (PDV) Plum Pox Virus (PPV) Prunus Necrotic Ring Spot Virus (PNRSV)
	7	4	FR	GEVES - Siège		30/11	01/01	31/01
								30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety free from viruses
	7	4	DE	Bundessortenamt		31/01	01/03	31/03
								6 plants well developed, well rooted, 2 years old, on their own roots, virus tested
<i>Prunus cerasifera</i> Ehrh. × <i>P. persica</i> (L.) Batsch								
rootstock	7	4	FR	GEVES - Siège		30/11	01/12	29/02
								30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum, 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
	7	4	DE	Bundessortenamt		31/12	15/03	31/03
								6 plants, well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]
<i>Prunus cerasifera</i> Ehrh. × <i>P. pumila</i> L. var. <i>besseyi</i> (L. H. Bailey) Gleason								
rootstock	7	4	FR	GEVES - Siège		30/11	01/12	31/01
								30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative results for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation]
<i>Prunus cerasifera</i> Ehrh. × <i>P. tomentosa</i> Thunb.								
	7	4	DE	Bundessortenamt		31/12	15/03	31/03
								6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Prunus cerasus L.

	7	4	PL	COBORU - Head-quarters	31/01	01/03	31/03	9 one-year old virus tested trees on F/12/1 rootstock The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]
	7	4	HU	NEBIH Headquarters	31/01	01/03	15/04	8 scions virus tested, one-year old, grafted on Prunus mahaleb rootstock (please specify).The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune Dwarf Virus (PDV) [ELISA / Shirofugen/indexing on 'GF 305'] Prunus Necrotic Ring Spot Virus (PNRSV)[ELISA/Shirofugen/indexing on 'GF 305'] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA/indexing on 'R 1274 7A', 'Malus platycarpa'] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, one-year old, grafted on Prunus mahaleb 'Alpruma' or similar selection The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]

Prunus cerasus L. × *P. fruticosa* Pall.

fruit	7	4	HU	NEBIH Headquarters	31/01	01/03	15/04	8 scions virus tested, one-year old, grafted on Prunus mahaleb rootstock (please specify).The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune Dwarf Virus (PDV) [ELISA / Shirofugen/indexing on 'GF 305'] Prunus Necrotic Ring Spot Virus (PNRSV)[ELISA/Shirofugen/indexing on 'GF 305'] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA/indexing on 'R 1274 7A', 'Malus platycarpa'] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
-------	---	---	----	--------------------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Prunus cerasus</i> L. × <i>P. fruticosa</i> Pall.								
rootstock	7	4	FR	GEVES - Siège	*	*	*	*
<i>Prunus cerasus</i> L. × <i>P. maackii</i> Rupr.								
rootstock	7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
<i>Prunus cerasus</i> L. × <i>P. × schmittii</i> Rehder								
rootstock	7	4	PL	COBORU - Head-quarters	31/12	01/03	31/03	15 rooted plants, one-year old, virus tested, from stoolbed - vegetative rootstocks or 9 trees, one-year old + 100 seeds - generative rootstocks
	7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
<i>Prunus</i> × <i>dasycarpa</i> Ehrh. (<i>P. armeniaca</i> L. × <i>P. cerasifera</i> Ehrh.)								
rootstock	7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA]

1	2	3	4	5	6	7	8	9
<i>Prunus</i> × <i>dasycarpa</i> Ehrh. (<i>P. armeniaca</i> L. × <i>P. cerasifera</i> Ehrh.)								
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]
<i>Prunus davidiana</i> L. × <i>P. persica</i> Batsch								
	7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum, 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
<i>Prunus domestica</i> L.								
fruit	7	4	PL	COBORU - Head-quarters	31/01	01/03	31/03	9 trees, one-year old, virus tested, grafted on Wangenheims Plum Seedling The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Plum Pox Virus (PPV) [ELISA] European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA]
	7	4	HU	NEBIH Headquarters	31/01	01/03	15/04	8 scions, virus tested, one-year old, grafted on Brokforest (Maxma 14) rootstock The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Plum Pox Virus (PPV) [PCR/ELISA/indexing on 'GF 305', 'GF 31'] Prune Dwarf Virus (PDV) [ELISA//Shirofugen/indexing on 'GF 305'] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA//Shirofugen/indexing on 'GF 305', 'GF 31'] 'Candidatus' phytoplasma prunorum [PCR]
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, one-year old, grafted on virus-free 'St. Julien' The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Prunus domestica* L. × *P. persica* Batsch**

7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum, 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
---	---	----	---------------	-------	-------	-------	---

***Prunus domestica* L. subsp. *insititia* (L.) C. K. Schneid. (syn. *P. insititia* L.)**

7	4	DE	Bundessortenamt	*	*	*	*
---	---	----	-----------------	---	---	---	---

Prunus domestica* subsp. *domestica

7	4	DE	Bundessortenamt	*	*	*	*
---	---	----	-----------------	---	---	---	---

***Prunus domestica* subsp. *italica* (Borkh.) Gams ex Hegi**

7	4	DE	Bundessortenamt	*	*	*	*
---	---	----	-----------------	---	---	---	---

***Prunus domestica* subsp. *syriaca* (Borkh.) Janch. ex Mansf.**

7	4	DE	Bundessortenamt	*	*	*	*
---	---	----	-----------------	---	---	---	---

***Prunus dulcis* (Mill.) D. A. Webb**

7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	10/12	10/01	10/02	9 plants, virus tested, one-year old, grafted on rootstock 'GF 677' The plants must be accompanied by an official certificate of laboratory analysis indicating that it is free from: Plum Pox Potyvirus (PPV) Prune Dwarf Ilarvirus (PDV) Prunus Necrotic Ring Spot Ilarvirus (PNRSV)
---	---	----	---	-------	-------	-------	--

***Prunus* × *fontanesiana* (Spach) C. K. Schneid. (*P. avium* (L.) L. × *P. mahaleb* L.)**

7	*	FR	GEVES - Siège	*	*	*	*
---	---	----	---------------	---	---	---	---

***Prunus fruticosa* Pall. × *P. serrulata* Lindl. var. *lannesiana* (Carrière) Makino**

7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Prunus* × *gondouinii* (Poit. & Turpin) Rehder (*P. avium* (L.) L. × *P. cerasus* L.)**

rootstock	7	4	FR	GEVES - Siège		30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
rootstock	7	4	PL	COBORU - Headquarters		31/12	01/03	31/03	15 rooted plants, one-year old, virus tested, from stoolbed - vegetative rootstocks or 9 trees, one-year old + 100 seeds - generative rootstocks
	7	4	DE	Bundessortenamt		31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]

***Prunus incana* (Pall.) Batsch × *P. tomentosa* Thunb.**

rootstock	7	4	FR	GEVES - Siège		30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation]
	7	4	DE	Bundessortenamt		31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]

***Prunus incisa* Thunb.**

vegetative	11	2	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09	8 young bushes, able to show all their characteristics during the first year of examination

***Prunus incisa* Thunb. × *P. × yedoensis* Matsum.**

	11	*	HU	NEBIH Headquarters		*	*	*	*
--	----	---	----	--------------------	--	---	---	---	---

***Prunus laurocerasus* L.**

vegetative	11	2	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes; able to show all their characteristics during the examination period
------------	----	---	----	-------------------------	---	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
<i>Prunus laurocerasus</i> L.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard, container-grown, of sufficient size to flower in the examination period
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Prunus lusitanica</i> L.								
ornamental	11	2	NL	NAKTUINBOUW - Main Office	*	01/03	31/03	8 young plants able to show all their characteristics during the first year of examination
vegetative - ornamental	11	2	GB	NIAB	01/12	09/03	20/03	*
<i>Prunus mahaleb</i> L.								
rootstock	7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Raspberry Ring Spot Virus (RRSV=RpRSV) [visual inspection] Cherry Necrotic Rusty Mottle Virus (CNRMV) [PCR]
<i>Prunus padus</i> L.								
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 trees, container-grown at least 3 years old
<i>Prunus persica</i> (L.) Batsch								
fruit	7	4	HU	NEBIH Headquarters	30/11	01/03	31/03	9 plants - virus tested - one-year old - grafted on rootstock 'GF 677'. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - 'Candidatus' phytoplasma prunorum [PCR] - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Plum Pox Virus (PPV) [ELISA] - Prune Dwarf Virus (PDV) [ELISA] - Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]. or 9 budwoods - dormant budwoods - with 2 buds - in case of budwoods, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year - grafted on rootstock 'GF 677'. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - 'Candidatus' phytoplasma prunorum [PCR] - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Plum Pox Virus (PPV) [ELISA] - Prune Dwarf Virus (PDV) [ELISA] - Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA].

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Prunus persica (L.) Batsch

medium to very late flowering	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	30/11	10/01	10/02	12 plants
								- virus tested
								- one-year old
								- grafted on rootstock 'GF 677'.
								The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of:
								- Plum Pox Potyvirus (PPV)
								- Prunus Necrotic Ring Spot Ilarvirus (PNRSV)
								- Prune Dwarf Ilarvirus (PDV).
								Each plant must be clearly labelled.
								or
								12 budwoods
								- dormant budwoods
								- with 2 buds
								- in case of budwoods, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year
								- grafted on rootstock 'GF 677'.
								The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of:
								- Plum Pox Potyvirus (PPV)
								- Prune Dwarf Ilarvirus (PDV)
								- Prunus Necrotic Ring Spot Ilarvirus (PNRSV).
								Each plant must be clearly labelled.

very early and early flowering	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	01/12	31/01	9 plants
								- virus tested
								- one-year old
								- grafted on rootstock 'GF 677'.
								The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of:
								- Plum Pox Potyvirus (PPV)
								- Prune Dwarf Ilarvirus (PDV)
								- Prunus Necrotic Ring Spot Ilarvirus (PNRSV).
								Each plant must be clearly labelled.
								or
								9 budwoods
								- dormant budwoods
								- with 2 buds
								- in case of budwoods, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year
								- grafted on rootstock 'GF 677'.
								The plant material must be accompanied by a laboratory ELISA analysis demonstrating it is free of:
								- Plum Pox Potyvirus (PPV)
								- Prune Dwarf Ilarvirus (PDV)
								- Prunus Necrotic Ring Spot Ilarvirus (PNRSV).
								Each plant must be clearly labelled.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Prunus persica (L.) Batsch

7	4	IT	CREA-OFA (EO)	ROMA	30/11	01/03	31/03	8 plants - virus tested - one-year old - grafted on rootstock 'GF 677'. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Plum Pox Virus (PPV) - Prune Dwarf Virus (PDV) - Prunus Necrotic Ring Spot Virus (PNRSV) - Xanthomonas arboricola pv. pruni.. or 9 budwoods - dormant budwoods - with 2 buds - in case of budwoods, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Plum Pox Virus (PPV) - Prune Dwarf Virus (PDV) - Prunus Necrotic Ring Spot Virus (PNRSV) - Xanthomonas arboricola pv. pruni..
---	---	----	------------------	------	-------	-------	-------	--

7	4	FR	GEVES - Siège		30/11	01/12	31/01	7 plants - virus tested - one-year old - grafted on rootstock 'GF 677'. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Ca Phytoplasma prunorum, 16SrX - European Stone Fruit Yellows phytoplasma (ESFY) - Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] - Prune Dwarf Virus (PDV) [ELISA] - Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]. or 7 budwoods - dormant budwoods - with 2 buds - in case of budwoods, the Office would like to point out that there is a greater risk of inferior plant development and prolongation of testing by a year - grafted on rootstock 'GF 677'. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] - Ca Phytoplasma prunorum, 16SrX - European Stone Fruit Yellows phytoplasma (ESFY) - Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] - Prune Dwarf Virus (PDV) [ELISA] - Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA].
---	---	----	---------------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Prunus persica* (L.) Batsch × *P. salicina* Lindl.**

7	*	FR	GEVES - Siège	*	*	*	*
---	---	----	---------------	---	---	---	---

(*Prunus persica* × *Prunus davidiana*) × *Prunus* × *amygdalopersica* (Weston) Rehder

rootstock	7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum, 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
-----------	---	---	----	---------------	-------	-------	-------	---

***Prunus pumila* L.**

	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old, virus tested The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]
--	---	---	----	-----------------	-------	-------	-------	--

***Prunus* × *rossica* Eremin (*P. cerasifera* Ehrh. × *P. salicina* Lindl.)**

7	*	FR	GEVES - Siège	*	*	*	*
---	---	----	---------------	---	---	---	---

***Prunus salicina* Lindl.**

	7	4	IT	CREA-OFA (EO)	ROMA	30/11	01/03	31/03	8 grafted plants, one-year old, grafted on 'Myrobalan 29C' The plant material must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official document indicating that the plant material has been laboratory tested by PCR to give a negative result for: Prune Dwarf Virus (PDV) Prunus Necrotic Ring Spot Virus (PNRSV) Plum Pox Virus (PPV) Xanthomonas arboricola pv. pruni.
	7	4	FR	GEVES - Siège		30/11	01/12	31/01	9 grafted plants, one-year old, grafted on 'GF 677 VF' or 'Montclar VF' The plants must be accompanied by a certificate indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum Pox Potyvirus (PPV) Prune Dwarf Virus (PDV) Prunus Necrotic Ring Spot Virus (PNRSV) Apple Chlorotic Leaf Spot Virus (ACLSV) Apple Mosaic Virus (ApMV) Myrobalan Latent Ring Spot Virus (MLRSV)

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Prunus salicina Lindl.

	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	30/11	01/01	31/01	9 grafted plants, one-year old, grafted on 'Mariana 26-24' The plants must be accompanied by a certificate indicating that the plant material is not affected by any important pest or disease, and has been ELISA tested to give a negative result for: Plum Pox Potyvirus (PPV) Prune Dwarf Ilarvirus (PDV) Prunus Necrotic Ring Spot Ilarvirus (PNRSV) Apple Chlorotic Leaf Spot Closterovirus (CLSV) Apple Mosaic Ilarvirus (ApMV) Myrobalan Latent Ring Spot Neprovirus (MLRSV)
--	---	---	----	---	-------	-------	-------	---

Prunus × *schmittii* Rehder

rootstock	7	4	FR	GEVES - Siège	30/11	01/12	31/01	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Prune Dwarf Virus (PDV) [ELISA] Peach Latent Mosaic Viroid (PLMVd) [molecular hybridisation] Ca Phytoplasma prunorum, 16SrX - European Stone Fruit Yellows phytoplasma (ESFY)
	7	4	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, of commercial standard The quality of plants should not be less than the standards laid down in Directives 2014/98/EU and 2008/90/EC. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate indicating that the plant material has been lab-tested to give a negative result for: Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR/ELISA] Cherry Leaf Roll Virus (CLRV) [ELISA] Cherry necrotic rusty mottle virus (CNRMV) [PCR]
	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]

Prunus × *simmleri* Palez. (*P. cerasifera* Ehrh. × *P. spinosa* L.)

	7	*	FR	GEVES - Siège	*	*	*	*
--	---	---	----	---------------	---	---	---	---

Prunus spinosa L.

	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport and a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: European Stone Fruit Yellow Phytoplasma (ESFY) [PCR] Prune Dwarf Virus (PDV) [ELISA] Plum Pox Virus (PPV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA]
--	---	---	----	-----------------	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Prunus tomentosa* Thunb. × *P. × schmittii* Rehder**

7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 plants well developed, well rooted, 2 years old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Cherry Leaf Roll Virus (CLRV) [ELISA] Little Cherry Virus 1 & Little Cherry Virus 2 (LChV-1, LChV-2) [PCR] Prune Dwarf Virus (PDV) [ELISA] Prunus Necrotic Ring Spot Virus (PNRSV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
---	---	----	-----------------	-------	-------	-------	---

***Pteris* L.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Ptilotus exaltatus* Nees (syn. *Ptilotus nobilis* (Lindl.) F. Muell.)**

seed propagated	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	5 g seeds (minimal 500 seeds) Germination capacity at least 50%
vegetatively propagated	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 rooted cuttings able to show all their characteristics during the first year of examination

***Pulmonaria* L.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*

***Pulmonaria angustifolia* L.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pulmonaria longifolia* (T. Bastard) Boreau**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pulmonaria mollis* Wulfen**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pulmonaria officinalis* L.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pulmonaria rubra* Schott**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Pulmonaria saccharata* Mill.**

vegetative	11	1	GB	NIAB		31/07	16/09	20/09	*
------------	----	---	----	------	--	-------	-------	-------	---

***Punica granatum* L.**

7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	15/12	15/01	28/02	9 grafted plants, one-year old, obtained from rooted cuttings or grafted on the species <i>Punica granatum</i> Visibly healthy and free from transmissible diseases, in particular pests: Duedorix isocrates Duedorix livia Planococcus lilacinus bacteria: <i>Agrobacterium tumefaciens</i> fungi: Aspergillus sp. Pleuroplaconema or Ceuthospora phyllosticta Sphaceloma punicae Ceratocystis fimbriata Phomopsis sp. (Dry rot) virus and similar organisms: <i>Zythia versioniana</i> (Canker) The applicant needs to inform the examination office about the delivery at least one week in advance.
---	---	----	---	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Pyracantha* M. J. Roem**

vegetative	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.

***Pyracantha atalantioides* (Hance) Stapf**

	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.

***Pyracantha coccinea* M. Roem.**

vegetative	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.

***Pyracantha crenatoserrata* (Hance) Rehder**

	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.

***Pyracantha crenulata* (D. Don) M. Roem. var. *rogersiana* A. B. Jacks. (syn. *P. rogersiana*)**

	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.

***Pyrus* L.**

Hybrids	in-	7	*	FR	GEVES - Siège	*	*	*	*
volving	only								
species	named								
in the	contract								
or	unknown								
species									

***Pyrus* × *bretschneideri* Rehder × *P. pyrifolia* (Burm. f.) Nakai**

	7	4	FR	GEVES - Siège	31/12	01/01	28/02	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety
								The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for:
								Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA]
								Apple Stem Grooving Virus (ASGV) [ELISA]
								Apple Stem Pitting Virus (ASPV)
								Pear Decline Phytoplasma (PD)
								Pear stony pit virus [biological indexing]
								Quince Sooty Ring Spot [biological indexing]
								(Pear?) Ring Pattern Mosaic Virus (CLSV) [ELISA]
								Pear Blister Canker Viroid (PBCVd) [molecular hybridisation]
								Apple Rubbery Wood

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Pyrus* × *bretschneideri* Rehder × *P. pyrifolia* (Burm. f.) Nakai**

7	4	IT	CREA-OFA	ROMA	31/12	01/03	31/03	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been PCR tested to give a negative result for: Quince Sooty Ring Spot Apple Rubbery Wood Apple Chlorotic Leaf Spot Virus (ACLSV) Apple Stem Grooving Virus (ASGV) Apple Stem Pitting Virus (ASPV) Pear Decline Phytoplasma (PD) Pear Blister Canker Viroid (PBCVd) Erwinia amilovora
---	---	----	----------	------	-------	-------	-------	--

***Pyrus calleryana* Decne. × *P. pyrifolia* (Burm. f.) Nakai**

ornamental	9	4	FR	GEVES - Siège	*	*	*	*
------------	---	---	----	---------------	---	---	---	---

***Pyrus communis* L.**

fruit	7	4	DE	Bundessortenamt	31/12	15/03	31/03	6 trees or 11 trees (in case of mutant varieties) one-year old, grafted on 'Quince EM A' rootstock with 'Beurré Hardy' interstock. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] Pear Decline Phytoplasma (PD) [PCR] Apple Stem Grooving Virus (ASGV) [PCR] Apple Stem Pitting Virus (ASPV) [PCR]
fruit	7	4	FR	GEVES - Siège	31/12	01/01	28/02	8 trees, virus tested, one-year old, grafted on <i>Cydonia oblonga</i> (BA29) rootstock. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Apple Stem Grooving Virus (ASGV) [ELISA] Apple Stem Pitting Virus (ASPV) Pear Decline Phytoplasma (PD) Pear stony pit virus [biological indexing] Quince Sooty Ring Spot [biological indexing] Ring Pattern Mosaic Virus (CLSV) [ELISA] Pear Blister Canker Viroid (PBCVd) [molecular hybridisation] Apple Rubbery Wood
rootstock	7	4	FR	GEVES - Siège	31/12	01/01	28/02	30 cuttings, well rooted, free from viruses, emanating from vegetative propagation and 300 seeds, submitted 3 months before in case of seed propagated variety The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Apple Stem Grooving Virus (ASGV) [ELISA] Apple Stem Pitting Virus (ASPV) Pear Decline Phytoplasma (PD) Quince Sooty Ring Spot [biological indexing] (Pear?) Ring Pattern Mosaic Virus (CLSV) [ELISA] Pear Blister Canker Viroid (PBCVd) [molecular hybridisation] Apple Rubbery Wood

1	2	3	4	5	6	7	8	9
<i>Pyrus communis</i> L.								
rootstock	7	4	DE	Bundessortenamt	31/12	15/03	31/03	15 rooted shoots, one-year old The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [PCR] Pear Decline Phytoplasma (PD) [PCR] Apple Stem Grooving Virus (ASGV) [PCR] Apple Stem Pitting Virus (ASPV) [PCR]
	7	4	PL	COBORU - Head-quarters	*	*	*	*
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	15/01	28/02	8 trees virus tested one-year old, grafted on quince (BA29) rootstock. The plants should be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Trichovirus (ACLSV) Apple stem-grooving capillovirus (ASGV) Apple stem-pitting foveavirus (ASPV) Pear Decline Phytoplasma (PD) Pear stony pit Quince Sooty Ring Spot
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai var. <i>culta</i> (Makino) Nakai								
	7	4	FR	GEVES - Siège	31/12	01/01	28/02	8 trees, free from viruses, one-year old, grafted on free from viruses <i>Pyrus communis</i> The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Apple Chlorotic Leaf Spot Virus (ACLSV) [ELISA] Apple Stem Grooving Virus (ASGV) [ELISA] Apple Stem Pitting Virus (ASPV) Pear Decline Phytoplasma (PD) Pear stony pit virus [biological indexing] Quince Sooty Ring Spot [biological indexing] (Pear?) Ring Pattern Mosaic Virus (CLSV) [ELISA] Pear Blister Canker Viroid (PBCVd) [molecular hybridisation] Apple Rubbery Wood
<i>Quercus palustris</i> Münchh.								
vegetative	11	2	PL	COBORU - Head-quarters	01/12	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Quercus robur</i> L. × <i>Quercus macranthera</i> Fisch. & C. A. Mey. ex Hohen.								
vegetative	11	2	PL	COBORU - Head-quarters	01/12	15/03	15/04	8 grafted plants 3-4 years old, container-grown.
<i>Quercus rubra</i> L.								
vegetative	11	2	PL	COBORU - Head-quarters	01/12	15/03	15/04	*
vegetative	11	2	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants, container-grown
<i>Ranunculus</i> L.								
seed-propagated	10	2	IT	CREA-OFA (EO)	31/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.
vegetative	10	1	DK	University of Aarhus - Aarslev	01/06	01/10	15/10	25 young plants ready for potting or 25 dried corms Plants/corms must be of sufficient size to flower during the first year of examination. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number

1	2	3	4	5		6	7	8	9	
<i>Ranunculus L.</i>										
vegetative	10	1	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	25 young plants ready for potting or 25 dried corms Plants/corms must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.	
	10	1	DE	Bundessortenamt		15/05	01/10	15/10	25 young plants ready for potting or 25 dried corms. Plants or corms must be of sufficient size to flower during the first season.	
	10	1	PL	COBORU - quarters	Head-	31/01	01/04	15/04	20 young plants commercial standard	
<i>Ranunculus asiaticus L.</i>										
seed-propagated	10	1	DK	University of Aarhus - Aarslev		01/06	01/11	15/11	30 plants raised from seeds, approximately 6 weeks old Note: Denmark is a protected zone for Bemisia tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
seed-propagated	10	2	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.	
vegetative	10	1	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	25 young plants ready for potting or 25 dried corms Plants/corms must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.	
vegetative	10	1	DK	University of Aarhus - Aarslev		01/06	01/10	15/10	25 young plants ready for potting or 25 dried corms Plants/corms must be of sufficient size to flower during the first year of examination. Note: Denmark is a protected zone for Bemisia tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
	10	1	PL	COBORU - quarters	Head-	31/01	01/04	15/04	20 young plants commercial standard	
	10	1	DE	Bundessortenamt		15/05	01/10	15/10	25 young plants ready for potting or 25 dried corms. Plants or corms must be of sufficient size to flower during the first season.	
<i>Ranunculus asiaticus L. × R. cortusifolius Willd.</i>										
seed-propagated	10	2	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	30 plants raised from seeds approximately 6 weeks old Plants must be of good health, such as to guarantee regular development leading to flowering during the second year of examination. Plant material must be visually free of pathogenic agents.	
seed-propagated	10	1	DK	University of Aarhus - Aarslev		01/06	01/11	15/11	30 plants raised from seeds, approximately 6 weeks old Note: Denmark is a protected zone for Bemisia tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
vegetative	10	1	IT	CREA-OFA (EO)	ROMA	31/05	01/10	15/10	25 young plants ready for potting or 25 dried corms Plants/corms must be of sufficient size to flower during the first year of examination. Plant material must be visually free of pathogenic agents.	
vegetative	10	1	DK	University of Aarhus - Aarslev		01/06	01/10	15/10	25 young plants ready for potting or 25 dried corms Plants/corms must be of sufficient size to flower during the first year of examination. Note: Denmark is a protected zone for Bemisia tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	

1	2	3	4	5	6	7	8	9
<i>Ranunculus asiaticus</i> L. × <i>R. cortusifolius</i> Willd.								
	10	1	PL	COBORU - Head-quarters	31/01	01/04	15/04	20 young plants commercial standard
	10	1	DE	Bundessortenamt	15/05	01/10	15/10	25 young plants ready for potting or 25 dried corms. Plants or corms must be of sufficient size to flower during the first season.
<i>Raphanus sativus</i> L. var. <i>niger</i> (Miller) S. Kerner								
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	10000 seeds
	14	2	FR	GEVES - Siège	*	*	*	*
	14	2	GB	Animal & Plant Health Agency (APHA)	*	*	*	*
	14	2	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers.								
agricultural	4	2	DE	Bundessortenamt	15/12	*	01/02	1.5 kg seeds minimum germination capacity 85%
<i>Raphanus sativus</i> L. var. <i>sativus</i>								
autumn	14	2	FR	GEVES - Siège	01/09	*	01/10	10000 seeds (300 g)
greenhouse	13	2	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	10000 seeds not fractionated
outdoor	14	2	NL	NAKTUINBOUW - Main Office	15/03	*	01/04	10000 seeds not fractionated
spring	14	2	FR	GEVES - Siège	01/01	*	01/02	10000 seeds (300 g)
summer	14	2	FR	GEVES - Siège	01/05	*	01/06	10000 seeds (300 g)
	14	2	GB	Animal & Plant Health Agency (APHA)	15/03	*	15/04	*
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	10000 seeds
<i>Rehmannia angulata</i> (D.Don) Hemsl. × <i>Rehmannia elata</i> N. E. Br. ex Prain								
	10	1	DE	Bundessortenamt	01/06	03/09	07/09	25 young plants of commercial standard
<i>Rehmannia elata</i> N. E. Br. ex Prain								
	10	*	DE	Bundessortenamt	*	*	*	*
<i>Rehmannia elata</i> N. E. Br. ex Prain × <i>Rehmannia glutinosa</i> (Gaertn.) Steud.								
	10	1	DE	Bundessortenamt	01/06	02/09	06/09	25 young plants of commercial standard
<i>Rhapis</i> L. f. ex Aiton								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Rheum rhabarbarum</i> L.								
seed	14	2	FR	GEVES - Siège	01/01	*	01/02	150 g seeds
vegetative	14	2	FR	GEVES - Siège	01/01	*	31/08	12 plants able to produce 30 bursts with a bud
	14	2	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Rhipsalidopsis</i> Britton & Rose								
vegetative	10	1	DK	University of Aarhus - Aarslev	01/01	01/03	15/03	20 plants, one-year old, delivered after cold treatment Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5	6	7	8	9	
<i>Rhipsalidopsis</i> Britton & Rose									
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics in the second year of examination.	
<i>Rhipsalidopsis gaertneri</i> (Regel) Moran (syn. <i>Hatiora gaertneri</i> (Regel) Barthlott)									
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics in the second year of examination.	
10	1	DK	University of Aarhus - Aarslev	-	01/01	01/03	15/03	20 plants, one-year old, delivered after cold treatment Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Note: Denmark is a protected zone for Bemisia Tabaci and Tomato spotted wilt virus. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.	
<i>Rhipsalis baccifera</i> (J. S. Muell.) Stearn subsp. <i>baccifera</i>									
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.	
<i>Rhipsalis clavata</i> F. A. C. Weber									
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.	
<i>Rhipsalis ewaldiana</i> Barthlott & N. P. Taylor									
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 cuttings, well rooted, able to show all their characteristics during the first year of examination Main Office
<i>Rhipsalis lindbergiana</i> K. Schum.									
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.	
<i>Rhipsalis teres</i> (Vell.) Steud.									
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 cuttings, well rooted, able to show all their characteristics during the first year of examination Main Office
<i>Rhodanthemum</i> (Vogt) B. H. Wilcox & al.									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office able to flower, able to show all their characteristics during the first year of examination
<i>Rhodanthemum hosmariense</i> (Ball) B. H. Wilcox & al. (syn. <i>Leucanthemum hosmariense</i> (Ball) Font Quer)									
vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Rhododendron</i> L.									
pot plant	8	1	DE	Bundessortenamt		15/10	15/10	31/10	25 potted plants pinched twice
vegetative, outdoor	11	1	DE	Bundessortenamt		01/09	15/09	15/10	6 plants with at least 3 flower buds

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Rhododendron catawbiense* Michx.**

9	*	DE	Bundessortenamt	*	*	*	*
---	---	----	-----------------	---	---	---	---

***Rhododendron degronianum* var. *yakushmanum* (Nakai) Kitam.**

vegetative, outdoor	11	1	DE	Bundessortenamt	01/09	01/10	15/10	6 plants with at least 3 flower buds
------------------------	----	---	----	-----------------	-------	-------	-------	---

***Rhododendron macrosepalum* Maxim. (syn. *Rhododendron stenopetalum* (Hogg) Mabb. ; syn. *Rhododendron linearifolia* (Siebold & Zucc.) Hook**

pot plant	8	1	DE	Bundessortenamt	15/10	*	15/11	*
-----------	---	---	----	-----------------	-------	---	-------	---

***Rhododendron molle* (Blume) G. Don**

greenhouse	8	1	DE	Bundessortenamt	01/09	01/10	15/10	6 plants with at least 3 flower buds
outdoor	11	1	DE	Bundessortenamt	01/09	01/10	15/10	6 plants with at least 3 flower buds

***Rhododendron obtusum* (Lindl.) Planch.**

outdoor	11	1	DE	Bundessortenamt	01/09	15/09	15/10	6 plants with at least 3 flower buds
	8	1	DE	Bundessortenamt	*	*	*	*

***Rhododendron simsii* Planch.**

vegetative, pot plant	8	1	DE	Bundessortenamt	15/10	01/11	15/11	25 plants potted in 13 cm pots, pinched twice. No more than 2 cuttings in each pot, semi-finished plants
--------------------------	---	---	----	-----------------	-------	-------	-------	--

***Rhodohypoxis* Nel**

vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW Main Office	- 01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of ex- amination.

× *Rhodoxis hybrida* B. Mathew

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	- 01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of exam- ination

***Rhus* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Rhus glabra* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

Rhus* × *pulvinata

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Rhus typhina* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU quarters	- 15/01	15/03	15/04	8 plants 3-4 years old

***Ribes* × *nidigrolaria* Rud. Bauer & A. Bauer**

	7	3	DE	Bundessortenamt	31/12	15/03	31/03	6 plants, well rooted, virus tested 2 years old, each plant having 3 vigorous branches The plants should be accompanied by a Plant Passport or a Phy- tosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis Mosaic Virus (ArMV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
--	---	---	----	-----------------	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Ribes nigrum* L.**

7	3	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	01/03	31/03	6 bushes, well rooted, virus tested, each bush having 3 vigorous branches The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis Mosaic Virus (ArMV) Black currant reversion agent (ŠAtavismusŠ) Raspberry Ring Spot Virus (RpRSV)
7	3	DE	Bundessortenamt	31/12	15/03	31/03	6 bushes, well rooted, each bush having 3 vigorous branches The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis Mosaic Virus (ArMV) [ELISA] Black currant reversion agent (ŠAtavismusŠ) [PCR] Raspberry Ring Spot Virus (RpRSV) [ELISA]
7	3	PL	COBORU - Head-quarters	31/01	01/03	31/03	9 plants well rooted, virus tested, with minimum 3 shoots per plant The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Black currant reversion virus (BRV) [PCR] Gooseberry vein banding associated virus (GVBaV) [PCR]

***Ribes rubrum* L. (syn. *R. sylvestre* (Lam.) Mert. & W. D. J. Koch)**

7	3	DE	Bundessortenamt	31/12	15/03	31/03	6 bushes, well rooted, each bush having 3 vigorous branches The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis Mosaic Virus (ArMV) [ELISA] Black currant reversion agent (ŠAtavismusŠ) [PCR] Raspberry Ring Spot Virus (RpRSV) [ELISA]
---	---	----	-----------------	-------	-------	-------	---

***Ribes sanguineum* Pursh**

11	1	DE	Bundessortenamt	01/12	01/04	15/04	10 potted plants 2 years old, size 60-80 cm
----	---	----	-----------------	-------	-------	-------	--

***Ribes uva-crispa* L.**

7	3	DE	Bundessortenamt	31/12	15/03	31/03	6 bushes, well rooted, each bush having 3 vigorous branches The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Arabis Mosaic Virus (ArMV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
---	---	----	-----------------	-------	-------	-------	--

***Ricinus communis* L.**

4	2	FR	GEVES - Siège	15/02	*	01/03	10000 seeds
---	---	----	---------------	-------	---	-------	-------------

***Robinia* L.**

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old

***Robinia* × *margaretta* Ashe**

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old

***Robinia pseudoacacia* L.**

vegetative	11	2	GB	NIAB	01/10	09/03	20/03	*
	11	*	PL	COBORU - Head-quarters	*	*	*	*

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Rodgersia pinnata* Franch.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Rosa* L.**

climbing UK	9	2	GB	NIAB		30/09	01/11	11/11	*
-------------	---	---	----	------	--	-------	-------	-------	---

climbing roses	9	2	DE	Bundessortenamt		30/09	01/11	15/11	8 plants - with at least 3 shoots - one-year old - grafted on a hardy rootstock or on own roots.
----------------	---	---	----	-----------------	--	-------	-------	-------	---

garden UK	9	1	GB	NIAB		30/09	01/11	15/11	*
-----------	---	---	----	------	--	-------	-------	-------	---

garden type	9	1	DE	Bundessortenamt		30/09	01/11	15/11	8 plants - with at least 3 shoots - one-year old - grafted on a hardy rootstock or on own roots.
-------------	---	---	----	-----------------	--	-------	-------	-------	---

mutation, cutflower type,greenhouse cultivation	10	1	NL	NAKTUINBOUW Main Office	-	15/11	01/02	15/02	22 cuttings - able to show all their characteristics during the first year of examination - in 5 cm cocos peat plug - well rooted. Each plant must be clearly labelled. Plants must be free of Ralstonia.
--	----	---	----	----------------------------	---	-------	-------	-------	--

pot plant type	8	1	DE	Bundessortenamt		15/02	01/03	31/03	6 plants - potted - well branched - free of important diseases and pests - at least 4 months old - grafted on their own roots. One plant per pot.
----------------	---	---	----	-----------------	--	-------	-------	-------	---

rootstock type	9	1	DE	Bundessortenamt		30/09	01/11	15/11	8 plants - with at least 3 shoots - one-year old - grafted on a hardy rootstock or on own roots.
----------------	---	---	----	-----------------	--	-------	-------	-------	---

seedling, cut- flower type, greenhouse	10	1	NL	NAKTUINBOUW Main Office	-	15/11	01/02	15/02	12 cuttings - in 5 cm cocos peat plug - well rooted - able to show all their characteristics during the first year of examination. Each plant must be clearly labelled. Plants must be free of Ralstonia.
--	----	---	----	----------------------------	---	-------	-------	-------	--

***Rosa canina* L.**

rootstock	9	1	DE	Bundessortenamt		30/09	*	15/11	*
-----------	---	---	----	-----------------	--	-------	---	-------	---

vegetative	9	1	GB	NIAB		30/09	01/11	15/11	*
------------	---	---	----	------	--	-------	-------	-------	---

***Rosa* × *damascena* Mill.**

vegetative	9	1	GB	NIAB		30/09	01/11	15/11	*
------------	---	---	----	------	--	-------	-------	-------	---

	9	1	DE	Bundessortenamt		30/09	*	15/11	*
--	---	---	----	-----------------	--	-------	---	-------	---

***Rosa laza* Retz.**

vegetative	9	1	GB	NIAB		30/09	01/11	15/11	*
------------	---	---	----	------	--	-------	-------	-------	---

***Rosa multiflora* Thunb.**

rootstock	9	1	DE	Bundessortenamt		30/09	*	15/11	*
-----------	---	---	----	-----------------	--	-------	---	-------	---

vegetative	9	1	GB	NIAB		30/09	01/11	15/11	*
------------	---	---	----	------	--	-------	-------	-------	---

***Roscoea purpurea* Sm.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Rosmarinus officinalis L.

14	2	GB	NIAB		01/12	09/03	20/03	*
14	2	FR	GEVES - Siège		15/12	15/03	31/03	8 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics no later than the second year of test.

Rubus chamaemorus L.

11	1	NL	NAKTUINBOUW - Main Office		01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
----	---	----	---------------------------	--	-------	-------	-------	---

Rubus idaeus L.

7	3	DE	Bundessortenamt		31/12	15/04	30/04	11 plants, vigorous, well rooted, with a satisfactory number of adventitious buds, potted in 7-15 cm pots or 11 canes, vigorous, well rooted, one-year old, with a satisfactory number of adventitious buds The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Raspberry Bushy Dwarf Virus (RBDV) [ELISA] Black Raspberry Necrosis Virus [PCR] Raspberry Leaf Mottle Virus [PCR] Rubus Yellow Net Virus [PCR] Raspberry Ring Spot Virus (RpRSV) [ELISA] Rubus Stunt Phytoplasma [PCR]
7	3	PL	COBORU - Headquarters		31/01	01/03	31/03	20 plants well rooted, virus tested The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Raspberry Bushy Dwarf Virus (RBDV) [ELISA]

Rubus idaeus L. × *R. parvifolius* L.

7	3	PL	COBORU - Headquarters		31/01	01/03	31/03	20 plants well rooted, virus tested The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Raspberry Bushy Dwarf Virus (RBDV) [ELISA]
7	3	HU	NEBIH Headquarters		31/01	01/03	31/03	11 plants well rooted, virus tested The plants must be accompanied by a recognised certificate indicating that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: Raspberry Bushy Dwarf Virus (RBDV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA]
7	3	DE	Bundessortenamt		31/12	15/04	30/04	11 plants, vigorous, well rooted, free from viruses, with a satisfactory number of adventitious buds, potted in 7-15 cm pots or 11 canes, vigorous, well rooted, one-year old, with a satisfactory number of adventitious buds The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Raspberry Bushy Dwarf Virus (RBDV) [ELISA] Black Raspberry Necrosis Virus [PCR] Raspberry Leaf Mottle Virus [PCR] Raspberry Ring Spot Virus (RpRSV) [ELISA] Rubus Stunt Phytoplasma [PCR] Rubus Yellow Net Virus [PCR]

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Rubus* subg. *Rubus

	7	3	DE	Bundessortenamt	31/12	15/04	30/04	6 plants vigorous, well rooted, with a satisfactory number of adventitious buds, potted in 7-15 cm pots The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: Black Raspberry Necrosis Virus [PCR] Raspberry Leaf Mottle Virus [PCR] Rubus Yellow Net Virus [PCR] Raspberry Bushy Dwarf Virus (RBDV) [ELISA] Raspberry Ring Spot Virus (RpRSV) [ELISA] Rubus Stunt Phytoplasma [PCR]
--	---	---	----	-----------------	-------	-------	-------	---

***Rudbeckia* L.**

seed	11	1	HU	NEBIH Headquarters	15/01	*	31/01	2000 seeds minimum germination capacity 70%
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
vegetative	11	1	HU	NEBIH Headquarters	15/01	01/03	05/04	50 plants rooted cuttings
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

***Rudbeckia fulgida* Aiton**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	25 young plants of commercial standard

***Rudbeckia hirta* L.**

seed	11	1	HU	NEBIH Headquarters	15/01	*	31/01	2000 seeds
vegetative	11	1	HU	NEBIH Headquarters	15/01	01/03	05/04	20 plants
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

***Rudbeckia laciniata* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Rudbeckia occidentalis* Nutt.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

***Rudbeckia subtomentosa* Pursh**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	HU	NEBIH Headquarters	15/01	15/04	15/05	25 free from viruses, good health

***Ruellia macrantha* Mart. ex Nees**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Rumohra adiantiformis* (G. Forst.) Ching**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants of commercial standard
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Ruscus aculeatus* L.**

seed	11	2	GB	NIAB	01/12	20/01	24/01	*	
vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*	
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

***Ruscus hypoglossum* L.**

vegetative	10	2	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Ruscus hypophyllum</i> L.								
vegetative	10	2	GB	NIAB		01/12	09/03	20/03 *
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03 24 plants
				Main Office				able to show all their characteristics during the first year of examination
<i>Russelia</i> Jacq.								
	10	1	DE	Bundessortenamt		01/08	*	01/11 *
<i>Russelia</i> × <i>lemoinei</i> Burgerstein & F. Abel (syn. <i>Russelia equisitiformis</i> Schltld. & Cham. × <i>R. sarmentosa</i> Jacq.)								
	10	1	DE	Bundessortenamt		01/08	*	01/11 *
<i>Saintpaulia ionantha</i> H. Wendl.								
seed	12	1	DE	Bundessortenamt		01/06	17/01	21/01 45 young plants from seeds ready to be potted in final pot (8 to 9 cm)
vegetative	12	1	DE	Bundessortenamt		01/06	15/08	21/08 20 budded plants from leaf cuttings
<i>Salix</i> L.								
vegetative	9	2	PL	COBORU	- Head-quarters	15/01	01/03	31/03 cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants cuttings about 20 cm long, 10-15 mm in diameter or one-year-old plants
<i>Salix alba</i> L.								
vegetative	9	2	PL	COBORU	- Head-quarters	15/01	01/03	31/03 32 cuttings, 10-15 mm diameter and around 20 cm length or 16 plants one-year old
<i>Salix arctica</i> Pall. (syn. <i>Salix anglorum</i> Cham.)								
	9	*	PL	COBORU	- Head-quarters	*	*	* *
<i>Salix aurita</i> L.								
	9	2	PL	COBORU	- Head-quarters	*	*	* *
<i>Salix burjatica</i> Nasarow								
	9	2	PL	COBORU	- Head-quarters	*	*	* *
<i>Salix burjatica</i> Nasarow × <i>S. viminalis</i> L.								
	9	2	PL	COBORU	- Head-quarters	*	*	* *
<i>Salix caprea</i> L.								
vegetative	9	2	PL	COBORU	- Head-quarters	15/01	01/03	31/03 32 cuttings - 10-15 mm diameter and around 20 cm length. or 16 plants - one-year old.
<i>Salix</i> × <i>dasyclados</i> Wimm.								
vegetative	9	2	PL	COBORU	- Head-quarters	15/01	01/03	31/03 32 cuttings - 10-15 mm diameter and around 20 cm length. or 16 plants - one-year old.
<i>Salix</i> × <i>dasyclados</i> Wimm. × <i>Salix rehderiana</i> C. K. Schneid.								
vegetative	9	2	PL	COBORU	- Head-quarters	15/01	01/03	31/03 32 cuttings, 10-15 mm diameter and around 20 cm length or 16 plants, one-year old. Plant material supplied should be visibly healthy, not lacking in vigour, nor affected by any important pests or disease; it should not have undergone any treatment which would affect the expression of the characteristics of the variety.

1	2	3	4	5	6	7	8	9
<i>Salix hastata</i> L.								
	9	1	PL	COBORU quarters	-	Head-	*	* * *
<i>Salix integra</i> Thunb.								
	9	2	PL	COBORU quarters	-	Head-	15/01	01/03 31/03 32 cuttings 10-15 mm diameter and around 20 cm length or or 16 plants one-year old
<i>Salix matsudana</i> Koidz.								
	9	2	PL	COBORU quarters	-	Head-	*	* * *
<i>Salix miyabeana</i> Seemen × <i>S. viminalis</i> L.								
vegetative	9	2	PL	COBORU quarters	-	Head-	15/01	01/03 31/03 32 cuttings, 10-15 mm diameter and around 20 cm length or 16 plants
<i>Salix purpurea</i> L.								
vegetative	9	2	PL	COBORU quarters	-	Head-	15/01	01/03 31/03 32 cuttings - 10-15 mm diameter and around 20 cm length. or 16 plants - one-year old.
<i>Salix repens</i> L.								
	9	2	PL	COBORU quarters	-	Head-	*	* * *
<i>Salix schwerinii</i> E. L. Wolf								
	9	*	PL	COBORU quarters	-	Head-	*	* * *
<i>Salix schwerinii</i> E. L. Wolf × <i>S. viminalis</i> L.								
vegetative	9	2	PL	COBORU quarters	-	Head-	15/01	01/03 31/03 32 cuttings - 10-15 mm diameter and around 20 cm length. or 16 plants - one-year old.
<i>Salix smithiana</i> Willd. (syn. <i>Salix acuminata</i> auct.)								
	9	*	PL	COBORU quarters	-	Head-	*	* * *
<i>Salix udensis</i> Trautv. & C. A. Mey. (syn. <i>Salix sachalinensis</i> F. Schmidt)								
	11	2	PL	COBORU quarters	-	Head-	15/01	01/03 31/03 32 cuttings, 10-15 mm diameter and around 20 cm length or 16 plants, one-year old. Plant material supplied should be visibly healthy, not lacking in vigour, nor affected by any important pests or disease; it should not have undergone any treatment which would affect the expression of the characteristics of the variety.
<i>Salix viminalis</i> L.								
vegetative	9	2	PL	COBORU quarters	-	Head-	15/01	01/03 31/03 32 cuttings - 10-15 mm diameter and around 20 cm length. or 16 plants - one-year old.
<i>Salvia</i> L.								
seed gated	propa-	11	1	GB	NIAB		01/12	20/01 24/01 *

1	2	3	4	5	6	7	8	9
<i>Salvia L.</i>								
seed-	11	1	FR	GEVES - Siège	30/10	15/01	30/01	250 seeds
propagated								Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	1	FR	GEVES - Siège	15/12	15/03	30/03	20 plants
								vegetative propagated, container-grown, of sufficient size to flower and/or to show their representative characteristics in the first year.
<i>Salvia blepharophylla</i> Brandg. ex Epling.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia buchananii</i> Hedge								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia buchananii</i> Hedge × <i>S. splendens</i> Sellow ex Schult.								
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	12 plants
								Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
	11	1	GB	NIAB	01/12	13/03	24/03	*
<i>Salvia bulleyana</i> Diels								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia chamaedryoides</i> Cav								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia chamaedryoides</i> Cav. × <i>S. lycioides</i> A. Gray								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia chiapensis</i> Fernald								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia coccinea</i> Buc'hoz ex Etl.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia elegans</i> Vahl.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia farinacea</i> Benth.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	*	FR	GEVES - Siège	*	*	*	*
<i>Salvia greggii</i> A. Grey								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia guaranitica</i> A. St.-Hil. ex Benth.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia hispanica</i> L.								
	4	2	FR	GEVES - Siège	01/12	15/02	15/03	50 grams
								seed must be healthy with high germination capacity.
	4	2	GB	NIAB	01/12	23/01	25/03	*
<i>Salvia involucrata</i> Cav.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia</i> × <i>jamensis</i> J. Compton (<i>S. greggii</i> × <i>S. microphylla</i>)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

1	2	3	4	5	6	7	8	9
<i>Salvia leucantha</i> Cav.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia lycioides</i> A. Gray								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia lyrata</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia mexicana</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia microphylla</i> Kunth								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia nana</i> Kunth								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia officinalis</i> L.								
pharmaceutical use	14	2	DE	Bundessortenamt	15/02	02/05	15/05	60 young plants, well rooted
<i>Salvia patens</i> Cav.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia pratensis</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia regia</i> Cav.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia sclarea</i> L.								
seed	11	2	GB	NIAB	01/12	20/01	24/01	*
seed	11	2	FR	GEVES - Siège	30/10	15/01	31/01	250 seeds - high germination capacity.
<i>Salvia splendens</i> Sellow ex Schult.								
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
<i>Salvia</i> × <i>superba</i> Stapf								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia sylvestris</i> L. × <i>S. pratensis</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia</i> × <i>sylvestris</i> L. (syn. <i>Salvia nemorosa</i> hort.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
<i>Salvia</i> × <i>sylvestris</i> L. (syn. <i>Salvia nemorosa</i> hort.)								
	11	1	FR	GEVES - Siège	15/12	15/03	30/03	20 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Salvia uliginosa</i> Benth.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia verticillata</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Salvia viridis</i> L.								
seed	10	1	GB	NIAB	01/12	20/01	24/01	*
<i>Sambucus</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old
<i>Sambucus nigra</i> L.								
fruit	7	2	DE	Bundessortenamt	*	*	*	*
tree	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Sambucus racemosa</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Sambucus</i> × <i>strumpfii</i> Gutte (<i>S. nigra</i> L. × <i>S. racemosa</i> L.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
<i>Sanguisorba menziesii</i> Rydb.								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
<i>Sanguisorba officinalis</i> L.								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
<i>Sansevieria</i> Thunb.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
vegetative	10	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants free from viruses, ready for DUS test
<i>Sansevieria bracteata</i> Baker (syn. <i>S. aubrytiana</i> Carrière)								
	10	*	HU	NEBIH Headquarters	*	*	*	*
<i>Sansevieria cylindrica</i> Bojer ex Hook.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Sansevieria dooneri</i> N. E. Br. × <i>S. parva</i> N. E. Br.								
vegetative	10	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants free from viruses, ready for DUS test

1	2	3	4	5	6	7	8	9	
<i>Sansevieria ehrenbergii</i> Schweinf. ex Baker									
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics during the first year of examination.	
<i>Sansevieria fischeri</i> (Baker) Marais									
vegetative	10	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants free from viruses	
<i>Sansevieria francisii</i> Chahin.									
10	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants		
<i>Sansevieria gracilis</i> N. E. Br.									
10	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants		
<i>Sansevieria kirkii</i> Baker									
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 rooted cuttings Main Office
<i>Sansevieria robusta</i> N. E. Br.									
10	*	NL	NAKTUINBOUW	-	*	*	*	*	
<i>Sansevieria trifasciata</i> Prain									
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 cuttings well rooted Main Office
10	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants		
<i>Sansevieria zeylanica</i> (L.) Willd.									
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 rooted cuttings Main Office
<i>Sanvitalia</i> Lam.									
vegetative	11	1	DE	Bundessortenamt	01/12	07/04	10/04	25 rooted cuttings not pinched	
<i>Sanvitalia procumbens</i> Lam.									
vegetative	11	1	DE	Bundessortenamt	01/12	30/03	03/04	25 rooted cuttings not pinched	
<i>Sarcococca hookeriana</i> Baill.									
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*	
11	1	NL	NAKTUINBOUW	-	15/06	15/08	15/09	8 young bushes, able to show all their characteristics during the first year of examination	
<i>Sarracenia</i> L.									
10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants Main Office - able to show all their characteristics in the second year of examination.	
<i>Satureja douglasii</i> (Benth.) Briq.									
vegetative	10	1	DE	Bundessortenamt	01/12	*	15/03	*	
<i>Satureja hortensis</i> L.									
14	2	DE	Bundessortenamt	01/02	*	01/03	4800 seeds minimum germination capacity 80%		
<i>Satureja montana</i> L.									
14	2	DE	Bundessortenamt	01/02	*	01/03	4800 seeds minimum germination capacity 80%		
<i>Saxifraga</i> L.									
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*	

1	2	3	4	5	6	7	8	9
<i>Saxifraga</i> L.								
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Saxifraga</i> × <i>arendsii</i> Engl.								
seed-propagated	10	1	GB	NIAB	31/07	16/09	20/09	*
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
vegetative, greenhouse cultivation	10	1	FR	GEVES - Siège	30/06	15/09	30/09	10 plants container-grown, of sufficient size to flower and/or to show all their representative characteristics in the first year
vegetative, outdoor cultivation	11	1	FR	GEVES - Siège	30/06	15/09	30/09	10 plants container-grown, of sufficient size to flower and/or to show all their representative characteristics in the first year
<i>Saxifraga callosa</i> Sm. × <i>S. longifolia</i> Lapeyr.								
vegetative	11	1	GB	NIAB	31/07	16/09	20/09	*
	11	1	FR	GEVES - Siège	30/06	15/09	30/09	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Scabiosa</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	12 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Scabiosa africana</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.
<i>Scabiosa columbaria</i> L.								
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
seed	11	1	FR	GEVES - Siège	30/10	15/01	31/01	250 seeds Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	1	FR	GEVES - Siège	15/12	15/03	30/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
<i>Scabiosa japonica</i> var. <i>alpina</i> Takeda								
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
seed	11	1	FR	GEVES - Siège	30/10	15/01	30/01	250 seeds - high germination capacity.
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	1	FR	GEVES - Siège	15/12	15/03	30/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Scabiosa ochroleuca* L.**

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	31/03	15 plants - container-grown - vegetatively propagated - of sufficient size to flower and/or show their representative characteristics in the first year.

***Scaevola* L.**

vegetative	11	1	DE	Bundessortenamt	01/11	15/02	19/02	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	-------	-------	-------	--

***Scaevola aemula* R. Br.**

	11	1	DE	Bundessortenamt	01/11	18/02	22/02	25 well rooted cuttings, not pinched
--	----	---	----	-----------------	-------	-------	-------	--------------------------------------

***Scaevola montana* Labill. (syn.: *Scaevola saligna* G. Forst.)**

vegetative	11	1	DE	Bundessortenamt	01/11	30/01	15/02	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	-------	-------	-------	--

***Schefflera* J. R. Forst. & G. Forst.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Schefflera arboricola* (Hayata) Hayata**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Schefflera heptaphylla* (L.) Frodin**

pot plant	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
-----------	----	---	----	----------------------------	---	-------	-------	-------	---

***Schizachyrium scoparium* (Michx.) Nash**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Schizophragma hydrangeoides* Siebold & Zucc.**

	11	*	NL	NAKTUINBOUW Main Office	-	*	*	*	*
	11	*	FR	GEVES - Siège		*	*	*	*

***Schlumbergera* Lem.**

vegetative	10	1	DK	University of Aarhus - Aarslev		01/06	10/08	20/08	20 plants approximately 7 weeks old, grown under long day conditions. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Schlumbergera truncata* (Haw.) Moran**

vegetative	10	1	DK	University of Aarhus - Aarslev		01/06	10/08	20/08	20 plants approximately 7 weeks old, grown under long day conditions. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
------------	----	---	----	-----------------------------------	--	-------	-------	-------	--

1	2	3	4	5		6	7	8	9	
<i>Schlumbergera truncata</i> (Haw.) Moran										
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.	
				Main Office						
<i>Scindapsus pictus</i> Hassk.										
	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 rooted cuttings	
				Main Office						
<i>Scoparia</i> L.										
vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*	
<i>Scoparia dulcis</i> L.										
vegetative	11	1	GB	NIAB		01/12	20/04	24/04	*	
	11	1	NL	NAKTUINBOUW	-	01/12	01/04	30/04	24 plants able to show all their characteristics during the first year of examination	
				Main Office						
<i>Scorzonera hispanica</i> L.										
	14	1	NL	NAKTUINBOUW	-	*	*	*	*	
				Main Office						
<i>Scrophularia macrantha</i> Greene ex Stiefelh.										
	11	1	DE	Bundessortenamt		01/12	01/04	06/04	20 plants ready to flower during the first year	
<i>Scutellaria</i> L.										
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.	
				Main Office						
<i>Scutellaria costaricana</i> H. Wendl.										
vegetative	10	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.	
				Main Office						
<i>Scutellaria indica</i> L.										
seed	10	1	NL	NAKTUINBOUW	-	*	*	*	*	
				Main Office						
<i>Secale cereale</i> L.										
Winter	4	2	DK	TystofteFoundation		30/08	*	30/08	5 kg seed for hybrids in addition: 1.5 kg of each component including single cross	
spring	4	2	DE	Bundessortenamt		05/01	*	15/01	5 kg seeds minimum germination capacity 94%	
spring	4	2	PL	COBORU	- Head-quarters	30/11	*	25/02	6 kg seeds In case of hybrid: In addition 3,0 kg seed of each component	
spring	4	2	FI	Finnish Food Safety Authority Evira - Administration		01/03	*	01/04	5 kg	
winter	4	2	FI	Finnish Food Safety Authority Evira - Administration		20/07	*	20/08	5 kg	
winter	4	2	PL	COBORU	- Head-quarters	31/08	*	05/09	6 kg seeds In case of hybrid: In addition 3,0 kg seed of each component	
winter	4	2	DE	Bundessortenamt		25/08	*	10/09	5 kg seeds for hybrids in addition: 1.5 kg of each component including single cross; minimum germination capacity 94%	
<i>Secale montanum</i> × <i>Secale cereale</i>										
perennial, summer	4	2	DE	Bundessortenamt		05/01	*	15/01	5 kg seeds minimum germination capacity 94%	

1	2	3	4	5	6	7	8	9	
<i>Secale montanum</i> × <i>Secale cereale</i>									
perennial, winter	4	2	DE	Bundessortenamt	25/08	*	10/09	5 kg seeds minimum germination capacity 94%	
× <i>Sedeveria</i> spp. (<i>Echeveria lilacina</i> Kimmach & R. C. Moran × <i>Sedum suaveolens</i> Kimmach)									
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Sedum</i> L.									
vegetative, garden	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
vegetative, greenhouse	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Sedum makinoi</i> Maxim.									
vegetative, greenhouse	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Seemannia purpurascens</i> Rusby × <i>S. sylvatica</i> (Kunth) Hanst.									
	10	1	NL	NAKTUINBOUW Main Office	-	*	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Sempervivum arachnoideum</i> L.									
	11	1	DE	Bundessortenamt		01/12	01/04	05/04	20 plants ready to flower during the first season
<i>Sempervivum</i> × <i>rupicolum</i> A. Kern.									
	11	1	DE	Bundessortenamt		01/02	01/04	06/04	20 plants ready to flower during the first year
<i>Senecio</i> L.									
	10	1	DE	Bundessortenamt		*	*	*	*
<i>Senecio archeri</i> (Compton) H. Jacobson									
	10	1	DE	Bundessortenamt		*	*	*	*
<i>Senecio candidans</i> DC.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Senecio haworthii</i> (Sweet) Sch. Bip.									
vegetative	10	1	DE	Bundessortenamt		15/12	15/04	19/04	25 young plants
<i>Serruria</i> Burm. ex Salisb.									
vegetative	10	1	GB	NIAB		01/12	16/03	20/03	*
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination
<i>Sesamum indicum</i> L.									
	4	2	FR	GEVES - Siège		15/02	15/02	15/03	50 g seeds Good germination capacity. Please, ensure that all customs formalities and phytosanitary requirements are complied with.
<i>Setaria</i> P. Beauv.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Setaria italica* (L.) P. Beauv.**

seed, ornamental	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02	2.5 g seeds minimum germination capacity 50%
------------------	----	---	----	-------------------------	---	-------	---	-------	---

***Sida hermaphrodita* (L.) Rusby**

bio mass production	4	2	PL	COBORU - Head-quarters		31/01	01/03	31/03	20 g seeds
vegetatively	4	1	PL	COBORU - Head-quarters		31/01	*	15/05	150 rooted cuttings

***Silene* L.**

vegetative, greenhouse	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/02	15/02	24 cuttings, well rooted, able to show all their characteristics during the first year of examination
vegetative, outdoor	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.

***Silene asterias* Griseb. × *Silene noctiflora* L. (syn. *Silene orientalis* Mill.)**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	-------------------------	---	-------	-------	-------	---

***Silene dioica* (L.) Clairv.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	-------------------------	---	-------	-------	-------	---

***Silene flos-cuculi* (L.) Greuter & Burdet (syn. *Lychnis flos-cuculi* L.)**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics in the second year of examination.
--	----	---	----	-------------------------	---	-------	-------	-------	--

***Silozerus humifusus* Labill.**

seed	10	1	GB	NIAB		01/12	20/01	24/01	*
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	22/01	26/01	250 seeds, of high germination capacity

***Silphium perfoliatum* L.**

	4	1	GB	NIAB		01/12	09/03	20/03	*
	4	2	NL	NAKTUINBOUW Main Office	-	*	01/03	31/03	25 young plants able to show all their characteristics during the first year of examination
	4	1	DE	Bundessortenamt		*	*	*	*

***Silybum marianum* (L.) Gaerth**

	14	1	GB	NIAB		01/12	20/01	24/01	*
	14	2	DE	Bundessortenamt		15/01	*	15/02	3000 seeds minimum germination capacity 70%

***Sinapis alba* L.**

spring	4	2	DE	Bundessortenamt		15/12	*	01/02	1 kg seeds minimum germination capacity 85%
	4	2	PL	COBORU - Head-quarters		20/12	*	01/03	500 g seeds
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)		*	*	*	*

***Sinningia* Nees**

vegetative	10	1	DE	Bundessortenamt		01/12	01/03	06/03	20 young plants
------------	----	---	----	-----------------	--	-------	-------	-------	-----------------

***Sinningia leucotricha* (Hoehne) H. E. Moore**

seed-propagated	10	1	DE	Bundessortenamt		01/12	*	15/04	*
-----------------	----	---	----	-----------------	--	-------	---	-------	---

1	2	3	4	5	6	7	8	9
<i>Sisyrinchium</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Sisyrinchium angustifolium</i> Mill. (syn. <i>S. graminoides</i> E. P. Bicknell)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Sisyrinchium atlanticum</i> E. P. Bicknell								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Sisyrinchium idahoense</i> E. P. Bicknell								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Sisyrinchium striatum</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Sisylia atropurpurea</i> (L.) Greuter & Burdet (syn. <i>Scabiosa atropurpurea</i> L.)								
seed	11	1	FR	GEVES - Siège	30/10	15/01	31/01	250 seeds Seed must be of high germination capacity
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative	11	1	FR	GEVES - Siège	*	15/03	31/03	8 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the year.
<i>Skimmia</i> Thunb.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10 8 young bushes, able to show all their characteristics during the first year of examination
<i>Skimmia japonica</i> Thunb.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10 8 young bushes, able to show all their characteristics during the first year of examination
<i>Skimmia reevesiana</i> (Fortune) Fortune (syn. <i>Skimmia japonica</i> subsp. <i>reevesiana</i> (Fortune) N. P. Taylor & Airy Shaw)								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/09	01/10	31/10 8 young bushes, able to show all their characteristics during the first year of examination
<i>Solanum diflorum</i> Vell. (syn. <i>Solanum pseudocapsicum</i> L.)								
	10	1	DE	Bundessortenamt	01/11	*	01/03	*
<i>Solanum glaucophyllum</i> Desf.								
	14	2	FR	GEVES - Siège	31/03	01/04	30/04	25 rooted plants 15-20 cm height
<i>Solanum habrochaites</i> S. Knapp & D.M. Spooner								
Seed, green-house, Autumn.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	2500 seeds If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2500 seeds If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
	13	2	NL	NAKTUINBOUW Main Office	-	01/04	*	15/04 2500 seeds
	13	2	FR	GEVES - Siège	01/02	01/02	28/02	2500 seeds
<i>Solanum jasminoides</i> Paxt.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Solanum lycopersicum* L.**

Determinate type, field	14	*	IT	CREA-DC	*	*	*	*
Seed, green-house, Autumn.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	2500 seeds
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2500 seeds
Vegetative, greenhouse.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	15/03	15/04	25 plants
field	14	2	HU	NEBIH Headquarters	15/12	*	15/01	2500 seeds minimum germination capacity 95%
heated covers	13	2	PL	COBORU - Headquarters	30/11	*	15/12	1500 seeds
open field	14	2	PL	COBORU - Headquarters	20/12	01/02	28/02	1250 seeds
seed, indetm., green shoulder	13	2	NL	NAKTUINBOUW - Main Office	01/03	*	01/04	2500 seeds
seed, determinate	13	2	NL	NAKTUINBOUW - Main Office	15/02	*	01/03	2500 seeds
seed, field with support	14	2	FR	GEVES - Siège	01/02	*	01/03	2500 seeds (10 g)
seed, field without support	14	2	FR	GEVES - Siège	01/02	*	01/03	2500 seeds (10 g)
seed, green-house	13	2	HU	NEBIH Headquarters	15/12	*	15/01	2500 seeds minimum germination capacity 95%
seed, green-house autumn	13	2	FR	GEVES - Siège	01/06	*	15/06	2500 seeds (10 g)
seed, green-house spring	13	2	FR	GEVES - Siège	01/12	*	15/12	2500 seeds (10 g)
seed, indtm, no green shouldr	13	2	NL	NAKTUINBOUW - Main Office	01/12	*	15/12	2500 seeds
seed, indtm.cherry & cocktail	13	2	NL	NAKTUINBOUW - Main Office	01/05	*	15/05	2500 seeds
seed, pot plant	13	2	NL	NAKTUINBOUW - Main Office	15/02	*	01/03	2500 seeds
unheated covers	13	2	PL	COBORU - Headquarters	30/11	*	15/02	1500 seeds
vegetative	13	2	NL	NAKTUINBOUW - Main Office	01/12	01/02	15/02	50 non-grafted plants, of commercial standard
vegetative, greenhouse autumn	13	2	FR	GEVES - Siège	01/06	15/06	30/06	25 plants
vegetative, greenhouse spring	13	2	FR	GEVES - Siège	01/12	01/01	15/01	25 plants
	14	2	PT	Direção Geral de Alimentação e Veterinária - Headquarters	15/12	*	10/02	*

***Solanum lycopersicum* L. × *Solanum habrochaites* S. Knapp & D. M. Spooner**

Seed, green-house, Autumn.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/04	*	01/05	2500 seeds If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2500 seeds If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
rootstock	13	2	NL	NAKTUINBOUW - Main Office	01/04	*	15/04	2500 untreated seed. Alternately, primed seeds are allowed. In case of primed seeds: 63 packages each with 40 primed seeds, or 25 packages each with 40 primed seeds and 3 packages with 500 primed seeds. Primed seed packets must be clearly labelled.

* : Subject to agreement between the CPVO and the Examination office upon receipt of application

1	2	3	4	5	6	7	8	9
<i>Solanum lycopersicum</i> L. × <i>Solanum habrochaites</i> S. Knapp & D. M. Spooner								
rootstock	13	2	FR	GEVES - Siège	01/02	*	01/03	2500 untreated seed, non-primed. Alternatively, primed seed allowed. In case of primed seeds, 70 sealed bags of 35 seeds non-treated, with indication on the bags of "primed seeds" and number of lot
<i>Solanum lycopersicum</i> L. × <i>Solanum pimpinellifolium</i> L.								
Seed, green-house, Spring.	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/11	*	01/12	2500 seeds If seeds are primed, this circumstance must be clearly indicated on the sample envelope and in the submission letter.
rootstock, greenhouse spring	14	2	FR	GEVES - Siège	01/12	*	01/01	2500 seeds
rootstock, greenhouse spring	14	2	FR	GEVES - Siège	01/06	*	15/06	2500 seeds
	14	2	NL	NAKTUINBOUW - Main Office	01/04	*	15/04	2500 untreated seed. Alternately, primed seeds are allowed. In case of primed seeds: 63 packages each with 40 primed seeds, or 25 packages each with 40 primed seeds and 3 packages with 500 primed seeds. Primed seed packets must be clearly labelled.
<i>Solanum melongena</i> L.								
	13	2	NL	NAKTUINBOUW - Main Office	01/11	*	15/11	1500 untreated seed. Alternately, primed seeds are allowed. In case of primed seeds: 38 packages each with 40 primed seeds, or 25 packages each with 40 primed seeds and 1 package with 500 primed seeds. Primed seed packets must be clearly labelled.
	13	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	10/01	*	31/01	20 g seeds
	13	2	FR	GEVES - Siège	01/02	*	01/03	10 g untreated seed, non-primed. Alternatively, primed seed allowed. In case of primed seeds, 16 sealed bags of 0.5 gs of seeds non-treated, with indication on the bags of "primed seeds" and number of lot
	13	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/02	*	01/03	20 g untreated seed
<i>Solanum muricatum</i> Aiton								
	7	*	FR	GEVES - Siège	*	*	*	*
<i>Solanum pseudocapsicum</i> L. (syn. <i>Solanum diflorum</i> Vell.)								
seed	10	1	DE	Bundessortenamt	01/11	18/01	22/01	600 seeds minimum germination capacity 80%
<i>Solanum quitoense</i> Lam.								
seed, cross pollination	10	1	NL	NAKTUINBOUW - Main Office	01/12	*	01/02	1500 seeds, minimum germination capacity 50% and 50 unselected plants.
<i>Solanum sisymbriifolium</i> Lam.								
	4	2	NL	NAKTUINBOUW - Main Office	15/01	*	01/02	30 g seeds
<i>Solanum torvum</i> Sw.								
	13	2	NL	NAKTUINBOUW - Main Office	01/11	*	15/11	1500 untreated seed Plants should be able to show all their characteristics in the second year of examination
	13	2	FR	GEVES - Siège	01/02	*	01/03	2500 untreated seed (10 g)

1	2	3	4	5	6	7	8	9
<i>Solanum tuberosum</i> L.								
medium, late, very late	1	2	PL	COBORU - Head-quarters	15/12	*	20/12	100 tubers for each year of test
very early	1	2	PL	COBORU - Head-quarters	15/12	20/01	20/02	150 tubers for each year of test
	1	2	DE	Bundessortenamt	15/11	*	10/12	150 tubers for each year of test tubers with size of planting material, tuber weight <99g
	1	*	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	*
	1	2	IE	Department of Agriculture Food and the Marine - Backweston Farm	15/12	01/01	31/01	100 tubers for each year of test, size 35-50 mm Seed should comply with the standards and conditions for Community Grade seed potatoes. Containers should be sealed and accompanied with a plant passport.
	1	2	AT	Bundesamt für Ernährungssicherheit	20/12	*	20/02	150 tubers for each year of test tubers weight 50 - 100 g
	1	2	NL	NAKTUINBOUW - Main Office	15/12	01/01	31/01	150 tubers, 35-55 mm diameter, for each year of test Add NAK-Certificate or Plant Passport to the plant material. Quarantine tests by the Dutch Phytosanitary Service: Naktuinbouw shall pick 20 tubers at random from each submitted identity sample to be tested by the Phytosanitary Service on relevant quarantine diseases. Test results shall be communicated only to Naktuinbouw. Under all circumstances the applicant is held responsible to comply with the quarantine rules. Tubers will be destroyed after the quarantine test.
	1	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	31/01	150 tubers for each year of test
	1	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	01/02	*	15/02	150 tubers for each year of test
	1	2	GB	Animal & Plant Health Agency (APHA)	15/12	*	10/01	*
<i>Solenostemon</i> Thonn.								
	10	1	GB	NIAB	*	*	*	*
<i>Solidago</i> L.								
vegetative	9	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Solidago canadensis</i> L.								
	9	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Solidago canadensis</i> L. × <i>S. virgaurea</i> L.								
	11	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Solidago cutleri</i> Fernald								
vegetative	9	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open.
<i>Solidago flexicaulis</i> L.								
vegetative	9	1	NL	NAKTUINBOUW - Main Office	15/06	15/08	15/09	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

× *Solidaster* H. R. Wehrh.

vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/04	30/04	24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
------------	----	---	----	---------------------------	-------	-------	-------	---

Sophora L.

vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old

Sorbaria sorbifolia (L.) A. Braun

vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
------------	----	---	----	---------------------------	-------	-------	-------	--

Sorbus L.

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants 2-3 years old, of commercial size, container-grown.

Sorbus aria (L.) Crantz

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	1	HU	NEBIH Headquarters	31/01	01/03	15/04	8 plants

Sorbus aucuparia L.

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
	11	2	HU	NEBIH Headquarters	31/01	15/03	15/04	8 free from viruses, good health

Sorbus commixta Hedl.

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

Sorbus hupehensis C. K. Schneid.

vegetative	11	2	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

Sorbus latifolia (Lam.) Pers.

	11	2	HU	NEBIH Headquarters	*	*	*	*
--	----	---	----	--------------------	---	---	---	---

Sorghum bicolor (L.) Moench

hybrid	4	2	HU	NEBIH Headquarters	10/02	*	15/03	1 kg seeds for hybrids and open pollinating varieties and 1 kg per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components), germination rate 90 %
hybrid+open pollinating	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	3 kg seeds for hybrids and open pollinating varieties and, in case of hybrids: 1,0 kg per each hybrid component (male sterile line, maintainer, restorer lines, parent lines with their components and simple hybrid used as parent)
hybrid, grain	4	2	FR	GEVES - Siège	25/02	*	15/03	Hybrid: 1 kg seeds Lines A/B/R, if unknown: 200 g untreated seed of line A and 500 g untreated seed of line B and line R. minimum germination capacity 85%
line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	1 kg
line	4	2	HU	NEBIH Headquarters	10/02	*	15/03	1.5 kg seeds - minimum germination capacity 90%.
line, grain	4	2	FR	GEVES - Siège	25/02	*	15/03	Lines A/B/R: 200 g untreated seed of line A and 500 g untreated seed of line B and line R minimum germination capacity 85%

Sorghum × *drummondii*

hybrid+open pollinating	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	3 kg seeds for hybrids and open pollinating varieties and, in case of hybrids: 1.0 kg per each hybrid component (male sterile line, maintainer, restorer, parent lines with their components and simple hybrid used as parent)
-------------------------	---	---	----	---	-------	---	-------	--

1	2	3	4	5	6	7	8	9
<i>Sorghum × drummondii</i>								
line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	1 kg
	4	2	HU	NEBIH Headquarters	10/02	*	15/03	1 kg seeds for hybrids and 1 kg per each hybrid component (male sterile line, maintainer, restorer lines, parental cross with their components), germination rate 90 %
	4	2	FR	GEVES - Siège	*	*	*	*
<i>Sorghum sudanense</i> (Piper) Stapf								
	4	2	FR	GEVES - Siège	*	*	*	*
	4	2	HU	NEBIH Headquarters	10/02	*	15/03	1.5 kg seeds - minimum germination capacity 90%.
<i>Sparganium erectum</i> L.								
	11	*	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control	*	*	*	*
<i>Sparrmannia africana</i> L. f.								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 cuttings, well rooted, able to show all their characteristics during the first year of examination
<i>Spathiphyllum</i> Schott								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Spathiphyllum wallisii</i> Regel								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Spathoglottis</i> Blume								
august crop	10	1	NL	NAKTUINBOUW - Main Office	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW - Main Office	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination preferably budded, but not yet flowering
<i>Spherospermum buxifolium</i> Poepp. & Endl.								
vegetative	10	1	DE	Bundessortenamt	01/11	02/04	05/04	25 cuttings well rooted not pinched
<i>Spinacia oleracea</i> L.								
	14	2	NL	NAKTUINBOUW - Main Office	01/03	*	15/03	14000 seeds
	14	2	ES	Oficina Española de Variedades Vegetales (OEVV)	31/05	*	30/06	25000 seeds
	14	2	FR	GEVES - Siège	01/01	*	01/02	20000 seeds (200 g)
<i>Spiraea</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old
	11	2	FR	GEVES - Siège	15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Spiraea betulifolia* Pall.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	2	FR	GEVES - Siège		15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.
	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old

***Spiraea cantoniensis* Lour.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Spiraea* × *cinerea* Zabel**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Spiraea fritschiana* C. K. Schneid**

	11	1	GB	NIAB		*	*	*	*
--	----	---	----	------	--	---	---	---	---

***Spiraea fritschiana* C. K. Schneid. × *S. japonica* L. f.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 2-3 years old, container-grown.

***Spiraea hayataana* H. L. Li**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Spiraea hayataana* H. L. Li × *S. japonica* L. f.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
vegetative	11	1	FR	GEVES - Siège		01/12	15/02	15/03	8 plants - container-grown - 2 years old. Each plant must be clearly labelled.

***Spiraea japonica* L. f. (syn. *S. bumalda* Burv.)**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	8 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first year of test

***Spiraea media* Schmidt**

	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old, container-grown
	11	1	FR	GEVES - Siège		15/12	15/03	30/03	8 plants Plants must be vegetatively propagated, container grown and of sufficient size to flower and/or show their representative characteristics in the first

***Spiraea nipponica* Maxim.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège		15/12	15/03	31/03	8 plants - container-grown - of sufficient size to flower and/or show their representative characteristics in the first year - vegetatively propagated.

1	2	3	4	5	6	7	8	9
<i>Spiraea nipponica</i> Maxim.								
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old
<i>Spiraea prunifolia</i> Siebold & Zucc.								
	11	2	HU	NEBIH Headquarters	31/01	01/04	30/04	8 plants well developed, ready for DUS test
	11	2	FR	GEVES - Siège	01/12	15/03	30/03	8 plants Plants must be vegetatively propagated, container-grown, of sufficient size to flower, able to show all their characteristics during the two growing cycles.
<i>Spiraea thunbergii</i> Siebold ex Blume								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Spiraea</i> × <i>vanhouttei</i> (Briot) Zabel								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Spirodela polyrhiza</i> (L.) Schleid								
	4	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Stachys byzantina</i> K. Koch × <i>S. debilis</i> Kunth								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Stenotaphrum secundatum</i> (Walter) Kuntze								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Stevia rebaudiana</i> (Bertoni) Bertoni								
	13	2	FR	GEVES - Siège	15/04	01/05	15/05	12 rooted cuttings, container-grown
<i>Stokesia laevis</i> (Hill) Greene								
	11	1	DE	Bundessortenamt	01/12	30/03	03/04	20 well developed young plants ready to flower in the first year of examination
<i>Streptocarpus</i> Lindl.								
vegetative	10	1	DE	Bundessortenamt	01/12	01/03	06/03	20 young plants of commercial standard.
<i>Streptocarpus</i> × <i>hybridus</i> Voss								
vegetative	10	1	DE	Bundessortenamt	01/12	01/03	04/03	20 young plants of commercial standard.
<i>Stroilanthes</i> Blume								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination
<i>Stroilanthes anisophylla</i> (Lodd. & al.) T. Anderson								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	8 young bushes, able to show all their characteristics during the first year of examination
<i>Stromanthe sanguinea</i> (Hook.) Sond.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.

1	2	3	4	5	6	7	8	9	
<i>Stylidium graminifolium</i> Sw.									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Styrax japonicus</i> Siebold & Zucc.									
vegetative	11	2	NL	NAKTUINBOUW Main Office	-	31/07	01/11	30/11	8 trees, 4 years old with root balls, able to show all their characteristics in the second year of examination
<i>Sutera</i> Roth									
vegetative	11	1	DE	Bundessortenamt		15/11	15/02	19/02	25 cuttings well rooted not pinched
<i>Sutera cordata</i> Thunb. Kuntze									
vegetative	11	1	DE	Bundessortenamt		15/11	15/02	19/02	25 cuttings well rooted not pinched
<i>Sutera diffusus</i> hort.									
vegetative	11	1	DE	Bundessortenamt		15/11	15/02	19/02	25 cuttings well rooted not pinched
<i>Sutera polyantha</i> (Benth.) Kuntze									
vegetative	11	1	DE	Bundessortenamt		15/11	15/02	19/02	25 cuttings well rooted not pinched
<i>Symphoricarpos</i> Duhamel									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
<i>Symphoricarpos</i> × <i>chenaultii</i> Rehder									
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
<i>Symphoricarpos</i> × <i>doorenbosii</i> Krüssm.									
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
<i>Symphotrichum dumosum</i> (L.) G. L. Nesom (syn.: <i>Aster dumosus</i> L.)									
Indoor	10	1	NL	NAKTUINBOUW Main Office	-	15/02	01/05	31/05	24 young plants - able to show all their characteristics during the first year of examination.
outdoor	10	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Symphotrichum ericoides</i> (L.) G. L. Nesom (syn. <i>Aster ericoides</i> L.)									
indoor	11	1	NL	NAKTUINBOUW Main Office	-	15/02	01/05	31/05	24 young plants - able to show all their characteristics during the first year of examination.
outdoor	11	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09	24 young plants - able to show all their characteristics during the first year of examination.
<i>Symphotrichum novi-belgii</i> (L.) G. L. Nesom var. <i>novi-belgii</i> (syn. <i>Aster novi-belgii</i> L.)									
indoor	11	1	NL	NAKTUINBOUW Main Office	-	15/02	01/05	31/05	24 cuttings, well rooted, able to show all their characteristics during the first year of examination
outdoor	11	1	NL	NAKTUINBOUW Main Office	-	15/06	15/08	15/09	24 cuttings, well rooted, able to show all their characteristics during the first year of examination
<i>Symphytum</i> × <i>uplandicum</i> Nyman									
	14	2	NL	NAKTUINBOUW Main Office	-	31/03	01/04	30/04	24 young plants, able to show all their characteristics during the examination period, appropriate to be grown in the open

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Syngonanthus* Ruhland**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	50 young plants able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Syngonium* Schott**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Syngonium podophyllum* Schott**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Syringa* L.**

	11	1	DE	Bundessortenamt		31/07	*	31/10	10 plants with at least 3 shoots and flower buds grafted or on own roots
--	----	---	----	-----------------	--	-------	---	-------	---

***Syringa* × *chinensis* Willd.**

	11	2	DE	Bundessortenamt		31/07	*	31/10	10 plants, 80-120 cm height with at least 3 shoots and flower buds grafted or on own roots
--	----	---	----	-----------------	--	-------	---	-------	---

***Syringa meyeri* C. K. Schneid.**

	11	2	DE	Bundessortenamt		31/07	*	*	10 plants with at least 3 shoots and flower buds grafted or on own roots
--	----	---	----	-----------------	--	-------	---	---	---

***Syringa vulgaris* L.**

vegetative	11	2	DE	Bundessortenamt		31/07	*	31/10	10 plants, 60-120 cm height with at least 3 shoots and flower buds grafted or on own roots
------------	----	---	----	-----------------	--	-------	---	-------	---

***Syzygium australe* (J. C. Wendl. ex Link) B. Hyland**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

***Syzygium paniculatum* Gaertn.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

***Tacca chantrieri* André**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Tacca chantrieri* André × *T. integrifolia* Ker Gawl.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Tagetes* L.**

seed	11	2	FR	GEVES - Siège		15/12	15/03	31/03	5 g seeds
------	----	---	----	---------------	--	-------	-------	-------	-----------

***Tagetes erecta* L.**

seed	11	2	FR	GEVES - Siège		15/12	15/03	31/03	5 g seeds
------	----	---	----	---------------	--	-------	-------	-------	-----------

***Tagetes lemmonii* A. Gray × *T. patula* L.**

vegetative	10	2	FR	GEVES - Siège		15/12	15/03	31/03	30 rooted plants Each plant must be clearly labelled
------------	----	---	----	---------------	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Tagetes patula* L.**

vegetative	11	2	FR	GEVES - Siège	15/12	15/03	31/03	30 rooted plants Each plant must be clearly labelled
------------	----	---	----	---------------	-------	-------	-------	---

***Tagetes tenuifolia* Cav.**

seed	11	2	FR	GEVES - Siège	15/12	15/03	31/03	5 g seeds
------	----	---	----	---------------	-------	-------	-------	-----------

***Tamaria tetrandia* Pall. ex M. Bieb.**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	10 young plants of commercial standard able to show all their characteristics during the first year of examination
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Tanacetum parthenium* (L.) Sch. Bip.**

seed	11	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02	5 g seeds minimum germination capacity 50%
------	----	---	----	----------------------------	---	-------	---	-------	---

***Taraxacum kok-saghyz* L. E. Rodin**

	4	2	PL	COBORU quarters	-	Head-	31/01	01/05	15/05	20 young plants container-grown
--	---	---	----	--------------------	---	-------	-------	-------	-------	------------------------------------

***Taxus baccata* L.**

vegetative	11	2	PL	COBORU quarters	-	Head-	15/01	15/03	15/04	8 plants 3-4 years old, container-grown
------------	----	---	----	--------------------	---	-------	-------	-------	-------	--

***Taxus × media* Rehder**

vegetative	11	2	PL	COBORU quarters	-	Head-	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
------------	----	---	----	--------------------	---	-------	-------	-------	-------	---

***Telepea oreades* F. Muell.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Telepea speciosissima* (Sm.) R. Br. × *Telepea oreades* F. Muell.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

***Telepea speciosissima* (Sm.) R. Br. × *Telepea truncata* (Labill.) R. Br.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

***Telepea truncate* (Labill.) R. Br.**

vegetative	10	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Teucrium × lucidrys* Boom**

	10	1	NL	NAKTUINBOUW Main Office	-	*	01/03	31/03	*
--	----	---	----	----------------------------	---	---	-------	-------	---

***Thalictrum* L.**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Thalictrum delavayi* Franch.**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Thalictrum flavum* L.**

	11	1	NL	NAKTUINBOUW Main Office	-	*	01/04	30/04	*
--	----	---	----	----------------------------	---	---	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Thlaspi arvense* L.**

seed	10	1	GB	NIAB		01/12	20/01	24/01	*
	10	1	NL	NAKTUINBOUW - Main Office	-	01/12	22/01	26/01	250 seeds, of high germination capacity

***Thuja* L.**

vegetative	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old, container-grown
vegetative	11	2	DK	University of Aarhus - Aarslev		01/03	01/04	30/04	8 plants, 3-6 years old. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

***Thuja occidentalis* L.**

vegetative	11	2	DK	University of Aarhus - Aarslev		01/03	01/04	30/04	8 plants, 3-6 years old. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
vegetative	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old, container-grown

***Thuja plicata* Donn ex D. Don**

vegetative	11	2	DK	University of Aarhus - Aarslev		01/03	01/04	30/04	8 plants, 3-6 years old. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	2	PL	COBORU - Head-quarters		15/01	15/03	15/04	8 plants 3-4 years old, container-grown.

***Thunbergia* Retz.**

vegetative	10	1	DE	Bundessortenamt		15/01	01/04	05/04	25 well rooted young plants
------------	----	---	----	-----------------	--	-------	-------	-------	-----------------------------

***Thunbergia alata* Bojer ex Sims**

vegetative	10	1	DE	Bundessortenamt		15/01	01/04	05/04	25 well rooted young plants
------------	----	---	----	-----------------	--	-------	-------	-------	-----------------------------

***Thunbergia erecta* (Benth.) T. Anderson**

	10	1	DE	Bundessortenamt		15/01	01/04	05/04	25 well rooted young plants
--	----	---	----	-----------------	--	-------	-------	-------	-----------------------------

***Thunbergia fragrans* Roxb.**

	10	1	DE	Bundessortenamt		15/01	*	01/04	*
--	----	---	----	-----------------	--	-------	---	-------	---

***Thymus* L.**

vegetative, ornamental	11	2	FR	GEVES - Siège		31/10	01/01	31/01	20 plants Each plant must be clearly labelled
------------------------	----	---	----	---------------	--	-------	-------	-------	--

***Thymus* × *citriodorus* (Pers.) Schreb.**

	11	2	FR	GEVES - Siège		31/10	01/01	31/01	Each plant must be clearly labelled
--	----	---	----	---------------	--	-------	-------	-------	-------------------------------------

***Thymus herba-barona* Loisel.**

	11	2	FR	GEVES - Siège		31/10	01/01	31/01	Each plant must be clearly labelled
--	----	---	----	---------------	--	-------	-------	-------	-------------------------------------

***Thymus pallasianus* Heinr. Braun**

	11	2	FR	GEVES - Siège		31/10	01/01	31/01	Each plant must be clearly labelled
--	----	---	----	---------------	--	-------	-------	-------	-------------------------------------

***Thymus praecox* Opiz**

	11	2	FR	GEVES - Siège		31/10	01/01	31/01	Each plant must be clearly labelled
--	----	---	----	---------------	--	-------	-------	-------	-------------------------------------

1	2	3	4	5	6	7	8	9
<i>Thymus pseudolanuginosus</i> Ronniger								
	11	2	FR	GEVES - Siège	31/10	01/01	31/01	Each plant must be clearly labelled
<i>Thymus pulegioides</i> L.								
	11	2	FR	GEVES - Siège	31/10	01/01	31/01	Each plant must be clearly labelled
<i>Thymus serpyllum</i> L.								
	11	2	FR	GEVES - Siège	31/10	01/01	31/01	Each plant must be clearly labelled
<i>Thymus vulgaris</i> L.								
	11	2	FR	GEVES - Siège	31/10	01/01	01/02	20 plants, well rooted, of sufficient size to flower during the first year of examination
<i>Tiarella</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
<i>Tiarella cordifolia</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Tiarella polyphylla</i> D. Don								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Tiarella trifoliata</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Tiarella wherryi</i> Lakela.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Tibouchina</i> Aubl.								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Tibouchina foveolata</i> (Naudin) Cogn. (syn. <i>T. organensis</i> Cogn.) × <i>Tibouchina mutabilis</i> (Vell.) Cogn.								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Tibouchina granulosa</i> (Desr.) Cogn.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Tibouchina urvilleana</i> (DC.) Cogn.								
vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Tilia tomentosa</i> Moench								
	11	2	PL	COBORU - Head-quarters	15/01	15/03	15/04	8 plants 3-4 years old, container-grown
<i>Tillandsia</i> L.								
	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	50 young plants approximately 1 month before flower induction treatment, able to show all their characteristics during the first year of examination. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Tillandsia cyanea* Linden ex K. Koch**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	50 young plants, approximately 1 months before flower induction treatment, able to show all their characteristics during the first year of examination. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Tillandsia cyanea* Linden ex K. Koch × *Tillandsia laxissima* Mez**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants, approximately 1 month before flower induction treatment, able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	--

***Tillandsia leiboldiana* Schldtl.**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants, able to show all their characteristics during the first year of examination. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Tolmiea menziesii* (Pursh) Torr.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of examination

***Torenia* L.**

vegetative	10	1	DE	Bundessortenamt		15/11	24/02	28/02	25 cuttings well rooted not pinched
------------	----	---	----	-----------------	--	-------	-------	-------	--

***Trachelium* L.**

seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	*	15/12	1 g seeds minimum germination capacity 50%
------	----	---	----	----------------------------	---	-------	---	-------	---

***Trachelium caeruleum* L.**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	48 rooted cuttings, able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	--

***Trachelospermum asiaticum* Nakai**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Trachelospermum jasminoides* (Lindl.) Lem.**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Tradescantia* L.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Tradescantia albiflora* Kunth**

	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
--	----	---	----	----------------------------	---	-------	-------	-------	---

***Tradescantia spathacea* Sw.**

vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Tradescantia virginiana* L. (syn.: *T. × andersonia* W. Ludw. & Rohweder)**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04	24 young plants - able to show all their characteristics during the first year of examination.
------------	----	---	----	----------------------------	---	-------	-------	-------	---

***Tradescantia zebrina* hort. ex Bosse**

	10	1	HU	NEBIH Headquarters		28/02	01/04	15/05	8 plants free from viruses, ready for DUS test
--	----	---	----	--------------------	--	-------	-------	-------	---

***Tricyrtis* Wall.**

	11	1	DK	University of Aarhus - Aarslev	*	*	*		Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Tricyrtis formosana* Baker**

vegetative	11	1	DK	University of Aarhus - Aarslev		15/12	01/04	15/04	15 young plants of commercial standard. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Tricyrtis hirta* (Thunb.) Hook.**

	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.
	11	1	DK	University of Aarhus - Aarslev		15/12	01/04	15/04	15 young plants of commercial standard. Phytosanitary Certificate for countries outside EU, Plant passport for EU countries. Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

***Tricyrtis nana* Yatabe × *T. ohsumiensis* Masam.**

	11	1	DK	University of Aarhus - Aarslev	*	*	*		Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Trifolium alexandrinum* L.**

	4	3	DE	Bundessortenamt		15/01	01/02	15/02	2 kg seeds No chemical or physical treatment without harmful organisms
	4	2	FR	GEVES - Siège		15/12	15/12	10/01	1 kg seeds good germination capacity
	4	2	IT	CREA-DC		30/06	30/06	15/08	I cycle: 3 kg untreated seed. II cycle: 4 kg untreated seed. If seeds have undergone treatment, the applicant must indicate type and percentage of chemicals used.

***Trifolium incarnatum* L.**

	4	2	DE	Bundessortenamt		10/07	*	01/08	2 kg seeds minimum germination capacity 85%
--	---	---	----	-----------------	--	-------	---	-------	--

1	2	3	4	5	6	7	8	9
<i>Trifolium michelianum</i> Savi								
	3	2	FR	GEVES - Siège	15/12	15/12	10/01	1 kg seeds good germination capacity
<i>Trifolium pratense</i> L.								
	4	2	SK	Central Controlling and Testing Insti- tute in Agriculture (UKSUP)	15/01	*	31/01	500 g
	4	2	DE	Bundessortenamt	15/01	*	15/02	1 kg seeds minimum germination capacity 85%
	4	2	FI	Finnish Food Safety Authority Evira - Ad- ministration	01/03	*	01/04	1 kg
<i>Trifolium repens</i> L.								
agricultural	4	3	GB	Animal & Plant Health Agency (APHA)	05/01	*	05/02	*
ornamental, vegetatively propagated	4	1	GB	Animal & Plant Health Agency (APHA)	01/03	*	29/03	*
ornamental, vegetatively propagated	11	1	PL	COBORU - Head- quarters	15/01	15/03	15/04	20 young plants container-grown
seed	4	3	FI	Finnish Food Safety Authority Evira - Ad- ministration	01/03	*	01/04	1 kg
<i>Trifolium resupinatum</i> L.								
	4	2	SK	Central Controlling and Testing Insti- tute in Agriculture (UKSUP)	15/01	*	31/01	500 g
	4	2	DE	Bundessortenamt	*	*	*	*
<i>Trigonella foenum-graecum</i> L.								
	4	2	FR	GEVES - Siège	*	*	*	*
<i>Tripora divaricata</i> (Maxim.) P. D. Cantino (syn. <i>Caryopteris divaricata</i> Maxim.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Tripterygium regelii</i> Sprague & Takeda								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 plants able to show all their characteristics during the first year of exam- ination
<i>Trisetum flavescens</i> (L.) P. Beauv.								
	4	2	SK	Central Controlling and Testing Insti- tute in Agriculture (UKSUP)	15/01	*	31/01	500 g
<i>Triteleia</i> Douglas ex Lindl.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	31/10	30 corms of flowering size
× <i>Triticosecale</i> Witt.								
agricultural	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg
spring	4	2	SK	Central Controlling and Testing Insti- tute in Agriculture (UKSUP)	31/01	*	15/02	130 unthreshed ears (5 kg)

1	2	3	4	5	6	7	8	9
× <i>Triticosecale</i> Witt.								
spring	4	2	DE	Bundessortenamt	05/01	*	15/01	5 kg seeds for hybrids in addition: 4 kg of each component including single cross; minimum germination capacity 94%; on request: 120 ears
spring	4	2	PL	COBORU - Head-quarters	30/11	*	25/02	6 kg seeds and 240 ears In case of hybrid: In addition 3 kg seed of each component
spring	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	20/02	3 kg seeds and 120 ears
spring, hybrid	4	2	DE	Bundessortenamt	*	*	*	*
spring, line	4	2	FR	GEVES - Siège	15/01	*	25/01	5 kg
winter	4	2	DE	Bundessortenamt	25/08	*	10/09	5 kg seeds for hybrids in addition: 4 kg of each component including single cross; minimum germination capacity 94%; on request: 170 ears
winter	4	2	AT	Bundesamt für Ernährungssicherheit	30/08	*	15/09	3 kg seeds and 120 ears
winter	4	2	PL	COBORU - Head-quarters	31/08	*	05/09	6 kg seeds and 240 ears In case of hybrid: In addition 3 kg seed of each component
winter	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/08	*	10/09	5 kg seeds and 130 unthreshed ears
winter, hybrid	4	2	DE	Bundessortenamt	*	*	*	*
winter, hybrid (chemical)	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg
winter, line	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
<i>Triticum aestivum</i> L. emend. Fiori & Paol.								
alternative	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	14/09	*
alternative	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg
hybrid (chemical, winter)	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg seeds
spring	4	2	GB	Animal & Plant Health Agency (APHA)	22/09	*	15/01	*
spring	4	2	EE	Agricultural Research Center	01/02	*	01/04	3 kg seeds and 150 unbeaten ears
spring	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	10/01	*	20/01	3 kg
spring	4	2	DK	TystofteFoundation	20/01	*	10/02	3 kg in case of hybrids: additional 3 kg seeds of every unknown parental line
spring	4	2	FI	Finnish Food Safety Authority Evira - Administration	01/03	*	01/04	3 kg seeds and 120 ears
spring	4	2	FR	GEVES - Siège	15/01	*	25/01	5 kg
spring	4	2	HU	NEBIH Headquarters	31/01	*	10/02	5 kg seeds and 220 ears
spring	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	3 kg seeds and 120 ears
spring	4	2	HR	Croatian Centre for Agriculture Food and Rural Affairs	*	*	*	*
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears

1	2	3	4	5	6	7	8	9
<i>Triticum aestivum</i> L. emend. Fiori & Paol.								
spring	4	2	BE	Centre de Recherches Agronomiques	Wallon	31/12	*	01/02 3 kg seeds The minimum requirements for germination capacity, analytical purity and seed purity
spring	4	2	PL	COBORU - Head-quarters		30/11	*	25/02 3 kg seeds and 120 ears In case of hybrid: in addition 3 kg and 120 ears for each component of the hybrid.
spring	4	2	SK	Central and Testing Institute in Agriculture (UKSUP)	Controlling	15/01	*	25/01 5 kg seeds and 170 unthreshed ears
spring	4	2	DE	Bundessortenamt		05/01	*	15/01 5 kg seeds minimum germination capacity 94%; on request: 120 unbeaten ears. In case of hybrid: hybrid and each component: 5 kg and on request 120 ears
winter	4	2	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control		30/08	*	30/09 3 kg
winter	4	2	FR	GEVES - Siège		10/09	*	20/09 5 kg
winter	4	2	HU	NEBIH Headquarters		10/09	*	20/09 5 kg seeds and 220 ears
winter	4	2	DE	Bundessortenamt		01/09	*	15/09 5 kg seeds minimum germination capacity 94%; on request: 170 unbeaten ears. In case of hybrid: hybrid and each component: 4 kg and on request 170 ears
winter	4	2	BE	Centre de Recherches Agronomiques	Wallon	15/09	*	25/09 3 kg seeds The minimum requirements for germination capacity, analytical purity and seed purity
winter	4	2	GB	Animal Health Agency (APHA)	& Plant Agency	31/08	*	14/09 *
winter	4	2	HR	Croatian Centre for Agriculture Food and Rural Affairs		*	*	* *
winter	4	2	DK	Tystofte Foundation		07/09	*	07/09 3 kg in case of hybrids: additional 3 kg seeds of every unknown parental line
winter	4	2	AT	Bundesamt für Ernährungssicherheit		09/09	*	24/09 3 kg seeds and 120 ears
winter	4	2	FI	Finnish Food Safety Authority Evira - Administration		20/07	*	20/08 3 kg seeds and 120 ears
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)		15/08	*	15/09 3 kg seeds and 150 ears
winter	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)		25/08	*	14/09 3 kg
winter	4	2	SK	Central and Testing Institute in Agriculture (UKSUP)	Controlling	25/08	*	10/09 5 kg seeds and 170 unthreshed ears
winter	4	2	PL	COBORU - Head-quarters		31/08	*	05/09 3 kg seeds and 120 ears In case of hybrid: in addition 3 kg and 120 ears for each component of the hybrid.
<i>Triticum aestivum</i> L. emend. Fiori & Paol. × <i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.								
	4	2	FR	GEVES - Siège		10/09	01/09	20/09 5 kg seeds
	4	2	SK	Central and Testing Institute in Agriculture (UKSUP)	Controlling	25/08	25/08	10/09 5 kg seeds and 170 unthreshed ears The minimum requirements for germination capacity, analytical purity and seed health should not be less than the standards laid down in EC Directive 66/402/EEC

1	2	3	4	5	6	7	8	9
<i>Triticum aestivum</i> L. emend. Fiori & Paol. × <i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.								
	4	2	HU	NEBIH Headquarters	*	*	*	*
	4	2	DE	Bundessortenamt	01/09	*	15/09	5 kg seeds minimum germination capacity 94%
<i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell.								
spring	4	2	DE	Bundessortenamt	05/01	*	15/01	5 kg seeds minimum germination capacity 94%; on request: 120 ears
winter	4	2	BE	Centre de Recherches Agronomiques	15/09	*	25/09	3 kg of peeled seeds The minimum requirements for germination capacity, analytical purity and seed purity
winter	4	2	DE	Bundessortenamt	01/09	*	15/09	5 kg seeds minimum germination capacity 94%; on request: 170 ears
<i>Triticum aestivum</i> L. subsp. <i>spelta</i> (L.) Thell. × <i>T. turgidum</i> L. subsp. <i>dicoccon</i> (Schrank) Thell.								
	4	2	DE	Bundessortenamt	*	*	*	*
<i>Triticum monococcum</i> L.								
spring	4	2	DE	Bundessortenamt	15/01	*	15/02	5 kg untreated seed On request for the second growing cycle: 120 unbeaten ears
winter	4	2	DE	Bundessortenamt	01/09	*	15/09	5 kg seeds, minimum germination capacity 94%. On request for the second growing cycle: 170 unbeaten ears
<i>Triticum turgidum</i> L. subsp. <i>dicoccum</i> (Schrank ex Schübl.) Thell.								
	4	2	DE	Bundessortenamt	01/09	14/09	15/09	5 kg seeds minimum germination capacity 94%
	4	2	IT	CREA-DC	15/08	15/08	30/08	1 kg of decorticated seed (and 200 ears for the I cycle) Not treated. Purity and Germinability as cat. §BasicT seed
<i>Triticum turgidum</i> L. subsp. <i>dicoccum</i> (Schrank ex Schübl.) Thell. × <i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) Husn.								
	4	*	FR	GEVES - Siège	*	*	*	*
<i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) Husn.								
spring	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
spring	4	2	AT	Bundesamt für Ernährungssicherheit	29/01	*	29/01	3 kg seeds and 180 ears
spring	4	2	HU	NEBIH Headquarters	31/01	*	10/02	5 kg seeds and 220 ears
spring	4	2	IT	CREA-DC	30/11	*	15/01	2 kg untreated seed and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + i kg of the female parental line + 1 kg of the restorer minimum germination capacity 85%
winter	4	2	IT	CREA-DC	31/07	*	15/08	2 kg untreated seed and 300 unthreshed ears. In case of varieties with cms system: 1 kg of male parental line + i kg of the female parental line + 1 kg of the restorer minimum germination capacity 85%
winter	4	2	HU	NEBIH Headquarters	10/09	*	20/09	5 kg seeds and 220 ears
winter	4	2	FR	GEVES - Siège	10/09	*	20/09	5 kg
winter	4	2	AT	Bundesamt für Ernährungssicherheit	30/08	*	15/09	3 kg seeds and 180 ears
winter	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	15/08	*	15/09	3 kg seeds and 150 ears
<i>Tulipa</i> L.								
vegetative	9	1	NL	NAKTUINBOUW - Main Office	01/09	01/10	15/10	30 bulbs of flowering size, able to show all their characteristics during the first year of examination.
<i>Turnera diffusa</i> Willd.								
seed	10	1	GB	NIAB	01/12	20/01	24/01	*

1	2	3	4	5	6	7	8	9
<i>Turnera diffusa</i> Willd.								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	22/01	26/01 250 seeds must be of high germination capacity
<i>Tussilago farfara</i> L.								
	14	2	DE	Bundessortenamt		*	*	* *
<i>Typha domingensis</i> Pers.								
	4	*	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control		*	*	* *
<i>Typha × glauca</i> Godr.								
	4	*	BG	Executive Agency for Variety Testing, Field Inspection and Seed Control		*	*	* *
<i>Ulmus</i> L.								
garden, tree	9	3	DE	Bundessortenamt		01/12	01/03	15/03 10 plants size 150-175 cm
<i>Ulmus davidiana</i> Planch								
	9	3	DE	Bundessortenamt		01/12	*	15/03 10 plants, size 150-175 cm, grafted or on own roots
<i>Ulmus davidiana</i> Planch × <i>Ulmus minor</i> Mill.								
	9	3	DE	Bundessortenamt		01/12	01/03	15/03 10 plants size 150-175 cm, grafted or own roots, free of important diseases and pests
<i>Ulmus davidiana</i> Planch × <i>Ulmus parvifolia</i> Jacq. (syn. <i>Ulmus chinensis</i> Pers.)								
	9	3	DE	Bundessortenamt		01/12	01/03	15/03 10 plants size 150-175 cm, grafted or own roots, free of important diseases and pests
<i>Ulmus glabra</i> Huds.								
	9	3	DE	Bundessortenamt		01/12	01/03	15/03 10 plants size 150-175 cm
<i>Ulmus × hollandica</i> Mill.								
	9	3	DE	Bundessortenamt		*	*	* *
<i>Ulmus laevis</i> Pall.								
tree	9	3	DE	Bundessortenamt		01/12	01/03	15/03 10 plants potted plants, size 150 to 175 cm
	11	2	PL	COBORU - Head- quarters		15/01	15/03	15/04 8 plants 3-4 years old, container-grown.
<i>Ulmus minor</i> Mill.								
tree	9	3	DE	Bundessortenamt		01/12	*	15/03 10 plants size 150-175 cm
<i>Ulmus parvifolia</i> Jacq. (syn. <i>Ulmus chinensis</i> Pers.)								
	9	3	DE	Bundessortenamt		01/12	01/03	15/03 10 plants size 150-175 cm
<i>Ulmus parvifolia</i> Jacq. (syn. <i>Ulmus chinensis</i> Pers.) × <i>Ulmus rubra</i> Muhl.								
	9	3	DE	Bundessortenamt		*	01/03	15/03 10 plants size 150-175 cm, grafted or own roots, free of important diseases and pests

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Ulmus pumila* L.**

	9	3	DE	Bundessortenamt		01/12	01/03	15/03	10 plants size 150-175 cm
--	---	---	----	-----------------	--	-------	-------	-------	------------------------------

***Uncinia* Pers.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

Uncinia divaricata

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Uncinia egmontiana* Hamlin.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Uncinia uncinata* (L. f.) Kuk.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Vaccinium* L.**

autumn plant- ing	7	4	PT	Direção Geral de Alimentação e Veter- inária - Headquarters		31/07	01/09	30/09	10 potted plants well rooted, with minimum 3 shoots per plant. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate
high chilling	7	4	PL	COBORU - Head- quarters		31/07	01/10	31/10	9 potted plants, well rooted, with minimum 3 shoots per plant Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
spring planting	7	4	PT	Direção Geral de Alimentação e Veter- inária - Headquarters		31/01	01/03	31/03	10 potted plants well rooted, with minimum 3 shoots per plant. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate

***Vaccinium angustifolium* Aiton**

	7	4	PL	COBORU - Head- quarters		31/07	01/10	31/10	9 potted plants, well rooted, with minimum 3 shoots per plant Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
--	---	---	----	----------------------------	--	-------	-------	-------	--

***Vaccinium angustifolium* Aiton × *V. corymbosum* L.**

	7	4	PL	COBORU - Head- quarters		31/07	01/10	31/10	9 potted plants, well rooted, with minimum 3 shoots per plant Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
--	---	---	----	----------------------------	--	-------	-------	-------	--

***Vaccinium corymbosum* L.**

autumn plant- ing	7	4	PT	Direção Geral de Alimentação e Veter- inária - Headquarters		31/07	01/09	30/09	10 potted plants well rooted, with minimum 3 shoots per plant Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate
spring planting	7	4	PT	Direção Geral de Alimentação e Veter- inária - Headquarters		31/01	01/03	31/03	10 potted plants well rooted, with minimum 3 shoots per plant Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate
	7	4	PL	COBORU - Head- quarters		31/07	01/10	31/10	9 potted plants, well rooted, with minimum 3 shoots per plant Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.

***Vaccinium simulatum* Small**

autumn plant- ing	7	4	PT	Direção Geral de Alimentação e Veter- inária - Headquarters		31/07	01/09	30/09	10 potted plants well rooted, with minimum 3 shoots per plant Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate
spring planting	7	4	PT	Direção Geral de Alimentação e Veter- inária - Headquarters		31/01	01/03	31/03	10 potted plants well rooted, with minimum 3 shoots per plant Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate

***Vaccinium virgatum* Aiton**

autumn plant- ing	7	4	PT	Direção Geral de Alimentação e Veter- inária - Headquarters		31/07	01/09	30/09	10 potted plants well rooted, with minimum 3 shoots per plant Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate
----------------------	---	---	----	---	--	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Vaccinium virgatum</i> Aiton								
spring planting	7	4	PT	Direção Geral de Alimentação e Veterinária - Headquarters	31/01	01/03	31/03	10 potted plants well rooted, with minimum 3 shoots per plant Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate
	7	4	PL	COBORU - Headquarters	31/07	01/10	31/10	9 potted plants, well rooted, with minimum 3 shoots per plant Plants should not have been obtained directly by in vitro culture. Plant material should be accompanied by a Plant Passport or a Phytosanitary Certificate.
<i>Vaccinium vitis-idaea</i> L.								
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants - able to show all their characteristics during the first year of examination.
<i>Valerianella locusta</i> L.								
	13	2	NL	NAKTUINBOUW - Main Office	15/02	*	01/03	14000 seeds
	13	2	FR	GEVES - Siège	01/09	*	01/09	20000 seeds (150 g)
<i>Vanda Jones ex R. Br.</i>								
august crop	10	1	NL	NAKTUINBOUW - Main Office	30/04	01/08	31/08	10 young plants, able to flower in the first year of examination, not yet flowering or have flowered before and 3 fully-grown plants, able to flower, able to show all their characteristics in the first year of examination.
january crop	10	1	NL	NAKTUINBOUW - Main Office	30/09	01/01	31/01	10 young plants, able to flower in the first year of examination, not yet flowering or have flowered before and 3 fully-grown plants, able to flower, able to show all their characteristics in the first year of examination.
<i>Vanilla planifolia</i> Andrews								
	7	2	FR	GEVES - Siège	15/01	15/01	15/02	15 cuttings, with at least 2 nodes or 15 plants, one-year old. The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease. The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.
<i>Verbascum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	HU	NEBIH Headquarters	15/01	15/04	15/05	8 free from viruses, good health
<i>Verbascum bombyciferum</i> Boiss.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum chaixii</i> Vill.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum creticum</i>								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum epixanthinum</i> Boiss. & Heldr.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum epixanthinum</i> Boiss. & Heldr. × <i>V. phoeniceum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum</i> × <i>hybridum</i> Brot.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*

1	2	3	4	5	6	7	8	9
<i>Verbascum luridiflorum</i> Hub.-Mor.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum phoeniceum</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum phoeniceum</i> L. × <i>V. pyramidatum</i> M. Bieb.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Verbascum pyramidatum</i> M. Bieb.								
	11	1	GB	NIAB	01/12	*	*	*
<i>Verbena</i> L.								
seed	9	1	NL	NAKTUINBOUW Main Office	-	01/12	*	01/02 10 g seeds minimum germination capacity 50%
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	15/04 24 young plants able to show all their characteristics during the first year of examination, free from viruses.
<i>Verbena bonariensis</i> L.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	15/04 24 young plants able to show all their characteristics during the first year of examination, free from viruses.
<i>Verbena rigida</i> Spreng.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	15/04 24 young plants able to show all their characteristics during the first year of examination, free from viruses.
<i>Veronica</i> L.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Veronica austriaca</i> L. × <i>V. spicata</i> L.								
	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Veronica longifolia</i> L.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Veronica</i> × <i>media</i> Schrad. (<i>V. longifolia</i> L. × <i>V. spicata</i> L.)								
	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants, able to show all their characteristics during the first year of examination, appropriate to be grown in the open
<i>Veronica peduncularis</i> M. Bieb.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Veronica prostrata</i> L.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Veronica spicata</i> L.								
vegetative	9	1	NL	NAKTUINBOUW Main Office	-	01/12	01/04	30/04 24 young plants able to show all their characteristics during the first year of examination appropriate to be grown in the open
<i>Veronica virginica</i> L. (syn. <i>Veronicastrum virginicum</i> (L.) Farw.)								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/02	01/04	30/04 24 young plants, able to show all their characteristics during the first year of flow- ering

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Viburnum* L.**

vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
------------	----	---	----	----------------------------	---	-------	-------	-------	--

***Viburnum cassinoides* L.**

11	*	NL	NAKTUINBOUW Main Office	-	*	*	*	*
----	---	----	----------------------------	---	---	---	---	---

***Viburnum odoratissimum* Ker Gawl.**

11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
----	---	----	----------------------------	---	-------	-------	-------	--

***Viburnum opulus* L.**

11	2	PL	COBORU - Head-quarters	-	15/01	15/03	15/04	8 plants 3-4 years old, container-grown.
11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination

***Viburnum plicatum* Thunb.**

11	1	FR	GEVES - Siège	-	01/12	15/02	15/03	8 plants, container-grown, 2 years old
11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination

***Viburnum rhytidophyllum* Hemsl.**

11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes able to show all their characteristics during the first year of examination
----	---	----	----------------------------	---	-------	-------	-------	--

***Viburnum tinus* L.**

11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	8 young bushes, able to show all their characteristics during the first year of examination.
----	---	----	----------------------------	---	-------	-------	-------	--

***Vicia benghalensis* L.**

4	2	FR	GEVES - Siège	-	15/12	20/12	15/01	2 kg
---	---	----	---------------	---	-------	-------	-------	------

***Vicia ervilia* (L.) Willd.**

4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	-	01/08	*	01/09	3 kg
---	---	----	---	---	-------	---	-------	------

***Vicia faba* L.**

agricultural	4	2	PL	COBORU - Head-quarters	-	15/12	*	01/03	3 kg seeds
agricultural	4	2	NL	NAKTUINBOUW Main Office	-	01/03	*	01/04	3000 seeds
agricultural	4	2	FR	GEVES - Siège	-	15/12	*	10/01	20000 grains
agricultural	4	2	AT	Bundesamt für Ernährungssicherheit	-	01/12	*	01/12	3 kg seeds minimum germination capacity 85%
agricultural	4	2	DE	Bundessortenamt	-	15/12	*	01/02	4 kg seeds minimum germination capacity 85%
spring	4	2	GB	Animal & Plant Health Agency (APHA)	-	30/11	*	15/01	*
spring	4	2	DK	Tystofte Foundation	-	20/01	*	10/02	3 kg seeds
vegetable	4	2	PL	COBORU - Head-quarters	-	20/12	*	01/03	2.5 kg <800 g varieties of 1000 seeds weight, 4.0 kg >800 g varieties of 1000 seeds weight
vegetable	4	2	NL	NAKTUINBOUW Main Office	-	01/03	*	01/04	3000 seeds
vegetable	4	2	DE	Bundessortenamt	-	15/01	*	01/02	6000 seeds minimum germination capacity 85%

1	2	3	4	5	6	7	8	9
<i>Vicia faba</i> L.								
vegetable	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	3 kg
vegetable, broad bean	4	2	FR	GEVES - Siège	15/08	*	15/09	4 kg seeds
winter	4	2	GB	Animal & Plant Health Agency (APHA)	31/08	*	17/09	*
<i>Vicia narbonensis</i> L.								
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	3 kg
	4	2	IT	CREA-DC	15/08	*	01/09	2 kg
<i>Vicia panonica</i> Crantz								
	4	2	FR	GEVES - Siège	15/12	20/12	10/01	2 kg
	4	2	IT	CREA-DC	30/06	30/06	15/08	2 kg of seed for the first cycle and 2 kg of seed for the second cycle to be submitted one year after the first submission date Untreated seed
<i>Vicia sativa</i> L.								
	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/08	*	01/09	3 kg
	4	2	FR	GEVES - Siège	15/12	*	10/01	2 kg
<i>Vicia villosa</i> Roth								
	4	2	FR	GEVES - Siège	15/12	*	10/01	2 kg
<i>Vinca</i> L.								
vegetative, non variegated	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetative, variegated	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	HU	NEBIH Headquarters	31/01	15/03	15/04	8 free from viruses, good health
<i>Vinca difformis</i> Pourr.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Vinca major</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
<i>Vinca minor</i> L.								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	HU	NEBIH Headquarters	31/01	15/03	15/04	8 free from viruses, good health
<i>Viola</i> L.								
seed-propagated	11	1	GB	NIAB	01/12	20/01	24/01	*
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.
<i>Viola cornuta</i> L.								
Seed propagated	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	01/04	48 young plants able to show all their characteristics in the first year of examination.
seed	11	1	GB	NIAB	01/12	20/01	24/01	*
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
vegetatively propagated	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants able to show all their characteristics in the first year of examination.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Viola tricolor* L.**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
------------	----	---	----	------	--	-------	-------	-------	---

***Viola* × *wittrockiana* Gams**

vegetative	11	1	GB	NIAB		01/12	09/03	20/03	*
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03	24 young plants - able to show all their characteristics in the second year of examination.

***Vitex agnus-castus* L.**

vegetative	14	2	DE	Bundessortenamt		01/02	*	01/05	30 young plants, well rooted / per annum No chemical or physical treatment without harmful organisms
------------	----	---	----	-----------------	--	-------	---	-------	---

***Vitex trifolia* L.**

	10	1	NL	NAKTUINBOUW Main Office	-	*	*	*	*
--	----	---	----	----------------------------	---	---	---	---	---

***Vitis* L.**

grape	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)		31/12	01/02	15/03	10 rooted grafts - not produced from herbaceous material - one-year old - grafted on Richter 110 rootstock. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
-------	---	---	----	---	--	-------	-------	-------	---

grape	7	5	FR	GEVES - Siège		31/12	01/01	15/03	10 rooted grafts - not produced from herbaceous material - in vegetative rest state (suitable for treatment with hot water) - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
-------	---	---	----	---------------	--	-------	-------	-------	--

1	2	3	4	5	6	7	8	9
<i>Vitis L.</i>								
grape	7	4	DE	Bundessortenamt	15/02	01/03	15/04	10 rooted grafts - not produced from herbaceous material - one-year old. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.
rootstock	7	4	DE	Bundessortenamt	15/02	01/03	15/04	8 cuttings - not produced from herbaceous material - rooted cuttings - one-year old. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
table grape	7	4	IT	CREA-VE (EO)	31/12	01/02	31/03	10 rooted grafts - not produced from herbaceous material - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine fleck virus (GFkV) - Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) - Grapevine virus A (GVA) - Grapevine virus B (GVB). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Vitis L.

7	4	HU	NEBIH Headquarters	31/12	01/03	15/04	10 rooted grafts
							- not produced from herbaceous material
							- one-year old.
							Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation.
							Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
							The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.

Vitis acerifolia Raf. (syn. V. solonis hort. ex Planch.)

rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings
								- rooted cuttings
								- not produced from herbaceous material
								- one-year old.
								The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for:
								- Arabis Mosaic Virus - only for material coming from outside Spain (ArMV)
								- Grapevine fanleaf virus (GFLV)
								- Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3).
								Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation.
								Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.

7	4	DE	Bundessortenamt	*	*	*	*
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	15 plants
							- grafted.
							The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for:
							- Arabis Mosaic Virus - only for material coming from outside Spain (ArMV)
							- Grapevine fanleaf virus (GFLV)
							- Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3).
							Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation.
							Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.

Vitis aestivalis Michx.

7	*	IT	CREA-VE (EO)	*	*	*	*
---	---	----	--------------	---	---	---	---

Vitis arizonica Engelm.

7	*	IT	CREA-VE (EO)	*	*	*	*
---	---	----	--------------	---	---	---	---

Vitis baileyana Munson

7	*	IT	CREA-VE (EO)	*	*	*	*
---	---	----	--------------	---	---	---	---

Vitis betulifolia Diels & Gilg

7	*	IT	CREA-VE (EO)	*	*	*	*
---	---	----	--------------	---	---	---	---

1	2	3	4	5	6	7	8	9
<i>Vitis cinerea</i> (Engelm.) Engelm. ex Millardet var. <i>helleri</i> (L. H. Bailey) M. O. Moore (syn. <i>V. berlandieri</i> Planch.)								
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	*	*	*	15 plants - grafted.
	7	4	DE	Bundessortenamt	*	*	*	*
	7	4	IT	CREA-VE (EO)	*	*	*	*
<i>Vitis labrusca</i> L.								
grape	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 rooted grafts - not produced from herbaceous material - one-year old - grafted on Richter 110 rootstock. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Vitis labrusca L.

7	4	IT	CREA-VE (EO)	31/12	01/02	31/03	10 rooted grafts - not produced from herbaceous material - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) - Grapevine virus A (GVA) - Grapevine virus B (GVB). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
7	4	DE	Bundessortenamt	15/02	01/03	15/04	10 rooted grafts - not produced from herbaceous material - one-year old. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.

Vitis labrusca L. × *V. vinifera* L.

7	4	IT	CREA-VE (EO)	31/12	01/02	31/03	10 rooted grafts - not produced from herbaceous material - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine fleck virus (GFkV) - Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) - Grapevine virus A (GVA) - Grapevine virus B (GVB). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.

1	2	3	4	5	6	7	8	9
<i>Vitis labrusca</i> L. × <i>V. vinifera</i> L.								
	7	4	DE	Bundessortenamt	*	*	*	*
<i>Vitis monticola</i> Buckley								
	7	*	IT	CREA-VE (EO)	*	*	*	*
<i>Vitis</i> × <i>novae-angliae</i> Fernald								
	7	*	IT	CREA-VE (EO)	*	*	*	*
<i>Vitis riparia</i> Michx.								
rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
	7	4	IT	CREA-VE (EO)	*	*	*	*
	7	4	DE	Bundessortenamt	*	*	*	*
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 rooted grafts - not produced from herbaceous material - one-year old - grafted on Richter 110 rootstock. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
<i>Vitis rotundifolia</i> Michx. var. <i>rotundifolia</i> × <i>V. rupestris</i> Scheele								
	7	4	HU	NEBIH Headquarters	31/01	15/03	15/04	8 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Vitis rotundifolia* Michx. var. *rotundifolia* × *V. rupestris* Scheele**

7	4	FR	GEVES - Siège	31/12	01/01	15/03	10 cuttings	
							- rooted cuttings	
							- not produced from herbaceous material	
							- one-year old.	
							The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for:	
							- Arabis Mosaic Virus (ArMV)	
							- Grapevine fanleaf virus (GFLV)	
							- Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3).	
							Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation.	
							Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.	

***Vitis rupestris* Scheele**

rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings	
								- rooted cuttings	
								- not produced from herbaceous material	
								- one-year old.	
								The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for:	
								- Arabis Mosaic Virus - only for material coming from outside Spain (ArMV)	
								- Grapevine fanleaf virus (GFLV)	
								- Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3).	
								Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation.	
								Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.	
	7	4	IT	CREA-VE (EO)	*	*	*	*	
	7	4	DE	Bundessortenamt	*	*	*	*	
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	15 plants	
								- grafted.	
								The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for:	
								- Arabis Mosaic Virus - only for material coming from outside Spain (ArMV)	
								- Grapevine fanleaf virus (GFLV)	
								- Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3).	
								Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation.	
								Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.	

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Vitis vinifera* L.**

rootstock	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
table grape	7	4	IT	CREA-VE (EO)	31/12	01/02	31/03	10 rooted grafts - not produced from herbaceous material - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine fleck virus (GFkV) - Grapevine leafroll associated virus 1,2,3,6 (GLRaV1, GLRaV2, GLRaV3, GLRaV6) - Grapevine virus A (GVA) - Grapevine virus B (GVB). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
	7	4	DE	Bundessortenamt	15/02	01/03	15/04	10 rooted grafts - not produced from herbaceous material - one-year old. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.
	7	4	ES	Oficina Española de Variedades Vegetales (OEVV)	31/12	01/02	15/03	10 rooted grafts - not produced from herbaceous material - one-year old - grafted on Richter 110 rootstock. The plants must be accompanied by a Plant Passport or a Phytosanitary Certificate and an official laboratory certificate providing that the plant material is not affected by any important pest or disease, and has been lab-tested to give a negative result for: - Arabis Mosaic Virus - only for material coming from outside Spain (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

***Vitis vinifera* L.**

7	5	FR	GEVES - Siège	31/12	01/01	15/03	10 cuttings - rooted cuttings - not produced from herbaceous material - one-year old. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate and a recognised certificate indicating that the plant material has been lab-tested to give a negative result for: - Arabis Mosaic Virus (ArMV) - Grapevine fanleaf virus (GFLV) - Grapevine leafroll associated virus 1 and 3 (GLRaV1 and GLRaV3). Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC.
7	4	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/12	01/03	15/04	10 rooted grafts - not produced from herbaceous material - one-year old. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.
7	4	HU	NEBIH Headquarters	31/12	01/03	15/04	10 rooted grafts - not produced from herbaceous material - one-year old. Plants resulting from meristematic tissue cannot be accepted due to the risk of somoclonal variation. Quality of plants should not be less than the standards laid down in the Annex II, section III of the Council Directive 68/193/EEC. The plants should be accompanied by a Plant Passport or a Phytosanitary Certificate.

***Vitis vulpina* L.**

7	*	IT	CREA-VE (EO)	*	*	*	*
---	---	----	--------------	---	---	---	---

***Vriesea* Lindl × *Guzmania* Ruiz & Pav.**

10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants, approximately 1 month before flower induction treatment, able to show all their characteristics during the first year of examination.
----	---	----	---------------------------	-------	-------	-------	--

***Vriesea* Lindl.**

vegetative	10	1	NL	NAKTUINBOUW - Main Office	01/12	01/03	31/03	24 young plants, approximately 1 months before flower induction treatment, able to show all their characteristics during the first year of examination. Please do not write (e.g. with permanent markers) codes, denominations and/or company names on leaves of submission material.
------------	----	---	----	---------------------------	-------	-------	-------	--

***Vriesea hieroglyphica* (Carrière) E. Morren**

10	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
----	---	----	---------------------------	---	---	---	---

× *Vuylstekeara* hort.

10	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
----	---	----	---------------------------	---	---	---	---

***Wahlenbergia* Schrad. ex Roth.**

vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
------------	----	---	----	------	-------	-------	-------	---

1	2	3	4	5	6	7	8	9
<i>Wahlenbergia procumbens</i> (Thunb.) A. DC.								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
	10	1	FR	GEVES - Siège	15/12	15/03	30/03	12 plants
								Plants must be vegetatively propagated.
<i>Wahlenbergia stricta</i> Sweet.								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
<i>Wahlenbergia undulata</i> (L. f.) A. DC.								
vegetative	10	1	GB	NIAB	01/12	09/03	20/03	*
<i>Weigela</i> Thunb.								
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.
<i>Weigela florida</i> (Bunge) A. DC.								
vegetative	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.
<i>Weigela hortensis</i> (Siebold & Zucc.) K. Koch								
	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.
<i>Weigela middendorffiana</i> (Carrière) K. Koch								
	11	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.
<i>Weigela praecox</i> (Lemoine) L. H. Bailey								
	9	2	FR	GEVES - Siège	01/12	15/02	15/03	8 plants
								- container-grown
								- 2 years old.
								Each plant must be clearly labelled.
<i>Weinmannia</i> L.								
vegetative	11	1	NL	NAKTUINBOUW - Main Office	01/12	01/05	15/05	24 young plants
								- able to show all their characteristics during the first year of examination.
<i>Westringia fruticosa</i> (Willd.) Druce								
vegetative	11	1	GB	NIAB	01/12	09/03	20/03	*
	11	1	FR	GEVES - Siège	15/12	15/03	30/03	8 plants
								- container-grown
								- of sufficient size to flower and/or show their representative characteristics in the first year
								- vegetatively propagated.
<i>Wisteria floribunda</i> (Willd.) DC.								
	11	2	DE	Bundessortenamt	01/12	*	15/03	10 potted plants
								2 years old
<i>Wisteria frutescens</i> (L.) Poir.								
vegetative	11	1	DE	Bundessortenamt	01/12	*	15/03	10 plants
								container-grown, one-year old

1	2	3	4	5	6	7	8	9
<i>Wolffia globosa</i> (Roxb.) Hartog & Plas								
	13	1	NL	NAKTUINBOUW Main Office	-	01/05	01/09	01/10 200 plants, delivered in water able to show all their characteristics during the first year of examination
<i>Xanthocyparis nootkatensis</i> (D. Don) Farjon & D. K. Harder								
vegetative	9	2	PL	COBORU quarters	-	Head-	15/01	15/03 15/04 8 plants 3-4 years old, container-grown
<i>Xanthosoma sagittifolium</i> (L.) Schott								
	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Xerochrysum bracteatum</i> (Vent.) Tzvelev (syn: <i>Bracteantha bracteata</i> Anderb. and Haegi)								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 cuttings well rooted, able to show all their characteristics during the first year of examination.
<i>Yucca</i> L.								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Yucca gloriosa</i> L.								
	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Yucca guatemalensis</i> Baker								
vegetative	11	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Zamioculcas zamiifolia</i> (hort. Lodd.) Engl.								
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 24 young plants - able to show all their characteristics during the first year of examination.
<i>Zantedeschia</i> Spreng.								
aethiopica	10	1	NL	NAKTUINBOUW Main Office	-	01/06	01/09	15/09 30 rhizomes in rest size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination)
seed	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 500 seeds + 100 one-year old tubers (C2 material).
vegetative	10	1	NL	NAKTUINBOUW Main Office	-	01/12	01/03	31/03 30 rhizomes or 30 bulbs size 15-18 (flowering size and being able to show all their representative characteristics in the first year of examination)
<i>Zanthoxylum piperitum</i> (L.) DC.								
vegetative	10	1	DE	Bundessortenamt		15/02	01/06	06/06 25 rooted cuttings
<i>Zea mays</i> L.								
Hybrids+Popula- FAO classes 190-320	4	2	PL	COBORU quarters	-	Head-	*	* * *
hybrid	4	2	HU	NEBIH Headquarters		10/02	*	31/03 1 kg seeds and 1 kg of each unknown component
hybrid	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)		20/02	*	10/03 1 kg For each component 3000 germinable grains

1	2	3	4	5	6	7	8	9
<i>Zea mays</i> L.								
hybrid	4	2	DE	Bundessortenamt	01/02	*	01/03	2 kg seeds minimum germination capacity 94%. For each component 3000 germinable grains
hybrid	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/01	*	15/03	1 kg of the hybrid and 1500 grains of each line and 1500 grains of the single hybrid, if applicable untreated seed must meet at least the requirements for certified seeds
hybrid	4	2	IT	CREA-DC	15/01	*	15/02	1 kg of the hybrid and 3000 germinable grains of each parent minimum germination capacity 90%
hybrid	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5000 grains of the hybrid and of its parent lines Indicate thousand seed weight and germination capacity
hybrid	4	2	FR	GEVES - Siège	01/03	*	01/04	Hybrid: 1 kg 2000 grains of each line If applicable: 2000 grains of the single hybrid parent
line	4	2	CZ	Central Institute for Supervising and Testing in Agriculture (UKZUZ)	31/01	*	15/03	1500 grains
line	4	2	DE	Bundessortenamt	01/02	*	01/03	3000 germinable grains
line	4	2	HU	NEBIH Headquarters	10/02	*	31/03	1 kg
line	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5000 grains Indicate thousand seed weight and germination capacity
line	4	2	FR	GEVES - Siège	01/03	*	01/04	2000 grains
line	4	2	IT	CREA-DC	15/01	*	15/02	3000 germinable grains minimum germination capacity 90%
line	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	20/02	*	10/03	3000 germinable grains
single hybrid as parent	4	2	FR	GEVES - Siège	01/03	*	01/04	2000 grains and 2000 grains of each parent line
single hybrid as parent	4	2	IT	CREA-DC	15/01	*	15/02	3000 germinable grains of the single hybrid and of each parent minimum germination capacity 90%
sweet & pop	4	2	HU	NEBIH Headquarters	10/02	*	15/03	20000 seeds
sweet corn & pop corn	4	2	ES	Oficina Española de Variedades Vegetales (OEVV)	01/01	*	01/02	5000 grains
sweet corn & pop corn	4	2	SK	Central Controlling and Testing Institute in Agriculture (UKSUP)	31/01	*	28/02	2000 germinable grains
sweet corn & pop corn	4	2	IT	CREA-DC	15/01	*	15/02	1 kg of the hybrid and 3000 germinable grains of each parent minimum germination capacity 90%
sweet corn & pop corn	4	2	NL	NAKTUINBOUW - Main Office	01/04	*	15/04	3000 seeds
sweet corn & pop corn	4	2	FR	GEVES - Siège	15/03	*	01/04	1 kg untreated seed
× <i>Zelglossoda</i> J. M. H. Shaw								
	10	1	NL	NAKTUINBOUW - Main Office	*	*	*	*
<i>Zelkova serrata</i> (Thunb.) Makino								
vegetative	11	2	DK	University of Aarhus - Aarslev	15/12	01/04	15/04	8 plants, 3-4 years old, propagated by cuttings Where plant material is submitted from outside the EU, the following data must be communicated at least 4 days in advance to the examination office: number of plants for each variety, origin, expected arrival place and time, flight number.

1	2	3	4	5		6	7	8	9
<i>Zinnia</i> L.									
seed	11	1	GB	NIAB		01/12	20/01	24/01	*
seed-	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	48 young plants and 200 seeds
propagated				Main Office					able to show all their characteristics during the first year of examination.
<i>Zinnia angustifolia</i> Kunth									
seed	11	1	GB	NIAB		02/12	20/01	24/01	*
<i>Zinnia angustifolia</i> Kunth × <i>Z. elegans</i> Jacq.									
seed	11	1	GB	NIAB		01/12	20/01	24/01	*
seed-	11	1	NL	NAKTUINBOUW	-	01/12	01/03	31/03	48 young plants and 200 seeds
propagated				Main Office					able to show all their characteristics during the first year of examination.
<i>Zinnia elegans</i> Jacq.									
seed	11	1	GB	NIAB		01/12	20/01	24/01	*
<i>Zinnia haageana</i> Regel.									
seed	11	1	GB	NIAB		01/12	20/01	24/01	*
<i>Zinnia peruviana</i> (L.) L.									
seed	11	1	GB	NIAB		01/12	20/01	24/01	*
<i>Zinnia violacea</i> Cav.									
seed	11	1	GB	NIAB		01/12	20/01	24/01	*
<i>Zoysia matrella</i>									
	3	2	ES	Oficina Española de Variedades Vegetales (OEVV)		*	*	*	*
<i>Zygopetalum</i> Hook.									
august crop	10	1	NL	NAKTUINBOUW	-	30/04	01/08	31/08	10 young plants able to show all their characteristics during the first year of examination
				Main Office					preferably budded but not yet flowering
january crop	10	1	NL	NAKTUINBOUW	-	30/09	01/01	31/01	10 young plants able to show all their characteristics during the first year of examination
				Main Office					preferably budded but not yet flowering

Format of official CPVO publications

Since 2010, the 6 editions of the Official Gazette, the 6 editions of the S2-Gazette and the Annex to the Annual Report are exclusively available in digital format.

The Annual Report (without Annex) is available in both formats, hard copy and digital.

How to obtain CPVO Publications

Digital copies:

All CPVO Publications are freely downloadable as pdf documents:

- via the CPVO website (<http://www.cpvo.europa.eu>);
- via EU Bookshop (<http://bookshop.europa.eu>).

Paper copies:

Of pre-2010 CPVO Publications, hard copies for sale, if printed versions are still available, only available at the CPVO.

Of Annual Reports as from 2010:

- via EU Bookshop (<http://bookshop.europa.eu>);
 - from your bookseller by quoting the title, publisher and/or ISBN number;
 - by contacting one of the sales agents of the Publications Office of the European Union directly.
- You can obtain their contact details on the Internet (<http://bookshop.europa.eu>).

Note:

An e-subscriber service is in place via the CPVO website, at the very bottom of the CPVO home page:

"Electronic mailings lists"/"CPVO Publications and announcements".

To be kept posted on new Official Publications, you can subscribe to receive a message delivered straight in your inbox.

ISSN 1831-6212 • TG-AB-18-S06-12-N

©CPVO Angers, 2018

Reproduction is authorised, except for commercial purposes, provided the source is acknowledged.

Produced by CPVO

Typeset by $\text{\LaTeX}$



CPVO

3 boulevard Maréchal Foch - CS 10121
49101 ANGERS CEDEX 2 - FRANCE
Tel. +33 (0)2 41 25 64 00 - Fax +33 (0)2 41 25 64 10
cpvo@cpvo.europa.eu - www.cpvo.europa.eu

S2●6●2018

15|12|2018



Publications Office